29.05.2025



Sub: Submission of Half Yearly compliance status report for Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District- Palwal, Haryana for period **October-2024 to March-2025.**

Ref: Environment clearance issued to Adani Logistics Limited by Ministry of Environment, Forest and Climate Change (Impact Assessment Division) vide letter dated 17/06/2022 bearing number - EC22A038HR110364.

Dear Sir,

Please refer to the above cited reference for the said subject matter. In connection with the same, it is to state that copy of the compliance report for the Environmental Clearance for the period of **October-2024 to March-2025** is being submitted through soft copy (e-mail communication).

This is for your information and records please.

Yours faithfully,

For Adani Logistics Limited



Adani Logistics Limited, Palwal, Haryana

Copy to: -

- The Chairman, State Environment Impact Assessment Authority, Bay No. 55-58, Paryatan Bhawan, Sector – 2, Panchkula, Haryana
- 2. The Regional Officer, Haryana State Pollution Control Board, 3rd Floor, HSIIDC Office Complex, IMT Manesar, Gurgaon

Adani Logistics Ltd Adani House, Plot No 83 Institutional Area, Sector 32 Gurugram 122001 NCR, India CIN: U63090GJ2005PLC046419 Tel+91 124 255 5555 Fax +91 124 25555210 info@adani.com www.adani.com

Registered Office: Adani Corporate House, Shanitigram, Near Vaishnodevi Circle, S G Highway, Ahmedabad-382421, Gujarat, India.





Status of the Conditions Stipulated in Environment Clearance

Half yearly Compliance report on Environment Clearance granted to "Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District-Palwal, Haryana" vide letter no. EC22A038HR110364 dated 17th June 2022.

S. No.	CONDITION	COMPLIANCE STATUS
Specific Cond	itions as recommended by MoEF&CC	
i	Abstraction of ground water shall be subject to the permission of Central Ground Water Authority (CGWA). Fresh water requirement shall not exceed 150 KLD during operational phase.	Application for withdrawal of ground water from HWRA is in process.
ii	As proposed, wastewater shall be treated in the onsite STP having a total 248 KLD capacity. At least 178 KLD of treated water from the STP shall be recycled and re-used for flushing (80 KLD), filter backwash (3 KLD) and for gardening (95 KLD during dry season). Excess treated water (about 76 KLD during monsoon season and about 28 KLD during winter season) shall be supplied to the nearby farmers for irrigation purposes. PP shall submit MoU for the disposal of excess treated water (outside the site) to the Regional Office of MoEF&CC along with six- monthly compliance report.	STP of 55 KLD has been installed and is in operation. Details enclosed as Annexure 11.
111	The project proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	Noted for compliance



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
iv	Area for greenery shall be provided as per the details provided in the project document i.e., area under plantation/greenery will be 36,905.35 sq. m. The project being located in the National Capital Region (NCR) which is severely affected by poor air quality, the project proponent shall develop dense plantation at the project site using appropriate techniques m consultation with the forest department/horticulture department/ experts/ consultants etc., comprising of at least 3,071 nos. plants (including trees and shrubs) during the operation phase of the project as committed.	The green belt development is being done as per the phasewise manner. Details enclosed as Annexure 01.
V	The local bye-law provisions on rainwater harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 10 RWH pits and stored in 2 Ponds of total 4,620 m ³ capacity shall be provided by PP for rainwater harvesting after filtration.	Rainwater harvesting structure have been developed in phasewise manner. Details photographs enclosed as Annexure 2 .
vi	The solid waste shall be duly segregated into biodegradable and nonbiodegradable components and handled in separate area earmarked for segregation of solid waste, as per SWM Rules, 2016. As committed, biodegradable waste shall be utilized through the OWC/Bio-Gas generation plant/bio-bin unit to be installed within the site. Inert waste shall be disposed of as per norms at authorized site. The recyclable waste shall be sold to authorized vendors/recyclers. Construction & Demolition (C&D) waste	No canteen facility has been developed inside the premises. Domestic waste (in very small quantity) generated is being managed through local municipality.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	shall be segregated and managed as per C&D Waste Management Rules, 2016.	
vii	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 Kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted
viii	The PP shall provide electric charging points in parking areas for e-vehicles as committed.	Noted
ix	As committed, at least 10% of the electrical load shall be met through solar energy.	Noted Solar system is being developed in phase wise manner. Details enclosed as Annexure 03.
×	The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals/ clearances under any other Acts/Regulations or Statutes as applicable to the project.	Noted and agreed.



S. No.	CONDITION	COMPLIANCE STATUS
Standard Con	ditions	
I	Statutory Compliance	
i	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted and complied. Approval letter from town planning is enclosed as Annexure 04.
ii	The approval of the Competent Authority shall be obtained for structural safety of building due to earthquakes, adequacy of firefighting equipment etc. as per National Building code including protection measures from lightening etc.	Noted and complied. Structural Stability certificate enclosed as Annexure 05.
iii	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.	
iv	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.
V	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 197 4 from the concerned State Pollution Control Board/Committee.	HSPCB/Consent/:
vi	The project proponent shall obtain the necessary permission for drawl of ground water/surface water required for the project from the competent authority.	Application for withdrawal of ground water from HWRA is in process.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
vii	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Letter of power allotment from nearby Electrical Department is enclosed as Annexure 08.
viii	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Fire NOC enclosed as Annexure 09.
ix	The provisions for the solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management Rules, 2016 shall be followed.	Noted and complied
×	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power Strictly.	Noted and agreed.
II	Air quality monitoring and preservation	
i.	Notification GSR 94(E) dated 25/1/2018 MoEF&CC regarding Mandatory implementation of Dust Mitigation Measures for Construction and Demolition Activities for project requiring Environmental Clearance shall be complied with.	Noted and agreed.
ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Being complied.
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/ criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind	Agreed



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	directions during the construction period.	
iv.	Diesel power generating sets proposed as source of backup power should be of the enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low Sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Noted and agreed.
v.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, Murram and other construction materials prone to causing dust polluting at the site as well as taking out debris from the site.	Noted and agreed.
vi.	Sand, Murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Noted.
vii.	Wet jet shall be provided for grinding and stone cutting.	Noted.
viii.	Unpaved surface and loose soil shall be adequately sprinkled with water to suppress dust.	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
ix.	All construction and demolition debris shall be stored at the site (not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016.	Noted.
х.	The diesel generator sets to be used during 'Construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection} prescribed for air and noise emission standards.	Noted and being complied.
xi.	The gaseous emission from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms	Being complied.
xii.	For indoor air quality the ventilation provisions as per National Building Code of India.	Being complied.
Ш	Water quality monitoring and preservation	
i.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rainwater.	Noted and agreed.
ii.	Buildings shall be designed to follow the natural topography as much as possible	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	Minimum cutting and filling should be done	
iii.	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted.
iv.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Noted
V.	At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Noted and complied.
vi.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Noted and complied.
vii.	Use of water saving devices/fixtures (Viz. low flow flushing systems; use of low flow faucets taps aerators etc.) for water conservation shall be incorporated in the building plan.	Noted and agreed.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
viii.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Noted and agreed.
ix.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Noted.
×.	Rain water harvesting recharge pits/ storage tanks shall be provided for ground water recharging as per the CGWB norms.	Noted and agreed.
xi.	A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meter of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Noted
xii.	All recharges should be limited to shallow aquifer.	Noted.
xiii.	No ground water shall be used during construction phase of the project.	Noted and complied.
xiv.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the ·CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Not applicable
xv.	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	the water balance as projected by the project proponent. The recorded shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring report.	
xvi.	Sewage shall be treated in the STP with tertiary treatment	Noted and agreed.
xvii.	No sewage or untreated effluent water would be discharged through storm water drains.	Noted.
xviii.	Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated wastewater shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by the Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	STP of 55 KLD has been installed and is in operation.
xix.	Periodical monitoring of the water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problems from STP.	Noted.
xx.	Sludge from the onsite sewage treatment including septic tanks. shall be collected, conveyed and disposed of as per the Ministry of Urban Development, Control Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems. 2013.	Noted



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
IV	Noise monitoring and prevention	
i.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Reg lat1on) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase so as to conform to the stipulated standards by CPCB/SPCB.	Noted.
ii.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noted
iii.	Acoustic enclosures for DG sets, noise barriers for ground run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noted.
V	Energy Conservation measures	
i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured, building in the State which have notified their own ECBC, shall comply with the State ECBC	Noted and being complied.
ii.	Outdoor and common area lighting shall be LED	Noted and being complied.
iii.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications	
iv.	Energy Conservation measure like installation of CFLs/LED"s for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	Noted.
V.	Solar, wind or other renewable energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level /local building bye-laws requirement, which is higher	Noted.
vi.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	
VI	Waste Management	
i.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the MSW generated from project shall be obtained.	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
ii.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	Noted.
iii.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Noted and being complied.
iv.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	
V.	All non-biodegradable waste shall be handed over the authorized recyclers for which a written tie up must be done with the authorized recyclers.	Noted.
vi.	Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	
vii.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction materials quantity. These include fly ash brick, hollow bricks, MCs, Fly Ash Lime Gypsum block, compressed earth blocks and other environmentally friendly materials.	Noted and being complied.
viii.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January,	Noted and being complied.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	2016 Ready mixed concrete must be used in building construction.	
ix.	Any wastes from construction and demolition activities related thereto small be managed so as to strictly conform to the construction and Demolition Rules, 2016.	Noted.
×.	Used CFLs and TFLs should be properly collected and disposed of/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Noted.
VII	Green Cover	
i.	No tree can be felled/ transplant unless exigencies demand. Where absolute necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (Planted).	Noted.
ii.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping,	Noted Details enclosed as Annexure 01.
iii.	Where the trees need to be cut with prior permission from the concerned local Authority, Compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	
iv.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stack plied appropriately in designated areas and reapplied during plantation of the proposed vegetations on site.	Noted and agreed.
VIII	Transport	
i.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public and private networks. Roads should be designed with due consideration for the environment and safety of users. The road system can be designed with these basic criteria:	Noted
ii.	a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic	Noted.
iii.	b. Traffic calming measures.	Noted.
iv.	c. Proper design of entry and exit points	Noted.
v. vi.	d. Parking norms as per local regulation Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non- peak hours.	Noted. Noted and being complied.
IX	Human health issues	
i.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and	Noted and being complied.



S. No.	CONDITION	COMPLIANCE STATUS
	construction debris or working in any area with dust pollution shall be provided with dust mask	
ii.	For indoor air quality the ventilation provisions as per National Building Code of India.	Noted and being complied.
111.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and being complied. Emergency preparedness plan is available.
iv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile, STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Noted and being complied.
V.	Occupational health surveillance of the workers shall be done on a regular basis.	Noted and being complied.
vi.	A First Aid Room shall be provided in the project both during construction and operations of the project.	Noted and being complied.
×	Miscellaneous	
i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/ SEIAA website where it is displayed.	Complied. Details enclosed as Annexure 10.
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant	Complied. Details enclosed as Annexure 10.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	offices of the Government who in turn has to display the same for 30 days from the date of receipt.	
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and being complied.
iv.	The project proponent shall submit six- monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted and being complied.
V.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have a defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted and being complied.
vi.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Noted and being complied.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
vii.	An action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in separate accounts and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/ Regional Office along with the Six-Monthly Compliance Report	Noted.
viii.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted.
ix.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted.
х.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Being complied.
xi.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee (SEAC)	Being complied.
xii.	No further expansion or modification in the plant shall be carried out without	Noted.



From : Oct'24 To : Mar'25

S. No.	CONDITION	COMPLIANCE STATUS
	prior approval of the Ministry of Environment, Forests and Climate Chang (MoEF&CC).	
xiii.	Concealing factual data or submission of false/ fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted.
xiv.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xv.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.
xvi.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.	Noted and agreed.
xvii.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & control of Pollution) Act, 1974, the Air (Prevention & control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon"ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter.	Noted.



S. No.	CONDITION	COMPLIANCE STATUS
xviii.	Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

Annexure I


Plantation Photographs



Plantation Photographs

Annexure II

Storm water layout



	_							1						
GENERAL NOTES:-		THIS DRAWING IS THE PROPERTY OF DESIGN			CLIENT	TITLE	PROJECT ID.	SHEET DRAWING	G NUMBER	REVISION	STRUCTURAL & MEP CONSULTANTS:	NORTH DIRECTION	EPC CONTRACTOR	DESIGN CONSULTANTS:
2) ALL LEVELS SHOWN ARE IN MILLIMETER UNLESS STATED OTHERWISE. 3) ONLY WRITTEN DIMENSIONSSTALL BE FOLLOWED. THE DRAWING SHALL NOT BE SCALED.	IT SHOULD NOT BE USED, COPIED OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION.		BLUE STAR REALTORS PVT LTD		104	AI ADN	N-EXT-SITE-STM-104-1001	D		NORTH DIRECTION				
4) ALL DIMENSIONS INDICATE UNFINISHED SURFACES.	PURPOSE OF ISSUE			DLUE STAR REALIORS FVI LID	SITE PLAN	SCALE	4.2	DATE: 19-08-2022						
5) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTURAL, STRUCTURAL & SERVICES DRAWINGS &	DATE F	EV.NO. DESCRIPTION	DATE	REV.NO. DESCRIPTION			DRN BY:						PISL	
DISCREPANCIES/ AMBIGUITIES IF ANY SHALL BE BOUGHT TO THE NOTICE OF THE CONSULTANTS BEFORE COMENCEMENT OF THE WORK AT SITE	19-08-2023	A1 STORM WATER LAYOUT REVISED AS PER CLIENT COMMENTS			PROJECT	STORM WATER	APP BY:	S.A	OFFICE OF ORIGIN: CORE SCAPE ARCHITECTS	īS	PC DESIGNS	N N		
6) ALL LEVELS AND DIMENSIONS STATED SHALL BE VERIFIED AT SITE & DISCREPANCIES/ AMBIGUITIESIF ANY SHALL BE BOUGHT TO THE NOTICE	15-09-2023	B STORM WATER LAYOUT REVISED AS PER CLIENT COMMENTS				LAYOUT PLAN	TENDER		APPROVAL		<u>PRIVATE LIMITED</u> ARCHITECTS* ENGINEERS* PLANNERS			PRAGATIC ORESCAPE
OF THE CONSULTANTS BEFORE COMENCEMENT OF THE WORK AT SITE. 7) CONTRACTOR TO SUBMIT SHOP DRAWINGS OF GLAZING & ALL FACADE WORKS FOR CONSULTANTS BEFORE COMMENCEMENT OF THE WORK	19-09-2023	C STORM WATER LAYOUT REVISED			EPC CONTRACT OF WAREHOUSE AND ALLIED FACILITIES AT PALWAL,	the.	INFORMAT	tion al pater	-		NEW DELHI-110030		P-31 SECTOR-38 GURUGRAM	CORESCAPE DESIGN STUDIO LLP
AT SITE. 8) CONTRACTOR TO SUBMIT SHOP DRAWINGS & DESIGN CALCULATION FOR APPROVAL OF THE ARCHITECT & ENGINEERS.	28-11-2023	D STORM WATER LAYOUT REVISED AS PER CLIENT COMMENTS	Revise	d As Marked	HARYANA				APPROVED			v		P-31, SECTOR - 38 , GURGAON

Annexure III

Solar System installation approval

DAKSHIN HARYANA BIJLI VITRAN NIGAM LIMITED (A Power Distribution & Retail Supply Utility, Govt. of Haryana) **Office of Executive Engineer (Operation) Division, DHBVN** Address: Near 66 KV Substation, New Colony Road, Palwal DHBVN E-mail xenoppalwal@dhbvn.org.in Phone: 01275-252105 Head Office: - Vidyut Sadan, Vidyut Nagar, Hisar-125005 (HR) CIN: U99999HR1999SGC034165, Website: - www.dhbvn.org.in



Memo No. Τo,

Shilra Shant Kumar

<

/Solar Net

Dated 7

SDO (OP) S/U S/Divn., DHBVNL, Palwal

18232

- Approval for installation of Rooftop solar PV System to M/s Blue Star Relators Sub: -Ltd., Village Firojpur, Railway Line, Palwal of applied vide application no F42-1124-11024-1 dated 04.11.2024.
- Ref:-
 - 1. Technical Feasibility report in respect of the above referred application along with the recommendations received from your office through online on dated 28.11.2024.
 - 2. Subsequent upon which the required documents completed by the applicant on dated 01.01.2025 as required by this office vide memo no. 16521 dated 21.11.2024 and further remainder through mail on dated 29.11.2024 & 19.12.2024.

Refer to website portal site of ibid connection, approval is hereby accorded as per your office report submitted on portal against sanctioned applied load 50 kWp in the name of to M/s Blue Star Relators Ltd., Village Firojpur, Railway Line, Palwal of applied vide application no F42-1124-11024-1 dated 04.11.2024, vide applicant A/c no. 5265847256 and connection category HT industry with connected load 1000 KW and CD 1000 KVA. The approval has been given as per direction/ clarification telephonically by the SE (OP) Circle Palwal in case of M/s Panchwati Education Trust at Omaxe City, Phase-2, Palwal applied vide A&A no. F41-1123-11023-1 dated 18.11.2023.

Further, action shall be taken as per the latest prevailing instruction of the Nigam and as per sales circular no. D-06/2020 dated 28.03.2020,31/2021 dated 20.08.2021, 04/2023 dated 03.01.2023 & 20/2024 dated 17.07.2024. This approval shall stand cancelled in case of any violation of Nigam instruction by applicant.

Cc:-

- 1. SE (OP), Circle, DHBVN, Palwal for information please.
- 2. M/s Blue Star Relators Ltd., Village Firojpur, Railway Line, Palwal of applied vide application no F42-1124-11024-1 dated 04.11.2024 for information and necessary compliance of prevailing Nigam instructions/circulars. This approval shall stand cancelled in case of any violation of Nigam instructions by you.

Xen (OP) Divn. DHBVNL, Palwal Att

Annexure IV

Town Planning Approval





2570020: Fax: +91 172 2570021

बे सं. 11–14, सैक्टर–4, पंचकूला, हरियाणा Bay No. 11-14, Sector 4, Panchkula, Haryana

> FORM BR-III (See code 4.2(4))

Tel.: +91 172

Form of sanction

То

M/s Adani Logistics Limited. Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad- 382421.

Memo No. DULB/CTP/CLU-39 PWL/2023/420 Dated: 23 01 2024

Subject:

Approval of Building Plans in respect of Industrial and Warehouse (Agro as well as Non-Agro) purpose over land falling in the revenue estate of village Ferozpur, Industrial Sector-22, Tehsil & District Palwal- M/s Adani Logistics Limited.

1. Please refer to your application dated 27.04.2023 for sanction of building plans over land, which the CLU permission was granted by this office vide memo dated 21.04.2023 for setting up of Industrial & warehouse (Agro as well as Non-agro produce) over land measuring 217386.19 sq. mtrs. (after excluding area measuring 50816.84 sq.mtrs falling under 45 & 30 mtr wide sector road under 24 mtr circular road and 12 mtr service road and area under surface parking), falling in the revenue estate of village Ferozepur, Industrial Sector-22, Tehsil & Distt. Palwal Situated within the limits of Municipal Council, Palwal.

2. The building plans for the aforesaid construction are hereby sanctioned subject to the provisions of the Haryana Municipal Act, 1973 and subject to the following conditions:

- i. That you will comply with all terms & conditions of the permission for change of land use issued by this office vide memo no. DULB/CTP/CLU-39 PWL/2023/3297 dated 21.04.2023.
- ii. The plans are valid for a period of 2 years for the buildings less than 15.00 meters in height and 5 years for the multi-storied buildings from the date of issuance of sanction, subject to validity of change of land use permission for this scheme.
- iii. The structural responsibility of the construction shall be entirely of the owner/supervising architect/Engineer of the Scheme. Further that:-
 - (a) The building shall be constructed as per the provisions of NBC and relevant IS code for all seismic loads, all dead and live loads, wind pressure and structural safety from earthquake of the intensity expected under zone-IV.
 - (b) All material to be used for erection of building shall conform to I.S.I and N.B.C standards.
 - (c) No walls / ceiling shall be constructed of easily inflammable material and stair cases shall be built of the fire resisting material as per standard specification.
 - (d) The roof slab of the basement external to the buildings if any, shall be designed / constructed to take the load of fire tender up to 45 tones.

- 4

(e) You shall submit certificate on prescribed format as per Form BR-VA (2) regarding structural stability and earthquake resistance, alongwith structural drawings, duly signed by Structural Engineer within 60 days alongwith structural drawing for record.

3. FIRE SAFETY

- (i) The applicant and the supervising Architect of the project shall be entirely responsible for making provisions of fire safety and firefighting measures and shall abide by all fire safety by laws.
- (ii) Further, No objection granted by the Deputy Director, O/o Directorate Fire Services, Haryana, Panchkula vide their Memo no. DFS/SF/2023/1178/6528 dated 26.07.2023, for approval of building plans (architecture point of view only) subject to the condition that;

"The firm shall submit a detailed firefighting scheme as per National building Code of India 2016 Part-IV, within 90 days from the date of issuance of building plan approval or before start of construction, clearly showing the provisions mentioned in the National Building Code, 2016 Part-IV with questionnaire, DBR of Fire, ventilation and electric system etc. and get approved the same from the Director, Fire Services, Haryana Panchkula, Haryana concerned local authority as per Haryana Fire and Emergency Services Act-2022 and direction issued time to time if any."

Therefore you shall follow the terms and conditions of Memo no. DFS/SF/2023/1178/6528 dated 26.07.2023.

- 4. No addition and alteration in the building plan/layout plan shall be made without the prior approval of Director, Urban Local Bodies, Haryana, Panchkula.
- 5. If any infringement of bye- laws remains un-noticed, the Department reserves right to amend the plan as and when any such infringement comes to the notice after giving an opportunity of being heard and the department shall stand indemnified against any claim on this account.
- 6. The layout showing the electric installation shall have to be got approved from the Chief Electrical Inspector, Haryana before execution of work at site.
- 7. No person shall occupy or allows any other person to occupy any new building or part of the same for any purpose what so ever until such building or part thereof has been certified by the Director or any person authorized by him in this behalf as having been completed in accordance with the permission granted and an occupation certificate on prescribed form has been duly issued in your favour.
- 8. That you will inform the DTP, Palwal/Executive Officer, Municipal Council, Palwal at least seven days earlier before the commencement of construction at site indicating the date and time of commencement of the erection of building.
- 9. That you will obtain DPC certificate from the Architect through self-certification and shall submit the same in the office of DTP, Palwal/Executive Officer, Municipal Council, Palwal before raising construction above DPC level.
- 10. The open parking around the building blocks shall be mettalled and properly organized.
- 11. That for obtaining occupation certificate, you shall have to submit a notice of completion of the building in as per prescribed format of HBC-2017 regarding

completion of works described in the plans along with following within the validity period of building plans:

- a. A clearance from the fire safety point of view from Fire Station Officer, Palwal.
- b. Structural stability certificate from qualified structure engineer on Form BR-V-A(1).

12. WATER SUPPLY

- (i) You will make your own arrangement of potable water for adequate or constant and reliable water supply as required under the rules.
- (ii) The down take system shall be provided by providing clear water storage tank of not less than half day requirement of water for usages on the top of building block. The capacity of the tank as shown on the plans and down take system/thereof are as under:
 - (a) Inlet pipe from down take to toilet shall be 15 mm dia shown on the plans and connection pipe in each individual fixture shall be 15 mm dia or above.
- (iii) You shall also engage a qualified Public Health Engineer as consultant for the project.
- (iv) All plumbing pipes fitting, valves will be red colour or painted red. In case of embedded pipes, market tapes of red colour at suitable intervals shall be fixed. The underground and overhead tanks should have "Recycle water not fit for drinking" and other warning signs embossed/marked on them.

13. Sewerage:

- (i) All sewerage lines should not be less than 200 mm dia SW pipes.
- (ii) All soil stacks shall be 100 mm dia and all waste stacks shall be 100 mm dia. Waste water pipe connecting Floor Trap (FT) to Gully Trap (GT) and FT to waste water stack shall be 75 mm dia.
- (iii) All W.C. shall be provided with high /low levels flushing cistern. It shall be mandatory for the firms to provide duel/ two button flush system in toilets. The capacity of flushing cistern shall be 8 liters for full discharge/ 3 liters for half discharge.
- (iv) You have proposed disposal of sewerage through proposed STP/Septic Tank for zero discharge thus it is made clear that you shall provide the same as per IS norms and there will be no pollution due to sewerage.
- (v) You will make suitable arrangement for disposal of the effluent in accordance with CPCB/MoEF and take the due consent to establish and operate from HSPCB/CPCB ensuring zero discharge.

14. Storm Water Drainage:

- (i) All external storm water drainage shall be provided suitably so as the disposed of rain water in to external system of the Town.
- (ii) The Rain Water harvesting system shall be provided as per central ground water authority norms/Haryana Govt. notification as applicable.
- (iii) Total runoff of the rain water i.e. roof top runoff and also paved area runoff along with capacity of recharge to be calculated.
- (iv) All rain water stacks shall be as shown on the plans. It is made clear to you that roof top rain harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. Notification as applicable and shall be kept operational all the time.



15. Solid Waste Management:-

- (i) The building proposed for construction comes under bulk waste generator category so the agency shall comply with the Solid Waste Management Rules-2016 and relevant guidelines issued by HSPCB, CPCB & Hon'ble NGT from time to time.
- (ii) The directions issued by the Hon'ble NGT shall be strictly complied with.

16. GENERAL:-

- i. Recycled water is proposed to be utilized for flushing purposes. The firm has made provision of separate flushing line, storage tank, metering system, pumping system and plumbing. It may be clarified to developer that no tap or outlet of any kind will be provided from the flushing lines/plumbing lines for recycled water except for connection to the cistern of flushing tanks and any scouring arrangement. Even ablution taps should be avoided.
- ii. Alternative source of electricity shall be provided by the firm for functioning of water supply, sewerage, SWD, scheme by providing Gen. St of required capacity.
- iii. All pipes, fixture fitting pumps, Gen. set and filtration plans etc. shall be conforming to relevant IS specification and ISI marked.
- iv. No cross connection between recycled water system and potable water system shall be made.
- v. All plumbing pipes fitting, valves will be red colour or painted red. In case of embedded pipes, market tapes of red colour at suitable intervals shall be fixed. The underground and overhead tanks should have "Recycle water not fit for drinking" and other warning signs embossed/ marked on them.
- vi. Recycled water pipes and potable water pipes will be fixed in separate chases and a minimum horizontal distance of 6" (150mm) will be maintained between them. In case of cross suitably colored/taped sleeve shall be used.
- vii. The applicant will provide appropriate pipes (both up and down) for solar water heating system.
- viii. All pipes, Fixture, fittings, Pumps, Generator set and filtration plant etc. shall be conforming to relevant IS specification and ISI marked.
- ix. The company will have to pay the proportionate cost of external development charges for water supply, sewerage, storm water drainage, roads, bridges, community building, street lighting. Horticulture etc. on gross average basis as and when determined by HSVP/State Govt. and will binding upon the firm.
- x. The applicant will be solely responsible for making connection with the master services, if provided by the State Govt./HSVP at their cost with the prior approval of the competent authority.
- xi. The correctness of the levels of the building will be sole responsibility of the applicants for integrating the internal sewer/SWD of the university by gravity.
- xii. That the Solar Photovoltaic Power Plant shall be provided as per the norms specified by HAREDA and the instructions issued by Urban Local Bodies Department vide orders issued on 12.10.2015 shall be made operational in the building, before applying for an occupation certificate. Further the owner shall ensure the installation of Light-Emitting Diode lamps (LED) for its campus as well as building.
- xiii. The provisions of ECBC as per notification no. 19/6/2016-SP dated 31.3.2016 shall be mandatory in the building . The compliance shall be done by

submitting a certificate issued by a Registered Architect confirming that the building plans confirm to the ECBC along with formats prescribed by BEE.

- xiv. The applicant will self-certify completion of building by submitting DPC certificate at DPC level.
- 17. This sanction shall be void abnitio, if any of the conditions mentioned above are not complied with.
- 18. The area details for the proposed additional buildings plans being approved are as under:

Total CLU Granted area	2,17,386.19 sq.mtrs.
Permissible Ground Coverage@ 60%)	1,30,431.71 sq. mtrs.
Achieved Ground coverage	1,06,655.65 sqm (49.06 %)
Permissible FAR 75%	1,63,039.64 sqm
Proposed FAR	1,12,095.01 (51.56 %)
Parking Required as per approved zoning clause i.e.15% of total plot area	32607.93 sq.mtrs.
Parking area proposed	33257.53 sq. mtrs. (15.30%)

D.A.:-One set of approved Building Plans.

Endst. No. : DULB/CTP/CLU-39 PWL/2023/

Dated:

Director.

Urban Local Bodies, Haryana, Panchkula

A copy is forwarded to the following for information and further necessary action:-

- 1. The District Municipal Commissioner, Palwal.
- 2. The Director, Renewable Energy Department, Haryana, HAREDA Bhawan, Sector-17, Panchkula.
- 3. Secretary, Haryana Building and other Construction Workers Welfare Board , Bays no. 29-30, sector-4, Panchkula.
- 4. Chief Engineer (HQ) Directorate of Urban Local Bodies, Haryana, Panchkula.
- 5. Joint Director Environment, New Address SCO-123, Sector-17 D, Chandigarh.
- 6. District Town Planner, Palwal along with one set of sanctioned building plans.
- 7. Executive Engineer, HSVP Division, Palwal.

- 4

Assistant Town Planner, for Director, Urban Local Bodies, Haryana, Panchkula Annexure V

Structural Stability Certificate



Letter of Certification - Design & Stability

Everest Referen	ce/Job No.: PB-02426- A1
Project: M/s. Pr	ragati Infra solution pvt ltd, Alapur, Palwal,
Haryana	
Building usage:	Warehouse

Customer: M/s. Pragati Infra solution pvt ltd Address: 31-P, Sector 38, Gurugram, Haryana -122003

Customer PO No. and Date: PO- PISL/22-23/PLWL/0076 WO- PISL/22-24/PLWL/0077

Dated - 09.09.2023 Dated - 09,09,2023

Completion Certificate No. and Date: CC/PB-02426

This is to certify that the above referenced project has been designed in accordance with the applicable portions of the Building Code specified below. All loading and building design criteria shown have been specified by contract and applied in accordance with the building code.

Loads and codes - Building -Block-A1

Job site: Palwal, Haryana	Building Code: NAUS/AISI-2012 (LRFD)
Built-up Design Code: AISC-2016 (LRFD)	Rainfall: 150 mm/hr.
Cold form Design Code: NAUS/AISI-2012 (LRFD)	Concrete Characteristics Strength: M25
Seismic Code: IS 1893-2016(Part-1)	
Wind Load: IS-875:2015 (Part-3)	
Dead and Collateral Loads	
Dead Load: Roof covering + secondary + Frame weight	
 0.12 KN/Sq.m. for purlin design 	
 0.20 KN/Sq.m. for primary members 	
Roof Live Load	
Roof Live Load: 0.57 KN/Sq.m.	
Additional Loads	
 0.25 KN/Sq.m. on purlin design 	
 0.35 KN/Sq.m. on primary members 	
 400 KG/Rmt load on jackbeam 	
 75 FC: M tendenal moment on all lask harms 	

- 75 KG-M torsional moment on all jack beams.
- 200 KG/Rmt load on cable tray @ 750mm brackets on 2 levels (Refer GAD for location)
- 25° c Temperature load on column and rafters. ٠

Wind Load	Seismic Load	
Wind speed: 47 m/sec (Exposure -B, Category-II)	Seismic Zone: IV	
Wind Enclosure /permeability: Medium permeability	Seismic Importance factor: 1.2	
Wind Importance factor: 1.0	Response reduction factor: 3	
	Soil Profile/type: SS / ST -3	
	Damping factor: 5 %	

Mezzanine Loads			
Mezzanine 1	Dead Load: 4.125 KN/Sq.m.	Live Load: 4.5 KN/Sq.m.	Mezzanine Grid: GL-(A TO C) & (W TO Y), GL-(1 TO 3)

Regd. Office GAT No. 152 Lakhmapur Taluka Dindori Nashik 422 202 Maharashtra Tel +91 2557 250375/462 Fax +91 2557250376

Corporate Identity Number: L74999MH1934PLC002093

BUILDING SOLUTIONS | ROOFING | WALLS | CEILINGS | CLADDING | STEEL BUILDINGS

Page 1 of 2



Building design loads and governing building code is provided by the Customer and is not validated by Everest Industries Limited. The customer is responsible for contacting the local consultant / architect or project Design Professional to obtain all code and loading information for this specific building site.

This certificate qualifies when actual loads on the structure do not exceed the design loads mentioned above under any circumstances, building enclosure does not change due to addition/deletion of openings or any other modifications, no alterations / additions are made to the building without written consent of Everest Industries Limited and building has been maintained as per the building maintenance manual.

This certification DOES NOT apply to the design of the foundation or other on-site structures or components not supplied by Everest Industries Limited, nor does it apply to unauthorised modifications to building components. Furthermore, it is understood that certification is based upon the premise that all components will be erected or constructed in strict compliance with pertinent latest controlled documents of this project. Everest Industries Limited DOES NOT provides general review of erection during or after building construction unless specifically agreed to in the contract documents.

This certification is valid for 20 years. Further extension of stability will be issued for a period of 5 years each time till 50 years with a pre-condition of conducting a joint inspection (from either side) for assessing the building for

- Any physical damage
- Modification carried out on the structure overlooking the design conditions during the period of existence since it is handed over.
- Any deterioration caused in the structure owing to improper maintenance or any Natural calamities.
- modification carried out without our notice of Everest
- Physical Damage to the structure



Date: 19th November 2024 General Manager – Engineering and Design

Regd. Office GAT No. 152 Lakhmapur Taluka Dindori Nashik 422 202 Maharashtra Tel +91 2557 250375/462 Fax +91 2557250376 Corporate Identity Number: L74999MH1934PLC002093 BUILDING SOLUTIONS | ROOFING | WALLS | CEILINGS | CLADDING | STEEL BUILDINGS

Page 2 of 2



Letter of Certification - Design & Stability

Everest Reference/Job No.; PB-02426- A2 Project: M/s. Pragati Infra solution pvt ltd, Alapur, Palwal, Haryana Building usage: Warehouse

Customer: M/s: Pragati Infra solution pvt ltd

Address: 31-P, Sector 38, Gurugram, Haryana -122003

Customer PO No. and Date: PO- PISL/22-23/PLWL/0076 WO-PISL/22-24/PLWL/0077

Dated - 09.09:2023 Dated - 09.09.2023

Completion Certificate No. and Date: CC/PB-02426.

This is to certify that the above referenced project has been designed in accordance with the applicable portions of the Building Code specified below. All loading and building design criteria shown have been specified by contract and applied in accordance with the building code.

Loads and codes - Building -Block-A2


Built-up Design Code: AISC-2016		and a second sec	S/AISI-2012 (LRFD)		
		Rainfall: 150 mm/hr.			
Cold form Design Code: NAUS/A		Concrete Characteristi	es Strength: M25		
Seismic Code: IS 1893-2016(Part Wind Load: IS-875:2015 (Part-3)					
Dead and Collateral Loads					
Dead Load: Roof covering + secon • 0.12 KN/Sq.m. for purl • 0.20 KN/Sq.m. for prin	lin design				
Roof Live Load					
Roof Live Load: 0.57 KN/Sq.m.	and a design requirement		and the second		
Additional Loads					
 0.25 KN/Sq.m. on purli 	in design				
 0.35 KN/Sq.m. on prim 					
 400 KG/Rmt load on ja 					
 75 KG-M torsional mot 	ment on all jack beams.				
 200 KG/Rmt load on c on 2 levels (Refer GAD 	able tray @ 750mm brack	cets			
 200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load 	able tray @ 750mm brack for location)				
200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load Wind Load	able tray @ 750mm brack for location) d on column and rafters.	Seismic Load	1		
200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load Wind Load Wind speed: 47 m/sec (Exposure	able tray @ 750mm brack for location) d on column and rafters. -B. Category-II)	Seismic Load Seismic Zone: IV	etor 12		
200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load Wind Load Wind speed: 47 m/see (Exposure Wind Enclosure /permeability: Me	able tray @ 750mm brack for location) d on column and rafters. -B. Category-II)	Seismic Load Seismic Zone: IV Seismic Importance fa			
200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load Wind Load Wind speed: 47 m/sec (Exposure	able tray @ 750mm brack for location) d on column and rafters. -B. Category-II)	Seismic Load Seismic Zone: IV Seismic Importance fa Response reduction fa	ctor: 3		
200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load Wind Load Wind speed: 47 m/see (Exposure Wind Enclosure /permeability: Me	able tray @ 750mm brack for location) d on column and rafters. -B. Category-II)	Seismic Load Seismic Zone: IV Seismic Importance fa	ctor: 3		
200 KG/Rmt load on e on 2 levels (Refer GAD 25° e Temperature load Wind Load Wind speed: 47 m/see (Exposure Wind Enclosure /permeability: Me	able tray @ 750mm brack for location) d on column and rafters. -B. Category-II)	Seismic Load Seismic Zone: IV Seismic Importance fa Response reduction fa Soil Profile/type: SS /	ctor: 3		

250375/462

Fax +91 2557250376

Corporate Identity Number: L74999MH1934PLC002093 BUILDING SOLUTIONS | ROOFING | WALLS | CEILINGS | CLADDING |

BUILDINGS



Building design loads and governing building code is provided by the Customer and is not validated by Everest Industries Limited. The customer is responsible for contacting the local consultant / architect or project Design Professional to obtain all code and loading information for this specific building site.

This certificate qualifies when actual loads on the structure do not exceed the design loads mentioned above under any circumstances, building enclosure does not change due to addition/deletion of openings or any other modifications, no alterations / additions are made to the building without written consent of Everest Industries Limited and building has been maintained as per the building maintenance manual.

This certification DOES NOT apply to the design of the foundation or other on-site structures or components not supplied by Everest Industries Limited, nor does it apply to unauthorised modifications to building components. Furthermore, it is understood that certification is based upon the premise that all components will be erected or constructed in strict compliance with pertinent latest controlled documents of this project. Everest Industries Limited DOES NOT provides general review of erection during or after building construction unless specifically agreed to in the contract documents.

This certification is valid for 20 years. Further extension of stability will be issued for a period of 5 years each time till 50 years with a pre-condition of conducting a joint inspection (from either side) for assessing the building for


- Any physical damage
- Modification carried out on the structure overlooking the design conditions during the period of existence since it is handed over.
- Any deterioration caused in the structure owing to improper maintenance or any Natural calamities.
- modification carried out without our notice of Everest
- Physical Damage to the structure

For Everest Industries Limited

Date: 19th September 2024 General Manager - Engineering and Design

Regd. Office GAT No. 152 Lakhmapur Taluka Dindori Nashik 422 202 Maharashtra Tel +91 2557 250375/462 Fax +91 2557250376 Corporate Identity Number: L74999MH1934PLC002093 BUILDING SOLUTIONS | ROOFING | WALLS | CEILINGS | CLADDING | STEEL BUILDINGS

Page 2 of 2



Letter of Certification - Design & Stability

Everest Reference/Job No.: PB-02426- A2

Customer: M/s. Pragati Infra solution pv1 ltd Address: 31-P, Sector 38, Gurugram, Haryana -122003

This is to certify that the strengthening of mezzanine floor is done between GL-9-10 (A to B) and GL-9-10 (S to T). Mezzanine is safe in strength and serviceability for the below loading.

Mezzanine Dead and Collateral Loads

- Floor dead load: 4.125 KN/sqm
- Additional dead load: 3.75 KN/sqm (Middle portion of strengthening portion)
- Additional dead load: 2.50 KN/sqm (Adjacent portion of strengthening portion)

Merzanine live Load

Mezzanine live Load: 4.50 KN/Sq.m.

For Ex rest Industrie Interd

Date: 20^a September 2024 General Manager - Engineering and Design

Regd. Office GAT No. 152 Lakhmapur Taluka Dindori Nashik 422 202 Maharashtra Tel +91 2557 250375/462 Fax +91 2557250376 Corporate Identity Number: L74909MH1934PLC002093 BUILDING SOLUTIONS | ROOFING | WALLS | GEILINGS | CITADOING | STEER BUILDINGS

Page 1 of 2

Annexure VI Forest NOC



प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र Clarification letter by Concerned Divisional Forest Officer हरियाणा सरकार / Government of Haryana



गैर-वन भूमि पर वन कानून उपयुक्तता के विषय में स्पष्टीकरण पत्र। Clarification letter regarding applicability of forest laws on non forest land.

नाम Name	आदानी लोगिस्तिक लिमिटेड Adani Logistics Limited	
संगठन का नाम Organisation Name	Adani Logistics Limited	
वर्तमान पता Current Address	Ferozepur,Palwal,Haryana	
भूमि स्थान Land Location	Ferozepur,Palwal,Village -firozpur, Tehsil & Dist. Palwal	
भूमि मापन Land Measurements	66.275 (Acre)	
आयत नम्बर / मुरबा नम्बर Rectangle No./ Murba No.	50, 58, 61, 62, 63, 70, 71, 72	
Reference No. (SRN):- TN जारी करने की तिथि / Date of	Issuance: 28-01-2022	
जारी करने का स्थान / Place c जारी करने वाला प्राधिकरण / Is	of Issuance: Palwal suing Authority: _{Divisional} Forest Officer	- 12913555 - 118255 5

https://164.100.137.243/eservices/mobileapi/verify/clarification/TNT4TKVB12

64 TATI 31797 A	प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र Clarification letter by Concerned Divisional Forest Officer हरियाणा सरकार / Government of Haryana
	गुक्तता के विषय में स्पष्टीकरण पत्र। rding applicability of forest laws on non forest land.
किला नम्बर Killa Number	50//4/1, 6/2/2, 7/2, 8, 12/2, 13, 14, 15/1/1, 16/2/1, 17, 18, 19/1, 19/2, 22/1, 22/2, 23/1, 23/2, 24/1, 24/2, 25/1/1, 25/1/2/2, 58/1/1, 4/3, 5/1/1, 5/1/2, 6/2/1, 6/2/2, 7/1, 7/2, 8/1, 8/2, 9/1, 9/2, 10, 11/1, 12/1, 12/2, 13/1, 13/2, 13/3, 13/4, 14, 15/1, 16/2, 17/1, 17/2, 18, 19/1, 21, 22/1, 22/2, 23/1/1, 23/1/2, 23/2, 24/1, 24/2, 25/1, 25/2/1, 26, 61//6/2, 14, 15/1, 15/2, 15/3, 16, 17, 24/1, 24/2, 25, 62//1, 2, 3, 4, 5, 6, 7, 8/1, 8/2, 9, 10/1/1, 10/2, 11, 12/1, 12/2, 13/1, 13/2, 14, 15, 16, 17, 18/1, 18/2, 19/1/1, 19/2, 20/1, 20/2, 21, 22/1, 22/2, 23/1, 23/2, 24/1, 24/2, 24/3, 25, 63//10/2, 11/1, 20/2, 21, 70//1, 10/1, 10/2/1, 71//1, 3/1, 3/2, 3/3, 4/1, 4/2, 5, 6/1, 6/2, 7/1, 72//5/1
प्रयोजन Purpose	Warehouse

जारी करने की तिथि / Date of Issuance: 28-01-2022 जारी करने का स्थान / Place of Issuance: Palwal जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

https://164.100.137.243/eservices/mobileapi/verify/clarification/TNT4TKVB12

Br tan wang	प्रभागीय वन अधिकारी द्वार	रा स्पष्टाकरण पत्र	
	Clarification le	tter by	
AN A	Concerned Divisional	Forest Officer	
विभाग, हरि	हरियाणा सरकार / Governm	ent of Haryana	Stor HA
Clarification letter rega	तुक्तता के विषय में स्पष्टीकरण पत्र। rding applicability of forest laws on non forest <u>stics Limite</u> docated at village /city <u>Ferozepu</u> e this land for <u>Warehouse</u>		Palwal
	able above said land is not part of notified Rese d under section 4 of Punjab Land Preservation		r Indian Forest Act,
<u>Palwal</u> is n	by the Notification No. S.O.8/P.A 2/1900/S. 4/ otified u/s 4 of PLPA 1900 and S.O.81/PA.2/19 t in the Government record but felling of any or,Palwal	000/S.3/2012 u/s 3 of PLPA 1900. Th	ne area is however
Conservation Act 1980 approach road is st	uired from Protected Forest by the user of will be required. Without prior clearance frictly prohibited. M <u>/s Adani Logistics Limi</u> at village/city, <u>Ferozepur</u> District <u>Palwa</u> t 1980.	from Forest Department, the use ted	of Forest land for
	available with the Forest Department, <u>Palwa</u> d by the Forest Department under Aravalli proj		fall in areas where
of Environment and Fo	learances mandated under the Environment P rests, Government of India, dated 07-05-1992 ents from the concerned authorities.		
of Environment and Fo by the project propone	rests, Government of India, dated 07-05-1992	or any other Act/ order shall be obt	ained as applicable
of Environment and Fo by the project propone f) The project propone g) It is clarified that th	rests, Government of India, dated 07-05-1992 ents from the concerned authorities.	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10	ained as applicable rt/ High Courts.
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo	rests, Government of India, dated 07-05-1992 ents from the concerned authorities. nt will not violate any Judicial Order/ direction i e Hon'ble Supreme Court has issued various	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with.	ained as applicable rt/ High Courts. 0.2002, 16.12.2002,
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo Rules applicable if any, i) This certificate is no and notification date	rests, Government of India, dated 07-05-1992 ints from the concerned authorities. Int will not violate any Judicial Order/ direction i de Hon'ble Supreme Court has issued various detc. pertaining to Aravalli region in Haryana, v onsiblity of user agency/ applicant to get nece	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with. ssary clearances/ permissions unde ent notification dated 10.03.2016 fo	ained as applicable rt/ High Courts. 0.2002, 16.12.2002, er various Acts and or Screening Plant,
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo Rules applicable if any, i) This certificate is no and notification date Department in case of It is subject to the follo	rests, Government of India, dated 07-05-1992 ints from the concerned authorities. Int will not violate any Judicial Order/ direction i be Hon'ble Supreme Court has issued various etc. pertaining to Aravalli region in Haryana, v onsiblity of user agency/ applicant to get necer from the respective authorities/ Department. t applicable in case of Environment Department. t applicable in case of Environment Department. Screening Plant and Stone Crusher. Investor/A Screening Plant and Stone Crusher.	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with. ssary clearances/ permissions unde ent notification dated 10.03.2016 fr Applicant has to take clearance	ained as applicable rt/ High Courts. 0.2002, 16.12.2002, er various Acts and or Screening Plant,
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo Rules applicable if any, i) This certificate is no and notification date Department in case of It is subject to the follo 1.Clarificatio	rests, Government of India, dated 07-05-1992 ints from the concerned authorities. Int will not violate any Judicial Order/ direction i be Hon'ble Supreme Court has issued various etc. pertaining to Aravalli region in Haryana, v onsiblity of user agency/ applicant to get necer from the respective authorities/ Department. t applicable in case of Environment Department. t applicable in case of Environment Department. Screening Plant and Stone Crusher. Investor/A Screening Plant and Stone Crusher.	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with. ssary clearances/ permissions unde ent notification dated 10.03.2016 fr Applicant has to take clearance	ained as applicable rt/ High Courts. 0.2002, 16.12.2002, er various Acts and or Screening Plant,
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo Rules applicable if any, i) This certificate is no and notification date Department in case of It is subject to the follo 1.Clarificatio	rests, Government of India, dated 07-05-1992 ints from the concerned authorities. Int will not violate any Judicial Order/ direction i be Hon'ble Supreme Court has issued various etc. pertaining to Aravalli region in Haryana, v onsiblity of user agency/ applicant to get necer from the respective authorities/ Department. t applicable in case of Environment Department. t applicable in case of Environment Department. Screening Plant and Stone Crusher. Investor/A Screening Plant and Stone Crusher.	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with. ssary clearances/ permissions unde ent notification dated 10.03.2016 fr Applicant has to take clearance	ained as applicable rt/ High Courts. 0.2002, 16.12.2002, er various Acts and or Screening Plant,
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo Rules applicable if any, i) This certificate is no and notification date Department in case of It is subject to the follo 1.Clarificatio	rests, Government of India, dated 07-05-1992 ints from the concerned authorities. Int will not violate any Judicial Order/ direction i be Hon'ble Supreme Court has issued various etc. pertaining to Aravalli region in Haryana, v onsiblity of user agency/ applicant to get necer from the respective authorities/ Department. t applicable in case of Environment Department. t applicable in case of Environment Department. Screening Plant and Stone Crusher. Investor/A Screening Plant and Stone Crusher.	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with. ssary clearances/ permissions unde ent notification dated 10.03.2016 fr Applicant has to take clearance	ained as applicable rt/ High Courts. 0.2002, 16.12.2002, er various Acts and or Screening Plant,
of Environment and Fo by the project propone f) The project propone g) It is clarified that th 18.03.2004, 14.05.2008 h) It shall be the respo Rules applicable if any, i) This certificate is no and notification date Department in case of It is subject to the follo 1.Clarificatio	rests, Government of India, dated 07-05-1992 ints from the concerned authorities. Int will not violate any Judicial Order/ direction i be Hon'ble Supreme Court has issued various etc. pertaining to Aravalli region in Haryana, v onsiblity of user agency/ applicant to get necer from the respective authorities/ Department. t applicable in case of Environment Department. t applicable in case of Environment Department. Screening Plant and Stone Crusher. Investor/A Screening Plant and Stone Crusher.	or any other Act/ order shall be obt issued by the Hon'ble Supreme Cou judgments dated 07.05.2002, 29.10 which should be complied with. ssary clearances/ permissions unde ent notification dated 10.03.2016 fr Applicant has to take clearance	ained as applicable rt/ High Courts. 0.2002, 16.12.2002, er various Acts and or Screening Plant, from Environment

https://164.100.137.243/eservices/mobileapi/verify/clarification/TNT4TKVB12

Annexure VII CTE & CTO from HSPCB



HARYANA STATE POLLUTION CONTROL BOARD

Regional office Palwal, 2nd Floor, HSVP Office Complex, Near Gymkhana Club Sector 12, Palwal-121102. Email:- hspcbropal@gmail.com

Website: www.hrocmms.nic.in E-Mail - hspcbho@gmail.com Telephone No.: 0172-2577870-73

No. HSPCB/Consent/: 313116324PALCTE56633400

Dated:22/03/2024

To.

M/s : M/s Blue Star Realtors Limited Blue star realters ltd village , firojpur, tahsel palwal, haryana 121102 PALWAL 121102

Sub. : Grant of consent to Establish to M/s M/s Blue Star Realtors Limited

Please refer to your application no. 56633400 received on dated 2024-03-02 in regional office Palwal.

With reference to your above application for consent to establish, M/s M/s Blue Star Realtors Limited is here by granted consent as per following specification/Terms and conditions.

and the second sec					
Consent Under	AIR/WATER				
Period of consent	22/03/2024 - 21/03/2029				
Industry Type	Building and construction projects having quantity of waste water generation 10 KLD to 100 KLD irrespective of their built-up area				
Category	ORANGE				
Investment(In Lakh)	11617.68				
Total Land Area (Sq. meter)	109974.0				
Total Builtup Area (Sq. meter)	42378.0				
Quantity of effluent					
1. Trade	0.0 KL/Day				
2. Domestic	20.0 KL/Day				
Number of outlets	1.0				
Mode of discharge					
1. Domestic	STP				
2. Trade	0				
Permissible Domestic E	ffluent Parameters				
1. BOD	10 mg/l				
2. COD	50 mg/l				
3. TSS	20 mg/l				
Permissible Trade Efflu	ent Parameters				
1. NA	mg/l				

Number of stacks	1
Height of stack	
1. Stack attached with 125 KVA DG set	4.24 metre
Permissible Emission pa	arameters
1. NA	
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	0.181 KL/day

Regional Officer, Palwal

Haryana State Pollution Control Board.

Terms and conditions

1	
1.	The industry has declared that the quantity of effluent shall be 20 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 20 KL/Day for Domestic and the same should not exceed.
2.	The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3.	The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4.	That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5.	The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act,1981 as amended to-date-even before starting trial production
6.	The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7.	No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8.	The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9.	Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10.	Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

- 11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
- 12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
- 13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
- 14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
- 15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
- 16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
- 17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
- 18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
- 19. That the unit will take all other clearances from concerned agencies, whenever required.
- 20. That the unit will not change its process without the prior permission of the Board.
- 21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
- 22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
- 23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
- 24. That unit will obtain EIA from MoEF, if required at any stage.
- 25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
- 26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions


Other Conditions :


1. The applicants shall maintain good house keeping both within the premises. All hose pipelines values, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly. 2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order. 3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent. 4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant along with the consent application. 5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied. 6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution. 7. The industry shall comply noise pollution (Regulation and control) Rules, 2000. 8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time. 9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge. 10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application along with the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc. 11. The officier/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time. 12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board. 13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on. 14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse. 15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit. 16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board. 17. That the unit would not change the process or start any new process without prior intimation to the board. 18. That the unit will adopt cleaner technology thereby reducing pollution load. 19. That the unit will provide inter locking arrangement of DG set and will install RECD and dual fuel system in compliance of directions issued by CAQM 20. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis 21. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period. 22. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time. 23. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production 24. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly. 25. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience 26. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act. 27. Unit will raise the stack height of DG Set/Boiler as per Board's norms. 28. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning. 29. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate. 30. That there is

no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar. 31. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board. 32. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked. 33. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish. 34. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied. 35. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource. 36. That the unit will take all other clearances from concerned agencies, whenever required. 37. That the unit will not change its process without the prior permission of the Board. 38. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area. 39. That the unit will comply with the Hazardous Waste Management Rules and will also make the nonleachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority. 40. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked. 41. That unit will obtain EIA from MoEF, if required at any stage. 42. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked. 43. That unit will obtain consent to operate from the board before the start of product activity 44. The unit will comply with all the directions issued by MoEF for infrastructure development projects. 45. The unit has to register on Dust Portal App of CPCB/HSPCB and has to comply with all the norms. 46. The unit will comply with all the provisions of permission obtained from Town & Country Planning Department.

HARYANA STATE

Regional Officer, Palwal Haryana State Pollution Control Board.





Dated:01/01/2025

To.

M/s :M/s Blue Star Realtors Limited Blue star realters ltd village , firojpur, tahsel palwal, haryana 121102

Subject: Grant of consent to operate to M/s M/s Blue Star Realtors Limited.

Please refer to your application no. 82597692 received on dated 2024-12-17 in regional office Palwal.With reference to your above application for consent to operate,M/s M/s Blue Star Realtors Limited is here by granted consent as per following specification/Terms and conditions.

1		
Consent Under	BOTH	
Period of consent	01/01/2025 - 31/	12/2030 T <u>\</u> T F
Industry Type	Building and o	construction projects having
	generation 10 H	KLD to 100 KLD irrespective
Category	ORANGE	
Investment(In Lakh)	11844.07	
Total Land Area(Sq. meter)	. 109974.0	
Total Builtup Area(Sq. meter)	. 42378.0	
Quantity of effluent		
1. Trade	0.0 KL/Day	
2. Domestic	20.0 KL/Day	
Number of outlets	1.0	and the second s
Mode of discharge		
1. Domestic	Irrigantion and f	flushing
2. Trade	0	
Domestic Effluent Para	meters	
1. BOD	10 mg/l	
2. TSS	20 mg/l	
3. COD	50 mg/l	
4. fecal coliform	100	
5. pH	5.5.9.0	
Trade Effluent Parame	eters	
1. BOD	0 mg/l	
Number of stacks	1	
Height of stack		

1. stack to DG	4.24 meter
Emission parameters	
1. NA	
Product Details	
1. NA	0 Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	0.181 KL/day
Raw Material Details	
NA	Metric Tonnes/Day

Regional Officer, Palwal Haryana State Pollution Control Board. Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines values, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.

2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.

3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.

4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant along with the consent application.

5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.

7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.

8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.

9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

17. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource.

18. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.

19. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions :

1. CTO so granted will be without prejudice to any violation made by unit in past & will be deemed cancelled if any such violation come to the notice of the Board at any stage and the CTO so granted will not affect the prosecution action to be initiated against the unit for such past violations caused by the unit. 2. Unit will not change the quantity of domestic effluent/trade effluent/ air emissions sources without prior permission of the Board. 3. Unit will obtain all necessary clearance from all concerned departments. 4. The unit will operate its pollution control devices regularly and will maintain proper logbook for the same. 5. Unit will obtain necessary Authorization HWM Rules, 2016& will apply for CTO renewal at least 90 days before expiry date of CTO. 6. Unit will maintain good housekeeping and will comply with the provisions of SWM Rules, 2016. 7. Unit will deposit balance fee/ environmental

compensation applicable on the unit, if any found at any stage pending/applicable against the unit, unit will be liable to pay the same. 8. Unit will comply with all the direction issued time to time by HSPCB, CPCB, CAQM, Hon'ble NGT, Hon'ble Punjab & Haryana High Court, Hon'ble Supreme Court of India and other concerned authorities. 9. Renewal of CTO will not prevent the Board from taking appropriate action against the defaulting units including revoking the CTO, which will fail to comply with any of the conditions of the CTO or any relevant provisions of the Water Act, 1974 and Air Act, 1981. 10. The standards prescribed under environmental laws by MoEF&CC/ CPCB are followed by the Board. Further, it is clarified that the standards to be prescribed from time to time under environmental laws by MoEF&CC/CPCB shall also be deemed to be the standards of Board. Provided that in case any stringent parameters will be prescribed by the Board on any subject where upon parameters are also provided by MoEF&CC/CPCB, the standards prescribed by the Board will be followed. The general standards prescribed under EP Rules, 1986 (as amended) shall be applicable on the industries for which specific standards are not prescribed. 11. Grant or renewal of CTE and CTO does not prevent the Board from revoking of those CTE and CTO including taking appropriate action against those defaulting units, where CTE or CTO has been obtained or got extended on the basis of wrong declaration or false documents and also who fail to comply with any of the conditions of CTE/CTO granted to such units or any relevant provisions of Water Act, 1974 and Air Act, 1981 beside forfeiture of performance security deposited by the unit for obtaining CTE. 12. Unit will provide the stack height of all the sources as per EPA Act, 1986& will comply with the prescribed standards for discharge of effluent/ air emission as per EPA Act, 1986 & any further amended standards.13. Unit will submit Annual report of Hazardous waste management Rules and environment statement as per the provision of applicable laws. 14. Unit will not use D.G. sets without converting the D.G. sets to Dual fuel & install retrofit APCD within the prescribed time limit prescribed by CAQM, afterward unit will operate the D.G. sets for the time limits prescribed & will maintain logbook for running hours of D.G. sets as per CAQM directions issued time to time.

> Regional Officer, Palwal Haryana State Pollution Control Board.

Annexure VIII

Power Allotment letter

DAKSHIN HARYANA BIJLI VITRAN NIGAM LIMITED

(A Power Distribution & Retail Supply Utility, Govt. of Haryana) Office of the Superintending Engineer (OP) Circle, DHBVNL, Palwal Address: - Old Court Complex Opposite Rest House NH-19, Palwal (HR). BVE mail: - <u>seoppalwal@dhbvn.org.in</u>, Telephone No. 01275- 255009 Head Office: - Vidyut Sadan, Vidyut Nagar, Hisar -125005 (HR) CIN: U99999HR1999SGC034165, Website: <u>www.dhbvn.org.in</u>



То

Executive Engineer/OP Division, DHBVNL, Palwal

Memo No. 597

Dated 2.3) 1) 24

- Subject: Sanction of load of 1000 KW with contract demand of 1000 KVA applied by M/s Blue Star Realtors Pvt. Ltd. at village Firojpur applied vide application no. F42-1023-363 dated 27.10.2023 under HT NDS supply category under (OP) S/U S/Division, DHBVN, Palwal.
- **Ref:** Technical feasibility report in respect of the above referred application along with the recommendations received from your office vide memo no. 1209 dated 18.01.2024.

The subject cited application has been considered in view of the technical feasibility report made available by you as per provisions of Sales Circular no. D-08/2021.

Accordingly, applied load of 1000 KW with contract demand of 1000 KVA is hereby sanctioned (As per the following details) in exercise of the power conferred upon to this office vide Sales Circular no. D-06/2023 dated 18.01.2023 of the Nigam.

"The applied load of 1000 KW with CD 1000 KVA shall be fed at 11 KV level on proposed 11 KV Independent feeder emanating from power T/F T-1 (66/11 KVA, 25/31.5 MVA) of 66 KV Sub-Stations, Huda Sec-02 (Palwal)."

- 1. Accordingly, the subject cited application be processed further and the connection be released to the applicant within the stipulated timeframe strictly under the existing instructions and provisions of HERC Regulation 4 of the Electricity Supply Code: "Procedure for release of new connection and modification in existing in connection" circulated vide sales circular no. D-07/2020 dated 28.03.2020.
- 2. Various activities involved in giving supply of electricity including processing of applications, issue of demand notice, inspection of CEI and testing of the consumer's installation and release of connection shell be under taken as per procedure specified under Regulation 4 of Electricity Supply Code.
- 3. While releasing the Electricity Connection/Load/Contract Demand to the applicant, it is also to be ensured that the following statutory requirements are duly complied with in letter & spirit of the instructions of Nigam's (as amended from time to time):-

- 1. The applicant has complied with the procedure and conditions as specified in Regulation 4 of Electricity Supply Code.
- II. All the documents required to be submitted by the applicant in support of proof of ownership/legal occupation of the premises, proof of identity and other documents, are complete and duly verified in addition to the verification of the category of connection as per its applicability in view of the schedule of tariff circulated vide sales circular no. D-29/2013 dated 25.06.2013 further to be read in conjunction with Sales Circular no. D-14/2022.
 - III. All general and miscellaneous charges payable against the application are fully recorded in accordance with the regulation no. HERC/34/2016/1st amendment/2020 dated 19.03.2020 (Duty to supply electricity on request, power to recover expenditure incurred and power to require security); circulated vide sales circular no. D12/2020 dated 25.06.2020.
 - IV. All the provisions as contained in the HERC regulation no. HERC/29/2014/2nd amendment dated 08.01.2020 (Duty to supply code 2014; circulated vide sales circular no. D7/2020 dated 28.03.2020, are fully complied with strictly adhered to.
 - V. Assessment of the Technical Feasibility report, recommendations for the supply source and supply level and planning for the distribution infrastructure is in strict adherence to the notifications of HERC regulations 3.1 & 3.2 of the Electricity Supply Code
 - VI. Development of electrical infra is as per technical service estimate to be prepared in line with the planning & design and technical specifications and construction standards of the Nigam.
 - Construction standards of the regime
 VII. Before commencement of the work/activities, the estimate is duly signed, approved and sanctioned by the competent authorities of the Nigam.
 - VIII. The service connection charges or actual expenditure to recover such expenses are completed and got deposited from the applicant in accordance with HERC regulation no. 4 power to recover expenditure— Duty to supply circulated vide Sales Circular no. D-12/2020 dated 25.06.2020.
 - IX. In case of the development of the electrical infrastructure requiring any specific clearances and approvals from local bodies, forest department or any other Govt. dept., the same shall be the responsibility of the applicant and in this regard all incidental charges shall be borne by the applicant.
 - X. In case of the applicant opting for the creation of the electrical infrastructure at its own as per the planning , design and technical specifications of Nigam, the same may be got carried out through a licensed electrical contractor under regulation 3.10 of Duty to supply regulations. However, inspection for the quality check of the major items is got carried out from Nigam's authorities person before erection of major items besides the quality check of the electrical infrastructure works from time to time. In such instances the supervision charges (as applicable under regulation 3.10 of

duty to supply regulations) are also paid by the applicant as the case may be.

- XI. The applicant as well as the premise where the load is to be released is not a defaulter of any kind whether disputed or undisputed.
- XII. Seniority for release of connection is maintained in view of the provisions contained in SMI 1.24 and a provision of SMI 4.2 is adhered to in respect of the site for installation of energy meter. These requirements are also to be read in conjunction with the similar requirement stipulated under HERC electricity supply code regulations no. 29/2014 & amendment thereof circulated vide sales circular no. D07/2020 dated 28.03.2020.
- XIII. Along with the release of connection, under HT supply category, with installation of a suitable energy meter, system of AMR is installed by M&P wing of DHBVNL and its connectivity is established with the Head End System deployed at Data Center Hisar.
- XIV. Upon creation of new electricity assets and release of connection, system of GIS is also duly got updated w.r.t the asset mapping and consumer indexing.
 - XV. With regards to the installation of Solar Photovoltaic Power Plant, the notification no. 22/52/2005-5 power dated 21.03.2016 of Haryana Renewal Energy Department, circulated by Nigam vide Sales Circular no. D/42/2016 dated 30.12.2016 along with its amendment vide Sales Circular no. D10/2017 dated 16.02.2020, is adhered to by the applicant.
 - XVI. Applicability of any other fundamental instructions & regulations of the Nigam not specified above but otherwise deemed mandatory for the instant case.
- 4. This sanction of load shall be contingent upon the compliances of the statutory requirements from the applicant as per the instructions/regulations if Nigam stipulated above. However, it is also being made clear that sanction of load of 1000 KW with Contract Demand 1000 KVA has been approved as per the applicable regulations and instructions of the Nigam in view of the A&A form and other documents & details of M/s Blue Star Realtors Pvt. Ltd. at village Firojpur. For any misrepresentation of the information & facts and non compliance, this approval shall be void ab-initio. If any of the information & fact found/noticed to be fabricated and misleaded at any stage, which may otherwise lead to explicit or implicit loss of Nigam, M/s Blue Star Realtors Pvt. Ltd. at village Firojpur, shall be liable to make good such loss to Nigam. This shall however be without prejudice to the right of Nigam to take further recourse in the matter as per the legal remedies available with the Nigam.

SE (OP) Circle,

DHBVNL, Palwal

Annexure IX Fire NOC From Director General

Fire Service, Harvana Panchkula

ToM/sPart Adani Logistics LimitedVILLAGE FIROZPUR TEHSIL AND DISTRICT PALWALMemo No. FS/2024/761 dated : 08/07/2024

Subject : Fire Safety Certificate Under 15 mtrs. from the fire safety point of view for Group H- Storage Building at VILLAGE FIROZPUR TEHSIL AND DISTRICT PALWAL of Part Adani Logistics Limited :

Reference your letter no. 211162423000130 dated 18/06/2024 on the subject cited above.

Tower Name	Floor Detail		Height		Ground Coverage
WAREHOUSE A1	G+Mezzanine		14.10 mtr.		5672.242 Sqm
WAREHOUSE A2	G+Mezzanine		14.10 mtr.		11580.359 Sqm
WAREHOUSE A3	G+Mezzanine		14.10 mtr.		3926.906 Sqm
WAREHOUSE C	G+Mezzanine		14.10 mtr.		5736.38 Sqm
WAREHOUSE D	G+Mezzanine		14.10 mtr.		15051 Sqm
DRIVER ROOM 01	GROUND FL	OOR	3.450 mtr.	3.450 mtr. 3.450 mtr. 3.450 mtr.	
DRIVER ROOM 02	GROUND FL	OOR	3.450 mtr.		
SECURITY OFFICE	GROUND FL	LOOR	3.450 mtr.		
METER ROOM	GROUND FL	JOOR	4.0 mtr.	4.0 mtr.	
PUMP ROOM	MP ROOM GROUND FLOOR		5.5 mtr.		287.441 Sqm
LT ROOM GROUND FL		LOOR	3.9 mtr.		54.240 Sqm
Basement Level		Basement Area		Basemer	nt Remarks
NIL		NIL		ОК	

1) All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.

- 2) The open set back area is not checked at our end as it shall be checked by concerned building authority/department.
- 3) If any lapse or non functioning of fire system will be the sole responsibility of the owner/occupier.
- 4) All the means of escape shall be kept free of all the type of obstruction all the time.
- 5) All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 6) Fire Safety Certificate granted subject to condition that there is no violation in sanctioned building plan by virtue of which fire fighting scheme was approved.
- 7) This Fire Safety Certificate can not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
- 8) The owner/occupier shall strictly follow the other applicable rules/by laws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions, This fire NOC will be deemed cancelled and you will be liable to be punish as per Section 30,31 & 47 of Fire & Emergency Services Act- 2022.
- 9) If the Infringements of Byelaws remains un- noticed the Authority reserves the right to amend the Fire Safety Certificate as and when any such Infringements comes to notice after giving an opportunity of being heard and the Authority shall stand Indemnified against any claim on this account.
- 10) The owner or occupier of the building shall give a self-declaration certificate annually to the effect that the fire fighting system installed in his building is working in good condition and there is no addition/alteration in the building. The Fire Officer may randomly check such building. In case there is any addition/alteration beyond permissible limits under the Haryana Building Code, 2017, the fire safety certificate shall cease to exist and the owner shall apply for approval of revised Fire Fighting Scheme as per the provisions of section 18.

The above Fire Safety Certificate is valid for only **Three** year from the date of issue of this letter Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- Part Fire Safety Certificate and in continuation to this office Memo No FS 2024 754 dated 06 07 2024



Deputy Director (Technical)-I, for Director General, Fire Service, Haryana

Panchkula

Exercising the power of Director, Fire Services, Haryana

Annexure X News Paper Advertisement and Intimation to local administrative offices

adani

Date: 25.06.2022

To

The District Town Planner Department of T&C Planning. Sector-12, Hathin Road, Palwal, Haryana.

Sir

- Adani Logistics Limited Grant of Environmental Clearance (EC) for Sub:-Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District- Palwal, Haryana under EIA Notification, 2006 – Copy furnished for displaying in the Notice Board - Reg.
- EC No. EC22A038HR110364 (File No. 21-15/2022-IA-III), dated 17/06/2022 of Ref:-MoEF&CC, New Delhi.

We wish to inform you that MoEF&CC, New Delhi has granted Environmental Clearance (EC) to Adani Logistics Limited for Industrial/Warehouse/Logistics under EIA Notification, 2006.

In this regard, in compliance with the EC Miscellaneous Condition 2, the copy of the EC is herewith furnished to your good office and request you to display the same in the office Notice Board.

Thanking you.

Yours sincerely, For Adani Logistics Limited

Awar Marks Authorized Signatory

Encl: a/a

Adani Logistics Ltd "Adani Corporate House", Shantigram Near Vaishno Devi Circle, S. G. Highway. Khodiyar, Ahmedabad 382421. Gujarat, India CIN: U63090GJ2005PLC046419

Tel +91 79 2555 5801 Fax +91 79 2555 6490 info@adani.com www.adani.com

Makenber Sharma 5.7.22

Received by :-**O/o District Town Planner** PALWAL

~



Logistics

Date: 25.06.2022

То

The Add. Deputy Commissioner Palwal Municipal Council Near Bal Bhawan, Palwal, Haryana.

Sir

- Sub:- Adani Logistics Limited Grant of Environmental Clearance (EC) for Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District- Palwal, Haryana under EIA Notification, 2006 – Copy furnished for displaying in the Notice Board – Reg.
- Ref:- EC No. EC22A038HR110364 (File No. 21-15/2022-IA-III), dated 17/06/2022 of MoEF&CC, New Delhi.

We wish to inform you that MoEF&CC, New Delhi has granted Environmental Clearance (EC) to Adani Logistics Limited for Industrial/Warehouse/Logistics under EIA Notification, 2006.

In this regard, in compliance with the EC Miscellaneous Condition 2, the copy of the EC is herewith furnished to your good office and request you to display the same in the office Notice Board.

Thanking you.

Yours sincerely. For Adani Logistics Limited

wit-Malit Authorized Signatory

Encl: a/a

Adani Logistics Ltd "Adani Corporate House", Shantigram Near Vaishno Devi Circle, S. G. Highway. Khodiyar, Ahmedabad 382421. Gujarat, India CIN: U63090GJ2005PLC046419



Tel +91 79 2555 5801 Fax +91 79 2555 6490 info@adani.com www.adani.com

THURSDAY, JUNE 23, 2022

FINANCIAL EXPRESS



DEBTS RECOVERY TRIBUNAL LUCKNOW 600/1 University Read New Hansman Sets Mandr Lucknew - 226007 (Ama of Jurisde Con- Part of Uttar Predesh) 0.A. Hp. 8 06 / 2020 Bate: 11/03/2022

(Summars to defendent under section 1903), of the Recovery of Debts Due to Bank and Financial institution Act, 1928 and with Rules 12 and 12 of the Delta Recovery Tribunal (Procedure Rules, 1903) 0.4 Ho 506 / 2020 PUBLIAR & SIND RANK APPLICANT

480

SHRIVIYEK COEWAMI & OTHERS

- Shri Vivek Geswarel, Sto Lt. Shri Gidver Presed Rio Flat No. G-4, Piot No. 8197. Block 8. Sector-03. Reignder Negar, Shahibabad, Chadabad (UP) Mobile No. 8750851500 Pag No ANEP/05500
- 2. Sh. Seurabh Gosward, Sith Lt. Shri Gidver Presed Rio Flat No. G-4 Per No 8/197 Block B. Sector (3. Buigvier Nanar Stabilished Charlabed (1.P. Mobile No. 8130026271, Pap No. B.02755198R
- 3. Shri Vimal Kumer Goyal, Sio Shi Khan Chand Goyal, Rio 119E-2, Antile Apartment-2, Rathay Streen Park, Rejenter Nanar Sector-05, Stabilished Ghadabad (UP) Mobile No. 8586045617, AdharNo. 434015243447

in the above noted application, vocase required to the poly in Paper Bookforts in Two sets along with dogments and adidants (if any), personally or through your duly authorized agentor legal practitioner in this Tribunal, after serving dopy of the same on the Apoli centor his correctivity authorized acent disr publication of the summers, and threader to appear before the Tribunal on 06/07/2022 at 10:30 A.M. Saling which the application shall be head and decided in your absence.





POSSESSION NOTICE Under Sule Arti of SARFAESI Act 2002 For Immership Preservy

Where as the undersioned being the authorized officer of State Bank Of India, RACPC-Cure SARC Fail (abad under the securitisation and reconstruction of financial assets and enforcement of security interest Act-2002, and in exercise of powers conferred under saction 13(2) read with Irain Storf the security interests (Enforcement) Rules 2012 issued a demand online dated 18.06.2018 callion union the incrementary/suprantors Mrs. Mare Chard Mo Sh Rom Preced H Ma 19, Will Ratell Tebell Tieson Forkishat 121084

INVESTIGATION OF

recombiners of achastising copy, it is not possible to verify its continues The Indian Express (P) Limited cannot be hald marginable for much contents, nor for any loss or charmanges inscurred as a result of transactions with companies. monociations or individuals achosettaines in the newspapers or Publications. We therefore recommended that reachers make necessary inculties before serving any monies or entering into any accenterios with advertisers or otherwise acting on an advertagement in any manner whatsower.

DEF ENDANTS

PUBLIC NOTICE

Environmental Clearance for the proposed Industrial/Warehouse/Lopistics Project located at Village- Firozpur, Tehsil & District- Palural, Haryana has been accorded to M/s Adam Logistics Limited by Ministry of Environment, Forest and Climate Change (MoEFBCC) (Impact Assessment Division), Bovernment of India. New Delhi vide EC Identification No. EC22AD38HR110364 B File No. 21-15/2022-IA-III dated 17/05/2022. The copy of the clearance letter is available in the office of MoEF8CC and also on the website [https://parivesh.nic.in]



of Elemental Assists & in correl area of Rule 8(1) of Enforcement of Security Interest Act, 2002, and in exercise, of preserve conferent under section 13/12) and with Rule 3 of the Security Interest Entrocement Rules 2002, issued demand notice's on the date mentioned against each account calling upon the respective borrower's to repay the amount as mentioned against each account within 50 days from the date of not gets i date of receiptof the said notices. The borrower shaving failed to repay the amount, not ge a heady given to the borrowerk and the public in general that the undersigned has taken possession of the propertyles described herein below in exercise powers conterned on himiter under Section 13/4 of the seld Act ead with Rule 8 of the seld Rules on the dates mentioned against each account. The borowers in particular and the public in parents is hareby cautioned not to deal with the propertyles and any dealing with the propertyles will be subject to the charge of PNB Housing Finance Ltd, for the amount and stand there is not becaused. The transport attention is included to reachings of Sub-section (2) of Section 13 of the Art. In respect of time availables to redeem the secured assets.

Sc I	Branch	Account No.	Kant d'Earseari Coloarceari Garante (e) (Lagai Hairo	Demand Notice	Amount Oils as on data Demand Hoti ca	28.00	Description of the Properties Montgaged
1	-	00.94	Mr Pryce's Devel (berroes); Mrs. Neets Dieed (co-berroeve) & Mr. Sanjay Kumar Keari (guannic)		Ro. 5,65,660-1214 (Rapson Trans Lalé Sidy-Nine Transulaté Fauthandes/Saty& Palas Tealive Only) as an 15-09-2021	(Synbolic)	-Al The Property Benning Part Of Acod No. 224, Maszar-Julai pur, Ward biologur, Pargana-Julai pur, Ward Tahai & Dan Umanau, Ular Pasida, Admessaring 720 Sq. R., Bourdes Ao-Tao-House Of Admit. Join, Web Depressed Way 8 III. Archi. Level (1):

Public Notice For E-Austion For Sale Of Immovable Properties.

Sale of interviewable proceeds entropy and a UPL Morree Plateston Limited (Platmarks Interviewas India Infoi technology Plateston Limited (Plateston Office and Plat No.98 JM.on. Witer, Phone -Witerapor-122015-J-Invento and Brandt Office at- Plat No. 381305, Upper Ground Floor, Nam Shivoj i More, Naisfeart Road, Bealdy Japan Showtoon,Not Name, New Delhi under the Securitization and Reconstruction of Financial Assets and Enforcement of Security International Act, 2012 Invitation Act 1 Observe to Automatication (ACT of (FL-PFL) and black the concessors and the highlighting towards as cursued in the outraining of \$150 of the Act at he information parameters with a cost in cursue or "\$1.8 ANTER [] BASIS & AS IN REMAILING REACHING AND AND AND A DAY Section. The Safe will be chosen to be exclusioned through a section standards and the vehile www.basksautions.com

Bornower(s)/	Demand Notice	Description of the Immervable	Date of Bymbolic Pessession	Reserve Price	
Co-Berrower(a)	Data and Areount	propertyl Secured Asset	89-Am-2023	Bu 28.64 163.	
15eerantor(s) 1. M. Raghurath Brigh Yeday		All that part and parcel of the property beams First Filter: Field No 6 102, admeasuring 76 ac, yell.	Total Outstanding As On Date 14-Jun-3822 Rs38,51,401- Rights Tarty Lafe Filty One Thousand Four	(Speen Teen) Soft Left Sing Faur Thumand Ora HundedCable Exress/Rency Bass/Hit- (Rupers/Bill) Fault Soft Statustics List Soft Statustics HundesTan Only	
2. Nr.4 imaniha Yedey	Theusand Nine Handrad Ten Dnly)	Ribeli S, Front Side Uolean Galder Urtern Naga (Delh Lindia			
 Nrs Note Yaday (Prospect No. 601807-6 583365) 	Eld Increase Amount Ru 41,0004 (Repress Forty Theusant Only)		Bundhed 0 se Oldjo		
Date of Impe	ction of property	EMO-Last Date	Cotov Fin	re of E-Auction	
22-Jul-2022 1100 hts -1400 hts		26-Jul-2022 Bill 5 pm.	28-Jul-2822 1180 Inte-1380 Inte.		

Mode Of Powment - Ali on ment shall be rande by terrand traff a fayout of "IFL Home Finance Limited" poyable at Garuptamor through RT (SINF) The accurate details are as follows: all Manue of the account- IFL Hame Finance Ltd., bi Rama of the Rank: Standard Charted Rank Ltd. of Account No: 53105086254, d) IFSC Code: -SC BL0D3V025 or through Payment Link: https://ca.ick.pay.itflinance.com.

Former and Clandidians's

- For participating in a-auction, intending bilders required to register their details with the Santos Provider https://www.banksauctions.com, woll in arise and has in reads the index and an encount, been E and searched, interview bridger have to substitute of their "Inside COEM" does with the opposite retals Investo END, convolute KY C and PANkantat the above mentioned Branch Office.
- The bidden shall reprive the roller is malicle of anexet randomid under the column. Bid reprive Anexet, in case bid is placed in the last Services of the closing time of the aux light the closing time will as broad cally out antiencied for 5 minutes.
- The as cossified bidder at well decreat 25% of the bid amount latter advantage EUC) within 24 hours of the acceptance of bid price to the AD and the tolarce TVs of the tol area at while TS days into the tale of confirmation of sale by the second credity. All decess and countered shall be in the
- The cultivative face to be been the second state above duty face, and any other stateday dues or other dues like managed face, electricity charges, and and of other incidental costs, charges including all takes antiching an expire president to the proce for
- Eddent are advant to a brack the antisity titles. It askess done our and they fees if conference to rate a perior for acctor to detains herein and conditions of audio mass & audio construction by mitabas a desilition than Rich to Management by these a union subjects pandrons
- For details, heb procedus and online bailing on e-auction properties bidden may cartied the service provider 5 mail IDsupport@barkesuctions.com, Support Heipine Nambers.@7371981 C025255.and any property related query. Mr. Sanja, Kamar (2004)200580 Errolt-Rumarsaniavibill.com
- Notice in hereby owner to above said horrowers to collect the transhold articles, which were lying in the sectored asset at the time of taking physical procession after 1 days, of tension (FL-HFL shall not be separable for any loss of property order the characterized
- Further the solice is books picents the Burgsey's, that's case they full to collect the above subdativies care shall be soil is according a with Law
- it rise strikes it is compared at any state-to the secretabilities' partice our hour attribute above diseated into the calculation and be ensurializes to a eld will be forivited insteading EMDI and the property will be easing stills sale.
- 0. AD interver the totics is postparted variable or view the iterea and condition of the total aution wallow a sign incomvession thereof. In case of any dispute in testim/Auction, the testinics arXiV of HFL-HFL will be final.

STATUTARY 31 DAYS SALE NOTICE UNDER RULE 8 (6) OF THE BARFAESI ACT, 2002

The Bancaev are terrely workled scarche survey are reminined above along with policidal solicitenest and available sectored and a solicity expenses before the date of Tendes Auction.

WWW INDIANEXPRESS COM THE INDIAN EXPRESS, THURSDAY, JUNE 23, 2022

ACCUSED ARRESTED Stabbing spree at cyber police station, six personnel injured

EXPRESS NEWS SERVICE. NEW DELIAE JUNE 22

FV E POLICEMEN and a home standwere injured after a must Weinenday dormoors, Police uid the lexident took place on the third loor of the station. The cruzed, identified as That a Busi (29), has been arread. A noticer said the arread

walked into the police tration andwern to the third floor. He was recording a video and calk and him to mop and started loadly when a policyma questioning him about the video. The difficut taid the according to same and mailed our a bolly. ing a brad complete As an alier consuble nativel to some Busi, here as subbed in the abdomm, policituid. Policituid Eluniwanny ingeo

exapt when a home grant and policeman support him after conting to leaf that alogally them and were to the second floor, where he anacked two more officers, policy added, Some officers even maked to their more to take over an illust alwedy becauting an investigation Officers on upper floors aloned change on the ground floor to close



The incident took place at cyber cell police mation in

stabilized him too. Representation

shoaning and naming. I have news seen anything like this."

mainwhere C Marishard horse

guard Ravi scopped him. He subbed them. Ravinspired in-

jarimon hisface. On ground floor, he mainted Co Sand on the chem

and Naroth on his abdomen. He then chevared up kill himself.

Wrakened the guard modewith

Sale and rankdormal

be registered against libus if or

stiwould intuine siz person-

wilmide the mation. "Durmaff

DOT . (Shahdara) E

Sie den nabed assuah the

the cases and sector only mines. A miles complete how a Infor Loren, "Then we The account came notice moreing about policy for taking his complaint. The hary officer asked him negler his complaint and di-rected fairnes and her of four bar he hurled almost, Head compahis Destrait carriers corf root him but he started taking avideo of the police station, Marriag police for not helping people. When bern de tried to mon him, the atcaned took out a knife and an arked him, 12 Amit mahed or help Deepak but the actused

arrenard him.," the DCP said. An officer cold The Indian lapress, "Everyone was scared. The maniful a big kitchen leafe

Of the injured, five are police beat mentions All the injured are possed as Cyber Cell and StateLara police mainer. The injurnity or term In CT Franks Crew of derivate tained interim on his chest. He has been shifted to AIMS Tearra Centre and in reable. Et al yant alread minor in-

inview reality has all and server allow to a hospital. Here as soon diecharged and is being imerrogand. Police said he claim robe a "complairum" but has no doe-uments. "He had come to the how He impaired about the cyber cell police station's location andwern upstain. We are p tioning him, "said an officer.

CODESS NEWS SERVICE. NEW TRI LL TIME 22 THE MUNICIPAL Contemption of Delhi carried out an anti-encroachment drive at ITO in

which around 50 permanent strature on the periohery of a NAME AND POST OF TAXABLE POST In module SeathM Titles staned a survey diserthe High on unantwrited comparation

and encruationent allowed to come up in and around Jadid Cateriman & his blarn a Baracher Shahil after Mary neur 201. The personal statutes in

rform of shops, godine m, di en, and transitioners derived ishedwith there a cause mand searcher men an of public largher on

Sources said the civic body need of the definition of the con-

MANUPLEY DRAWING

Advectories 4 to 172 Date: the 22⁻¹ due to 1922 na mendity net that i that it tanweatly is evening approate for 40 of eity Two peaks. Prateosol, Associate Prateos

20.80.2822 3rd talt cits \$37.2822 Last date ichác may be countant at he webeil

.... PURINE HOTHER westpacing the file of (1) was added a particular for the of (1) was rated a particular for here it a

river, Ser.

D. Doll in wells

disting in all

towned to and

adamy then spin the

1. 1. 1. 1.

a state in the addressed

ert den ber fin der d'aufgeber

TAR CASPIN

the set and they the is, stronger, so

internet deputs, or other ten a

and properly) and sound by heat is the state of the second second

the light of the second second

when any part of the second se reps. br. s. Bars. c is. reflect



The High Court had bet your Roard Land, and it would be im-

Migr. Newtronesed. delbig ovt. nic. in/

said that phonormoly played on on public parts and Delhi Ward



Don't miss the chance to svail maximum concessional Bank of India has brought a golden opportunity for NPA account holders! Avail the one-time settlement scheme offered by Bank of India to avail attractive discount on interest of your NPA account. Don't miss this golden opportunity to close or settle your NPA account. NPA customers are invited to close their NPA account under one time settlement scheme and get the benefit of concessions by visiting the branch adalat of Bank of India held at your branch (Base branch) on or before 28 June 2022.

GOVERNMENT OF NCT OF DELHI treat of Environment | De hi Polution Control Com OTH LEVIEL, C' WING, DEL H SECRETARIAT, NEW DELHI-11000

https://www.dpcc.dolbigort.nic.in/

PUBLIC NOTICE

Subject: Call for Entries for 3 Day Mela exhibiting Alternatives to Single Use Plastics (SUPS)

Department of Environment, Government of NCT of Delhi, and Delhi Pollution Control Committee is organizing a 3 Day Mela from 1 st to 3rd July 2022 to encoursige and promote Startups/Entrepieneurs/ Individual stile If Help Groups/Institutions/NGOs/Organizations/ Teaders etc. involved in manufadure/supply chain of products which serve as Alternatives to Single Use Plastics.

Business antities/Producers/Roard Owners atc. related to SLIP are also expected to attend the event to create B2B interactions

Register your interest to stall exhibition by filling the form on our website https://environment.dehigovt.nic.in/ under Important Unice section or by acaming the OR code below

Shortlated entries will be provided FREE stall a pace for sale, promotion, marketing, interactions and lead generation,

Further details of the event will be available on our websites.

Last date for registration is 26th June, 2022 at 11.59 PM. Decision on selection of exhibitors would be final and binding.

in case of any cueries, pieces with to officeenv123 Gameil.com



Sisodia, officials pulled up New Delty: A summing inspection in product and officials will not of the music tempth between DO and Tilak Bridge on Wednesday

Ind Denamy Chief Maximum Mariah hodia to issue a warning to Public Works Desurements (PWD) distability lack of maintenants

Surprise inspection by

(Distate and County Income and must antibution were poundly maintained. We an deservice to make reach of Delhi beautiful community and when

Over 700 houses in Kathputli Colony to be ready by Sept

New Debt Overflow your uter ine in transit carron may now be shifting to new housen as over 700 km are likely to get maty by Separator endinder And model

According to the Delhi DevelopmentAutority(UDA) officials, around 2,500 km are



alleged monty laundering case. Secula improved mail mathand Mits for slowalk year ings and life for signality walk murinformation provide the latter by the gowrment, which its chailen cikunileens, landscaping amorg others," he take ENG



ICH NUTCE - & SE (MIRSING) DISARE COURSE

blocked from advice from \$5% & a \$500 30% Jun 2020 and to serviceing of Atrix Cash lion Bird July 2020

Marchiel Cart watering many actually set

nd A particle states with some later by grand and here a with and an partie are in their applications for the presented to be a with all compare mentation the contemporal from real <u>project plantate</u> (e) or or but one 2023. The destinant consolitates will be informated about the date To be the set of the s

PUBLIC NOTICE

Industria Waraha and relative Project Invested at Wilson-Firstour, Tehell & District- Palwol, Warwasa has been of Environment, Forest and Clientie Change (MolFRCE) (mpail Assessment Division). Onversional of India New Delhi vide IC Identification No. ECI2ACIA-0110364 8 File No. 21-5/2022-44-8 deted 10/06/2022. The copy of the clearance latter is available in the office of MoCFBO2 and stay no the watering Perturbination to initial

ратитикарна, совлени докторнова, своркали нако Служи и зако Политика и работ Strengton of Lotter 11 and

ASIN'T WELFARE EDUCATION SOCIETY (AVIES)

elevates to the original advertisionent published in the newspaper of

familitate manufact for deals ANL Substative behild www.shcawalcol.org

An about a second second second second and a second s

is injured. When we came to me

andwar attacking anyone who out trying to pint any later, by unicked and threatmed to kill time for ith his infer and then hit his head agains the wall A group d'officers overposent and armord him."

conclusion also a galand Herried

to engage. The sectory closed the

men-chand and or erpowered

paraonizat. Two date point



CARCEPTER INFO

No.Milliperialization#acid1

dimension and in

Party-Content, Bass Tears 2101 (2) 8: Brenter Mar-

1.5 (B) (0127(14))

-15 About USO sparse metros of public land was freed, on a setter day's exclusions the manufor the measurem and head officients

entructments or allowed to come up in the int place The court had on law 16 2021 said 2 any energy brack

is found at the gravey and by the antorties, the decision shall be takenaforgiving adequar hear include then or according of the

Most of charakop owners after he second and the second s

A mong the chings demoi and were local media officers Sapily, employed with Ama-

News, claimed the office way 40




THECITY 5

जनसत्ता, 23 जून, 2022 9

Criminal Courts Authians In The Court Of Ms. Dvya Sharma JMIC Ludhiana end dat, popos of case, orden and judgmenta at well as other case information is available on http://disprise.courts.gov/indudiana	रेएक्सिस बैंक पंजीकृत कार्यालय : 'त्रिश्तूल', तीसरी मंजील, समथरेश्वर मंदिर. लॉ गार्डन, एल्सिब्रिज, आरक्तांध्री, सह-उपारक्तांध्री, /गारंदर, / पिखे एको वाली ने एक्सिस बैंक लिमिटेड से वित्ती य सहायता प्राप्त की थी। हम बताते हैं कि वित्तीय सराया प्राप्त करने के बावदूर, उपारक्तांध्री, /गारंदर, / पिखे एको वाली ने पिकेस बैंक लिमिटेड से वित्तीय सहायता प्राप्त की थी। हम बताते हैं कि वित्तीय सराया प्राप्त करने के बावदूर, उपारक्तांध्री, /गारंदर, / पिखे एको वाली ने पिकेस बैंक लिमिटेड से वित्तीय सहायता प्राप्त की थी। हम बताते हैं कि वित्तीय सराया प्राप्त करने के बावदूर, उपारक्तांध्री, /गारंदर, / पिखे एको वाली ने ने पत्ति त्या के प्राप्त, तात्रि के जुनमुंतातान में विनिन्च वृक्त की है। द्वस खाते के भारतीय रिजर्थ बैंक हारा जो निवेंश्री / हिया,-निवेंश्री के अनुसार इसके तहत उल्लिखित संघंतित तरियो पर गरं – निषादित परिपत्तियों के पानीम्म जे आ रखा हित			भारतीय स्टेट बैंक अमस्मीचेनी नग-मस्त्रआसी एसमीओ-98, 1ला एवं 19 जन, नेक्टर-16 मार्केट, फ्रन्हतज्ज्द-121002	प्रपत्र ए सार्वजनिक उद्धोषणा [फरत दिवाला तथा दिवलिया मंडल (स्वीच्छक परिसमपन प्रक्रेया) विलियन: २०१७ के ठोतनियन । के ठोतनीत] सकेत सिटी हॉम्पीटल्स लिफिटेड के स्टेकपारकों के प्र्यानार्थ		
Kotak Mahindra Bank Limited	वंशाकृत किया गया है, जिसके परिणामस्वरूप एक्सिस बके लिग अधिनियम, 2002 के प्रवर्तन के तहत और धारा 13 (12) के तहत !			कब्जा सूचना	1. कॉर्पोरेट क्रूनधारक का नम	साकेत सिटी हॉस्पीटल्स लिमिटेड	
Vs.	2002 ने सरफैसी अधिनियम, 2002 की धारा 13 (2) व	के तहत नीचे उल्लिखित संबंधित तिथियों पर मांग ने	टिस जारी करते हुए निम्नलिखित	[सरफैसी अधिनियम, 2002 के नियम 8 (1) के अंतर्गत] अचल सम्पति के लिये	 कॉर्पोरेट ऋगथारक के निगमन की 	र्थेष ८ जनवरी, 1991	
of this court that you, the above named accused/accused persons can't be served	खारकतांओं / गारंदर / गिरवीकतोंओं को नोटिश को प्रांचि की तारीख से 80 दिनों के भीतर भुगतान की तारीख तक नोटिश और आकसिफ व्यय, लागत, शुल्क आदि में परिलखित राशि पर आगे की ब्याज दर के साथ नोटिश में उलिखित राशि का मुमातान करने का आदयान किया । उनके जीसम झार धार्ता पर नोटिश जरूरे जारी किए गय दक नोटिश निग संचा के वापा जा पर है। इसलेए करें इसके बारी के इस प्रांचनिक मचना के मायश में सीक्र मिया जाता है।			जैसा कि, वित्तीय परिसंपत्तियों के प्रतिभूतिकरण एवं पुनर्निर्माण तथा प्रतिभूति हित प्रवर्त्तन अधिनियम, 2002 के अंतर्गत भारतीय स्टेट बैंक, आरएसीपीसी-कम-एसएआरसी, फरीदाबाद	 वह प्राधिकरण विसके अतमेत व निगमितप्रपंतीकृत है 	and and a fet more	
		एन.पी.ए. की तिथि मांग सुबना की तिथि स्वीकृत		के प्राधिकृत अभिकारी के रूप में तथा प्रतिभूति हित (प्रतर्तन) नियमावली, 2002 के नियम 3 के साथ पठित घारा 13 (2) के अंतर्गत प्रदेत शक्तियों का प्रयोग करते हुए अयोहरताशरी ने मांग सूचना तिथि 18.06.2018 जारी कर ऋणभारकों/गरेटरों श्रीमती मैंभ चंडी, पत्नी श्री राम प्रमाद, पन्ते ! 19. ग्राम बर्चली, तरुसील तिगांव, फरीवाबाद-121004 को खता सं	 कॉर्पोरेट पहचान संख्या कॉर्पोरेट इंट 	TREF #1 U85110MH1991PLC357942	
	नाम व पत्ती अं	गैर ऋण खाता संख्या एवं बकाया राशि (क) राशि (क	.)		< कॉर्पोरेट ऋणधारक के पंजीकृत क	र्वालय तथा प्रधान 401, 4था तल, मन एक्सलैन्जा एसवी रोड, बिले पालें	
	a cital directar da sinaa cis circard, 300 geardor an		µ. प्लॉट नं. 38 में स्थित 111.11 वर्ग		 कार्यालय (यदि कोई हो) का पता 	(वेस्ट) सम्बर्ड, सिटी-400056, भारत	
		9160300301 922711/- 70314 (As On 02-06-2022)	गज की संपत्ति लव कुश नगर बी गांव मेडता शहर तहसील मेडता				
	लवलीना देवी पत्नी दशरथ सारख्यत 305 पृष्वीराज का	लाना देवा पत्नी देशरथ सारस्वत 306 पृथ्वाराज का िर्मे 1997 के सारक राज्य पत्नी देशरख सारस्वत प्लॉट मं. 38 लवव् 1 वार्ड मं–22 मेडता नागौर राजल्यान 341510 (सह–आवेदक) लवलीना देवी पत्नी देशरख सारस्वत प्लॉट मं. 38 लवव्	. शहर जिला नागौर 341510	65139669448 के माध्यम से उक्त सूचना की प्राप्ति की तिथि से 60 दिनों के भीतर सूचना में	 कॉर्पोरेट ऋणधारक के संदर्भ में f की लिवि 	.वाला आरंभ होने 20 जून, 2022	
	मणः यो विलेज-मेन्द्रा सिटी तहसील मेडता शहर जिला नागौर 341510 (सह-आवेदक) विमल देवी पत्नी दशरथ सारस्वत लवलीना पत्नी दशरथ :		हा लवलीना पत्नी दशरब सरावत के	वर्णित राशि 17.06.2018 को रु. 428324.00 (रु. चार लाख अटठाईस हजार तीन सौ चौबीस	 प्रतिसनापक वर नाम, प्रता, ई-फेल प्रता, टेलीप्रोन नाम्बर 		
	141 कुम्हारों का मऊ मेड़ता नागौर राजस्वान 341510 (सह–आवेदक) पत्न में।			मात्र)+18.6.2018 से ब्याज के साथ अनुषांगिक खर्चे, लागत, चार्जे आदि वापस लौटाने का	पंजीकरण संख्य	वर्ग्यालय का पता : 1315, अंसल टावर्स, 38, केहरू प्लेस,	
with a direction that you should appear	रमेश सिंह पुत्र मंगला सिंह, नेल्या देव नगर अजमेर राज.		M- आवासीय संपत्ति पट्टा संख्या 21	निर्देश दिया था।		नई दिल्ली-110019, भारत पंजी, सं: IBBI/IPA-001/IP-P00080/2017-	
personally before this court on 30-7-2822	305022 (आवेदक) मंगल सिंह पुत्र लाला रावत, पोस्ट कंस फकर नदलिया अजमेर राजस्थान 305022 भारत	9190300323 1375225/- 34830 (As On 02-06-2022.)	क्षेत्रफल 101.73 वर्ग गज ठेडलिया तहसील पष्कर , जिला अजमेर में	ऋणधारक/गारंटर इस राशि को वापस लौटाने में विफल रहे, अतः एतद्हारा ऋणधारक, तथा आम		44L 书: IBBI/IPA-001/IP-P00080/2017- 18/10165	
pt 10:00 a.m. or within 38 days from the date of publication of this proclamation	कस पुष्कर नदालया अजमर राजस्थान 305022 भारत (सह—आवेदक) रमती देवी पत्नी मंगल सिंह पोस्ट कंस पुष्कर	उपठेउ० (As On U2-06-2022) र स्टर्निया अस्त्रेर राज्यसम्बद्धाः २००००० शास्त्र (साह-आयोजन	मगल सिंह /मंगला रावत के नाम	जनता को सूचित किया जाता है कि आज, 16.6.2022 को अधोइस्ताक्षरी ने उक्त नियमावली के		ई-मेल: vl.schl2022@gmail.com	
part to appear as directed above the phrue said case will be heart and				नियम 8 के साथ पठित अधिनियम की धारा 13 की उप धारा (4) के अंतर्गत उन्हें प्रदत्त शक्तियों		टेलीकोन : +911244081898	
	राजस्थान पिन ३०३३०३ (आवेदक) मन्नु खान पुत्र महमूद		पर खसरा नं 1674 बाबा जी की	का प्रयोग करते हुए अधोहस्ताक्षरी ने यहां नीचे वर्णित सम्पत्ति का सांकेतिक कब्जा कर लिया है।	 दावे जमा करने की अंतिम तिथि 	यतेनः +919810266702 19 जलाई, 2022	
	खान, वार्ड नं. 15 नागोरी मोहल्लानगरी मोहल्ला दौसा	9200300686 2264515- 81098 (As On 02-06-2022.)	छावनी में स्थित आवासीय संपत्ति	विशेष रूप से ऋणधारकों/गारंटरों तथा आम जनता को एतदुहारा सतर्क किया जाता है कि वे यहां			
	राजस्थान 303303 भारत (सह–आवेदक) वित्रफल 127.97 की गज			नीचे वर्णित सम्पत्ति को व्यवसाय न करें तथा इन संपत्तियों को किसी भी तरह का व्यवसाय 9.10.2019 को रु. 406020.00 (रु. चार लाख छ: हजार बीस मात्र) के साथ 10.10.2019 से जलदाव माखेल सिर्दा क्रम्भवेटल्स सिफिटेंद्र के स्टेजवर्ण्स को निर्देत हिंग तजा है कि अटरव नं 7 में 1	एतद्दारा सुधित किया जाता है साबेतत सिटी हामपीठल्स लिमिटेड ने 20 जून, 2022 को स्वैथिङक परिसमायन शुरू किन्द्र है।		
	उरशेल वर्षियनि ने उरलेल उफलकोत, स-उफलकोत के उनने परंटर (जो करे ला ते को उरर उन्हेंसित सकार पत्र के सब संघन के कर लेल ला कुस व प्रमान स्व सेति से उरलेल पत्रि के उदिसार के सर करने का बीगत स्वारा करें ने सीत प्रसार मिंते के उठने सन के सर प्रसार के सार 10 () में तरा प्रयान के सार वर्त्तने सार 10 दिसार के सर करने का बीगत स्वारा करें के अठने सार के सार प्रमान ने असल तो रुप उत्तर जो सार 10 () वर्त्तने सार 20 से सार 10 (के राज्य संतर लाई मान के अलोग को से बाक्स के बाल प्रमान के सार 10 के सार प्रमान के सार व्यक्तिम 20 सार वि सार के सार सार प्रसार के सार प्रसार के सार के सार के सार स्वानकालि का के सार के सार स्वानकाल व्यक्तिम 20 सार 10 (के राज्य संतर लाई मान के अलोग को से बाक्स के बाल में सार सार सार सार 10 के सार की देश सार व्यक्तिम सार 10 है कि सोत के सित का लाई मान के अलोग को से बाक्स के सार के सार सार सार का ते होता के सार 10 () के सार से व पहला मुद्दे का सार व्यक्तिम सार 10 है कि सीत के कि सार के सार के सार सार के सार सार के सार सार सार के सार सार सार के सार 10 () के सार की स्वार के सार सार व्यक्ति सार की होक, सीत के के कि सुमान पर सार प्रतान के सार				रदेड के स्टेकधारकों को निर्देश दिवा जाता है कि आइटन नं, 7 में वर्णित परे		
				ब्याज तथा अनुषांगिक खर्चें, लागत, चार्जे आदि के लिये भारतीय स्टेट बैंक चार्ज के अधीन होगा।		वर परिसनाकक के बास 19 जुलाई, 2022 को वा उससे पूर्व अपने दावे का प्रमाग जना करें। प्रश्नुनॉसिक्त क्रेडीटर्स केवल इलेक्ट्रॉनिक पद्धी से ही अपने दावे का प्रनाग बना कर सकते हैं। अन्य सभी क्रेडीटर्स	
				अचल सम्पत्ति का विवरण मौजा, बरोली तहसील एवं जिला 121004 की राजस्व सम्पत्त में स्थित सम्पत्ति प्लॉट नं. 76,			
					व्यक्तिगत, ठाक हारा अथवा इलेक्ट्रॉनिक माध्यमों से अपने दावे का प्रमाण जमा कर सकते हैं। दावे का बाल्ड या भ्रामक प्रमाण जमा करने पर टॉटिंज किया जा सकता है।		
				माप 100 वर्ग याईस जो रेक्ट. नं. 42, किल्ला नं. 24/2 का भाग है।		करन पर दाहत किया जा सकता है। परिसमापक का नाम एवं इस्ताश्चर	
70-4-1-				तिथिः 23.6.2022, प्राधिकृत अधिकारी,	तिथि : 23.06.2022	सुनीता उमेज	
				ाताव: 23.5.2022, आभ्यकृत आभवतत्त, स्थान: फरीदाबाद (भारतीय स्टेट बैंक), आरएसीपीसी-कम-एसएआरसी	स्थान : नई दिल्ली	पने. स: IBBI/IPA-001/IP-P00080/2017-18/10165	

पर्यावरण, वन और जलवायू परिवर्तन मंत्रालय (एम.ओ.ई.एफ.&सी.सी) (इंपेक्ट एसेसमेन्ट डिविजन), भारत सरकार, नई दिल्ली द्वारा ईसी आइडेन्टिफिकेशन नं. EC22A038HR110364 तथा फाइल नं. 21-15/2022-IA-III दिनांक 17/06/2022 के तहत मेसर्स अदाणी लॉजिस्टिक्स लिमिटेड को गांव फिरोजपुर, तहसील व जिला-पलवल, हरियाणा में स्थित प्रस्तावित इंडस्टियल/वेयरहाउस/लॉजिस्टिक प्रोजेक्ट के लिए पर्यावरण संबंधी क्लियरेन्स प्रदान किया गया है. क्लियरेन्स पत्र की प्रति एम.ओ.ई.एफ.&सी.सी के कार्यालय तथा वेबसाइट [https://parivesh.nic.in] पर भी उपलब्ध है.

.



Our Company was originally incorporated as a public limited company under the Companies Act, 2013 in the name and style of "Rasam 18 Resorts and Clubs Limited" bearing Corporate Identification Number U55101GJ2018PLC100469 dated January 10, 2018 issued by the Registrar of Companies, Ahmedabad, Subsequently, the name of our Company was changed to "Pearl Green Clubs and Resorts Limited" pursuant to a shareholders' resolution passed at an Extra-Ordinary General Meeting held on October 21, 2019, and a fresh Certificate of Incorporation dated November 26, 2019, was issued by Registrar of Companies, Ahmedabad, Subsequently the company altered its objects pursuant to a shareholders' resolution passed at an Extra-Ordinary General Meeting held on December 31, 2020, and certificate of Confirming Alteration of Object Clause dated January 15, 2021, was issued by Registrar of Companies, Ahmedabad, Furthermore, the Company has again altered its Object pursuant to a Shareholders' Resolution passed at an Extra-ordinary General Meeting held on January 31, 2022 and a certificate of Confirming Alteration of Object Clause dated February 07, 2022, was issued by Registrar of Companies, Ahmedabad. As on date of this Prospectus the Corporate Identification Number of our Company is US5101GJ2018PLC100469. For further details of incorporation please refer to section titled "Our History and Certain Other Corporate Matters" beginning on


PEARL GREEN THE R. LEWIS CO., LANSING MICH.

lease scan this QR Code to page 111 of Prospectus. view the Prospectus

Corporate Identity Number: U55101GJ2018PLC100469 Registered Office: UP GF-01, Krushna Complex, Near Choice, Navrangpura, Ahmedabad-380009, India, Tel: +91-8488086694 | Fax: N.A. | Website: www.pearlgreenclubsresort.com | E-mail: cs@pgcrl.com Contraction Market Market Contraction of Contraction Office



Annexure XI Details of STP



Annexure XII HSE Policy



Adani Ports and Special Economic Zone Limited

Occupational Health and Safety Policy

Occupational Health and Safety (OHS) responsibilities are integral in the manner APSEZ does Business at its Ports and Logistics locations.

To provide a Safe and Healthy work environment for our internal and external stakeholders for preventing occupational illness and injury, APSEZ, its subsidiaries and joint ventures, are committed to:

- Provide a safe and healthy work place at all times;
- Ensure compliance in design and operations as per applicable National codes, Standards, Best Practices, Statutory and other stakeholder's requirements;
- Encourage all internal and external stakeholders to follow safe work practices and receive training to improve Health and Safety;
- Every stakeholder has a general responsibility for Safety in their respective operating / project areas;
- Establish OHS committees with the involvement of the management and workers to continually improve the Safety culture;
- Involvement of working people in terms of consultation and participation;
- Identify the risks and formulate mitigation plans to prevent incidents;
- Formulate emergency preparedness plans to manage all identified emergencies;
- Implement and continually improve the OHS Management System; and
- Measure, monitor and review the OHS performance of organization in accordance with this policy on a regular basis.

The policy shall be reviewed annually for its appropriateness and updated as necessary.

Hunddan

Karan Adani (Chief Executive Officer)

OCCUPATIONAL HEALTH & SAFETY (OH&S) POLICY

We at Adani, firmly believe that Occupational Health & Safety (**OH&S**) is an integral part of our activities, policies, processes & business operations and are committed to provide safe and healthy workplace across our operating location, to our employees, relevant stakeholders and nearby communities, to achieve our **OH&S** Vision "To be the Globally admired OH&S Leader in the Infrastructure space".

Adani recognizes that **OH&S** and the overall wellbeing of its people is vital to its success and growth aspirations. It is our conviction to promote "**Culture of Care**" so that every activity is performed in a safe manner which facilitates continual growth and sustainability of our businesses. This is envisioned in our business theme "**Growth with Goodness**".

To meet our commitment, we shall endeavor to;

ada

- Integrate Occupational Health & Safety aspects in every business decision we make and in every activity
 we perform. Leaders at all levels, demonstrate their personal commitment to OH&S to promote Principle
 of Prevention of unsafe situations by integrating requirements from design & engineering stage to
 operation & maintenance.
- Work with the fundamental belief that all injuries and occupational illness can and must be prevented. Working safely is a condition of employment to meet our goal of "Zero Harm".
- Comply and exceed applicable legal and regulatory OH&S requirements and set highest standards for positive safety compliance, wherever we operate.
- Develop skills, knowledge, competence and build capability by engaging employees, business partners and service providers through appropriate education & training to help them work safely. Influence our business partners in enhancing their OH&S standards.
- Ensure safe place to work by identifying, assessing, and reducing risks & vulnerabilities, to as low as
 reasonably practicable by applying hierarchy of controls for process, machinery, infrastructure and human
 behavior and prevent any potential emergency situations.
- Conduct regular audits and facilitate assurance of OH&S programs and take timely action on findings, to integrate learnings ensuring continued compliance to safety management system requirements.
- Proactively report all incidents, investigate root causes and ensure lessons learnt are shared and deployed across the Group companies.
- Set OH&S objective and targets, metrics as indicators of excellence, monitor progress and continually improve performance. Provide adequate resources to ensure continual improvement of OH&S management & performance.

We shall communicate this policy to all our employees, business partners and customers to emphasize their responsibilities and accountabilities for safe performance and thereby establish a renewed commitment towards consultative & participative processes.

Any violation or breach of this policy shall be dealt with procedures framed by the Company from time to time. The policy shall be reviewed periodically for its suitability & relevance to our operations and updated as deemed necessary.

Gautam Adani Chairman – Adani Group

Date: 04th March 2021

Annexure XIII

Rainwater Harvesting Structures



Rainwater Harvesting Structures