

adani

Ports and
Logistics

APDPL/ENV/AR/2024-25/02

Date: 21.06.2025
XGN ID: - 31664

To,
Member Secretary,
Gujarat Pollution Control Board,
Paryavaran Bhavan,
Sector 10-A, Gandhinagar - 382010

Subject: Environment Statement for the financial year ending 31st March 2025
for M/s Adani Petronet (Dahej) Port Ltd.


Ref: Consent Order No. AWH- 73359, AWH - 109820, CCA Amendment No.
AWH-116434.

Dear Sir,

With reference to the above-mentioned subject and reference, please find enclosed Environmental Statement in Form V prescribed under Rule 14 of the Environment (Protection) Rules 1986, for Adani Petronet (Dahej) Port Ltd., At 8 Post Lakhigam, Taluka Vagra, District Bharuch for the financial year ending 31st March 2025.

Thanking you,

Yours faithfully,
For Adani Petronet (Dahej) Port Ltd.


(Authorized Signatory)

Encl: As above.


Copy to:

1. The Regional Officer, Gujarat Pollution Control Board, Bharuch.

Adani Petronet (Dahej) Port Ltd
Adani Corporate House,
Shantigram, Nr. Vaishno Devi Circle,
S. G. Highway, Khodiyar,
Ahmedabad - 382421 Gujarat, India
CIN: U63012GJ2003PLC041919

Tel +91 79 2656 5555
Fax +91 79 2555 5500
www.adaniports.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat.


Post Received
Gujarat Pollution Control Board
BHARUCH



Ports and
Logistics

APDPL/ENV/AR/2024-25/02

Date: 21.06.2025
XGN ID: - 31664

To,
Member Secretary,
Gujarat Pollution Control Board,
Paryavaran Bhavan,
Sector 10-A, Gandhinagar – 382010

Subject: Environment Statement for the financial year ending 31st March 2025
for M/s Adani Petronet (Dahej) Port Ltd.


Ref: Consent Order No. AWH- 73359, AWH – 109820, CCA Amendment No.
AWH-116434.

Dear Sir,

With reference to the above-mentioned subject and reference, please find enclosed Environmental Statement in Form V prescribed under Rule 14 of the Environment (Protection) Rules 1986, for Adani Petronet (Dahej) Port Ltd., At & Post Lakhigam, Taluka Vagra, District Bharuch for the financial year ending 31st March 2025.

Thanking you,

Yours faithfully,
For Adani Petronet (Dahej) Port Ltd.



(Authorized Signatory)

Encl: As above.

Copy to:

1. The Regional Officer, Gujarat Pollution Control Board, Bharuch.

Adani Petronet (Dahej) Port Ltd
Adani Corporate House,
Shantigram, Nr. Vaishno Devi Circle,
S. G. Highway, Khodiyar,
Ahmedabad – 382421 Gujarat, India
CIN: U63012GJ2003PLC041919

Tel +91 79 2656 5555
Fax +91 79 2555 5500
www.adaniports.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat.

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

FORM V
(See Rule 14)

Environmental Statement for the Financial Year ending 31st March 2025

PART – A

- (i) Name and address of the Owner/
Occupier of the Industry Operation or
Process : Mr. Pankaj Uke
Chief Operating Officer
Adani Petronet (Dahej) Port Ltd.
At & Post Lakhigam, Taluka: Vagra
District: Bharuch (Gujarat)
- (ii) Industry Category : Red – Large
Primary (STC Code) NA
Secondary (STC Code) NA
- (iii) Production Capacity : Handling & Storage of Solid cargo - 1.34
MMT/ Month
- (iv) Year of Establishment : September 2011.
- (v) Date of last Environment Statement
submitted : 26th June 2024

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

PART - B

Water and Raw Material Consumption

(i) Water Consumption

Water Consumption Cu. Mtr./Day	m ³ /day
Process	Nil
Cooling (DSS, DFDS, FFS)	1184.10 m ³ /day
Domestic	25.10 m ³ /day

Name of Products	Process Water Consumption per unit of Product Output	
	During the current financial year (2023 - 24)	During the current financial year (2024 - 25)
Handling & Storage of Solid cargo	No process water consumption. 427651 m³ of water consumption for dust suppression, firefighting & cooling (0.039 m³/MT)	No process water consumption. 391846 m³ of water consumption for dust suppression, firefighting & cooling (0.037 m³/MT)

* Unit does not go under any manufacturing process. The water consumed was mainly in firefighting, dust suppression, sprinkling, washing and greenbelt development activities.

(ii) Raw Material Consumption

Name of Raw Material	Name of Products	Consumption of Raw Material per Unit of Output	
		During the current financial year (2023 - 24)	During the current financial year (2024 - 25)
NIL*	Not Applicable	Nil	Nil

* Unit does not go under any manufacturing process. The water consumed was mainly in firefighting, dust suppression, sprinkling, washing and Greenbelt development activities.

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

PART - C

Pollutants discharged to Environment/Unit of Output **(Parameters as specified in consent issued)**

Pollutant	Parameter	Quantity of pollutants discharged (Mass/day)	Concentration of pollutant in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
(a) Water (Domestic Sewage)	TSS	0.288 (Kg/day)	20.08 mg/L	No Deviation from prescribed standards
	BOD	0.209 (Kg/day)	12.21 mg/L	
(b) Air	Parameter	Quantity of pollutants discharged (Mass/day)	Concentration of pollutant in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
	DG set 1 - SS 5 (MRSS Building)			
	PM (mg/Nm3)	0.0147 (Kg/day)	37 (mg/Nm3)	No Deviation from prescribed standards
	SO ₂ (PPM)	0.0054 (Kg/day)	15.07 (PPM)	
	NO _x (PPM)	0.0031 (Kg/day)	11.89 (PPM)	
	DG set 2 - SS 7B			
	PM (mg/Nm3)	0.0151 (Kg/day)	41 (mg/Nm3)	No Deviation from prescribed standards
	SO ₂ (PPM)	0.0051 (Kg/day)	14.24 (PPM)	
	NO _x (PPM)	0.0030 (Kg/day)	11.56 (PPM)	
	DG set 3 - SS 08 (Marine Building)			
	PM (mg/Nm3)	0.0154 (Kg/day)	44 (mg/Nm3)	No Deviation from prescribed standards
	SO ₂ (PPM)	0.0052	14.46 (PPM)	

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

		(Kg/day)		
	NOx (PPM)	0.0029 (Kg/day)	11.72 (PPM)	
DG set 4 - SS 11 (Silo)				
	PM (mg/Nm3)	0.159 (Kg/day)	40 (mg/Nm3)	No Deviation from prescribed standards
	SO ₂ (PPM)	0.0070 (Kg/day)	16.39 (PPM)	
	NOx (PPM)	0.0038 (Kg/day)	11.72 (PPM)	
DG set 5 - SS 7A				
	PM (mg/Nm3)	0.0146 (Kg/day)	38 (mg/Nm3)	No Deviation from prescribed standards
	SO ₂ (PPM)	0.0070 (Kg/day)	13.59 (PPM)	
	NOx (PPM)	0.0038 (Kg/day)	11.68 (PPM)	

* Unit does not go under any manufacturing process, as it is service industry (Port) engaged in Handling & Storage of Solid Cargo. There is no effluent generation & disposal.

- DG sets were kept only as standby power source and used only during power failure. Analysis reports of DG stack monitoring and ambient air quality monitoring are enclosed as Annexure – 1.
- There was approx. 21.89 KL/day treated sewage water generation. The sewage water was treated in the Sewage treatment plant (STP) and treated water confirming to prescribed standards reused in gardening and plantation activities. Analysis Report of STP is attached as Annexure 1.

PART – D

Hazardous Wastes

(As specified under Hazardous Wastes Management and Handling Rules 1989)

Hazardous Wastes	Total Quantity	
	During the current financial year (2023 – 24)	During the current financial year (2024 – 25)
(a) From Process	1). Sludge and Filter Contaminated with oil (Cat. 3.3) – Nil. 2). Used Oil (Cat. 5.1) – 7.845 MT 3). Wastes/ Residues containing Oil (Cat. 5.2) – Nil. 4). Process Waste, Residues & Sludge (Paint) (Cat. – 21.1) – Nil.	1). Sludge and Filter Contaminated with oil (Cat. 3.3) – Nil. 2). Used Oil (Cat. 5.1) – 5.786 MT 3). Wastes/ Residues containing Oil (Cat. 5.2) – Nil. 4). Process Waste, Residues &

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

	5). Discarded Barrels (Cat. 33.1) – 2.10 MT. 6). Contaminated Cotton rags or other cleaning materials (Cat. 33.2) – 2.02 MT.	Sludge (Paint) (Cat. – 21.1) – Nil. 5). Discarded Barrels (Cat. 33.1) – 2.80 MT. 6). Contaminated Cotton rags or other cleaning materials (Cat. 33.2) – 1.54 MT.
(b) From Pollution Control facilities	Nil	Nil

PART – E**Solid Waste**

Solid Waste	Total Quantity Generated (MT/Annum)	
	During the current financial year (2023 – 24)	During the current financial year (2024 – 25)
(a) From Process (Ash)	Nil	Nil
(b) From Pollution Control facilities	100 kg sewage from STP.	98 kg sewage from STP.
(C-1) Quantity recycled or reutilized within the unit	Approx. 24 MT (Vermicomposting 20 MT & remaining organic waste converted in green manure)	Approx. 20.5 MT (Vermicomposting 19.5 MT & remaining organic waste converted in green manure)
(C-2) Sold	216.1 MT (MS Scrap, Rubber scrap, etc.)	259.93 MT (MS Scrap, Rubber scrap, etc.)
(C-3) Disposed	Nil	Nil

Note: Scrap is collected in designated scrap yard at central store and sold to scrap authorized recycler/ vendor

PART – F

Please specify the characterization (in terms of Composition and quantum) of hazardous as well as solids wastes and indicate disposal practice adopted for both these categories of waste:

- Used/Spent oil was generated from various maintenance activities which was collected in Barrels kept in covered hazardous waste storage area. These wastes are sold to GPCB authorized registered recyclers.
- Cotton waste (Oily rags) generated from site the same was packed in HDPE bags and stored in Hazardous waste storage area. This waste is disposed at GPCB authorized CHWIF.
- Horticulture waste is disposed in vermicompost and further it is used as green manure.

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

PART – G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Unit has installed 50 M³/Day capacities Sewage Treatment Plant for treatment of the Sewage water generated at site. The treated water is being reused within port premises for gardening. Unit has formed dedicated Horticulture department & developing green belt within port premises. Total 25.56 Ha. of green belt development is carried out till date.

PART – H

Additional measures/ investment/ proposal for environmental protection including abatement of pollution, prevention of pollution.

- Unit is doing Regular Environmental Monitoring of Port & surrounding area through reputed NABL certified Laboratory. All the required environmental parameters are well within specified limit and the details of monitored data are regularly submitted to GPCB.
- Unit has installed STP for the treatment of the Sewage water the treated water is reusing for plantation & gardening activities. Unit has also provided dump pond and conveyance channel for collection of runoffs generated from Coal Yard.
- Unit has provided Dust Suppression System and Dry Fog Dust Suppression System at coal yard & conveyer system and carrying out regular water spreading to control the dust exposure. Wind breaking wall has provided around the periphery of Coal Yard.
- Unit has formed dedicated Horticulture department & developing green belt within port premises of 25.56 Ha.
- Regular road cleaning both inside and outside the port premises is a continuous activity carried out by below two methods. The road sweeping by both methods is carried out till 3 Km from the port main gate on the main road leading to Dahej by APDPL.

Road cleaning by sweeping machine: APDPL, have 02 nos. of large capacity road sweeping machine and one tractor sweeping machine. Truck mounted Industrial Vacuum Cleaning Machines have road cleaning capacity substantially as the storage capacity of the chassis mounted vacuum machine are 04 tone/ hour each which allow rapid collection of spillage, dust and subsequent disposal.

Manual Road Cleaning: In addition to the sweeping machine APDPL has employed labour for continuous cleaning of roads both inside and outside the port area. It is done by three team consisting of 5 members each. All the coal dust collected is sent to the coal yard.

- Tyre washing system has been installed at main gate to restrict the dust carry over through cargo vehicles.
- Unit has installed 14 m height wind screen for control of dust from yard.
- Tarpaulin covering of rail wagons at silo.


Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

PART - I

Any other particulars for improving the quality of environment.

- Environmental awareness programs have been conducted during the year for employees & associates at port.
- Integrated housekeeping management is undertaken at top priority to maintain neat and clean working environment in the plant area.
- APDPL adoption of 5 R's principle of waste management i.e., reduce, reuse, reprocess, recycle & recover.
- 100% sewage generated is being reused.

Date: 21.06.2025



**(Authorized Signatory)
Adani Petronet Dahej Port Limited**

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

Annexure – 1

DG SETS STACK EMISSION AND NOISE LEVEL MONITORING

1. MRSS (SS 5) 125 KVA

SR. NO.	TEST PARAMETERS	UNIT	DG SET # 1 MRSS (SS 5) 125 KVA			
			15/05/2024	16/08/2024	13/11/2024	27.02.2025
1	Particulate Matter	mg/Nm ³	40	34	28	44
2	Sulphur Dioxide	ppm	15.92	12.84	17.86	13.69
3	Oxide of Nitrogen	ppm	10.32	9.36	19.37	8.52
4	Non-Methyl Hydro Carbon (NMHC)	mg/m ³	N.D.	N.D.	N.D.	N.D.
5	Carbon Monoxide (CO)	gm/kw-hr.	0.079	0.072	0.077	0.070
DG NOISE Leq dB (A)			68.70	64.60	61.80	60.30

BDL*: Below Detection Limit: Non-Methyl Hydro Carbon 5 mg/m³, Result on 15% O₂ Correction when oxygen is greater than 15%

2. SS7B 125 KVA

SR. NO.	TEST PARAMETERS	UNIT	DG SET # 2 SS7B 125 KVA			
			15/05/2024	16/08/2024	13/11/2024	27.02.2025
1	Particulate Matter	mg/Nm ³	47	35	31	49
2	Sulphur Dioxide	ppm	16.39	12.36	13.93	14.31
3	Oxide of Nitrogen	ppm	9.2	8.47	20.97	7.63
4	Non-Methyl Hydro Carbon (NMHC)	mg/m ³	N.D.	N.D.	N.D.	N.D.
5	Carbon Monoxide (CO)	gm/kw-hr.	0.0093	0.090	0.092	0.078
DG NOISE Leq dB (A)			69.1	67.1	69.10	59.30

BDL*: Below Detection Limit: Non Methyl Hydro Carbon 5 mg/m³, Result on 15% O₂ Correction when oxygen is greater than 15%

3. MARINE (SS8) 125 KVA

SR. NO.	TEST PARAMETERS	UNIT	DG SET # 3 MARINE (SS8) 125 KVA			
			15/05/2024	16/08/2024	13/11/2024	27.02.2025
1	Particulate Matter	mg/Nm ³	51	38	30	57
2	Sulphur Dioxide	ppm	13.67	12.98	15.31	15.89
3	Oxide of Nitrogen	ppm	9.78	9.14	18.72	9.26
4	Non-Methyl Hydro Carbon (NMHC)	mg/m ³	N.D.	N.D.	N.D.	N.D.
5	Carbon Monoxide (CO)	gm/kw-hr.	0.082	0.078	0.075	0.082
DG NOISE Leq dB (A)			69.1	60.1	63.3	59.10

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

BDL*: Below Detection Limit: Non Methyl Hydro Carbon 5 mg/m³, Result on 15% O₂ Correction when oxygen is greater than 15%

4. SILO (SS11) 125 KVA

SR. NO.	TEST PARAMETERS	UNIT	DG SET # 4 SILO (SS11) 125 KVA			
			15/05/2024	16/08/2024	13/11/2024	27.02.2025
1	Particulate Matter	mg/Nm ³	39	32	37	51
2	Sulphur Dioxide	ppm	17.8	14.74	16.46	16.57
3	Oxide of Nitrogen	ppm	9.86	8.59	20.52	10.81
4	Non-Methyl Hydro Carbon (NMHC)	mg/m ³	N.D.	N.D.	N.D.	N.D.
5	Carbon Monoxide (CO)	gm/kw-hr.	0.087	0.080	0.074	0.072
DG NOISE Leq dB (A)			66.90	63.40	62.60	57.20

BDL*: Below Detection Limit: Non Methyl Hydro Carbon 5 mg/m³, Result on 15% O₂ Correction when oxygen is greater than 15%

5. SS 7A 125 KVA

SR. NO.	TEST PARAMETERS	UNIT	DG SET # 5 SS 7A 125 KVA			
			15/05/2024	16/08/2024	13/11/2024	27.02.2025
1	Particulate Matter	mg/Nm ³	45	34	36	41
2	Sulphur Dioxide	ppm	15.11	13.76	12.63	12.89
3	Oxide of Nitrogen	ppm	8.7	8.38	22.17	7.84
4	Non-Methyl Hydro Carbon (NMHC)	mg/m ³	N.D.	N.D.	N.D.	N.D.
5	Carbon Monoxide (CO)	gm/kw-hr.	0.082	0.078	0.073	0.081
DG NOISE Leq dB (A)			65.9	62.9	65.4	58.90

BDL*: Below Detection Limit: Non Methyl Hydro Carbon 5 mg/m³, Result on 15% O₂ Correction when oxygen is greater than 15%

Ambient Air Quality Result

FY 25 Average Values								
Sr. No.	Parameters	UOM	Marine Building	EHS Building	SS 7B Building	JS 1	Silo Gate	SS 11 terrace
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	72.35	64.31	73.05	59.42	61.25	61.58
2	Particulate Matter (PM 2.5)	µg/m ³	39.48	31.25	38.28	27.90	25.95	23.75
3	Sulphur Dioxide (SO ₂)	µg/m ³	16.32	12.98	16.26	13.54	12.65	13.20

Environment Statement for 2024-25 for Adani Petronet (Dahej) Port Ltd.

4	Oxides of Nitrogen	µg/m ³	23.91	17.65	20.46	17.35	16.30	18.10
---	--------------------	-------------------	-------	-------	-------	-------	-------	-------

STP Treated Water Results

Parameters	Unit	Min	Max	Perm. Limit
PH	-	6.50	7.33	6.5- 8.5
TSS	mg/L	9	27	30
BOD (3 Days @ 27 °C	mg/L	4	18	20
Residual Free Chlorine	mg/L	0.62	1.77	0.5(Min)

Annexure – 2**Expenditure for Environmental Protection Activities during FY 2024-2025**

S. NO.	ACTIVITY/ CATEGORY	Cost incurred (IN Lacs)	Budgeted Cost (IN Lacs)
		2024- 2025	2025
1.	EHS Manpower	6.8	7.0
2.	Legal & Statutory Expenses	-	-
3.	Environmental Monitoring Services	11.0	13.10
4.	Cost for Water Consumption and use dust suppression	209.26	288
5.	Hazardous Waste Management & Disposal	1.0	2.50
6.	Greenbelt Development and Plantation	60.32	62.74
7.	O&M of Sewage Treatment Plant	9.12	9.12
8.	Environment Day Celebration	0.55	0.75
9.	Treatment and Disposal of Bio-Medical Waste	2.10	2.10
10.	Operation and Maintenance of Road Cleaning equipment and manpower	63.06	60
11.	Operation and Maintenance of Fire staff engage in water sprinkling activity	85.38	95.80
12.	Impact Assessment Study as per NGT order dated 23.11.2023.	8.58	10
Total Amount (In Lacs)		457.17	551.11