

Berthing Policy & Tariff Structure

Adani Petronet (Dahej) Port Pvt.Ltd. Dahej



OUR VALUES: COURAGE, TRUST AND COMMITMENT

Issue: 01 Revision No: 03 | w.e.f. 01st April 2021

1. Changes in the existing BPTS from the previous edition have been highlighted.
2. The tariff and scale of rates are subject to revisions. In view of the same, please refer to the trade notices for the latest rates / tariff for a particular service or commodity.

Index

Table of Contents

RECORD OF CHANGES.....	2
INTRODUCTION	4
SECTION A	5
I. POLICIES	5
II. DEFINITIONS	5
III. BERTHING POLICY	9
1. Berthing Objective.....	9
2. Rationale.....	9
3. Berthing scheme: First come First serve (FCFS)	9
4. General guidelines for all Vessels	10
5. Clarification regarding acceptance of Notice of Readiness time	11
6. Daily Port Berth Planning Meeting (Port Operation Center).....	11
7. Dry cargo breaks timings.....	11
8. General conditions for berthing / un-berthing and cargo operations of vessels	12
9. Free time allowed to vessels prior cargo commencement and after completion	14
10. Lay-up berth hire	14
11. Import / Export voyage in same VCN	15
12. Anchorage charges	15
13. Documents require in prescribed format through APMS/IPOS/SMART EPIC/EMAIL for declaration 15	
14. Minimum Notice required for filing Pilot request through APMS/IPOS/SMART EPIC/EMAIL	16

15. Swapping of Seniority.....	17
16. Shifting of vessels	17
17. Immobilization Permission	17
18. Standardtime for cargo commencement and completion	18
SECTION B.....	18
19. Berth Parameters, the indicative berth allocation parameters are given in the following table:.....	18
20. Berth allotment criteria	19
21. Priority berthing guidelines for liquid tankers.....	19
22. Berthing / Un-berthing guidelines for vessels.....	19
IV. MARINE TARIFF	20
V. PIDC CHARGES: N/A FOR APDPPL_DAHEJ	28
VI. STEVEDORING TARIFF	28
VII. CONTACT DETAILS	34

Record of Changes

Rev. no	Date	Changes
00	15.01.2020	Charges for Wrong declaration in Cargo weight/Dimensions/Packing list.
	15.01.2020	Marine Tariff : Lay Up berth hire charges
	15.01.2020	Marine Tariff : Forklift Charges
	15.01.2020	Pilot cancellation / detention / lay-up berth hire / idling at berth due to bad weather condition, it will be on Port a/c.
	15.01.2020	Pilot cancellation: Unberthing process (Maximumm allowed delay)
	15.01.2020	Additional Tug charged applicable if used for berthing / unberthing movement during bad weather condition.
	15.01.2020	Gate entry permission for workshop onboard charges same as ship chandelling charges
	15.01.2020	Fresh Water Rate for fire services sprinkling during the fire.
	15.01.2020	Bunker Handling Charges
	15.01.2020	Turnaround Charges
01	15.06.2020	Marine Tariff: Berth Hire Charges revised
	15.06.2020	Marine Tariff: Pilotage Charges revised
	15.06.2020	Marine Tariff: Mooring Charges Included
	15.06.2020	Marine Tariff: Anorage Charges revised
	15.06.2020	Marine Tariff: Lay up Berth hire revised

	16.06.2020	Additional Marine Invoice Fee
02	15.01.2021	13.2 Documentation for general cargo vessel
	15.01.2021	22 Berthing/Un-berthing guidelines for vessels
	15.01.2021	Marine Tariff A. Port Dues
	15.01.2021	Stevedoring Tariff A. Forklift Charges Shore Mooring Winch Charges
	15.01.2021	Misc Service Charge X.22. Shore Mooring Winch Charges
	15.01.2021	Misc Service Charge X.26. Sludge Removal Charges
	15.01.2021	Crew Change charges
03	01.04.2021	Wharfage Charges
	01.04.2021	Port Dues
	01.04.2021	Mooring Charges
	01.04.2021	Permission for usage of open loop scrubber within port limit
	01.04.2021	Permission for lifeboat lowering within port limit.
	01.04.2021	Port Environment Protection Safety charges
	01.04.2021	Permission for cargo hold washing and retention on board within the port limit

THE TARIFF CHANGE PROCEDURE:-

The Berthing Policy and tariff Structure will be reviewed and updated BPTS sent in April and October month. The changes will be made basis the business scenario and cost of operations, keeping in view the best interest of the stake holders involved.

The changes also are reviewed from the perspective of implementation using the invoicing software.

Irrespective of the initiator of the change, the new changes will be reviewed by all SBUs and approved by the COO.

All the trade notices will be uploaded on website <https://www.adaniports.com/Downloads>

All the trade notices issued from April to Sep and Oct to March will be incorporated in BPTS, October and April month revision respectively. The BPTS to be read in conjunction with trade circulars issued subsequently by the port from time to time which would also be uploaded on to the website.

Approved by	
Mr. Pranav Choudhary (CEO)	AHHPL-Hazira & APDPPL-Dahej
Mr. Manoj Katar (COO)	APDPPL-Dahej

Introduction

Adani Petronet (Dahej) Port Pvt. Ltd

- Adani Petronet (Dahej)Port Pvt Ltd (APDPPL), is a joint venture between Adani Group & Petronet LNG Limited.
- Strategically located in the gulf of Khambhat thereby having access to dense industrial areas of Gujarat and Maharashtra (North) & central MP.
- Only commercial terminal in GMB port of Dahej handling solid cargos in bulk /break bulk and also project cargo.
- Mechanized berth with conveyor handling system for handling coal in bulk at very fast evacuation rate of 4200 MT /Hr.
- Two deep draft berths capable of handling up to mini cape size vessels.

Berths:

- 2 Cargo Berths for Handling Bulk (Dry) , Break Bulk & Project Cargo
- North Berth : Mechanized Jetty exclusively for Coal handling.
- South Berth : Multi-Purpose Non-mechanized Jetty.

Superstructure/Topside Facilities:

- Conveyor System: 9.8 Km (6.04 Km +3.74 Km) long and capacity of 4200/5600 TPH
- Mobile Harbour Cranes: 4 Nos. MHC (2 Liebherr; 2 Gottwald)
- 3 Nos. Stacker cum Re-claimer with stacking capacity of 4200 TPH and reclaiming capacity of 2500 TPH
- 2 Nos. Rapid Wagon Loading SILO for raking

Storage:

- 1.6 Lac Sq. m open storage area within port for coal
- 0.3 Lac Sq. m open storage (PQC) area within port for clean goods
- 0.6 Lac Sq. m open storage area in S&S Yard for coal

Tugs:

- Two tugs of Japanese make.
- Each having the capacity of 55 tons bollard pull with twin engine and twin propeller.

Road Connectivity:

- 42 km long six lane highway connects Dahej with the district headquarter Bharuch which lies on the National Highway no 8 from Mumbai to Ahmedabad. The road network within GIDC leading to APDPPL is a 6 KM stretch which is 4 lane concreted road.

Rail Connectivity:

- Dahej is the nearest railway station for APDPPL connectivity. Dahej is a part of Western Railway Network. Indian Railways has converted the linkage between the main western railway & Dahej into broad gauge system. APDPPL has bridged the gap between the Port & Dahej Rail Yard through private railway network.

Section A

I. Policies

- **Security Policy**

"We are committed to provide a safe and secure working environment to all its employees, port users, cargo, ships and its personnel. This will be achieved by establishing and maintaining the required security measures to prevent unlawful acts against people, cargo and marine assets." "We shall strive to detect and deter unauthorized entrants and criminal activities in port facilities and react timely and correctly when such activities are encountered."

- **Quality Health Safety and Environment Policy**

Adani is committed to Quality, Occupational Health, Safety and Environment in port business. We consider QHSE responsibilities are integral part of our business. To meet this commitment, port shall abide by the following principles:

- Satisfy our customers by maintaining a standard of service that consistently meets the agreed requirements;
- Focus on occupational health & safety of employees, pollution prevention, preservation & protection of environment at all times and in all circumstances;
- Identify and analyse the HSE risks arising from our activities to reduce them to the lowest possible levels;
- Eliminate or reduce the potential and severity of injuries, damages to material and non-material assets, and impact on environment & community arising out of our operations;
- Conform to applicable legislations, regulations and other requirements on QHSE and take additional measures considered necessary;
- Shall strive to achieve the QHSE goals and performance objectives, using effective management system; and reviewed to improve performance;
- Develop, conduct and promote education and training to improve QHSE performance; Continually improve QHSE management system by monitoring, evaluating and reviewing through the definition of operational standards, assessments and audits.
- Communicate our policies and standards to employees, suppliers, business partners and where necessary work with them to raise their standards
- IMDG: Class 1 & 7 cargo is not acceptable at Adani port.

II. Definitions

- **Agent:** A person authorized to transact business for and in the name of another person or company. Types of agents are: (1) Brokers, (2) Commission Merchants, (3) Resident Buyers, (4) Sales Agents, (5) Manufacturer's representatives.
- **Beam:** The width of the ship.
- **Berth:** A space for a ship to dock or anchor.
- **Bonded Warehouse:** A warehouse authorized by Customs authorities for storage of goods on which Payment of duties is deferred until the goods are removed.

- **Break Bulk:** To unload and distribute a portion or all of the contents of a rail car, container, trailer, or ship. Loose, non-containerized mark and count cargo, packaged cargo that is not containerized.
- **Bunkers:** A maritime term referring to fuel used aboard the ship. In the past, fuel coal stowage areas aboard a vessel were in bins or bunkers.
- **Calendar day:** A Calendar day time period is considered from midnight to midnight (i.e. 0001 to 2359hrs).
- **Cargo:** All goods, materials, merchandise, or wares carried on board an aircraft, ship, train, or truck.
- **CB:** Container Berth.
- **CBM (CM):** Abbreviation for "Cubic Meter." CBM measurement is L x B x H.
- **CFS:** Abbreviation for "Container Freight Station." A shipping dock where cargo is loaded ("stuffed") into or unloaded ("stripped") from containers. Generally, this involves less than container load shipments, although small shipments destined to same consignee are often consolidated. Container reloading from/to rail or motor carrier equipment is a typical activity. These facilities can be located in container yards, or off dock.
- **Cold move:** The vessel's engine and steering gear should be available for use at all times during the manoeuvre. If it fails during berthing / un-berthing/shifting process, it will be treated as cold move and charged as per tariff.
- **CT:** Container Terminal.
- **Deadweight Tonnage (DWT):** Appropriate seasonal deadweight.
- **Detention for cargo on equipment:** Additional charges will be applicable on shippers or consignees for delaying carrier's equipment beyond allowed time. Demurrage applies to cargo; detention applies to equipment.
- **Draft:** Vertical distance between the vessel's water line and the lowest part of its hull.
- **Dunnage:** Any material or objects utilized to protect cargo. Examples of dunnage are blocks, boards, burlap and paper.
- **Drifting :** Vessel not at anchor or made fast to a berth. In simple words when a **vessel** is afloat and in no **way** is touching the ground or seabed.
- **ETA:** Expected Time of arrival.
- **Export:** Shipment of goods to a foreign country.
- **FCFS:** First Come First Served.
- **Freight Forwarder:** A person whose business is to act as an agent on behalf of the shipper. A freight forwarder frequently makes the booking reservation. In the United States, freight forwarders are now licensed by the FMC as "Ocean Intermediaries."
- **FRT: Freight Tones:** CBM or MT whichever is higher. Individually calculated for the packing list.
- **GT:** Gross Tonnage.

- **International Ship and Port Facility Security Code (ISPS):** It is an amendment to the Safety of Life at Sea (SOLAS) Convention (1974/1988) on minimum security arrangements for ships, ports and government agencies. Having come into force in 2004, it prescribes responsibilities to governments, shipping companies, shipboard personnel, and port/facility personnel to “detect security threats and take preventative measures against security incidents affecting ships or port facilities used in international trade.”
- **IWPM / OWPM:** Inward Pilot Memo / Outward Pilot Memo.
- **Idling:** If a vessel is alongside the berth without carrying out any cargo operations.
- **Kg:** Kilogram.
- **LOA:** Length Overall.
- **LPG :** LPG is a type of fuel consisting of hydrocarbon gases in liquid form. LPG is an abbreviation for 'liquefied petroleum gas'
- **Monsoon Period for Mundra port:** Monsoon period at APSEZL, Mundra is from 15th May to 30th September each year.
- **Mtrs:** meters.
- **MW:** Megawatt.
- **NH:** National Highway.
- **O.D.C:** Over Dimension Cargo.
- **On Board:** A notation on a bill of lading that cargo has been loaded on board a vessel. Used to satisfy the requirements of a letter of credit, in the absence of an express requirement to the contrary.
- **P&I:** Protection & Indemnity.
- **PANS:** Pre-arrival notification of security.
- **Per day:** 24hrs calculated from commencement of the mentioned activity. Any period part thereof will be considered as full day and charged accordingly.
- **POC:** Port Operation Center.
- **Priority Berthing:**
 - **Ousting Priority:** If a vessel having an ousting priority for a given berth, then the working vessel at that berth will be removed from the berth to accommodate the vessel having ousting priority. The vessel working on the berth will however be removed only when it is safe to do so.
 - **Priority:** If a vessel having a priority for a given berth arrives, then she will be berthed ahead of other vessels waiting for that berth once the berth falls vacant.
 - **Overriding Priority:** If a berth has been allotted to a specific cargo/receiver, then these vessels will have priority on that berth. However if a vessel with overriding priority arrives and requires the use of that berth, she will be berthed ahead of other waiting vessels having the same cargo/receivers.

- **Ro/Ro:** A shortening of the term, "Roll On/Roll Off." A method of ocean cargo service using a vessel with ramps which allows wheeled vehicles to be loaded and discharged without cranes. Also refers to any specialized vessel designed to carry Ro/Ro cargo.
- **TEU:** "Twenty feet Equivalent Unit." is an exact unit of cargo capacity often used to describe capacity of container ships.
- **Timings:** All timings will be based on Pilotage Certificate which is signed by the vessel's Master.
- **TPH:**Tons per hour.
- **Trans-shipment Port:** Place where cargo is transferred to another carrier.
- **VCN:** Vessel Call Number.
- **Warehouse:** A place for the reception, delivery, consolidation, distribution, and storage of goods/cargo.
- **Warping:**Physical shifting of the vessel maximum 100 mtrs ahead / astern on the same berth same berth.
- **WB:**West Basin.
- **Types of Ships:**
 - **Bulk Carriers:** All vessels designed to carry homogeneous cargo in bulk, such as fertilizers, ore, coal, minerals and grains.
 - **Freighters:**Break-bulk vessels both refrigerated and unrefrigerated, containerships, partial container ships, roll-on/roll-off vessels, and barge carriers. A general cargo vessel designed to carry heterogeneous mark and count cargoes.
 - **Barge Carriers:** Ships designed to carry barges; some are fitted to act as full container.
 - **General Cargo Carriers:** Break-bulk freighters, car carriers, cattle carriers, pallet carriers and timber carriers. A vessel designed to carry heterogeneous mark and count cargoes.
 - **Cellular Container ships:** Ships equipped with permanent container cells, with little or no space for other types of cargo.
 - **Partial Container ships:** Multipurpose container ships where one or more but not all compartments are fitted with permanent container cells. Remaining compartments are used for other types of cargo.
 - **Roll-on/Roll-off vessels:** Ships specially designed to carry wheeled containers or trailers using interior ramps.
 - **STS :** Ship-to-ship transfer operation is the transfer of cargo between seagoing ships positioned alongside each other, either while stationary or underway. Cargoes typically transferred via STS methods include crude oil, liquefied gas, bulk cargo, and petroleum products.

- **Tankers:** Ships fitted with tanks to carry liquid bulk cargo such as: crude petroleum and petroleum products, chemicals, Liquefied gasses (LNG and LPG), wine, molasses, and similar product tankers.
- **Free pratique:** means permission for Ship/vessel to enter into the port limits, embark or disembark, discharge or load cargo or stores. Free Pratique is granted by Public health officer (PHO).
- **Quarantine:** Quarantine means the restriction of activities and/or separation of suspect persons who are not ill or of suspect baggage, containers, ship/vessel or goods from others in such a manner so as to prevent the possible spread of infection or contamination.

III. Berthing Policy

1. Berthing Objective

The objective of the Berthing Policy at Adani port is to provide well-defined, transparent, and non-discriminatory guidelines for the allocation of berths at the Port, based on vessel pre-notification, arrival, and administrative compliances.

2. Rationale

The aim of this BPTS is to provide the user with relevant information for planning of a vessel call at the port and the charges that are likely to be incurred.

3. Berthing scheme: First come First serve (FCFS)

The Port, as a general rule, adopts the policy of First Come First Serve (FCFS) basis. Container vessels are generally accepted basis their berthing windows as agreed between the Shipping Line and the concerned Container Terminal. For all cargo vessels, the following criteria will be used by the Port for determining the berthing priority:

- 3.1** The vessel has duly submitted the required Declaration / Information/ PANS (ISPS) prior vessel's arrival / statutory compliance of government directives as issued from time to time. Vessel agents are required to declare their vessels through APMS. All vessels related details are to be updated in vessel definition and vessel registration. The details should be entered as per the vessel's particular. In case any information is incomplete or missing in APMS, the vessel's application for berth will not be accepted.
- 3.2** Vessel's agent have to pay in advance all the charges as per the PAA raised by the port. The first PAA will be generated basis the berth hours expected by the agent subject to a minimum berth stay of 24 hours. In case the vessel completes her cargo operation in less than 24 hours, the additional berth hire charges will be adjusted in the final invoice. Maximum 6 digit digits after decimal (upward round off) will be consider in USD rate for invoicing of Marine charges.
- 3.3** Vessel has given at least 5/3/2/1 days notices of Expected Time of Arrival (ETA), except vessels calling from nearby ports or the voyage duration is around 1 day, which are required to provide one day notice.
- 3.4** Vessel which has physically arrived within the port limits or at defined position and registered herself with Port Marine Control giving all the vessels particulars. Physical arrival means the time of arrival of vessel into Port Limits or at defined position.
- 3.5** Seniority of a vessel will be counted basis the time of her physical arrival, filing of IWPM, Cargo readiness, clearance from concerned department with respect to cargo readiness, receipt of pipe check list, verification of packing list and Terminal readiness whichever is later and applicable for that vessel.

- 3.6** Contractual agreements in place: Customers who have entered into long term contracts with the Port will be given priority in berthing as per their contractual terms & conditions. Port will not be liable for payment of any damages / claims / delays / detentions / demurrages etc. to vessels, whose berthing is delayed due to berthing of junior vessels which have been given priority in berthing as per their contractual agreements.
- 3.7** In case of pipe export vessels, seniority will only be considered for vessels if "80% Let Export Orders" of each type/size/ diameter of pipe is available in the Port for loading. If cargo is found to be less than the aforementioned quantity, such vessels will not be considered/discussed in Port berthing meeting and seniority of such vessels will only be considered upon meeting the aforementioned norms. Similarly for other export cargoes, seniority will only be considered provided 80% with LEO of the cargo is inside the Port.

4. General guidelines for all Vessels

- 4.1 The vessel's engine and steering gear should be available for use at all times during the manoeuvre. If a vessel's engine or steering fails during any point of the berthing / un-berthing / shifting manoeuvre, it will be treated as cold move and will be charged as per Port tariff.

Note: If vessel engine fails during outward Pilotage and cold move charges become applicable to such vessels, the vessel may be required to wait at anchorage until payment confirmation for cold move charges is received from the vessel owners.

- 4.2 Any vessel deficiency must be reported to the port well in advance through email to marinecontrol.dahej@adani.com or through VHF on Channel 73 to APDPPL Marine Control prior berthing / un-berthing / shifting warping operations. Non reporting of such deficiency will attract charges as per BPTS vessel depending upon the type of deficiency. If engines or steering is not available then these manoeuvres will be considered as cold move and charged as per Port tariff.
- 4.3 A vessel refusing an allocated berth for any reason will lose her seniority.
- 4.4 The Port permits priority berthing for vessels carrying government cargoes (as may be declared from time to time) for which 100% additional berth hire may be charged by the Port as per the Management's discretion.
- 4.5 Priority berthing is also granted to long term contractual partners, as a general rule, ousting priority is not available. However if the port is forced to grant ousting priority to any vessel for whatsoever reason, all related charges including but not limited to viz. shifting, time lost, equipment idling etc will be payable by the vessel requesting ousting priority.
- 4.6 A '03 hrs' notice will be given to vessels waiting at inner anchorage and '12 hrs.' for vessels waiting at outer port limit for reaching PBG (Pilot Boarding Ground).
- 4.7 If for any operational reasons or Port convenience, a junior vessel is berthed by superseding the seniority of other vessels, the junior vessel will revert back to her original position in the seniority list if she is shifted out to anchorage.
- 4.8 By making an application for, an accepting, the berth or other services and facilities in the port, the Vessel and the agent agrees to be bound by the provisions of the General Terms and Conditions for Services, Facilities and general tariff charges as issued and amended from time to time by the Port.

[Top page](#)

- 4.9 **Preferential berthing for Naval / Coast Guard Ships:** Naval vessels, Indian Coast Guard vessels and other Govt. vessels will be accorded preferential berthing subject to berth availability and Port discretion.
- 4.10 **Government Cargoes:**The Port permits priority berthing for vessels carrying government cargoes (as may be declared from time to time). Priority berthing is also granted to long term contractual partners.
- 4.11 For all import steel and project vessels, vessel is to be declared with party wise packing list including receiver's details in an excel sheet. For all pipe export vessels, vessel is to be declared with duly filed "Pre Arrival Check list". In absence of same, APSEZ will conditionally declare the vessel and VCN will be provided which allows respective vessel to anchor at Mundra roads. However the vessel will be considered for berthing seniority only after berthing clearance is received from Dry cargo or Marketing Team as required by the Port. Above procedure will be followed for all vessels arriving in port for import/export of bulk cargoes.
- 4.12 All ships calling the port to get free pratique clearance from the Port Health Officer, prior their arrival. In case vessel requires boarding of PHO for clearance the port will take 1.5 hrs notices for berthing of vessel after it is cleared by PHO.
- 4.13 In case of project cargo, containers or ODC if a variation in weight/Dimensions between declared cargo weight/Dimensions and actual cargo weight/ Dimensions is more than 5% (Actual being higher than declared) then the port would impose an additional stevedoring charge equivalent to the existing tariff as per BPTS or tariff as agreed in applicable contracts.

5. Clarification regarding acceptance of Notice of Readiness time

- 5.1 If Pilot boards the vessel on arrival, then the Pilot boarding time will be considered as the NOR time.
- 5.2 If vessel does not get Pilot on arrival and the vessel drops anchor then,
- a) Inside the Port Limit: the anchor dropped time will be considered as NOR time.
 - b) Outer Port limit: the anchor dropped time will be considered as 1st NOR & POB time will be considered as 2nd NOR .
- 5.3 In case a vessel drops anchor in the port anchorage area but does not file Inward Pilot request then the time of filing the inward pilot request will be considered as NOR time.

6. Daily Port Berth Planning Meeting (Port Operation Center)

The Port holds Daily Berth Planning Meeting at 1000 hrs on all working days, to plan the allocation of berths for the next 24 hours commencing from 1100 hrs on that day. The vessels agent and concerned parties shall be notified about the Tentative Berth Plan by 1200 hrs of the same day via email through Marine Control. The decisions arrived in the Port Berth Planning Meeting will be final. Allocation of berth to any vessels other than the FCFS policy will be purely on Port's discretion.

7. Dry cargo breaks timings

- 7.1 0800 to 0900 hrs Shift change.

- 7.2 1300 to 1400 hrs Lunch Break.
- 7.3 2000 to 2100 hrs Shift change.
- 7.4 After completion of break timing, the work should start at the strike of the clock.

8. General conditions for berthing / un-berthing and cargo operations of vessels

8.1 Vessel will not be considered for berthing if the Vessel:

- 8.1.1 Is poorly maintained and is considered unsafe for berthing by the Port.
- 8.1.2 Has invalid statutory certificate, including expired load test certificates of cargo gears.
- 8.1.3 Is blacklisted by Port State Control.
- 8.1.4 Is not manned as per Safe Manning Document.
- 8.1.5 If vessel does not produce proper proof to show that the vessel is suitably insured under DG Shipping authorized P&I club to cover the risk of damage to any port installations (fixed and floating), wreck removal, water, air Pollution and consequent civil liability and any other risks applicable. Restrictions / Instructions / Circulars issued by Government of India and State Maritime Board will be strictly adhered to.
- 8.1.6 Vessel should arrive and depart the port either on even keel or with a positive trim and minimum list. In no case should the vessel be trimmed down by the head or have a list of more than 0.3 degree. In case a vessel is found to be trimmed down by head, the movement of such a vessel may be cancelled for safety reasons as such vessels are very sluggish in handling which is not acceptable in a strong tidal port. Such vessels will be provided pilot only after they have corrected their list and trim. For container vessels which have trim up to 40 cm down by head shall be permitted on case to case basis on prior intimation to Port Control.
- 8.1.7 Draft survey of a vessel which is down by head and listed more than 0.3 degrees will not be conducted unless the vessel comes on even keel and reduces the list to 0.3 degrees. All delay, detention and cost arising from negative trim, list exceeding 0.3 degrees and inability to comply with minimum draft and trim requirement will be on vessels account.
- 8.1.8 Delivery order has to be submitted by the agent to the Port prior dispatch of cargo from the Port Premises.
- 8.1.9 Vessels shall be un-berthed only after the payment of all port charges, completion of formalities and issuance of the No Dues Certificate by the Port Authorities and Port Clearance from the customs. The agent who declares the vessel will remain responsible for payment of all marine related dues. No marine services will be provided to any other appointed agent unless he makes advance payment towards the same or gets the approval of the main agent to avail any marine related services.
- 8.1.10 In case any accident takes place on board the vessel in which port personnel / contractor staff are injured, the vessel will be held responsible for the same and will be liable for compensation. The amount of compensation decided by the port will be final.
- 8.1.11 Notwithstanding anything contained above, The Port shall retain the right to prioritize any or all the above conditions depending on new developments / special

circumstances which may have changed from what was discussed during the Berth Planning Meeting. Decision of the port on berth planning and allocation will be final and binding on all concerned.

- 8.1.12 "CONDITION OF USE" is a mandatory requirement and is to be filled up, signed, stamped and delivered to the pilot before commencement of Pilotage.

8.2 A vessel may be removed from berth for the following reasons.

- 8.2.1 If the vessel is considered unsafe or hazardous for port safety.
- 8.2.2 If the vessel is equipped with poor and unsafe cargo gear.
- 8.2.3 If the vessel does not correct deficiencies pertaining to safety brought to her notice within the stipulated time.
- 8.2.4 In case the weather deteriorates or is likely to deteriorate.
- 8.2.5 If the stowage of cargo is improper or incorrectly declared.
- 8.2.6 The vessel is under performing as per port norms or idling at the berth without proper justification, the vessel will be un-berthed and applicable shifting charges will have to be borne by the vessel.
- 8.2.7 Makes a request for early un-berthing.
- 8.2.8 Has made a wrong declaration.
- 8.3** Performance of the vessels which are alongside the berth would be continuously monitored up to 08:00 hrs and will be discussed in the Daily Berth Planning Meeting. If a vessel is underperforming, the vessel's agent will be advised in writing to improve the vessel's performance. If by next day 08:00 hrs, the vessel's performance is still found to be unsatisfactory, a notice may be served to the Master to un-berth the vessel. Work stoppages beyond the control of the vessel or the Port will be excluded while evaluating the performance. Reasons such as lack of cargo and documents, poor or uneven stowage, unusually slow and unproductive cargo handling gears will not be accepted as valid reasons for poor performance of the vessel.
- 8.4** Vessels failing to meet the minimum required norms for loading and discharging will be de-berthed solely at the discretion of the Port.
- 8.5** The port shall remove a vessel from the berth on vessel account if, the vessel is unable to meet port's productivity norm due to failure of her equipment and the port is not in position to provide shore resource. The shifting of the vessel from berth will however be done only if another vessel arrives and requires the use of that berth.
- 8.6** For purposes of this policy:-
- A shifting movement means:
 - Physical shifting of the vessel more than 100mtrs ahead / astern.
 - From one berth to another berth or from one berth to anchorage and re-berth.

- A warping movement means: Physical shifting of the vessel maximum 100mtrs ahead / astern on the same berth.
- A turnaround movement means: Un-berthing the vessel from its berth and re-berthing it at the same berth on a different side. Pilotage charges will be charged in case of turnaround movement.

9. Free time allowed to vessels prior cargo commencement and after completion

- 9.1 A vessel should be ready for commencement of cargo operation in all respect within 3 hours of all fast. In case the vessel cannot commence her cargo operation within 3 hours, layup berth hire as per Port Tariff shall be applicable.
- 9.2 A vessel wanting to over stay beyond the allowed 3hrs after cargo completion shall make a request for over stay at least 2 hrs prior vessel's sailing time. Such a request will be accepted on case to case basis provided there is no vessel waiting for the use of the berth and the Port has not planned any maintenance activity on the berth. The Port's decision on such request would be final. In case, the Port refuses permission to over stay, the vessel will have to vacate the berth. The additional time beyond 3 hrs will be given on lay-up berth hire till the outward pilot request time.
- 9.3 If cargo stoppage is more than 2 hours due to failure of vessel equipment's or gear, idling at berth or for any other reasons. Lay-up berth hire as per Port Tariff shall be applicable as per conditions laid below
- 9.4 Total cargo stoppages should not exceed 2 hours during the entire port stay of the vessel or else lay-up berth hire will become applicable.
- 9.5 Whenever a vessel is given due notice by the Port to vacate the berth on account of either under performance or for safety reasons and the Master of the vessel refuses to vacate the berth after 2 hours of due notice by the Port, the Port will charge 2 times the berth hires as mentioned in the port tariff in addition to berth hire charges. Pilot detention and cancellation charges where applicable will be as per Port Tariff.

10. Lay-up berth hire

- 10.1 In case of cargo stoppage which is attributable to failure of vessel's machinery and equipment, layup berth hire will become applicable after the stipulated time allowed for such stoppages provided there are no vessels waiting for berth. The vessel will revert to normal berth hire when the vessel's machinery & equipment are operational or shore equipment deployed for operation on vessel request.
- 10.2 In case, a vessel is on layup berth hire, vessel idling due to equipment failure and another vessel arrives and requires the use of same berth, the vessel will be shifted out to anchorage on vessel's / owner / agent account.
- 10.3 Additional stay at berth after cargo completion may be permitted if there is no vessel waiting for the berth. The request for additional berth stay at lay-up berth hire should be made at least 3 hours before cargo completion time. Vessel has to vacate the berth within 2 hours of receiving notice if the berth is required by Port or else "Non vacating of berth" charges as applicable will be applied on the vessel.
- 10.4 Layup berth hire charges will not be applicable to Country crafts, SPM, HMEL and container Vessels, unless the Port has requested the Vessel to vacate the berth and if Vessel refuses to do so.

- 10.5 Layup berth hire will not be applicable on Tug which has towed the dumb barge into the port for cargo operations provided it is made fast alongside the dumb barge. Layup charges in case of additional stay on berth will be applicable only on the dumb barge on hourly basis. The tug will continue to be charged at normal berth hire rates.
- 10.6 Lay up berth hire will not be applicable if there are cargo stoppages due to bad weather condition/rains unless the cargo was already stopped prior start of bad weather/rains period. The timings will be taken from respective SBU.
- 10.7 Port will not charge layup berth hire charges on vessel which stay on the berth after cargo completion if vessels are receiving bunker / freshwater/ waste collection. This will be subject to the following conditions:
 - 10.7.1 There are no vessels waiting for that berth.
 - 10.7.2 The concerned terminal / Marine department should not have planned any maintenance activity on that berth.
 - 10.7.3 The request for additional berth stay should be made at least 3 hours prior cargo completion so that other vessel movements at other berths are not adversely affected.
 - 10.7.4 The concerned vessel will get pilot only after other planned vessel movements have been carried out. Efforts will however be made not to unduly delay these vessels.

11. Import / Export voyage in same VCN

- 11.1 As a general rule after completion of discharge operations, a vessel has to vacate the berth for other vessels waiting at the anchorage. If the same vessel is fixed for loading, her arrival time for loading operation will be considered only after she has completed her previous cargo and is thereafter ready to load cargo in all respects.
- 11.2 In case a new VCN is issued upon request, the second call will be treated as a fresh call and all marine dues will be applicable to the vessel.
- 11.3 After completion of Import cargo, if vessel goes outside of the port limits for hold cleaning/operational requirements and coming back to load export cargo in same vessel, then New VCN will be provided for Export cargo operation. All the charges will be applicable as per BPTS.

12. Anchorage charges

- a. Anchorage charges will be applicable for all vessels anchoring within Port limits.
- b. For berthing: From the time of vessel dropping anchor (inside Port Limit) till the time pilot board.
- c. For sailing/shifting: From the time of vessel dropping anchor till anchor away.
- d. Anchorage charges shall be charged on hourly basis.

13. Documents require in prescribed format through APMS/IPOS/SMART EPIC/EMAIL for declaration

The vessel's agent should submit the following documents in the prescribed format through APMS/IPOS for vessel declaration prior to physical arrival in Port. The vessel will be considered for berthing only after completion of declaration formalities and submission of pre-arrival documents as per Port Berthing Policy.

13.1 General Documents required for all vessels declaration

- a. Berthing application
- b. Vessel & cargo particulars part A
- c. Vessel acceptance navigational checklist- Part B
- d. International Tonnage certificate.
- e. Ship particulars.
- f. P&I certificate
- g. Certificate of Class
- h. Agency appointment letter from Owner of vessel
- i. Certificate of Registry
- j. Safe Manning Certificate
- k. International oil Pollution Prevention Certificate
- l. Pre arrival notices of 5/3/2/1 days, PANS as per ISPS Code requirement

13.2 In addition to general docs following additional documents required for Bulk & break bulk:

- a. Last port draft survey report.
- b. Pre arrival pipe export stevedoring check list
- c. Stowage Plan.
- d. Discharge or loading sequence.
- e. IGM to be submitted 24 hrs prior arrival of vessel
- f. Cargo declaration with client details, Requirement shore crane, Forklift
- g. Export General Manifest is to be submitted within 9 days of vessel sailing
- h. Complete Packing list for discharge / Load with Length x Width X Height (CBM) and Metric ton for calculating Package wise FRT (Freight Ton).” In case of Break Bulk cargo, above documents are required to be submitted by the vessel agent before berthing of vessel, both in Excel as well as PDF formats.

Note :The dimension to be considered should be of the biggest package and not of the smaller ones packed in the bigger package. Packing list submitted by the agent will be final. Receivers full details for each package to be submitted to port prior berthing.CIF/FOB value of the cargo for Imports/Exports to be provided by the concerned prior to berthing of vessel. In case of non-submission or incomplete documentation port will be constraint to berth the vessel.

13.3 In addition to general docs following additional documents required for Liquid vessel: N/A for APDPPL-Dahej.

13.4 In addition to the general docs following additional documents are required for LPG vessel: N/A for APDPPL-Dahej.

14. Minimum Notice required for filing Pilot request through APMS/IPOS/SMART EPIC/EMAIL

Minimum Notice	
Inward Pilot request	Minimum notice 1 hrs 45 minutes from Pilot request time
Outward Pilot request	Minimum notice 1 hrs 30 minutes from Pilot request time
Pilot Cancellation and amendment can be accepted through email to APDPPL Marine Control or through VHF on Channel 73 to APDPPL Marine Control with minimum 1 hrs notice for IWPM and OWPM. Only one cancellation and revision will be accepted. Thereafter minimum 2hrs notice has to be given for revision of pilot request. A vessel whose OWPM & IWPM timing have been amended will be given a pilot only after all other planned movements have been carried out.	

15. Swapping of Seniority

Swapping of berthing-seniority between vessels may be permitted by the Port provided the agent or agents of the affected vessels and /or the respective cargo interests jointly request the Port for exchange of seniority in the pre scribed application form and agree to indemnify the Port against any claims whatsoever may arise there from. The agency which intends to swap the seniority of its vessels must take into consideration other agents whose vessel will be adversely affected due to swapping of seniority. LOA / Productivity of vessel being swapped will be considered before accepting the swapping request.

16. Shifting of vessels

- 16.1 No Charges shall be levied for shifting of a vessel for Port Convenience. "Port Convenience" is defined to mean the following:
- 16.2 If a working cargo vessel at berth or at mooring point is shifted for port to undertake hydrographic survey work, dredging, repair and maintenance of berth, or such other similar activities whereby shifting is necessitated, such shifting shall be considered as "shifting for port convenience". The shifting made to reposition such shifted vessel is also considered as "SHIFTING FOR PORT CONVENIENCE".
- 16.3 If a working cargo vessel is shifted from berth to accommodate on ousting priority vessels which are exempted from bearing shifting charges, such shifting shall be treated as "SHIFTING FOR PORT CONVENIENCE".
- 16.4 Whenever a vessel is shifted to accommodate another vessel carrying hazardous cargo which needs adjacent berth to be kept vacant for safety reasons is also considered as "SHIFTING FOR PORT CONVENIENCE".
- 16.5 Whenever a vessel is shifted from berth to accommodate another vessel which cannot be berthed at other berths due to draft and LOA restrictions vessel is considered as "SHIFTING FOR PORT CONVENIENCE".
- 16.6 Whenever a vessel is shifted to accommodate another vessel having priority at the adjacent berth and unless that vessel shifts, another vessel cannot be berthed at the adjacent berth due to length restrictions such shifting is also considered as "SHIFTING FOR PORT CONVENIENCE".
- 16.7 Whenever a vessel is shifted to another berth or at anchorage due to operational requirement, "SHIFTING FOR PORT CONVENIENCE".
- 16.8 Whenever a vessel is shifted to accommodate another vessel on ousting priority, the vessel shifted will be required to pay shifting charges.
- 16.9 Similarly shifting charges will also be applicable in the following cases of shifting:
 - 16.9.1 Non-cargo vessel which in any case have to vacate the berth when cargo vessels arrive.
 - 16.9.2 Vessels which are idling at berth without doing any cargo handling operations.

17. Immobilization Permission

N/A for APDPPL- Dahej.

18. Standardtime for cargo commencement and completion

Sr.No.	Types	Case	Cargo commencement	Cargo completion
18.1	Containers	IMPORT / EXPORT	Cargo commencement takes place after unlashing of containers the first container loaded or unloaded.	After handling of gearbox the last container loaded or unloaded.
18.2	Bulk	IMPORT	First grab discharge into the hoppers or shore	Full cargo discharge and after removal of all equipment from the vessel.
		EXPORT	First grab discharge into the ship's cargo hold.	After completion of cargo loading, trimming and removal of all shore equipment from the vessel.
18.3	Break Bulk / Project Cargo	IMPORT	Commencement of cargo Lashing removal.	Full cargo discharge and after removal of all shore equipment.
		EXPORT	Commencement of dunnage/Cargo Gear Preparation Laying in the cargo hold.	After completion of cargo Lashing and removal of all shore equipment.
18.4	Liquid- N/A for APDPPL-Dahej	IMPORT	When cargo passes the ships manifold into the shore line.	Air blow completion time and when receiver gives the go ahead for hose disconnection.
		EXPORT	Commencement time of Cargo pumping from Terminal.	When the vessel is informed to close the manifold valve.

SECTION B

19. Berth Parameters, the indicative berth allocation parameters are given in the following table:

Berth	Max permissible LOA	Max Displacement (MT)	Beam	Max. Draft
North Berth	260mtrs	106667	42mtrs	14.0 mtrs
South Berth	260mtrs	106667	42mtrs	14.0 mtrs

Notes:

- 19.1 The depths around the berths are surveyed twice (pre & post monsoon) a year. If any significant changes trade is informed.
- 19.2 Parallel Body length of the vessel should be minimum 90 mtrs.

20. Berth allotment criteria

BERTHING POLICY	
North Berth	Essentially a mechanized coal handling berth for which priority will be given to Coal vessels carrying ADANI Cargo. Seniority will be considered among coal vessels and only on First Come First Served (FCFS) basis.
South Berth	Non-mechanized berth for handling of all bulk cargoes, break bulk cargoes and Other commodities. Seniority will be considered for all vessels on First Come First Served (FCFS) basis.

Notes:

- 20.1** Vessel carrying cargo which is required to be dispatched manually (i.e. by road) & to be stacked at non-mechanized yard will be berthed as per Port discretion on mechanized or non-mechanized berth (i.e. north berth or south berth).
- 20.2** The Port permits, priority berthing for vessels carrying government cargoes, (as maybe declared from time to time) for which 100% additional berth hire will be charged, and also for long term contractual partners as per Port's discretion.
- 20.3** If a condition arises when non-coal vessel (bulk and/or break bulk commodities) is waiting and North Berth is vacant, port may decide to berth non-coal vessel on North berth and next coal vessel will be berthed after completion of working vessel
- 20.4** The port has capacity and necessary infrastructure to handle 2 bulk/breakbulkvessels at any given time. Decision to accept additional vessels will be taken on case to case basis by Dry Cargo Operations Team.
- 20.5** The Port shall not be responsible for any delay in pilotage, berthing, ingress or egress for any reason whatsoever.
- 20.6** The port will not be liable for payment of any damages / claims / delays / detentions / demurrages etc. to vessels, whose berthing is delayed due to berthing of junior vessels which have been given priority in berthing as per their contractual agreements.
- 20.7** Seniority of the vessel will be considered as per port discretion if cargo space available less than 80% inside the Port backup yard.

21. Priority berthing guidelines for liquid tankers

N/A for APDPPL_DAHEJ

22. Berthing / Un-berthing guidelines for vessels

Berthing:	
	As per availability of tide
Un-berthing:	
	As per availability of tide.

Note:

1. Berthing will be suspended when average wind speed exceeds 25 knots.
2. Un-berthing will be suspended when average wind speed exceeds 25 knots.
3. Berthing and Un-berthing will also be suspended if the wave height is more than 02 meters.
4. Minimum UKC not below 10% of the deepest draft in the approaches and not below 0.5 meters of the

deepest draft at the berth.

5. The actual decision depends on many factors, which can only be assessed by the pilot and the Master. The above parameters may not therefore be strictly observed by the Pilot, if in his professional judgment and in consultation with the Master, more or less restrictive parameters should apply to ensure the safe manoeuvring of the vessel.

IV. Marine Tariff

A. PORT DUES:		
\$ 0.268 Per GT of Vessel(Per VCN).	Minimum Charges \$ 1200 per vessel is applicable. (Port Dues is payable per vessel call and is valid for a maximum of 15 days)	
B. PILOTAGE CHARGES PER GT OF VESSEL :		
Pilotage Charges (Coal and Project Cargo)	\$ 1.558 per GRT	Minimum \$ 925
Pilotage Charges (all other cargo vessels)	\$ 0.9225 per GRT	Minimum \$ 615
Includes one Berthing and one Un-berthing. For vessels with LOA less than 100m all tugs used for berthing/unberthing will be on chargeable basis(as per point T" Additional Tug Hire Charges)		
C. PILOT ATTENDANCE CHARGES :		
Pilot Attendance Charges	hr \$ 100 per	When a pilot is required to stay on board the vessel on request of the Master or when the port decides to post a pilot for safety of the vessel/ port.
D. PILOT EXEMPTION CHARGES		
Pilot Exemption Charges	\$ 900 / Exemption Certificate (Maximum validity 30 days)	
E. BERTH HIRE CHARGES AND MOORING CHARGES		
Berth hire charges (Coal and Project Cargo)	\$ 0.01935 per GRT per hour	Minimum Charges \$ 820 per Day.
Berth hire charges (all other cargo vessels)	\$ 0.00879 per GRT per hour	Minimum Charges \$ 820 per Day.
Note: 1.The day of vessel berthing shall be used for determining the conversion / exchange rate. If vessel does not used berth then arrival date will considered for exchange rate.		
Mooring Charges	\$ 0.034720 per GRT	Minimum Charges \$ 200
Note: Mooring charges is not applicable to LNG, SPM, STS and to vessels which is not using berth facilities.		
F. LAY UP BERTH HIRE :		
Layup: Same rate as berth hire and applicable in addition to the berth hire. (Chargeable per hr slab) Minimum berth hire charges is applicable for those vessels	1.1 If vessel unable to commence cargo within 3 hrs of all fast and unable to book OWPM for sailing within 3 hrs of completion time then lay-up berth hire becomes applicable from all fast to cargo commencement and cargo completion to outward request time respectively. 1.2 Lay Up berth hire can be granted on sole discretion of port subject to availability of berth.	

which call APDPPL purely for lay-up berth hire.

1.3 If vessel exceeds granted lay-up time then the vessels will be shifted out at her own cost. Lay-up berth hire charged in addition to normal berth hire for the duration that the vessel requires the use of the berth but is not carrying out cargo operations.

1.4 The vessel is allowed to stay on the berth on payment of Layup berth hire provided the vessel agent has made an advance request for the same and there is no vessel waiting for that berth.

G. NON BERTH VACATING CHARGES :

Non berth Vacating charges: 2 times the berth hire as mentioned in the port tariff (minimum berth hire charges will be applicable). This charge is in addition to berth hire charges.

Whenever for any reason Port requires vacate the berth, the port will give 2 hrs notices to vacate the berth, If vessel fails to vacate the berth then Non berth vacating charges will be applicable.

H. PRIORITY BERTHING CHARGES

2 Times the rate of berth hire charges (per GT per Hour)
Minimum charges applicable for per day orAs per Contractual agreement.

I. ANCHORAGE CHARGES

Anchorage Charges:
\$ 0.00128 per GT per hour.

Anchorage charges will be applicable for all vessels anchoring within Port limits.

For berthing: From the time of vessel dropping anchor till the time the pilot board

For sailing: From the time of vessel dropping anchor till anchor away.

J. BERTHING PROCESS CHARGES :

Pilotage Cancellation Charges	\$ 500	If cancelled between 1.00 hrs till pilot Boarding.
	\$ 1250	If cancelled after pilot boarding.
Pilotage Detention Charges	NIL	Upto 30 minutes delay from the nominated pilot boarding time.
	\$ 1500	Per 30 minutes slab and applicable when delay is more than 30 minutes.

K. UN-BERTHING PROCESS CHARGES :

Vessel should be ready in all respect for sailing at the nominated Pilot boarding time. In exceptional cases, a maximum delay up to 15 minutes after Pilot boarding time will be allowed if the unberthing of the vessel is delayed beyond 15 minutes after POB timing due to non-readiness of the vessel, pilot detention charges will become applicable for the entire duration of delay including first 15 minutes.

Pilotage Cancellation Charges	\$ 500	If cancelled between 45 minutes till Pilot boarding.
	\$ 1250	If cancelled after pilot boarding.
Pilotage Detention Charges	\$ 475	Upto 30 minutes delay from the nominated pilot boarding time.
	\$ 1500	For subsequent delays on a slab of 30 minutes.

Note : Pilot cancellation and detention charges will not be applicable if the vessel is cancelled or delayed due to cold move/ bad weather condition and it should be approved by concern HOD.

L. SHIFTING CHARGES

Shifting charges	Same as pilotage	However minimum pilotage charges will be used for calculation as per <u>point B</u>
------------------	------------------	---

M. WARPING / TURNAROUND CHARGES PER GT OF VESSEL :

Warping & Turnaround Charges	50 % of pilotage
------------------------------	------------------

N. DUMB BARGE :

\$ 1975 per Activity	<ol style="list-style-type: none"> 1. Port dues and pilotage charges will be additional. 2. Activity includes berthing and un-berthing. 3. Pilotage will start only when the barge is secured as a hip tow to the towing tug. 4. If LOA is more than 70 mtrs and beam more than 25 mtrs, then acceptance will be on case by case basis. 5. All barges must have a minimum of 6 mooring lines of adequate length i.e minimum length of 40 mtrs with eye at one end. The agent must also arrange for 6 personnel to be placed on the barge for mooring operations.
----------------------	---

O. VESSEL DEFICIENCIES :

Unsafe pilot ladder boarding / Disembarking arrangements. (Fine will be levied for each such occurrence.)	\$ 440 Per incident	In case of unsafe pilot boarding / Disembarking arrangements, poorly maintained pilot ladder or inability to rig combination ladder when freeboard of vessel is greater than 9 meters.
Non-functional critical navigation Equipment which affects safe berthing / un-berthing. (Charges per Movement for use of electronic navigational equipment.	\$270 per Movement	Vessels with non-functional critical navigational equipment such as GPS, GYRO, Radar, will only be berthed / Unberthed using ports electronic navigational equipment.
Charges for Failure to report critical equipment Deficiency in advance.	\$ 200 per Movement	Berthing / Un-berthing of vessel liable to be cancelled if in port's opinion same is considered unsafe.
Failure of mooring winches, windlass or capstan during berthing / un-berthing operations.	\$ 265 per failure	Pilot detention charges will be in addition to this charge.
Wrong declaration of draft which can jeopardize safety of vessel and Port assets.	\$ 880 per declaration	In case of wrong declaration of arrival / departure draft. (beyond berth parameters)
<ol style="list-style-type: none"> 1) Garbage regulation violation 2) Charges for wrong hoisting of Indian flag or soiled, poor condition. 3) Cargo falling overboard, 4) Non-compliance with port regulations. 	\$ 250	For each incident.
Alongside Berth: Anchor missing, Single Anchor Missing / anchor fluke damage/mooring winch not working -	An additional Tug will be applicable to Berthing vessels if both anchors are missing.	

P. TUG / BOAT HIRE CHARGES :

Tug hire for transportation (per hour per tug).	\$ 600	If the same tug is used by two different parties for different vessels then each party to pay the said
---	---------------	--

		charges. (Not more than 10 persons at a time) Applicable for carrying personnel and / or stores (max 5 MT space and safety permitting))
Service boat (per hour).	---	N/A

Note: If tug is hired for medical purpose (passenger/crew injury) same will be borne by the vessel agent.

The availability of tugs for transportation of passenger is not guaranteed as vessel movements have priority over such request. The Port shall not be responsible to the hirer for any loss or damage or injury to life or property arising directly or indirectly from the use of the tugs or delay in supply of the tugs or due to the failure of the tugs at any stage during the period of hire. The hirer shall indemnify the Port against all loss or damage or injury to life arising directly or indirectly from the use of the tugs during the period of the supply on hire to any property belonging to the port including the tugs or to any other person or property. The liability of the hirer shall not be affected by the fact that such loss or damage or injury to life or property may have arisen due to any act or default of any employee of the Port.

Q. COLD MOVE CHARGES :

Planned Cold Move	<p>Planned Cold move for a berthing vessel will be carried out only with prior approval of the concerned agency. However, no prior approval will be necessary for cold move of a vessel which is already at the berth. Port decision to vacate the berth (to accommodate any waiting vessel) will be final. Charges for each process of berthing /un-berthing / shifting, cold move charges will be in addition to the Pilotage charges. Planned cold move charges will be as given below. All Tugs used for planned cold move will be charged on hourly basis as per port tariff.</p>
	<p>Planned cold moves are subject to port management discretion. Cold move charge as at the rate of 3 times the pilotage charges (However minimum pilotage charges will be used for calculation.)</p>
Unplanned Cold Move	<p>If the vessel engine or steering gear fails to respond for any duration of time at any point of the berthing / un-berthing / shifting / warping manoeuvre (irrespective of the fact whether movement is on vessel/Agent or on port account), the same will be treated as a cold move and charged to the vessel/agent. Additional tugs if used for the movement will be charged as per port tariff on an hourly basis. Cold move charge is in addition to the normal Pilotage charge.</p>
	<p>Unplanned cold move charge as at the rate of 1.5 times the pilotage charges (However minimum pilotage charges will be used for calculation.)</p>

R. PIPE LINE CHARGES FOR LIQUID TANKERS

	N/A for APDPPL_DAHEJ
--	----------------------

S. IMMOBILIZATION AND ADDITIONAL CHARGES AS PER REQUIREMENT :

	N/A for APDPPL_DAHEJ
--	----------------------

T. ADDITIONAL TUG HIRE CHARGES :

\$ 800 Per Hour per Tug	<p>Tug hire charges for any activity (berthing / un-berthing / shifting /warping / tug assistance at berth) other than personnel transfer. In case of bad weather tug assistance will be provided on chargeable basis for any activity.</p>
--------------------------------	---

U. CHARGES FOR OIL SPILL POLLUTION RESPONSE.

\$ 35100 Per spillage	USD35100 + charges as per actuals based on resources mobilised.
------------------------------	---

V. TARIFF FOR BOLLARD PULL TEST :

Bollard Pull Test	<p>a. \$ 2700 for tugs up to 100 tons. b. \$ 5400 for tugs above 100 to 150 tons. This is inclusive of Port Dues, berth hire, pilotage and bollard pull charge. (Berth stay of 12 hrs inclusive of Bollard pull test).</p>
-------------------	---

W. TARIFF FOR DIVING OPERATIONS :

N/A for APDPPL_DAHEJ

X. MISC SERVICE CHARGES:

1.	Creation of APMS request number behalf of agent for vessel declaration	\$ 100	Per APMS/IPOS request
2.	Service request on behalf of agents	\$50	Per Service/case.
3.	Security.	\$ 55	Per 8 hrs shift /per Guard.
4.	Security Vehicle (with driver).		N/A for APDPPL_DAHEJ
	Oil rags removal & Disposal	\$450	Per CBM
	Garbage collection at berth (Quantity not to exceed 3 m ³ /per trip)	\$ 150	Per collection / Trip (Not to exceed 3-Cubic Meter)
	Garbage collection at Anchorage (Quantity not to exceed 5 m ³ /per trip)		N/A for APDPPL_DAHEJ
5.	<p>a. The request for garbage collection should be placed 24 hours prior berthing. Garbage collection requests with less than 24 hour notice prior berthing will be serviced on the basis of availability of resources.</p> <p>b. Garbage collection will be done only during day light hours (0900-1700).</p> <p>c. Garbage collection at anchorage will be done subject to availability of tug.</p> <p>d. Hydra will be required at berth for off-loading garbage from the tug and same will be charged as per port tariff.</p> <p>e. Garbage of food waste will not be collected if it is found to be infested and / or with bad odour.</p>		
6.	Gangway (Request to be made prior berthing). (ship's responsibility to rigged gangway safety net)	\$ 100	Per calendar day.
7.	Gangway Extension ladder at west basin	---	N/A for APDPPL_DAHEJ
8.	Hydra	\$ 150	Per 4 hour slab (minimum).
9.	Fresh water at berth	\$ 5	Per MT
	Fresh water at anchorage [Only in case of urgent requirement] [total tug hrs should not exceed 6 hrs and include charges of fresh water. (w.e.f 1 st may 2019)	---	N/A for APDPPL_DAHEJ
(Request should be raised with a notice of 24 hrs. Quantity as determined by the port will be final)			
10.	Permission for tank cleaning of HFO Tank/Cargo Hold /Cargo tank / Deck space through authorized vendors. The charges are per tank basis. [Only Port authorized agencies can carry out cleaning activities as per trade notice 08/2014 Dt 11.12.2014],		N/A for APDPPL_DAHEJ

	[charges for tank cleaning is based on the volume of tank / hatch which is to be cleaned]		
11.	Magnetic Compass adjustment through port including compass adjuster fees.		N/A for APDPPL_DAHEJ
12.	Hot work permission	\$ 20	Per 4 hour slab (minimum)
13.	Ambulance Charges	\$ 50	If used for medical purpose (passenger/crew injury) same will be borne by the vessel agent.
<p>Note 2: A vessel will not undertake any activity which requires prior permission & payment of charges to the Port. Violation of the above will affect additional charges which will be thrice the charges which are applicable for that service.</p>			
14.	Invoice revision.	\$ 100	Per cancellation of Invoice.
15.	VCN Cancellation.	\$ 10	Per VCN.
16.	Any query regarding final invoice, to be raised / initiated within 60 days of final invoice date else charges will be applicable.	\$ 100	Per VCN.
17.	Permanent Pass (Through WMS)		N/A for APDPPL_DAHEJ
18.	Temporary Pass (Through WMS)		N/A for APDPPL_DAHEJ
18	Cherry Picker	N/A for APDPPL_DAHEJ	
19.	Bunker Handling Charges	\$1.40 PER KL	Minimum \$175
20.	100 MT crane capacity crane on barge Hire Charges	N/A for APDPPL_DAHEJ	
21.	Mooring Ropes	\$ 90	Per rope/Calendar Day
22.	Shore Mooring Winch Charges (01-Fwd & 01-AFT) Compulsory for 24 hours. (Timings as per Port discretion)	\$2000	Per Day
23.	Shore Crane Charges	\$620	Per 2 hour Slab or Part Thereof(Shore crane will be provided as per availability)
24.	Shore Supply charges	INR 50	Per Unit
25.	Port Facility Charges	INR 25000	Per Activity
26.	Sludge Removal Charges	INR 2500	Per MT & Port Facility Charges Is applicable
27.	Crew Change	\$ 50	Per crew change
28.	Gate entry permission charges for on-board work shop, repairing and other activities.		
	<ul style="list-style-type: none"> a. For repairing of on board ship's equipment except critical navigational and bridge equipment. b. Gate In/Out permission for Landing gears / equipment from ship. c. Transhipment permission for supply of goods like spares / ships equipment / medicines. 		\$100/-per Shipping bill/Activity

- d. Provision supply to vessels per shipping bill gate entry.
- e. General cleaning on board the vessel(non-hazardous).
- f. Painting permission for Vessel Name change.

Note 1:

- a. Only authorized ship chandlers will be permitted. Authorized ship chandlers list is hoisted on the Port website.
- b. If a registered vessel agent is nominated by the vessel owner to deliver stores to their vessel, the activity will be permitted subject to submission of appointment letter from the principals. No license fee will be charged in such cases, however ship chandelling charges will be applicable as is the case for registered ship chandlers.
- c. If in case, after completion of gate formalities at Port, vessel master rejects the supply or ship chandlers are unable to complete supply due to any reason prior to sailing of vessel, in that case neither the charges will be refundable nor it will be adjusted in the next supply which may please be noted.
- d. Ship chandelling charges will not be applicable to supply of BA charts and medicines up to 25 kg.

Note: - Any service requisition (such as Gangway, Hydra, Ship Chandelling, Fresh Water and Hot Work) has to be made at least 12 hrs prior vessel sailing and during office hours so that the service can be organized. Service tax will be charged on above all services as applicable.

28.	Additional Marine Invoice Fee	
1	Single Invoice Request by Agency declaring Vessel	No charges
2	Separate/split Invoice request by Declaring Agency	INR 5000/- Per invoice
3	Invoice Request for Third Party other than Agency declaring vessel.	INR. 5000/- Per Invoice

Above charges not applicable to

- 1) Ship Chandelling which is invoiced separately to ship chandler will not attract above charges.
- 2) Customers who have long term contracts and pay VRC directly to the port.

29	Permission for usage of open loop scrubber within port limit	\$ 280 Per Permission
----	--	-----------------------

Note: Declaration by the Agency on the type of scrubber fitted and mode being used in port
For hybrid scrubber if used. open loop charges would be applicable.
Declaration by Agency on type of fuel used within the port limit.
Above points will be part of vessel declaration process.

30	Permission for cargo hold washing and retention on board within the port limit.	\$ 500 Per Permission
31	Permission for lifeboat lowering within port limit.	\$ 100 Per Activity
32	Port Environment Protection Safety charges	\$ 0.006667 Per MT

Note: Cargo will be taken basis Customs Documents
For container vessel \$ 0.097338 per TEU
For Ro-Ro vessel \$ 0.006667 per vehicle

Y. FIRE FIGHTING ASSISTANCE TARIFF :

S. No.	Service provided	Duration	Charges
1.	Fire Fighting at anchorage/offshore through port tug in case of emergency.	Per tug per hour.	\$ 4500
2.	Use of foam tender or water tender for fire call, spraying water and supplying water. (Fresh water charges USD 5 pre MT will be applicable in addition to Water tender charges)	Per one hour.	\$ 130
3.	Foam tender or water tender standby with crew.	Eight hour shift.	\$ 215
4.	Fire crew standby (during hot work, hazardous cargo handling etc.)	Eight hour shift.	\$ 165

5.	Supplying water with pressure by using fire pump at liquid terminal and dry cargo area (Including the charge of water).	Per hour.	\$ 215
6.	Supplying sea water with pressure using fire pumps at jetty.	Per hour.	\$ 60
7.	Fire operator standby.	Eight hour shift.	\$ 25
8.	Uses of Foam concentrate (AFFF or Alcohol Resistant Foam).	One litre.	\$ 6
9.	Provide fire extinguisher for hot work (for one 10 kg DCP extinguisher)	Eight hour shift	\$ 6
10.	Providing fire extinguisher for hot work.	For one day (three shift).	\$ 14
11.	Providing portable fire pump for standby, firefighting and dewatering operation.	Per hour.	\$ 25
12.	Providing Smoke exhauster unit.	Per hour.	\$ 25
13.	Providing SCBA set.	One time use per Set.	\$ 25
14.	Imparting training (for outside agency) – maximum 4 hour limited to 20 persons.	Per session.	\$ 110
15.	Fire crew for on board for fire fighting	Eight hour shift.	\$ 300

Note: In case of emergency on board the vessel, the port will mobilize emergency response service and the charges will be debited to vessel agent account. Port will not take confirmation from agent in case of emergency

Z. Facility for Discharge of Ship generated waste

Vessels have to discharge ship generated waste (Like sludge, Slop, Garbage, scrap etc.), which are generated during voyage period, at any port of call. Disposal of ship generated waste into sea water is strictly prohibited as per MARPOL 73/78 convention as amended. India is signatory to this convention of IMO (International Maritime Organisation). For collection and disposal of ship generated waste, as per MARPOL 73/78, it has been made compulsory for all the countries, who are signatory to IMO, to provide shore reception facility. Accordingly, APDPPL, Dahej provides this facility to vessels calling at this port through the private firms registered with Central Pollution Control Board and having valid approval to operate from State Pollution Control Board. These private registered firms make the necessary arrangement for discharge / reception of the ship generated waste from the vessel.

AA. SPM TERMINAL : N/A for APDPPL_DAHEJ

BB. SHIP TO SHIP TRANSFER OPERATIONS (STS) : N/A for APDPPL_DAHEJ

Note: The following charges have to be paid directly to "The Adani Harbour Services Pvt Ltd"

- Pilotage
- Pilot Attendance Charges/Pilot Standby Charges
- Berthing process charges : a) Pilotage Cancellation Charges b) Pilotage Detention Charges
- Unberthing process charges : a) Pilotage Cancellation Charges b) Pilotage Detention Charges
- Shifting Charges
- Warping Charges
- Tug Hire for transportation of passenger only, Ship Store supply charges through tug, Tug for Custom formalities (Inward/Outward), Service boat
- Cold Move -Planned / Unplanned
- Additional Tug Hire (for assistance). Pull back tug charges
- Charges for Oil Spill Pollution response
- Fire Fighting at anchorage/offshore through port tug
- Garbage collection at Anchorage
- Fresh water at anchorage

CC. Wharfage charges

S.NO	Commodity	Unit per	Rate in Rs
A	CHEMICAL		

1.	Solid		
	Salt	M. Ton	30/-
	Gypsum	M. Ton	50/-
	Soda ash, Caustic Soda	M. Ton	50/-
	All other solid chemicals other than petroleum derivatives	M. Ton	70/-
2.	Fertilizer, Urea, Rock Phosphate and fertilizer raw materials	M. Ton	77/-
B	FOOD GRAINS & FOOD PRODUCTS		
	Food grains and pulses	M. Ton	60/-
	Seeds	M. Ton	60/-
	Fruits, Betel nuts, Vegetables	50 kgs.	30/-
	Molasses, Sugar, Onions, Guar Gum, Coconuts, others	M. Ton	50/-
C	IRON & STEEL, OTHER METALS AND MACHINERY & PARTS INCLUDING BELTING		
	Scrap - shredded - steel, metal, iron	M. Ton	84/-
	Scrap - HMS, others	M. Ton	113/-
	Sponge iron, HB iron, pig iron, iron slabs	M. Ton	125/-
	Steel Coils	M. Ton	105/-
	Steel pipes, plates, sheets, cement coated pipes	M. Ton	110/-
	Machinery and parts	M. Ton /CBM	110/-
D	MINERALS		
	Bauxite	M. Ton	55/-
	Bentonite	M. Ton	46/-
	Calcinated Bauxite, Coal, Coke, Charcoal, Firewood	M. Ton	70/-
	Lignite, Lime stone	M. Ton	50/-
	Fluorspar	M. Ton	75/-
E	OTHER COMMODITIES		
	Cement, Clinker	M. Ton	60/-
	Wood and Timber including logs	M. Ton/CBM	70/-
	All non-hazardous solid cargo not listed in above categories	M. Ton	80/-
	Project Cargo	CBM / FRT	105/-

Note: Waterfront Royalty charges applicable for cargo shipped through RO-RO Jetty would be 0.24% ad-valorem charges or Rs. 96/-FRT whichever is higher. Waterfront Royalty charges leviable on ad-valorem basis will be levied on the CIF value of goods in the case of imports and FOB value of goods in the case of exports and on value specified in the bill of coastal goods in the case of coastal.

V. PIDC Charges: N/A for APDPPL_DAHEJ

VI. Stevedoring Tariff

A. TARRIFF FOR EQUIPMENT / GEAR HIRING

Sr.No	Equipment	RATE	Slab charges
1.	Forklift of 42/32 MT SWL * Minimum charges for 2 shifts. Thereafter on shift basis.	Rs 110000	Per Shift Per Forklift
2.	Forklift of 42/32 MT SWL * Mob Demob charges	Rs 150000	Per Forklift Per Movement
3.	Shore power supply	Rs 50/-	Per Unit
4.	Weigh Bridge Charges	N/A for APDPPL_DAHEJ	
5.	Pay loader HM 2021	N/A for APDPPL_DAHEJ	
6.	Ex-200	N/A for APDPPL_DAHEJ	
7.	CAT Loader	N/A for APDPPL_DAHEJ	
8.	Dumper Model-2518	N/A for APDPPL_DAHEJ	
9.	LMC HIRING-15 MT	N/A for APDPPL_DAHEJ	
10	Equipment deployment for cargo collection on jetty. (Applicable basis deployment of shore crane for vessel carrying cargo over 20,000 Mt)	N/A for APDPPL_DAHEJ	
11.	Wrong declaration of Packing list submitted by the agent/customer.	Rs 10000/-	per change request
➤	Above equipment's will be provided as per availability - Outside equipment to be hired only if port Equipment is not available, only after prior permission from Port, complying with all port norms.		
B. SHORE CRANE CHARGES			
➤	TARIFF FOR HANDLING BULK CARGO WITH SHORE CRANES FITTED WITH GRABS OF 27 TO 32 CBM FOR WHEAT		
	As per Contractual agreement.		
➤	TARIFF FOR HANDLING BULK CARGO OTHER THAN WHEAT		
	As per Contractual agreement.		
➤	Tariff for handling break bulk / Project cargo.		
	As per Contractual agreement.		
C. TARIFF FOR QC & MISC SERVICES PROVIDED AT MICT & AMCT CONTAINER TERMINAL FOR HANDLING STEEL PIPES, PLATES, COILS & PROJECT CARGO.			
	N/A for APDPPL_DAHEJ		
D. PROJECT CARGO STEVEDORING RATES			
	Up to 2500 Freight Tons parcel size per vessel Rs. 350 Per FRT		
	Above 2500 Freight Tons parcel size per vessel Rs. 650 per FRT		
	Wind Mill or Wind Mould or its part (As specified in BL/Relevant custom document) Rs. 250 per FRT.		
	In case of export movement, Dunnage, Choking and lashing material cost will be charged extra as per actual if required/availability.		
	I. In case of any cargo re-stow is required during cargo operations; the stevedoring charges will be applicable as per port tariff, for applicable commodity on re-stow quantity only if same carried out on board without using transport /storage facility on wharf.		
	II. In case of any cargo re-stow is required during cargo operation with storage at wharf (without any transportation) & reloading with crane, single side stevedoring as per		

- porttariff will be applicable for respective commodity on re-stow quantity. Single Stevedoring Charges.
- III. In case of any cargo re-stow is required during cargo operation with storage at wharf & transportation for reloading , stevedoring as per port tariff (Applicable for unloading & reloading) will be applicable for respective commodity & in an addition to same, transportation charges/royalty will be applicable on case to case basis.-Twice Stevedoring charges + Terminal Handling Charges.
 - IV. In case of movement like roll on roll off or direct offloading to another vessel, stevedoring charges will be applicable as per port tariff.


IMPORTANT NOTE :

No. of axles deployed for the heavy lift after taking confirmation of the submitted drawing for even load distribution of the heavy lifts since the same shall have to be moved thru the jetty. No of axles shall be arranged in such a manner that total load (including self-weight of trailer) should not exceed 13.5 MT in cross section, with complying all above safety and operational requirements. No. of axles deployed for moving the cargo thru the jetty should be as per satisfaction of the port.

– Route survey of the trailer with cargo (considering its maximum height, width and turning) to be carried out by operation team.

Axle line spacing should not be less than 1.55m.

– Trailer configuration (i.e. nos of wheels and axles in cross section) shall be as per attached figure. Two axles and 8 wheels are required per axle lines. Base width of trailer in a section shall be approx. 3mtrs. Typical trailer arrangement is shown in below figure.



Each axle shall have practically equal load and loading shall be uniformly distributed to all the axles.

Maximum speed of trailer on approach = 5 kmph

Weight of the cargo shall be verified before marching of trailer from approach.

Trailer shall stand/march beyond 4.0m from the berthing/extreme face the jetty, outreach of vessel cranes to be checked accordingly.

E. STEVEDORING CHARGES ON STEEL CARGO (COIL, PLATE, SLABS, ANGLES & BARS) (IMPORT/EXPORT).

1.	Steel Plates / Slab – Import (For > 32 MT, Rs. 20 / PMT additional)	Rs. 160/ MT
2.	Steel Coils (HR) – Import (For > 32 MT, Rs. 20 / PMT additional)	Rs. 130/ MT
3.	Steel Coils (CR) – Import (For > 32 MT, Rs. 20 / PMT additional)	Rs. 130 / MT
4.	Steel Coils (HR) & Steel Plates - Export (For > 32 MT, Rs. 20 / PMT additional)	Rs. 130 / MT
5.	Steel Coils (CR/Other) – Export (For > 32 MT, Rs. 20 / PMT additional)	Rs. 130 / MT.
6.	Steel Angles / Bars / Rebars / Rods – Import	Rs. 100/MT

7.	Steel billets (Import / Export)	Rs. 260 / MT																																	
8.	Carbon Steel Plates (Import / Export)	Rs. 510 / MT																																	
9.	Rails (Import / Export) up to 12.5meters in length	Rs. 310 / MT																																	
10.	Rails (Import / Export) Above 12.5meters but below 18meters in length	Rs. 510 / MT																																	
11.	Rails (Import / Export) Above 18meters up to 25meters in length	Rs. 900 / MT																																	
	** For stevedoring export of coils / plates / slab / angles / bars / rods, All Dunnage& lashing material used will be at actuals.																																		
F. STEVEDORING CHARGES ON STEEL CARGO - PIPES - IMPORT**																																			
1.	Steel pipes / Tubes equal & below 14 inches OD	Rs. 460 / FRT																																	
2.	Steel pipes / Tubes equal & below 24 inches OD & above 14 inches OD	Rs. 310 / FRT																																	
3.	Steel pipes equal & below 56 inches OD & above 24 inches OD	Rs. 185 / FRT																																	
G. STEVEDORING CHARGES ON STEEL CARGO - PIPES - EXPORT**																																			
1.	Steel Pipes equals & below 18 inches OD	Rs. 310 / FRT																																	
2.	Steel Pipes equal & below 30 inches OD & above 18 inches OD	Rs. 210 / FRT																																	
3.	Steel Pipes equal & below 56 inches OD & above 30 inches OD.	Rs. 140/ FRT																																	
4.	Steel Pipes above 56 inches up to 70 inches. (All dunnage& lashing material at actual additionally)	Rs. 170/ FRT																																	
5.	CWC / Cement coated Pipes / DI Pipes	Rs. 310 / FRT																																	
	** Stevedoring rates are basis handling of Steel Pipes up to a maximum 70" OD for pipe length of Meter. For Pipes above 13.5 meter in length, please contact Port Marketing Team.																																		
H. STEVEDORING SCOPE (Pipe export) will be as per following :-																																			
1.	Normal Dunnage Wood will be scope of stevedoring for Sr. No. 1 to 3 as per below table :																																		
	<table border="1"> <thead> <tr> <th colspan="2">Pipe MT Range</th> <th rowspan="2">Normal Wood Inclusive</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2000</td> <td>10</td> </tr> <tr> <td>2001</td> <td>4000</td> <td>20</td> </tr> <tr> <td>4001</td> <td>6000</td> <td>30</td> </tr> <tr> <td>6000</td> <td>8000</td> <td>45</td> </tr> <tr> <td>8000</td> <td>10000</td> <td>60</td> </tr> <tr> <td>10000</td> <td>12000</td> <td>75</td> </tr> <tr> <td>12000</td> <td>14000</td> <td>90</td> </tr> <tr> <td>14000</td> <td>16000</td> <td>105</td> </tr> <tr> <td>16000</td> <td>18000</td> <td>115</td> </tr> <tr> <td>18000</td> <td>20000</td> <td>130</td> </tr> </tbody> </table>		Pipe MT Range		Normal Wood Inclusive	0	2000	10	2001	4000	20	4001	6000	30	6000	8000	45	8000	10000	60	10000	12000	75	12000	14000	90	14000	16000	105	16000	18000	115	18000	20000	130
Pipe MT Range		Normal Wood Inclusive																																	
0	2000		10																																
2001	4000	20																																	
4001	6000	30																																	
6000	8000	45																																	
8000	10000	60																																	
10000	12000	75																																	
12000	14000	90																																	
14000	16000	105																																	
16000	18000	115																																	
18000	20000	130																																	
2.	Dunnage (4" x 4" approx.) on tank top load bearing strips maximum 06 nos [at a distance of 2mtrs] and for chocking/shoring and ship sides per pipe stake inside vessel holds.																																		
3.	2 lines Lashing/securing with 16mm conventional wire ropes and compatible wire clips and turns buckle per pipe stake inside vessel hold. -refer Annexure 1.																																		
4.	Rubber strip protection on tank top and ship's sides.																																		
5.	Lifting gears/spreaders/slings/ conventional pipe lifting hooks.																																		
6.	Above schedule of rates are applicable only for loading/stowage /securing of steel pipes inside vessel holds. In case of any ON DECK/HATCH TOP stowage/ securing, the same would be additional & ascertained on case to case basis as the situation demands. The rates/costs will be calculated on the basis of actual requirement indicated by Master/Chief officer/Port Captain where there are special requirements like fabrication/fitting of Stanchions, pad eyes, stoppers, heavy lashing/ securing materials, wooden wedges etc.																																		
7.	Any additional Dunnage line with rubber padding required to create flat top line for balance between two different pipes in each stake will be on additional basis as separate charges for additional Dunnage line & rubber respectively.																																		

8.	Any Additional Dunnage used more than limit of respective slab due to choking or any other reason will be on chargeable basis on actuals.
9.	All taxes as applicable will be extra and subject to change from time to time as per Govt. circular / guidelines.
	Schedule charges for Additional Services for extra consumption : -> Pine Wood: Rs. 23,500 / CBM. ->Dunnage Wood: Rs. 13,500 / CBM. ->Additional Dunnage Line: Rs. 7500 / Line (Normal)-refer Annexure 1. -> Additional Rubber Line: Rs. 700 / Line. -> Additional Lashing wire: Rs. 250 / Meter. -> Fumigation charges : Rs. 25,000 per shipment per customer a notice of 72 hours (3 working days) required. ->Phytosanitary Certificate: Rs. 15,000 per shipment per customer.

I. STEEL CARGO HANDLING DIMENSIONS / WEIGHT

Sr.No	COMMODITY	SIZE				MAX WEIGHT IN MT
		LENGTH	WIDTH	HEIGHT	THICKNESS	
1.	STEEL COILS		1.8 MTR	1.8 MTR		32 MT
2.	STEEL PLATES / BUNDLE	12.5 MTR	4 MTR		25 MM	24 MT
3.	STEEL SLABS	7 MTRS	2 MTR			32 MT
4.	STEEL BARS / STEELANGLES / STEELRODS	12 MTR	IN BUNDLES			10 MT
5.	PROJECT CARGO	15 MTR	3.5 MTR	3.5 MTR		30 MT
6.	STEEL PIPES					
7.	2 OD- 12 OD (INCHES)	13.5 MTRS	IN BUNDLE (MORE THAN 2 PIPES)			2 MT – 10 MT
8.	ABOVE 12 OD – 70 OD	13.5 MTRS	SINGLE PIPES			10 MT

Note:

APDPPL will allow direct delivery/carting of project cargo exceeding above dimension. In case same is desired to be handled by APDPPL, same is to be discussed with port marketing team on case to case basis. Other than above mentioned standard dimension for steel cargo, rates can be obtained from marketing desk.

A. Calculation of crane idling charges due crane failure for the vessels berthed at Adani Port

Idling of vessel on account of following:

- Miss-declaration of cargo as prescribed in clause 6.15: If vessels crane are unable to discharge the said cargo, Lay-up berth hire will be applicable from the time of idling due to said package till the time, vessels request for the shore crane.
- Miss-declaration of vessel's gear/capacity: If in case of wrong declaration of vessel' gear/capacity Lay-up berth hire will be applicable till the time, vessels request for the shore crane.

Housekeeping of storage area: All basic housekeeping requirement is to be done by occupier of all theStorage area given on rent for long term basis.

[Top page](#)

B. Breakdown of ship crane wire/ other part or mechanism during cargo operation

Breakdown of ship crane wire/ other part or mechanism during cargo operation.

Charges of USD 10,000/- per incident in case a vessel's Crane / derrick's wire, block, hydraulic system or any other system fails during cargo operations resulting in free fall of the cargo or the crane / derrick either on the vessel or on the berth.

Charges for repair/ procurement of damaged port property as assessed by the Port.

Charges for damaged cargo and its recovery from the water and its disposal if the cargo has fallen in to the water.

Charges for the complete treatment of the injured / affected personnel and compensation for the injury or disability as decided by the Port.

In case of fatality due to such incidents, the vessel will be detained and will be subject to the provisions of the State and National Rules, Regulations and Laws. All cost, charges, compensation and consequence arising due to such an accident will be on vessel account-

Annexure - I



VII. Contact details

1	CEO	Mr. Pranav Choudhary	+91-9849433377 Pranav.Choudhary@adani.com
2	COO	Mr. Manoj Katar	+91-9879614724/02641285003 Manoj.Katar@adani.com
3	Marine Services	Capt. Pankaj Kumar Sinha (Head Marine services)	+91 7574894206/02641285020 Pankaj.Sinha@adani.com
4	Port Control (Marine Control)	Marine Control	+91-9687695730/02641285030 marinecontrol.dahej@adani.com
5	Dry Cargo	(Head Dry Cargo)	
6	Marketing	Mr. Udayan Jain (Head-Marketing Dry cargo)	+91 9004392947 Udayan.Jain@adani.com
7	Safety	Mr. Kaushal Singh (Fire & Safety)	+91-9099002568/02641285081 kaushal.singh@adani.com
8	Security	Security Control	+91 9687695713/02641285100 scr.dahejport@adani.com

Port Office

Adani Petronet (Dahej) Port Pvt. Ltd
At & PO Lakhigam
Taluka Vagra, Via Dahej
Bharuch 392 130,
Gujarat, India.

Corporate Office

Adani Ports and Special Economic Zone Ltd.
Adani Corporate House, Shantigram,
Near Vaishno Devi Circle
S.G. Highway, Khodiyar,
Ahmedabad, Gujarat,
Gujarat, India.