

To,
The General Manager (Marine Services)
Kamarajar Port Limited,
23 Rajaji Salai, Chennai – 600 001

Dear Sir,

Sub: Development of container terminal at Kamarajar Port Limited on DBFOT basis, KPL awarded to Adani Ennore Container Terminal Private Limited- **Submission of Half yearly Compliance (January 2020 – June 2020) of Environmental Clearance issued to Kamarajar Port Limited in various stages of development with regards to Container Terminal – Reg.**

Ref: 1. Vide order no: 10-28/2005-IA-III dated 19th May, 2006
2. Vide order no: 10-28/2005-IA-III dated: 10/09/2007 and validity extension date: 31.03/2017
3. Vide order no: 10-28/2005-IA-III dated: 24/12/2014

With reference to the above captioned subject, **Adani Ennore Container Terminal Private Limited** is submitting the **Half yearly compliance report** (for the period **January 2020 – June 2020**) of applicable conditions to the Environmental & CRZ Clearance obtained by the M/s. Kamarajar Port Limited in various stages of development as referred above.

Kindly acknowledge us the receipt of the same.

For **Adani Ennore Container Terminal Private Limited,**




R. Sathish Kumar
Head - Environment




Encl.: As above.

Adani Ennore Container Terminal Pvt Ltd
Adani House
C/o. Kamarajar Port Limited
Ponngri Taluk, Tiruvallur District
Tamil Nadu- 600 120.


Tel +91 79 2656 56 5555
Fax +91 79 2555 5500
info@adani.com
www.adani.com
CIN: U61200GJ2014PTC078795

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


Half yearly Compliance report on conditions stipulated in Environmental & CRZ Clearance (Period: January 2020 to June 2020)		
S. No.	Conditions	Compliance Status
SPECIFIC CONDITIONS		
I.	All the conditions stipulated in the NOC from TNPCB vide their letter No. T12/TNPCB/Misc./F.3322/TVLR/05, dated 07.12.2005 should be strictly implemented.	Status by KPL. Detailed compliance submitted as annexure by KPL dated 18.07.2013.
II.	Groins and other suitable structures should be constructed to prevent the closing of the mouth of Ennore Creek.	Status by KPL.
III.	The DPR and the technical details to be awarded to the BOT operator should provide to MoEF for post project monitoring within 6 months from the date of receipt of this letter.	Complied. Container Terminal DPR submitted vide letter number EPL/MS/49/2008 dt. 13/03/2008.
IV.	The marine terminal should be set up outside CRZ area.	Status by KPL.
V.	Recommendations of Risk Analysis report should be strictly implemented and a comprehensive quantitative Risk Analysis should be carried out before operationalizing the project.	Complied Operational Risk Assessment carried out and the recommendations are being implemented. Operational Risk Assessment report submitted vide Letter No.AECTPL/KPL/EC-compliance/Env/02 dt. 13.07.2018.
VI.	Approval form Chief Controller of Chief Explosives should be obtained for hazardous chemicals storage, transfer and related activities.	Not Applicable. AECTPL is not storing any Hazardous chemicals. Hence not applicable.
VII.	The reclamation of the port area should be carried out with the dredged materials. Dredged material should not be dumped into the sea. No reclamation should be carried outside the port limits.	Status by KPL.
VIII.	The coastal protection works should be carried out after detailed hydrodynamic modelling studies and it should be ensured that no erosion or accretion takes place in the shore protection works.	Status by KPL.
IX.	Reclamation of 500 acres should be carried out only for the port development. The height of the reclaimed area will be maintained above the maximum flood level.	Status by KPL.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


Half yearly Compliance report on conditions stipulated in Environmental & CRZ Clearance (Period: January 2020 to June 2020)		
S. No.	Conditions	Compliance Status
X.	The wave tranquillity study and the ship manuring studies carried out should be taken into account while operating the port.	Status by KPL.
XI.	The project proponent should ensure that doing construction and operation of the port there will be impact on the livelihood of the fisherman. The fishermen should be provided free access to carry out the fishing activity.	Status by KPL.
XII.	All necessary precaution while undertaking construction and operation of the port should be taken keeping in view the bathymetric changes caused due to tsunami.	Status by KPL.
XIII.	All development in the port should be accordance with the Coastal Regulation Zone Notification, 1991 and approved Coastal Zone Management Plan of Tamil Nadu.	Status by KPL.
XIV.	The project proponent should undertake a comprehensive hydrodynamic modelling study with regard to river diversion and submit the report to the Ministry within 6 months from the date of receipt of this letter. Further the unit should comply with all the findings/recommendations of the study.	Status by KPL.
XV.	Construction labour camps should be located outside of CRZ area and should be provided with adequate cooking and sanitation facilities.	Complied. Construction of container terminal is completed and the terminal is under operation
XVI.	The project affected people, of any should be properly compensated and rehabilitated.	Status by KPL.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


GENERAL CONDITIONS:		
i.	Development of the proposed channel should be undertaken meticulously conforming to the existing Central/Local rules and regulations including CRZ Notification, 1991 and its amendments. All the construction designs/drawings relating to the proposed development activities must have approvals of the concerned State Govt. Depts./Agencies.	Status by KPL.
ii.	A well-equipped laboratory with suitable instruments to monitor the quality of air and water shall be set up as to ensure that the quality of ambient air and water conforms to the prescribed standards. The laboratory will also equipped with qualified manpower including a marine biologist so that the marine water quality is regularly monitored in order to ensure that the marine life is not adversely affected as a result of implementation of the said project. The quality of ambient air and water shall be monitored periodically in all the seasons and the results should be properly maintained for inspection of concerned pollution control agencies. The periodic monitoring reports at least once in 6 months must be send to this Ministry (RO at Bangalore) and Pollution Control Committee.	Complied. AECTPL has awarded Environmental Monitoring services to NABL accredited laboratory. Ambient Air, Noise Level, DG Stack emission, Marine Surface Water, Sea Sediment analysis are carried out on regular basis. The reports are being submitted to KPL and Tamil Nadu Pollution Control Board on monthly basis and also as part of Six monthly compliance report. Environment Monitoring report for the period January 2020 – June 2020 is attached as Annexure - I .
iii.	Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation etc. must be provided for the labourers during the construction period in order to avoid damage to the environment. Colonies for the labourers should not be located in CRZ area. It should also be ensured that the construction workers do not cut trees including mangroves for fuel wood purpose.	Complied. Construction completed and terminal is in operation
iv.	To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the waste must be	Complied. AECTPL has installed and operating 25 KLD capacity Sewage Treatment

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


	provided. No Sewage and other liquid wastes without treatment should be allowed to enter into the water bodies.	Plant and entire treated water is being used for horticulture purpose.
v.	Appropriate facility should be created for the collection of solid and liquid wastes generated by the barges/vessels and their safe treatment and disposal should be ensured to avoid possible contamination of the water bodies.	Status by KPL.
vi.	Necessary navigational aids such as channel markers should be provided to prevent accidents. Internationally recognized safety standards shall be applied in case of barge/vessel movements.	Status by KPL.
vii.	The project authorities should take appropriate community development and welfare measures for villagers in the vicinity of the project site, including drinking water facilities. A separate fund should be allocated for the purpose.	Status by KPL. However, AECTPL has implemented CSR activities like General Health Camp, Eye Camp, encouraging sports & events, etc., in the vicinity of the Port area. Expenses incurred for CSR during the compliance period is Rs.49.14 Lakhs
viii.	The quarrying material required for the construction purpose should be obtained only from the approved quarries/borrow areas. Adequate safeguards measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way in water bodies.	Complied Construction is completed and terminal is in operation phase
ix.	For employing unskilled, semi-skilled and skilled workers for the project, preference should be given to local people.	Complied. AECTPL has considered local people during construction phase & also during Operation Phase through Contracts.
x.	The recommendations made in the EMP and DMP, as contained in the EIA and RA reports of the projects shall be effectively implemented.	Status by KPL.
xi.	A separate EMC with suitable qualified staff to carry out various environment should be set up under the charge of a Senior Executive who will report directly to Chief Executive	Complied. A separate EMC with suitable qualified staff has been put in place by AECTPL for taking care of various day-to-day Environmental monitoring

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

	of the Company.	compliance and allied activities. Environment Department is headed by Senior Manager – Environment, who is well supported by Environment Management Team at H.O.
xii.	The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry.	Complied Environmental Expenditure carried out during January 2020 to June 2020 is Rs. 12.96 Lakhs. Breakup details are as follows; <ul style="list-style-type: none"> • Environmental Monitoring – Rs 2.32 Lakhs • Greenbelt Development – 1.58 Lakhs , • House Keeping – Rs. 6.95 Lakhs • O&M of STP – Rs. 2.1 Lakhs
xiii.	Full support should be extended to the officers of the Ministry's Regional office at Bangalore and the officer of the Central and SPCB by the project proponent during this inspection for monitoring purposes, by furnishing full details and action plans including the action plans including the action taken reports in respect if mitigative measures and other environmental protection activities.	Noted for compliance. TNPCB Officials have visited our Port on monthly basis. There was no visit of officials from RO-MoEF&CC and CPCB during the compliance period. All the necessary support is provided during their site visit.
xiv.	In case there is an intension of deviation or alternation in the project including the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions or imposition of new ones for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.	Noted for compliance
xv.	The Ministry reserves right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Noted.
xvi.	This Ministry or any other competent authority may stipulate additional conditions subsequently, if deemed necessary for environmental protection, which shall be complied	Noted for Compliance

 Ports and Logistics	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


	with.	
xvii.	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned available with the SPCB and may also be seen at Website of the Ministry of Environment & Forests at http://www.envforenic.in . The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of the Ministry at Bangalore.	Status by KPL.
xviii.	The project proponents should inform the RO as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.	Status by KPL.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

Vide order no: 10-28/2005-IA-III dated: 10/09/2007 and validity extension date: 31.03/2017

A. SPECIFIC CONDITIONS:


S.No	Environmental Clearance conditions	Compliance Status
i	It should be ensured that no mangroves are destroyed during reclamation.	Status by KPL.
ii	The proposed extension to the project should not cause any shoreline change abutting Ennore Port.	Status by KPL.
iii	Adequate provision for beach nourishment and sand bypass should be provided.	Status by KPL.
iv	The dredged material obtained should be utilized for filling up of back up area.	Status by KPL.
v	All conditions stipulated in the environmental clearance letter of even number dated 19.05.2006 should be strictly complied with.	Complied All stipulated conditions applicable to AECTPL in the environmental clearance letter of even number dated 19.05.2006 are being complied and compliance reports are regularly submitted to KPL. Last compliance report for the period Jun 2019 to December 2019 was submitted to KPL vide letter No. AECTPL/KPL/HYC/ENV/2020/03 dated 25.01.2020.
vi	The additional dredged material of 4 million cu. Mts. obtained from the project should not be disposed of into the sea.	Status by KPL.
vii	The reclaimed area should be used as containers stack yard only.	Status by KPL.
viii	Adequate drainage facilities should be provided in the reclaimed area along with collection and treatment system for treating the run off from the container stack yards.	Status by KPL.
ix	Necessary approvals/clearances should be obtained from the Tamil Nadu Coastal Zone Management Authority and Tamil Nadu Pollution Control Board before implementing	Complied TNCZMA recommendation was obtained by KPL Tamil Nadu Pollution Control Board accorded Renewal of Consent to

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


	the project.	Operate orders to handle 11.68 MMTA containers vide order no: 1808111676581 & 1808211676581 under Air and Water Acts dated: 23/08/2018 valid till 31 st March 2021.
--	--------------	--

B. GENERAL CONDITIONS:


S.No	Environmental Clearance conditions	Compliance Status
i	Construction of the proposed structures should be undertaken meticulously confirming to the existing Central/ local rules and regulations including Coastal Regulation Zone Notification 1991 & its amendments. All the construction design drawings relating to the proposed construction activities must have approvals of the concerned State Government Departments / Agencies.	Status by KPL.
ii	Adequate provisions for infrastructure facilities such as water supply, fuel, sanitation etc. should be ensured for construction workers during the construction phase of the project so as to avoid felling of trees/ Mangroves and pollution of water and the surroundings.	Complied. Construction of container terminal is completed and project is in operation phase
iii	The project authorities must make necessary arrangements for disposal of solid wastes and for the treatment of effluents by providing a proper wastewater treatment plant outside the CRZ area. The quality of treated effluents, solid wastes and noise level etc. must conform to the standards laid down by the competent authorities including the Central/State Pollution Control Board and the Union Ministry of Environment and Forests under the Environment (Protection) Act, 1986, whichever are more stringent.	Complied AECTPL has installed and operating 25 KLD sewage treatment plant to collect and treat the sewage generated from the terminal. The entire treated water is being used for horticulture purpose. AECTPL has implemented Integrated Waste Management System (IWMS) - Waste Segregation Yard. All the Solid waste generated is being handled in line to Solid Waste Management Rules, 2016 as amended. AECTPL vision is based on adoption of 5R principle of waste management i.e Reduce, Reuse, Reprocess, Recycle & Recover. All waste is being handled inline to 5R principle.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

iv	<p>The proponent shall obtain the requisite consents for discharge of effluents and emission under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 from the Tamil Nadu Pollution control Board before commissioning of the project and a copy of each of these shall be sent to this Ministry.</p>	<p>Complied</p> <p>Tamil Nadu Pollution Control Board accorded Renewal of Consent to Operate orders to handle 11.68 MMTPA containers vide order no: 1808111676581 & 1808211676581 under Air and Water Acts dated: 23/08/2018 valid till 31st March 2021.</p>
v	<p>The proponent shall provide for a regular monitoring mechanism so as to ensure that the treated effluents conform to the prescribed standards. The records of analysis reports must be properly maintained and made available for inspection to the concerned State/Central officials during their visits.</p>	<p>Complied</p> <p>AECTPL has awarded Environmental Monitoring services to NABL accredited laboratory. Monitoring of Ambient Air Quality, Noise, Stack, STP, Drinking Water, Marine Surface Water, Sea Sediment is carried out on regular basis. The reports are being submitted to KPL and Tamil Nadu Pollution Control Board on monthly basis and also as part of Six monthly compliance report. Environment Monitoring report for the period January 2020 – June 2020 is attached as Annexure - I.</p> <p>Reports are made available for inspection to the concerned State/Central officials during their visits.</p>
vi	<p>In order to carry out the environmental monitoring during the operational phase of the project, the project authorities should provide an environmental laboratory well equipped with standard equipment and facilities and qualified manpower to carry out the testing of various environmental parameters.</p>	<p>Complied</p> <p>Environmental Monitoring is being carried out through NABL accredited laboratory. Monitoring of Ambient Air Quality, Noise, Stack, STP, Drinking Water, Marine Surface Water, Sea Sediment is carried out on regular basis.</p> <p>The reports are being submitted to KPL and Tamil Nadu Pollution Control Board on monthly basis and also as part of Six monthly compliance reports. Environment Monitoring report for the period January 2020 – June 2020 is attached as Annexure - I.</p>

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

vii	The sand dunes and mangroves, if any, on the site should not be disturbed in any way.	Status by KPL.
viii	A copy of the clearance letter will be marked to the concerned Panchayat/Local NGO, if any from whom any suggestion/representation has been received while processing the proposal.	Status by KPL.
ix	The Tamil Nadu Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industries Centre and Collector's Office/Tehsildar's Office for 30 days.	Status by KPL.
x	The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year wise expenditure on environmental safeguards should be reported to this Ministry's Regional Office at Bangalore and the State Pollution Control Board.	Complied Environmental Expenditure carried out during January 2020 to June 2020 is Rs. 12.96 Lakhs. Breakup details are as follows; <ul style="list-style-type: none"> • Environmental Monitoring – Rs 2.32 Lakhs • Greenbelt Development – 1.58 Lakhs , • House Keeping – Rs. 6.95 Lakhs • O&M of STP – Rs. 2.1 Lakhs
xi	Full support should be extended to the officers of this Ministry's Regional office at Bangalore and the officers of the Central and State Pollution Control Boards by the project proponents during their inspection for monitoring purposes, by furnishing full details and action plans including the action taken reports in respect of mitigative measures and other environmental protection activities.	Noted for compliance. TNPCB Officials have visited our Port on monthly basis. There was no visit of officials from RO-MoEF&CC and CPCB during the compliance period. All the necessary support is provided during their site visit.
xii	In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions or imposition of new ones for ensuring environmental protection.	Noted.
xiii	This Ministry reserve the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Noted.


	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

xiv	This Ministry or any other component authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	Noted.
xv	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen at Website of the Ministry of Environment & Forests at http://www.envforin.in . The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the regional Office of this Ministry at Bangalore.	Status by KPL.
xvi	The Project proponents should inform the Regional Office at Bangalore as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.	Status by KPL.


Vide order no: 10-28/2005-IA-III dated: 24/12/2014

A. SPECIFIC CONDITIONS:

S.No	Environmental Clearance conditions	Compliance Status
i	"Consent to Establish" for the present project, shall be obtained from State Pollution Control Board under Air (Prevention and Control of Pollution) Act, 1981 and Water (Prevention and Control of Pollution) Act 1974.	Complied. Tamil Nadu Pollution Control Board accorded Renewal of Consent to Operate orders to handle 11.68 MMTPA containers vide order no: 1808111676581 & 1808211676581 under Air and Water Act dated: 23/08/2018 valid till 31 st March 2021.

 Ports and Logistics	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


ii	Quality of Cargo should be handled in accordance with the details provided in the Form-I.	Complied. AECTPL is handling only containerized cargo, as approved.
iii	All the recommendations and conditions stipulated by Tamil Nadu Coastal Zone Management Authority (TNCZMA) No. 30060/EC.3/2005-1 dated 06.12.2005 shall be complied with.	Status by KPL.
iv	All the conditions as prescribed in the earlier Clearance letter no. 10-28/2005-IA-III dated 19.05.2006 and 10.09.2007 shall be complied with.	Status by KPL.
v	All the recommendation of the EIA/EMP & Risk Assessment and Disaster Management Report shall be complied with letter and spirit. All the mitigation measures submitted in the EIA report shall be prepared in the matrix format and the compliance for each mitigation plan shall be submitted to MoEF & CC along with half yearly compliance report to MoEF&CC- RO.	Status by KPL.
vi	The commitment made by the proponent to the issue raised during Public Hearing shall be implemented by the Proponent.	Status by KPL.
vii	Corporate Environmental Responsibility: <ol style="list-style-type: none"> The Company shall have a well laid down Environmental Policy approved by the Board of Directors. The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished. 	AECTPL having approved QHSE policy. AECTPL having approved SOPs. Status by KPL.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


	d. To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large.	Standard procedures are made available to address corrective & preventive deviation and violations.
--	--	---

B. GENERAL CONDITIONS:


S.No	Environmental Clearance conditions	Compliance Status
i	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Complied Construction completed and project is under operation.
ii	Full support shall be extended to the officers of the Ministry/Regional Office at Chennai by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Noted for compliance. TNPCB Officials have visited our Port on monthly basis. There was no visit of officials from RO-MoEF&CC and CPCB during the compliance period. All the necessary support is provided during their site visit.
iii	A six-Monthly monitoring report shall be need to be submitted by the project proponents to the Regional Office of this Ministry at Chennai regarding the implementation of the stipulated conditions.	Status by KPL.
iv	Ministry of Environment, Forests & Climate Change or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the in the interest of environment and the same shall be complied with.	Noted for compliance.
v	The Ministry reserves the rights to revoke this clearance if any of the conditions stipulated are not complied with satisfaction of the Ministry.	Noted.
vi	In the event of a change in project profile or change in the implementation agency, a fresh	Noted.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		


	reference shall be made to the Ministry of Environment, Forests & Climate Change.	
vii	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Noted.
viii	A copy of the clearance letter shall be marked to concerned Panchayat/ Local NGO, if any, from whom any suggestion/ representation has been made received while processing the proposal.	Status by KPL.
ix	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	Complied. A separate EMC with suitable qualified staff has been put in place by AECTPL for taking care of various day-to-day Environmental monitoring compliance and allied activities. Environment Department is headed by Senior Manager – Environment, who is well supported by Environment Management Team at H.O.
x	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purposes.	Complied Environmental Expenditure carried out during January 2020 to June 2020 is Rs. 12.96 Lakhs. Breakup details are as follows; <ul style="list-style-type: none"> • Environmental Monitoring – Rs 2.32 Lakhs • Greenbelt Development – 1.58 Lakhs , • House Keeping – Rs. 6.95 Lakhs • O&M of STP – Rs. 2.1 Lakhs
5.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made	Noted.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

	thereafter.	
6.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Noted.
7.	The project proponent shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded Environmental and CRZ clearance and copies of clearance letters are available with the Tamil Nadu State Pollution Control Board and may also be seen at Website of the Ministry of Environment, Forests and Climate Change at http://www.envforin.in . The advertisement should be made within Seven days from the date of issue of the clearance letter and a copy of the same should be forwarded to the regional Office of this Ministry at Chennai.	Status by KPL.
8.	The clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 20014 as may be applicable this project.	Noted.
9.	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, with a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act 2010.	Noted.
10.	Status of compliance to the various stipulated environment conditions and environmental safeguards will be uploaded by the project proponent in its website.	Complied. The compliance to the various conditions stipulated for environmental safeguards are uploaded in our Company website and KPL website.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

11.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad /Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Status by KPL.
12.	The proponent shall upload the status of compliance of the stipulated Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Status by KPL. The compliance to the various conditions stipulated for environmental safeguards are uploaded in our Company website and KPL website.
13.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Status by KPL.
14.	The Environmental Statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Clearance conditions and shall also be sent to the respective Regional Office of MoEF & CC by email.	Complied. Environment Statement (Form V) for FY 2018-19, submitted vide our Letter No. AECTPL/ENV/2019-20/08 dated 20.09.2019 is enclosed as Annexure – II.

	Adani Ennore Container Terminal Pvt Ltd	From : January 2020 To : June 2020
Status of Conditions Stipulated in Environmental and CRZ Clearance File no: 10-28/2005-IA-III dated 19th May, 2006		

Enclosures:

Annexure Number	Details of Annexure
Annexure I:	Environmental Monitoring reports for the period January'20 to June'20
Annexure II:	Environmental Statement – Form V for the FY 2018-19

REPORT ON
HALF YEARLY MONITORING REPORT
FOR
ADANI ENnore CONTAINER TERMINAL PRIVATE LIMITED (AECTPL)
(WITHIN KAMARAJAR PORT LIMITED)
VALLUR POST, PONNERI TALUK,
CHENNAI -600120

JANUARY 2020 - JUNE 2020



PREPARED BY:



Green Chem Solutions Pvt. Ltd.

**No.883, 11th Street,
Syndicate Bank Colony,
Anna Nagar West Extension,
Chennai - 600 101.**

I. INTRODUCTION

M/s. Adani Ennore Container Terminal Pvt Ltd (AECTPL) located inside Kamarajar Port, Ennore is operating container berth and handling containerized Import/Export cargoes.

AECTPL have engaged M/s. Green Chem Solutions (P) Ltd, an Accredited Consultant by NABL to carry out the Comprehensive Environmental monitoring studies in the Adani Ennore Port continuously as per the statutory requirement. This report covers the monitored environmental data for the period January to June 2020.

II. LOCATION OF THE PROJECT

The Project site is located at Port area, Ennore Port Area.

The location map is shown in Fig - 1

Fig - 1 - Location Map



III. SCOPE OF WORK

The scope of Comprehensive Environmental monitoring includes the following environmental components

1. Meteorological data
2. Ambient Air Quality
3. Ambient Noise Level
4. Marine Sampling
5. Treated STP Water
6. Potable water
7. DG Set emission

The parameters covered under the scope for each of the above attributes are given below:

SCOPE OF WORK

S.No	Attribute	Scope	Frequency
1.	Meteorological Data	Collection of micrometeorological data on hourly basis by installing an auto weather monitoring station at plant site covering the following parameters : <ul style="list-style-type: none"> • Wind speed • Wind direction • Rainfall • Relative Humidity • Temperature • Barometric pressure • Solar Radiation 	Daily
2.	Ambient Air Quality	Sampling of ambient air at 03 stations for analyzing the following parameters: <ul style="list-style-type: none"> • PM10 • PM2.5 • SO₂ • NO₂ • CO • Lead • Ozone • Ammonia • Benzene • Benzo Pyrene • Arsenic • Nickel 	Weekly Twice
3.	Ambient Noise	Collection of Noise levels on hourly basis at 3 locations <ul style="list-style-type: none"> • L_{eq} - Day (Max and Min) • L_{eq} - Night (Max and Min) 	Monthly Once
4.			

4a.	Surface and Bottom Water	<p>Collection of Surface and Bottom Water analyzed for - 2 location</p> <ul style="list-style-type: none"> • Temperature • pH @ 25 °C • Total Suspended Solids • BOD at 27 °C for 3 days • Dissolved oxygen • Salinity at 25 °C • Oil & Grease • Nitrate as NO_3 • Nitrite as NO_2 • Ammonical Nitrogen as N • Ammonia as NH_3 • Kjeldahl Nitrogen as Nl • Total phosphates as PO_4 • Total Nitrogen, • Total Dissolved Solids • COD • Total bacterial count, • Coliforms • Escherichia coli • Salmonella • Shigella • Vibrio cholera • Vibrio parahaemolyticus • Enterococci • Colour • Odour • Taste • Turbidity • Calcium as Ca • Chloride as Cl • Cyanide as CN • Fluoride as F • Magnesium as Mg • Total Iron as Fe • Residual Free Chlorine • Phenolic Compounds as $\text{C}_6\text{H}_5\text{OH}$ • Total Hardness as CaCO_3 • Total Alkalinity as CaCO_3 • Sulphide as H_2S • Sulphate as SO_4 • Anionic surfactants as MBAS • Monocrotophos • Atrazine • Ethion • Chiorpyrifos • Phorate • Mehyle parathion • Malathion • DDT (o,p and p,p-Isomers of • DDT,DDE and DDD • Gamma HCH (Lindane) • Alpha HCH • Beta HCH 	Monthly Once
-----	--------------------------	---	--------------

		<ul style="list-style-type: none"> • Delta HCH • Endosulfan (Alpha,beta and sulphate) • Butachlor • Alachlor • Aldrin/Dieldrin • Isoproturon • 2,4-D • Polychlorinated Biphenyls(PCB) • Polynuclear aromatic hydrocarbons (PAH) • Arsenic as As • Mercury as Hg • Cadmium as Cd • Total Chromium as C • Copper as Cu • Lead as Pb • Manganese as Mn • Nickel as Ni • Selenium as Se • Barium as Ba • Silver as Ag • Molybdenum as Mo • Octane • Nonane • Decane • Undecane • Tridecane • Tetradecane • Pentadecane • Hexadecane • Heptadecane • Octadecane • Nonadecane • Elcosan 	
4b.	Sea Sediment	<p>Collection of sea sediment analyzed for - 2 location</p> <ul style="list-style-type: none"> • pH • Organic Matter • Moisture Content • Conductivity • Iron • Sodium • Copper • Nickel • Zinc • Manganese • Lead • Boron • Phosphate • Chloride • Sulphate • Sulphide • Pesticide • Potassium 	Monthly Once

		<ul style="list-style-type: none"> • Total Chromium • Petroleum Hydrocarbon • Aluminium • Total Nitrogen • Organic Nitrogen • Phosphorus • Texture 	
4c.	Phytoplankton Monitoring	<ul style="list-style-type: none"> • Total Count • No. of species • Chlorophyll-a • Major Species 	Monthly Once
4d.	Zooplankton Monitoring	<ul style="list-style-type: none"> • Total Count • No. of species • Major 	Monthly Once
4e.	Microbiological Monitoring	<ul style="list-style-type: none"> • Total Bacteria count • Total Coliform • Faecal Coliform • E.Coli • Enterococcus • Salmonella • Sheigella • Vibrio 	Monthly Once
4f.	Primary Productivity Monitoring	<ul style="list-style-type: none"> • Gross primary productivity • Net Primary productivity 	Monthly Once
4g.	Phytobenthos Monitoring data	<ul style="list-style-type: none"> • Fungus • Total Count • No. of species • Diversity Index • Major species 	Monthly Once
4h.	Total Fauna Monitoring	<ul style="list-style-type: none"> • Name of phylum • Class • Number of Individuals encountered • Total no. of species encountered • Total fauna 	Monthly Once
5.	STP Treated Water	Collection of STP Treated water analyzed for - 2 locations <ul style="list-style-type: none"> • pH • TSS • BOD • Faecal Coliforms 	Monthly Once
6.	Potable Water analysis	Collection of Drinking water analyzed for - 1 locations - As per IS 10500 2012 - 36 Parameters	Monthly Once
7	DG Set Emissions	Sampling of Emission at 02 stations for analyzing the following parameters: <ul style="list-style-type: none"> • PM • Carbon Monoxide • NO_x - NO₂ • SO₂ 	Monthly Once

IV. METHODOLOGY

Methodologies adopted for sampling and analysis for each of the above parameters are detailed below

1	Meteorological parameters	
	Auto weather station	
2	Ambient Air Quality	
	Parameters	Method
	Respirable Suspended Particulate Matter (PM10)	IS 5182 Part 23 : 2006
	Particulate Matter PM2.5	GCS/Lab/SOP/087, CPCB Guidelines
	Sulphur dioxide as SO ₂	IS 5182 Part 2 : 2001 (Reaff. 2006)
	Oxides of Nitrogen as NO ₂	IS 5182 Part 6 : 2006
	Lead as Pb	IS 5182 Part 22 : 2004 (Reaff.2009)
	Arsenic as As	GCS/Lab/SOP/089, CPCB Guidelines
	Nickel as Ni	GCS/Lab/SOP/090, CPCB Guidelines
	Carbon monoxide as CO	IS 5182 Part 10: 1999 (Reaff. 2009]
	Ozone as O ₃	IS 5182 Part 9 : 1974 [Reaff.2009]
	Ammonia as NH ₃	GCS/Lab/SOP/086, CPCB Guidelines
	Benzene (α) pyrene	IS 5182 - Part 12
	Benzene as C ₆ H ₆	IS 5182 Part 11 : 2006
3	Ambient Noise Monitoring	
	Leq Day & Night	Instrument Manual, GCS/LAB/SOP/Noise/001
4	Marine Sampling	
	Surface and Bottom Water	APHA Methods 23 rd Edition, 2017 Standard Methods for examination of Water and Waste water and IS 3025 & USEPA Test Methods
	Sea Sediment	
	Phytoplankton Monitoring	
	Zooplankton Monitoring	
	Microbiological Monitoring	
	Primary Productivity Monitoring	
	Phytobenthos Monitoring data	
	Total Fauna Monitoring	
5	STP Water Analysis	
	pH , TSS, BOD , Faecal Coliforms	APHA Methods 23 rd Edition, 2017 Standard Methods for examination of Water and Waste water and IS 3025
6	Drinking Water Analysis	
	As per IS 10500 : 2012 - 36 Parameters	APHA Methods 23 rd Edition, 2017 Standard Methods for examination of Water and Waste water and IS 3025
7	Emission Monitoring	
	PM, Carbon Monoxide, NO _x - NO ₂ , SO ₂	IS 11255 Methods of measurement of emissions from Stationary source

i. METEOROLOGICAL DATA

Meteorological data was collected on hourly basis by installing an auto weather monitoring station at Plant site. The report depicted here under represents the data for the period January to June - 2020.

The following parameters were recorded

- Wind speed
- Wind direction
- Temperature
- Pressure
- Relative humidity
- Rainfall

January 2020

Date	Ambient Temperature (°C)			Atmospheric Pressure (mbar)			Predominant wind Direction (Blowing From)	Wind Speed (m/s)			Relative Humidity (%)			Rainfall mm
	Min	Max	Avg	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	
01.01.20	26.7	28.7	27.2	1011.6	1015.6	1013.6	ESE	0	2.2	0.9	78	88	83.8	0.2
02.01.20	24.8	29.4	27.4	1012.7	1016.8	1014.6	ENE	0	4	0.9	79	93	85.3	0.0
03.01.20	24.8	28.8	27.1	1010.8	1015.8	1013.1	ESE	0	4.5	1.9	82	95	87.5	0.0
04.01.20	25.2	28.2	27.1	1008.7	1013.7	1011.2	ESE	0	5.4	3.1	82	94	86.7	0.0
05.01.20	24.9	28.2	27.3	1009.6	1013.8	1011.5	ESE	0.4	4.5	3.3	82	91	85.2	2.0
06.01.20	23.8	29	26.3	1012	1016.1	1013.8	NW	0	4	1.4	80	94	87.2	2.8
07.01.20	26.6	29	27.5	1011.8	1015.9	1013.6	ENE	1.3	2.7	1.9	76	86	81.0	0.0
08.01.20	25.6	28.6	26.7	1011.5	1015.5	1013.1	ENE	0.4	1.8	1.0	70	82	76.5	0.0
09.01.20	23.7	27.8	26.1	1010.6	1015.3	1012.7	E	0	1.3	0.7	69	85	74.3	0.0
10.01.20	24.9	27.9	26.3	1011.2	1015.2	1013.3	NNE	0.4	1.8	1.3	68	78	73.5	0.0
11.01.20	25.3	28.2	26.5	1012.7	1016.5	1014.2	NNE	0.4	2.2	1.3	71	82	75.5	0.0
12.01.20	23.3	28.4	26.1	1010.6	1015.1	1012.9	NNE	0	2.7	1.1	74	92	81.0	0.0
13.01.20	23	28.1	25.7	1009.5	1013.8	1011.7	NE	0	1.3	0.6	67	90	76.9	0.0
14.01.20	20.2	27.6	25.2	1009.8	1013.9	1011.9	NE	0	1.8	0.8	66	87	71.7	0.0
15.01.20	21.3	28.9	26.1	1010.4	1014.1	1012.3	NNE	0.4	2.7	1.1	58	86	70.3	0.0
16.01.20	21.9	28.1	25.9	1010.4	1014.5	1012.3	ENE	0	3.6	1.3	67	85	74.3	0.0
17.01.20	22.2	28.6	26.9	1010.7	1014.5	1012.3	E	0	3.6	2.0	78	89	83.3	0.0
18.01.20	25.7	28.6	26.9	1010.6	1014.5	1012.3	ENE	0.4	3.6	2.0	77	89	83.3	0.0
19.01.20	26.1	28.8	27.0	1011.5	1015.5	1013.1	ENE	0.4	1.3	0.9	74	83	79.4	0.0
20.01.20	22.7	28.3	26.3	1012.2	1015.8	1013.8	NE	0	2.2	0.9	76	91	80.2	0.0
21.01.20	25.3	28.2	26.6	1013.3	1017.4	1015.1	NE	0.4	2.2	1.3	70	79	75.0	0.0
22.01.20	25.7	28.7	26.9	1013.4	1018.2	1015.5	NNE	0.9	3.6	1.8	74	82	77.4	0.0
23.01.20	25.6	28.9	26.9	1012.4	1017	1014.5	NNE	0.4	2.2	1.3	71	82	77.3	0.0
24.01.20	21.6	28.5	25.3	1011.8	1016.4	1013.9	NNE	0	0.9	0.2	71	93	79.5	0.0
25.01.20	20.4	27.4	24.9	1011.1	1016.1	1013.8	NNE	0	0.9	0.2	71	95	78.8	0.0

26.01.20	20.1	26.7	24.5	1009.9	1014.9	1012.5	ESE	0	3.6	1.3	74	91	80.5	0.0
27.01.20	21.7	27	25.1	1009.8	1014.1	1011.9	SE	0	6.3	2.8	76	92	81.8	0.0
28.01.20	22.2	28.1	26.1	1010.1	1014.3	1012.2	SE	0	6.3	2.6	70	91	80.2	0.0
29.01.20	22.5	27.6	26.2	1010.9	1015.4	1013.1	ESE	0	5.8	4.0	77	93	82.5	0.0
30.01.20	21.9	27.6	25.7	1009.2	1015.1	1012.1	SE	0	6.3	3.4	76	94	83.4	0.0
31.01.20	22.6	27.4	26.1	1008.8	1014.1	1011.2	ESE	0	4.9	3.1	77	94	82.3	0.0

February 2020

Date	Ambient Temperature (°C)			Atmospheric Pressure (mbar)			Predominant wind Direction (Blowing From)	Wind Speed (m/s)			Relative Humidity (%)			Rainfall mm
	Min	Max	Avg	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	
01.02.20	23.4	28.1	26.8	1010.2	1014.2	1012.1	SE	0.4	4.5	3.1	75	90	79.7	0.0
02.02.20	26.3	28.6	27.2	1012.3	1016.2	1014.1	E	0.4	4.9	3.2	73	81	77.0	0.0
03.02.20	25.9	28.7	27.2	1012	1016.7	1014.4	ENE	0.4	3.1	1.4	68	81	75.5	0.0
04.02.20	23.7	28.9	26.9	1010.6	1015.3	1012.9	ENE	0	2.7	1.5	72	90	78.0	2.4
05.02.20	23.4	28.8	27.0	1010.6	1015.4	1013.0	E	0	3.6	2.0	69	87	74.6	0.0
06.02.20	21.8	27.9	26.1	1010.5	1015.8	1012.9	SE	0	4.9	3.0	70	88	76.1	0.0
07.02.20	22.6	28.3	26.9	1010.9	1015.9	1013.2	SE	0	5.4	4.0	70	88	75.2	0.0
08.02.20	23.1	28.5	26.9	1011.6	1016.2	1013.5	SE	0.4	5.4	4.2	70	87	75.3	0.0
09.02.20	23.9	28.7	26.9	1012	1016.1	1013.9	ENE	0	4.9	2.2	70	87	78.7	2.2
10.02.20	26.3	28.9	27.4	1012.4	1016.1	1014.0	ENE	0.9	3.6	2.1	68	79	74.3	0.0
11.02.20	26.4	29.2	27.6	1012.8	1016.3	1014.3	ENE	0.9	2.7	1.9	72	80	76.4	0.0
12.02.20	26.2	28.8	27.3	1013.7	1017.9	1015.5	NNE	1.3	4	2.5	75	81	78.2	0.0
13.02.20	22.8	28.6	26.5	1012	1017.3	1014.6	NNE	0	3.6	1.6	72	92	80.5	0.0
14.02.20	22.2	29.4	26.3	1010	1014.7	1012.4	ENE	0	1.3	0.4	67	92	78.5	0.0
15.02.20	21.2	28.3	25.9	1010	1014.6	1012.2	ESE	0	3.1	0.8	61	90	74.2	0.0
16.02.20	20.7	28	26.2	1012	1016.1	1013.8	E	0	3.6	2.1	69	86	73.1	0.0
17.02.20	21.8	28.3	26.5	1012.7	1016.4	1014.1	ESE	0	2.7	0.7	65	85	71.4	0.0
18.02.20	22.7	28.3	26.5	1011.8	1016.4	1014.1	E	0	2.7	0.7	64	85	71.4	0.0
19.02.20	22.2	29.2	26.8	1011.7	1016.4	1013.9	ENE	0	2.7	0.8	67	86	72.3	0.0
20.02.20	25.7	28.9	27.1	1011.4	1016.1	1013.7	ENE	0	1.8	0.9	65	75	70.0	0.0
21.02.20	21.8	28.8	26.4	1013.3	1017.4	1015.2	NNE	0	3.1	1.5	69	86	77.1	0.0
22.02.20	26.4	28.8	27.4	1014.2	1018.4	1015.8	NE	1.3	3.1	2.2	76	83	80.3	0.0
23.02.20	26.4	29.3	27.7	1013.1	1017.7	1015.1	NE	0.4	1.8	1.2	75	83	79.0	0.0
24.02.20	24.7	29.3	27.3	1010.5	1015.1	1012.5	ENE	0	1.8	0.7	76	88	81.9	0.0
25.02.20	24.3	28.5	27.2	1008.5	1013	1011.0	ESE	0	5.4	3.6	78	92	82.9	0.0
26.02.20	24.6	29.1	27.5	1009.3	1013.7	1011.3	E	0.4	5.8	2.6	77	90	81.9	0.0
27.02.20	26.7	29.6	27.9	1010	1014.7	1011.9	E	0.9	4	1.8	74	84	79.6	0.0
28.02.20	26.9	29.3	27.8	1008.9	1013.5	1011.0	E	1.8	4	2.7	74	83	78.8	0.0
29.02.20	24.1	29.4	27.6	1008.4	1013.1	1010.8	ENE	0	3.1	1.8	72	88	78.9	0.0

March 2020

Report Type: Average Report							
From: 01-03-2020 00:00:00 To: 31-03-2020 23:59:59							
Created By: ADANI Created At: 2020-04-02 16:28:03							
Date-(DD-MM-YYYY)	Solar Radiation (W/m ²)	Wind Speed (Km/h)	Wind Direction (Degree)	Atm Temperature (Degree C)	Relative Humidity (%)	Rainfall (mm)	Atm Pressure (mBar)
Avg		4.66	186.91	31.44	84.09	0	1010.29
Min		3.06	83.66	30.03	77.91	0	1008.76
Max		6.68	233.08	32.51	88.15	0	1012.59
01-03-2020		6.42	110.79	31.06	77.91	0	1010.47
02-03-2020		6.05	135.5	30.51	78.36	0	1010.85
03-03-2020		5.5	146.38	30.72	80.98	0	1010.09
04-03-2020		5.04	204.98	30.35	87.74	0	1009.62
05-03-2020		5.29	229.29	31.37	84.82	0	1008.89
06-03-2020		4.84	226.72	31.96	84.35	0	1009.5
07-03-2020		5.75	227.71	32.1	84.71	0	1010.96
08-03-2020		4.34	196.78	31.49	82.4	0	1010.46
09-03-2020		4.28	196.06	30.03	87.08	0	1010.14
10-03-2020		4.63	205.15	31.04	83.51	0	1010.13
11-03-2020		4.38	224.36	31.39	81.15	0	1010.3
12-03-2020		4.65	228.1	31.52	83.15	0	1011.39
13-03-2020		4.38	172.05	31.24	85.45	0	1011.54
14-03-2020		4.91	152.78	31.07	84.25	0	1010.59
15-03-2020		5.85	88	31.71	81.63	0	1010.41
16-03-2020		6.68	83.66	32.01	85.49	0	1011.46
17-03-2020		4.53	136.15	32.2	85.41	0	1012.59
18-03-2020		4.46	177.94	31.78	88.15	0	1011.83
19-03-2020		4.44	233.08	32.03	86.07	0	1010.44
20-03-2020		5.29	207.26	31.72	86.73	0	1010.22
21-03-2020		5.09	230.35	32.18	85.33	0	1010.03
22-03-2020		4.78	204.27	32.31	84.89	0	1010.06
23-03-2020		3.32	215.17	32.51	79.72	0	1010.06
24-03-2020		3.37	194.08	31	86.18	0	1008.92
25-03-2020		4.02	188.63	31.59	84.25	0	1008.76
26-03-2020		4.62	162.72	31.6	84.17	0	1009.49
27-03-2020		3.17	189.68	31.81	80.21	0	1011.11
28-03-2020		4.05	195.07	30.81	84.65	0	1010.27
29-03-2020		4.15	229.92	30.71	87.62	0	1008.78
30-03-2020		3.15	199.22	31.19	84.72	0	1009.58
31-03-2020		3.06	202.37	31.55	85.77	0	1010.06
Rainfall for March 2020-0mm							
Solar Radiation sensor under Maintenance							

April 2020

Date	Ambient Temperature (°C)			Atmospheric Pressure (mbar)			Predominant wind Direction (Blowing From)	Wind Speed (m/s)			Relative Humidity (%)			Rainfall mm
	Min	Max	Avg	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	
01.04.20	24.8	29.7	27.9	1007.6	1012.5	1010.1	SE	0	5.4	2.5	80	91	84.1	0.0
02.04.20	25.1	29.7	28.2	1006.7	1011.1	1008.9	SE	0	6.7	3.9	81	92	85.0	0.0
03.04.20	27.8	30.3	28.8	1007.4	1011.9	1009.4	SE	1.8	6.3	4.6	77	87	81.6	0.0
04.04.20	25.8	29.6	28.6	1008.5	1012.7	1010.3	SE	0	6.3	3.8	76	89	80.0	0.0
05.04.20	28.3	30.3	29.2	1008.6	1013.3	1010.8	SE	1.8	5.8	4.6	82	87	83.9	0.0
06.04.20	28.5	30.4	29.4	1007.8	1012.8	1010.7	SE	1.3	6.3	4.3	83	88	85.8	0.0
07.04.20	27.9	30.1	29.2	1006.5	1011.9	1009.3	SE	0.4	7.2	4.6	83	88	85.5	0.0
08.04.20	28.5	30.3	29.3	1007.3	1011.7	1009.6	SE	1.8	7.2	4.9	83	88	86.2	0.0
09.04.20	24.1	30.3	28.3	1008.6	1011.7	1010.0	SSE	0.4	7.6	3.3	85	94	88.3	8.0
10.04.20	24.4	29.6	27.4	1009.1	1012.5	1010.6	ESE	0	5.8	2.6	80	88	84.1	0.0
11.04.20	26.7	30.1	29.0	1009.5	1014.4	1011.8	SE	0	4.5	2.8	76	92	82.4	0.0
12.04.20	25.6	29.4	28.3	1008.6	1013.8	1011.1	SE	0	4.9	2.9	80	92	83.5	0.0
13.04.20	25.2	29.9	28.3	1006.8	1011.7	1009.3	SE	0	5.8	3.4	78	92	83.1	0.0
14.04.20	24.3	29.7	28.1	1007.6	1011.5	1009.4	SE	0	5.4	3.0	77	92	82.6	0.0
15.04.20	25.3	29.9	28.4	1008.3	1013.4	1010.9	SE	0	5.8	3.2	76	91	82.3	0.0
16.04.20	25.4	30.2	28.4	1006.6	1011.4	1009.3	SE	0.4	6.3	3.7	80	91	84.8	0.0
17.04.20	28.1	30.6	29.5	1005.5	1011.5	1009.0	SE	2.2	7.6	5.3	80	88	84.9	0.0
18.04.20	28.4	30.6	29.5	1006.3	1011.5	1009.0	SE	3.1	7.6	5.3	82	88	84.9	0.0
19.04.20	28.6	30.6	29.5	1007.5	1011.5	1009.1	SE	1.3	6.3	4.1	80	88	84.7	0.0
20.04.20	27	30.7	29.4	1006.4	1011.5	1009.0	SE	0	5.4	2.8	77	91	83.7	0.0
21.04.20	26.2	30.7	29.2	1006.4	1011	1008.7	SE	0	5.4	3.1	78	90	82.0	0.0
22.04.20	27.2	30.8	29.6	1006	1010.4	1008.5	SE	0.9	7.2	4.9	78	88	83.5	0.0
23.04.20	28.5	30.9	29.6	1004.8	1010.3	1007.7	SE	0.4	7.2	4.5	82	88	85.3	0.0
24.04.20	28.8	31.1	29.8	1004.1	1009.6	1007.1	SE	2.7	8.5	5.4	80	90	85.3	0.0
25.04.20	28.9	31.8	29.9	1004	1008.5	1006.5	SSE	3.1	7.2	4.9	78	92	87.0	0.0
26.04.20	24.3	30.2	28.0	1006	1011.1	1008.0	SSE	0.9	4.9	3.2	76	94	87.3	22.0
27.04.20	27.1	30.9	29.2	1006.7	1011.1	1008.6	SE	0.4	6.3	3.6	82	95	89.1	0.0
28.04.20	28.6	30.7	29.7	1005.7	1011.3	1008.5	SE	0	4.9	2.8	82	92	86.5	0.0
29.04.20	26.3	32.7	29.4	1005.6	1010.7	1008.0	SSE	0	3.1	1.2	61	91	81.2	0.0
30.04.20	26.9	31.1	29.6	1006.1	1010.7	1008.3	SE	0	5.8	2.8	82	91	85.6	0.0

May 2020

Date	Ambient Temperature (°C)			Atmospheric Pressure (mbar)			Predominant wind Direction (Blowing From)	Wind Speed (m/s)			Relative Humidity (%)			Rainfall mm
	Min	Max	Avg	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	
01.05.20	28.1	32.2	30.2	1004.7	1009.9	1007.7	SE	0	5.4	3.6	71	91	85.0	0.0
02.05.20	28.8	31.4	30.2	1003.7	1009.4	1006.5	SE	0.4	4.9	3.4	82	90	85.7	0.0
03.05.20	28.2	31.0	30.1	1004.8	1008.4	1006.5	SE	0.4	7.2	4.2	83	90	85.7	0.0
04.05.20	27.8	31.2	29.9	1005.7	1009.9	1007.6	SE	0	8.5	4.8	79	91	84.0	0.0
05.05.20	28.9	31.1	30.0	1005.0	1008.8	1007.3	SE	2.2	7.2	5.1	82	90	86.2	0.0
06.05.20	27.3	31	29.7	1005.1	1009.0	1006.9	SE	0.4	6.3	3.8	82	91	85.5	0.0
07.05.20	28.1	31.7	30.3	1005.3	1008.8	1007.1	SE	0	6.3	3.1	80	90	85.4	0.0
08.05.20	28.9	32.1	30.5	1004.6	1008.9	1007.2	SE	0.4	5.4	3.7	73	89	83.8	0.0
09.05.20	28.3	31.3	30.3	1005.2	1009.0	1007.4	SE	0	5.4	3.3	81	90	85.1	0.0
10.05.20	27.3	31.6	30.2	1005.1	1009.5	1007.4	ESE	0	5.4	3.1	80	91	84.5	0.0
11.05.20	27.6	31.5	30.3	1005.9	1010.0	1007.8	ESE	0	4.9	2.6	79	90	83.1	0.0
12.05.20	28.2	32.4	30.2	1005.8	1009.0	1007.2	ESE	0	4.9	2.1	78	89	84.0	0.0
13.05.20	26.9	32.1	29.6	1004.9	1008.4	1006.5	ESE	0	5.8	2.1	74	88	82.9	0.0
14.05.20	27.9	32.6	30.6	1004.2	1007.6	1005.8	ENE	0	2.2	0.8	75	89	82.8	0.0
15.05.20	28.0	33.6	31.0	1002.8	1006.2	1004.5	NNE	0	2.2	0.8	72	90	82.0	0.0
16.05.20	28.4	33.5	30.9	1001.8	1005.5	1003.5	NW	0	4.0	1.8	71	92	83.1	0.0
17.05.20	28.3	34.3	31.3	999.6	1002.2	999.6	WNW	0	4.9	0.6	69	87	76.6	0.0
18.05.20	28.2	34.3	31.3	996.8	1002.2	999.6	NNE	0	4.9	0.6	60	87	76.6	0.0
19.05.20	27.0	39.7	32.2	996.0	1000.5	998.1	SE	0.4	5.8	3.1	44	91	71.5	0.0
20.05.20	30.9	39.6	32.8	997.1	1002.3	999.2	WSW	0	6.3	3.4	43	90	72.1	0.0
21.05.20	30.2	37.1	32.2	999.3	1003.8	1001.7	SSE	1.8	8.5	5.2	55	89	73.2	0.0
22.05.20	29.7	33.3	31.0	1000.8	1005.2	1002.7	SE	2.7	7.6	5.2	66	91	82.9	0.0
23.05.20	29.7	32.7	30.5	1002.2	1005.7	1003.7	SE	0.9	7.6	5.2	74	92	86.8	0.0
24.05.20	29.4	31.1	30.3	1002.8	1007.2	1005.1	SSE	2.7	8	5.4	86	93	89.0	0.0
25.05.20	29.2	31.5	30.2	1004.4	1007.8	1006.3	SE	1.8	6.3	4.4	86	93	89.3	0.0
26.05.20	29.1	31.1	30.1	1003.9	1008.1	1006.3	SE	2.7	6.7	4.6	87	92	90.0	0.0
27.05.20	29.4	31.1	30.2	1002.6	1007.6	1005.5	SSE	3.1	8	5.3	86	94	90.1	0.0
28.05.20	29.2	30.9	30.2	1000.9	1005.7	1003.7	SSE	3.1	7.6	5.5	83	94	89.4	0.0
29.05.20	29.3	32.0	30.3	1001.7	1005.8	1003.8	SSE	1.3	8.5	5.6	72	91	82.1	0.0
30.05.20	28.9	30.9	29.8	1003.0	1007.2	1005.4	SSE	1.8	6.3	5.0	84	93	89.4	0.0
31.05.20	29.3	31.9	29.9	1003.6	1008.7	1006.4	SE	3.1	8.0	5.8	78	92	85.7	0.0

June 2020

Date	Ambient Temperature (°C)			Atmospheric Pressure (mbar)			Predominant wind Direction (Blowing From)	Wind Speed (m/s)			Relative Humidity (%)			Rainfall mm
	Min	Max	Avg	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	
01.06.20	28.1	32.2	30.2	1004.7	1009.9	1007.7	SE	0	5.4	3.6	71	91	85.0	0.0
02.06.20	28.8	31.4	30.2	1003.7	1009.4	1006.5	SE	0.4	4.9	3.4	82	90	85.7	0.0
03.06.20	28.2	31.0	30.1	1004.8	1008.4	1006.5	SE	0.4	7.2	4.2	83	90	85.7	0.0
04.06.20	27.8	31.2	29.9	1005.7	1009.9	1007.6	SE	0	8.5	4.8	79	91	84.0	0.0
05.06.20	28.9	31.1	30.0	1005.0	1008.8	1007.3	SE	2.2	7.2	5.1	82	90	86.2	0.0
06.06.20	27.3	31	29.7	1005.1	1009.0	1006.9	SE	0.4	6.3	3.8	82	91	85.5	0.0
07.06.20	28.1	31.7	30.3	1005.3	1008.8	1007.1	SE	0	6.3	3.1	80	90	85.4	0.0
08.06.20	28.9	32.1	30.5	1004.6	1008.9	1007.2	SE	0.4	5.4	3.7	73	89	83.8	0.0
09.06.20	28.3	31.3	30.3	1005.2	1009.0	1007.4	SE	0	5.4	3.3	81	90	85.1	0.0
10.06.20	27.3	31.6	30.2	1005.1	1009.5	1007.4	ESE	0	5.4	3.1	80	91	84.5	0.0
11.06.20	27.6	31.5	30.3	1005.9	1010.0	1007.8	ESE	0	4.9	2.6	79	90	83.1	0.0
12.06.20	28.2	32.4	30.2	1005.8	1009.0	1007.2	ESE	0	4.9	2.1	78	89	84.0	0.0
13.06.20	26.9	32.1	29.6	1004.9	1008.4	1006.5	ESE	0	5.8	2.1	74	88	82.9	0.0
14.06.20	27.9	32.6	30.6	1004.2	1007.6	1005.8	ENE	0	2.2	0.8	75	89	82.8	0.0
15.06.20	28.0	33.6	31.0	1002.8	1006.2	1004.5	NNE	0	2.2	0.8	72	90	82.0	0.0
16.06.20	28.4	33.5	30.9	1001.8	1005.5	1003.5	NW	0	4.0	1.8	71	92	83.1	0.0
17.06.20	28.3	34.3	31.3	999.6	1002.2	999.6	WNW	0	4.9	0.6	69	87	76.6	0.0
18.06.20	28.2	34.3	31.3	996.8	1002.2	999.6	NNE	0	4.9	0.6	60	87	76.6	0.0
19.06.20	27.0	39.7	32.2	996.0	1000.5	998.1	SE	0.4	5.8	3.1	44	91	71.5	0.0
20.06.20	30.9	39.6	32.8	997.1	1002.3	999.2	WSW	0	6.3	3.4	43	90	72.1	0.0
21.06.20	30.2	37.1	32.2	999.3	1003.8	1001.7	SSE	1.8	8.5	5.2	55	89	73.2	0.0
22.06.20	29.7	33.3	31.0	1000.8	1005.2	1002.7	SE	2.7	7.6	5.2	66	91	82.9	0.0
23.06.20	29.7	32.7	30.5	1002.2	1005.7	1003.7	SE	0.9	7.6	5.2	74	92	86.8	0.0
24.06.20	29.4	31.1	30.3	1002.8	1007.2	1005.1	SSE	2.7	8	5.4	86	93	89.0	0.0
25.06.20	29.2	31.5	30.2	1004.4	1007.8	1006.3	SE	1.8	6.3	4.4	86	93	89.3	0.0
26.06.20	29.1	31.1	30.1	1003.9	1008.1	1006.3	SE	2.7	6.7	4.6	87	92	90.0	0.0
27.06.20	29.4	31.1	30.2	1002.6	1007.6	1005.5	SSE	3.1	8	5.3	86	94	90.1	0.0
28.06.20	29.2	30.9	30.2	1000.9	1005.7	1003.7	SSE	3.1	7.6	5.5	83	94	89.4	0.0
29.06.20	29.3	32.0	30.3	1001.7	1005.8	1003.8	SSE	1.3	8.5	5.6	72	91	82.1	0.0
30.06.20	28.9	30.9	29.8	1003.0	1007.2	1005.4	SSE	1.8	6.3	5.0	84	93	89.4	0.0

ii. AMBIENT AIR QUALITY

Ambient air quality monitoring is required to determine the existing quality of air, evaluation of the effectiveness of control system and to identify areas in need of restoration and their prioritization. In order to generate background data, air quality monitoring is conducted to assess existing level of contamination and to assess possible effects of air contamination occurring in future.

Frequency of Monitoring

The frequency of monitoring that has been followed for sampling of ambient air quality is that one sample per weekly twice at three locations.


DETAILS OF AMBIENT AIR QUALITY MONITORING LOCATIONS

Station code	Location	Geographical location	Environmental setting
AAQ1	Port operating building	13° 16' 12" N 80° 20' 5" E	Industrial
AAQ2	RMU Building	13° 16' 25" N 80° 20' 16" E	Industrial
AAQ3	In Terminal Gate	13° 16' 25" N 80° 20' 0" E	Industrial

Fig - 6. AMBIENT AIR SAMPLING STATIONS LOCATION MAP



Fig.7.AMBIENT AIR SAMPLINGS STATIONS WITH RESPECT TO WIND



TECHNIQUES USED FOR AMBIENT AIR QUALITY MONITORING


S.No	Parameter	Technique	Unit	Minimum Detectable Limit
1	PM ₁₀	Respirable Dust Sampler (Gravimetric method)	µg/m ³	1.0
2	PM _{2.5}	Fine particle Sampler (Gravimetric method)	µg/m ³	5.0
3	Sulphur Dioxide	Modified West and Gaeke method	µg/m ³	4.0
4	Nitrogen Oxide	Jacob & Hochheiser method	µg/m ³	6.0
5	Lead	Atomic Absorption Spectrometry	µg/m ³	0.5
6	Carbon Monoxide	Draggers Tube	mg/m ³	0.1
7	Ozone	UV Photometric	µg/m ³	2.0
8	Ammonia	Indophenol blue method	µg/m ³	2.0
9	Benzene	Gas Chromatography	µg/m ³	1.0
10	Benzene (α) pyrene	Gas Chromatography	ng/m ³	0.1
11	Arsenic	Atomic Absorption Spectrometry	ng/m ³	1.0
12	Nickel	Atomic Absorption Spectrometry	ng/m ³	5.0

Results and Discussion

The results of the ambient air quality for the study period are presented and discussed. The minimum, maximum 98th percentile and average values have been computed from the observed raw data for all the AAQ monitoring stations. These are compared with the standards prescribed by Central Pollution Control Board (CPCB) for “Industrial, Rural, Residential and other areas”


PORT OPERATING BUILDING (AAQ1)													
Parameters		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Pb	CO	O ₃	NH ₃	As	Ni	C ₆ H ₆	BaP
Unit		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ₃	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³
National AAQM Standard		100	60	80	80	1	4	180	400	6	20	5	1
S.No.	Sampling Date												
1	03.01.2020	63	25	5.0	14.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
2	06.01.2020	67	29	6.6	15.3	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
3	10.01.2020	59	22	6.1	17.4	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
4	13.01.2020	65	26	6.9	15.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
5	17.01.2020	61	24	7.4	17.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
6	20.01.2020	58	21	6.5	16.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
7	24.01.2020	66	28	4.8	17.4	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
8	27.01.2020	60	23	6.9	17.6	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
9	03.02.2020	54	21	6.2	15.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
10	07.02.2020	64	27	5.8	14.6	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
11	10.02.2020	62	25	6.9	15.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
12	14.02.2020	66	28	6.0	15.1	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
13	17.02.2020	60	22	7.3	16.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
14	21.02.2020	65	26	7.8	16.3	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
15	24.02.2020	57	23	6.5	16.6	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
16	28.02.2020	63	25	7.4	16.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
17	02.03.2020	58	23	6.8	16.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
18	06.03.2020	67	28	6.3	15.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
19	09.03.2020	75	34	6.0	16.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
20	13.03.2020	72	31	7.5	17.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
21	16.03.2020	68	26	6.5	18.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
22	20.03.2020	55	22	7.4	16.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
23	23.03.2020	64	25	7.0	17.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
24	11.05.2020	51	20	5.3	15.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
25	15.05.2020	56	24	5.9	14.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
26	18.05.2020	64	27	6.6	15.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
27	22.05.2020	59	25	6.9	15.6	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
28	25.05.2020	54	22	6.7	16.3	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
29	29.05.2020	63	28	7.0	17.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
30	08.06.2020	65	28	7.2	17.4	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
31	12.06.2020	59	26	6.7	16.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
32	15.06.2020	55	23	6.0	16.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1

Port Operating Building



RMU BUILDING (AAQ2)													
Parameters		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Pb	CO	O ₃	NH ₃	As	Ni	C ₆ H ₆	BaP
Unit		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³
National AAQM Standard		100	60	80	80	1	4	180	400	6	20	5	1
S.No.	Sampling Date												
1	03.01.2020	56	22	6.5	15.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
2	06.01.2020	60	24	7.2	16.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
3	10.01.2020	67	26	6.0	14.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
4	13.01.2020	62	27	7.6	16.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
5	17.01.2020	59	23	7.1	17.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
6	20.01.2020	71	28	7.3	16.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
7	24.01.2020	52	21	6.8	17.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
8	27.01.2020	69	27	6.4	17.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
9	03.02.2020	69	27	7.5	16.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
10	07.02.2020	63	25	6.9	16.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
11	10.02.2020	61	22	6.4	17.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
12	14.02.2020	72	29	7.1	16.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
13	17.02.2020	57	20	6.6	16.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
14	21.02.2020	65	24	7.8	17.6	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
15	24.02.2020	68	26	7.3	16.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
16	28.02.2020	60	23	6.5	16.1	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
17	02.03.2020	63	25	7.1	16.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
18	06.03.2020	66	26	6.3	17.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
19	09.03.2020	85	38	6.7	16.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
20	13.03.2020	77	33	7.8	17.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
21	16.03.2020	64	23	7.1	17.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
22	20.03.2020	60	21	8.3	16.9	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
23	23.03.2020	58	20	6.5	16.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
24	11.05.2020	53	23	5.5	15.0	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
25	15.05.2020	48	19	5.0	14.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
26	18.05.2020	58	25	5.7	15.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
27	22.05.2020	63	27	5.3	15.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
28	25.05.2020	55	20	6.4	16.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
29	29.05.2020	57	24	6.8	16.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
30	08.06.2020	59	24	6.7	16.5	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
31	12.06.2020	52	21	6.3	15.8	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
32	15.06.2020	56	23	6.5	16.1	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1


RMU Building



IN TERMINAL GATE (AAQ3)

Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	Pb	CO	O ₃	NH ₃	As	Ni	C ₆ H ₆	BaP
Unit	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³
National AAQM Standard	100	60	80	80	1	4	180	400	6	20	5	1
S.No.	Sampling Date											
1	03.01.2020	71	29	7.8	16.5	<0.1	<1.0	<10	<2	<2	<1	<0.1
2	06.01.2020	67	28	6.0	17.3	<0.1	<1.0	<10	<2	<2	<1	<0.1
3	10.01.2020	64	25	6.7	16.9	<0.1	<1.0	<10	<2	<2	<1	<0.1
4	13.01.2020	74	31	6.4	17.8	<0.1	<1.0	<10	<2	<2	<1	<0.1
5	17.01.2020	66	24	7.2	17.0	<0.1	<1.0	<10	<2	<2	<1	<0.1
6	20.01.2020	59	22	7.5	17.6	<0.1	<1.0	<10	<2	<2	<1	<0.1
7	24.01.2020	73	30	6.9	16.2	<0.1	<1.0	<10	<2	<2	<1	<0.1
8	27.01.2020	74	32	7.9	17.5	<0.1	<1.0	<10	<2	<2	<1	<0.1
9	03.02.2020	64	25	7.0	16.9	<0.1	<1.0	<10	<2	<2	<1	<0.1
10	07.02.2020	60	23	6.5	17.2	<0.1	<1.0	<10	<2	<2	<1	<0.1
11	10.02.2020	67	28	7.4	16.5	<0.1	<1.0	<10	<2	<2	<1	<0.1
12	14.02.2020	59	22	6.8	16.0	<0.1	<1.0	<10	<2	<2	<1	<0.1
13	17.02.2020	65	27	7.6	17.4	<0.1	<1.0	<10	<2	<2	<1	<0.1
14	21.02.2020	71	30	6.2	16.8	<0.1	<1.0	<10	<2	<2	<1	<0.1
15	24.02.2020	58	21	6.0	17.3	<0.1	<1.0	<10	<2	<2	<1	<0.1
16	28.02.2020	62	26	7.1	16.4	<0.1	<1.0	<10	<2	<2	<1	<0.1
17	02.03.2020	72	29	7.9	17.6	<0.1	<1.0	<10	<2	<2	<1	<0.1
18	06.03.2020	77	33	7.4	18.0	<0.1	<1.0	<10	<2	<2	<1	<0.1
19	09.03.2020	87	39	6.5	17.6	<0.1	<1.0	<10	<2	<2	<1	<0.1
20	13.03.2020	78	34	8.3	17.9	<0.1	<1.0	<10	<2	<2	<1	<0.1
21	16.03.2020	70	31	6.8	16.7	<0.1	<1.0	<10	<2	<2	<1	<0.1
22	20.03.2020	66	25	7.2	17.4	<0.1	<1.0	<10	<2	<2	<1	<0.1
23	23.03.2020	61	23	6.6	18.1	<0.1	<1.0	<10	<2	<2	<1	<0.1
24	11.05.2020	56	24	5.8	15.1	<0.1	<1.0	<10	<2	<2	<1	<0.1
25	15.05.2020	61	27	6.0	15.9	<0.1	<1.0	<10	<2	<2	<1	<0.1
26	18.05.2020	67	30	6.2	16.5	<0.1	<1.0	<10	<2	<2	<1	<0.1
27	22.05.2020	65	28	6.5	16.3	<0.1	<1.0	<10	<2	<2	<1	<0.1
28	25.05.2020	57	23	6.1	17.3	<0.1	<1.0	<10	<2	<2	<1	<0.1
29	29.05.2020	69	31	7.4	17.7	<0.1	<1.0	<10	<2	<2	<1	<0.1
30	08.06.2020	69	31	7.4	17.5	<0.1	<1.0	<10	<2	<2	<1	<0.1

31	12.06.2020	65	28	6.9	16.7	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1
32	15.06.2020	62	24	6.7	17.2	<0.1	<1.0	<10	<2	<2	<2	<1	<0.1



iii. AMBIENT NOISE LEVEL INTENSITY

Collection of ambient noise levels at four locations. Spot noise levels were measured with a pre-calibrated Noise Level Meter - SL- 4023 SD for day and night periods.

DETAILS OF NOISE MONITORING LOCATIONS


STATION CODE	LOCATIONS	Geographical Location
N1	In Terminal Gate	13° 16' 25" N 80° 20' 0" E
N2	RMU Building	13° 16' 25" N 80° 20' 16" E
N3	Port operating building	13° 16' 12" N 80° 20' 5" E

Fig - 9. Noise Level Sampling Locations




Location		PORT OPERATING BUILDING			
Month & Year		Jan - 20	Feb - 20	Mar - 20	May - 20
Parameter & Unit		Leq dB(A)	Leq dB(A)	Leq dB(A)	Leq dB(A)
S.No.	Time of Sampling				
1	06.00 – 07.00 (Day)	60.9	57.5	59.8	54.2
2	07.00 – 08.00	58.4	52.7	59.9	58.7
3	08.00 – 09.00	57.1	60.6	60.1	61.4
4	09.00 – 10.00	58.6	58.9	62.2	60.7
5	10.00 – 11.00	63.2	63.9	60.7	57.7
6	11.00 – 12.00	61.7	63	64.3	59.8
7	12.00 – 13.00	59.8	63.1	63.5	63.4
8	13.00 – 14.00	62.3	63.3	62.6	61.6
9	14.00 – 15.00	60.5	65.5	66.5	56.2
10	15.00 – 16.00	59.2	62.9	62.8	58.4
11	16.00 – 17.00	63.4	63.5	59	57.6
12	17.00 – 18.00	64.7	59.2	63.4	56.8
13	18.00 – 19.00	62.9	59.3	61.6	55.3
14	19.00 – 20.00	63.1	61.1	61.3	53.7
15	20.00 – 21.00	60.6	60.6	51.8	52.2
16	21.00 – 22.00	58.7	61.6	54.5	50.7
17	22.00 – 23.00 (Night)	55.9	57.8	52.7	48.5
18	23.00 – 00.00	54.6	50.7	53.2	47.1
19	00.00 – 01.00	52.4	56.6	52.2	47.4
20	01.00 – 02.00	53.1	53.6	47	44
21	02.00 – 03.00	56	52.9	45.2	46.2

22	03.00 – 04.00	54.8	55	49.8	46.8
23	04.00 – 05.00	56.3	50.7	53.9	49.7
24	05.00 – 06.00	56.7	57.1	57.2	52.3




Location		RMU BUILDING				
Month & Year		Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
Parameter & Unit		Leq dB(A)	Leq dB(A)	Leq dB(A)	Leq dB(A)	Leq dB(A)
S.No.	Time of Sampling					
1	06.00 – 07.00 (Day)	63.7	59.8	63.6	56.8	58.3
2	07.00 – 08.00	62.1	59.9	66.1	56.5	60.6
3	08.00 – 09.00	63.8	60.1	63.1	58.3	60.9
4	09.00 – 10.00	60.9	60.2	63	55.4	58.4
5	10.00 – 11.00	64.4	60.2	65.6	56.2	61.7
6	11.00 – 12.00	65.2	60.3	61.2	59.1	63.1
7	12.00 – 13.00	64.7	63.3	67.8	53.3	58.8
8	13.00 – 14.00	63.9	62.6	61.9	62.4	60.5
9	14.00 – 15.00	62.6	66.5	65	59.1	61.2
10	15.00 – 16.00	64.1	62.7	64.9	57.7	59.9
11	16.00 – 17.00	66.8	59.7	59.3	63.3	57.4
12	17.00 – 18.00	61.7	59.7	59.7	56.7	59.3
13	18.00 – 19.00	64.5	61.6	60.3	60	58.1
14	19.00 – 20.00	63.2	61.3	60.1	58.6	56.7
15	20.00 – 21.00	58.7	51.6	62	52.2	55
16	21.00 – 22.00	61.8	54.5	57	54.3	53.3
17	22.00 – 23.00 (Night)	57.2	52	54.3	49.4	47.9
18	23.00 – 00.00	55.7	53.2	55.6	47.6	48.2
19	00.00 – 01.00	56.8	52.2	54	48.5	47
20	01.00 – 02.00	58.1	51	51.9	50.3	46.7
21	02.00 – 03.00	56.9	55.2	52.4	47.1	48.5

22	03.00 – 04.00	54.4	49.8	53.6	50.7	49.3
23	04.00 – 05.00	57.6	53.5	54.8	50	51.6
24	05.00 – 06.00	55.3	57.2	55	53.8	52.8



Location		IN TERMINAL GATE				
Month & Year		Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
Parameter & Unit		Leq dB(A)	Leq dB(A)	Leq dB(A)	Leq dB(A)	Leq dB(A)
S.No.	Time of Sampling					
1	06.00 – 07.00 (Day)	64.1	57.4	62.4	62.6	61.1
2	07.00 – 08.00	65.6	62.2	68.2	58.8	63.8
3	08.00 – 09.00	66.4	64	69.1	60.3	62.4
4	09.00 – 10.00	63.7	62.4	68.6	59.5	64
5	10.00 – 11.00	64.2	65	65.2	63.4	62.9
6	11.00 – 12.00	67	64.2	67.9	60.7	65.7
7	12.00 – 13.00	68.4	59.1	60.3	65.2	63.6
8	13.00 – 14.00	65.6	58.6	68.9	64.8	64.2
9	14.00 – 15.00	63.3	61.2	59.5	65.4	63.5
10	15.00 – 16.00	61.9	57.9	60	64	65.8
11	16.00 – 17.00	62.5	60.3	56.3	58.1	62.6
12	17.00 – 18.00	63	58.9	63	56.7	60.3
13	18.00 – 19.00	60.9	59.5	58.9	55.9	58.9
14	19.00 – 20.00	63.8	60	58.4	56.6	57.4
15	20.00 – 21.00	62.4	56.8	59.5	51.2	53.6
16	21.00 – 22.00	61.2	60.9	59.4	53.5	53.1
17	22.00 – 23.00 (Night)	57.9	58.9	56.8	50.6	51.7
18	23.00 – 00.00	56.5	58.4	59.3	51.5	50.2
19	00.00 – 01.00	55.2	56.3	57.5	49.6	48.5
20	01.00 – 02.00	53.8	47.8	52.7	48.6	49.4
21	02.00 – 03.00	55	48.9	53.4	50.3	48.6

22	03.00 – 04.00	59.3	52.4	55.1	49.4	50.3
23	04.00 – 05.00	56.1	54.9	57	51.7	53.2
24	05.00 – 06.00	57.8	54.5	58.2	56.1	55.9




iv. DG SET EMISSIONS

Sampling of Flue gas emission of 1500 KVA DG Set was done and its emissions were determined along with its noise intensity. The Detailed report has been is enclosed as Annexure - 4


DETAILS OF EMISSION MONITORING LOCATIONS

STATION CODE	LOCATIONS	Geographical Location
SM - 1	DG - 1 1500 KVA	13 ⁰ 16' 12" N 80 ⁰ 20' 5" E
SM - 2	DG - 2 1500 KVA	

STACK MONITORING						
Location		DG 1500KVA - 3			DG 1500KVA -1	DG 1500KVA -3
Month & Year		Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters					
1	Stack Temperature, °C	229	235	239	220	233
2	Flue Gas Velocity, m/s	22.43	21.19	21.86	20.12	21.42
3	Sulphur Dioxide, mg/Nm ³	7.1	7.8	8.3	7	7.6
4	NOX (as NO ₂) in ppmv	128	137	140	129	134
5	Particular matter, mg/Nm ³	27.5	29.1	33.6	30.6	32.7
6	Carbon Monoxide, mg/Nm ³	69	77	79	70	76
7	Gas Discharge, Nm ³ /hr	5985	5587	5719	5467	5670



STACK MONITORING						
Location		DG 1500KVA -2	DG 1500KVA -1	DG 1500KVA -2		
Month & Year		Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters					
1	Stack Temperature, °C	237	245	230	226	218
2	Flue Gas Velocity, m/s	20.56	21.81	20.54	20.97	22.15
3	Sulphur Dioxide, mg/Nm ³	7.5	8.5	7.4	7.8	7.2
4	NOX (as NO ₂) in ppmv	139	142	133	125	128
5	Particular matter, mg/Nm ³	29.7	31.4	32.8	31.3	30.5
6	Carbon Monoxide, mg/Nm ³	74	70	74	68	72
7	Gas Discharge, Nm ³ /hr	5400	5640	5470	5629	6043



v. STP WATER SAMPLE ANALYSIS


Water samples were collected at the following points.

- 25 KLD Treated Water Outlet

DETAILS OF STP WATER LOCATIONS

STATION CODE	LOCATIONS	Geographical Location
STP - 1	25 KLD	13° 16' 12" N 80° 20' 8" E

STP OUTLET WATER						
Location		STP OUTLET				
Month & Year		Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters					
1	pH @ 25°C	7.62	6.95	7.42	7.68	7.41
2	Total Suspended Solids	24	18	24	21	27
3	BOD at 27°C for 3 days	15.0	11.0	17.0	14.0	19.0
4	Fecal Coliform	130	109	138	110	144



vi. DRINKING WATER SAMPLE ANALYSIS

Drinking Water samples were collected at the Canteen or Office Building.

DRINKING WATER							
Month & Year		Unit	Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters						
1	pH @ 25°C	-	6.68	6.91	6.69	6.85	6.94
2	Total Hardness as CaCo ₃	mg/L	31	37	27	24.0	29
3	Chloride as Cl	mg/L	26	31	24	20	25
4	Total Dissolved Solids	mg/L	70	86	78	65	74
5	Calcium as Ca	mg/L	8.5	10	7.5	6	7.5
6	Sulphate as SO ₄	mg/L	BDL(DL:1.0)				2.0
7	Nitrate as No ₃	mg/L	BDL(DL:1.0)				
8	Total Alkalinity as CaCo ₃	mg/L	36	40	34	30	37
9	Magnesium as Mg	mg/L	2.3	2.88	1.99	2.16	2.46
10	Color	Hazen	<1.0				
11	Odour	-	Unobjectionable				
12	Taste	-	Agreeable				
13	Turbidity	NTU	<0.5				
14	Iron as Fe	mg/L	BDL(DL 0.05)				
15	Total Residual Chlorine	mg/L	BDL(DL 0.1)				
16	Copper as Cu	mg/L	BDL(DL 0.05)				
17	Manganese as Mn	mg/L	BDL(DL 0.05)				
18	Fluoride as F	mg/L	BDL(DL 0.1)				
19	Phenolic compounds as C ₆ H ₅ OH	mg/L	BDL(DL 0.001)				
20	Mercury as Hg	mg/L	BDL(DL 0.001)				

21	Cadmium as Cd	mg/L	BDL(DL 0.003)
22	Selenium as Se	mg/L	BDL(DL 0.01)
23	Arsenic as As	mg/L	BDL(DL 0.01)
24	Lead as Pb	mg/L	BDL(DL 0.01)
25	Zinc as Zn	mg/L	BDL(DL 0.05)
26	Anionic Detergents as MBAS	mg/L	Nil
27	Total Chromium as Cr	mg/L	BDL(DL 0.05)
28	Phenolphthalein Alkalinity as CaCO ₃	mg/L	Nil
29	Aluminium as Al	mg/L	BDL(DL 0.05)
30	Boron as B	mg/L	BDL(DL 0.1)
31	Mineral Oil	mg/L	Nil
32	Polynuclear Aromatic Hydrocarbons as [PAH]	mg/L	Nil
33	Pesticides	mg/L	Nil
34	Cyanide as CN	mg/L	BDL (DL : 0.01)
35	E. coli	MPN/100ml	Absence
36	Total Coliform	MPN/100ml	Absence

vii. Marine Sampling

Marine Water samples and sediment samples were collected at locations South side berth and North side berth.

Fig - 11. Water and Marine Sampling Locations



MARINE WATER						
Location	Surface Water					
Month & Year	Unit	Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20

S.No.	Parameters		Bollard 6	Bollard 3	Bollard 19	Bollard 19	Bollard 10
1	pH @ 25°C	-	7.72	7.85	7.88	8.07	8.4
2	Temperature	°C	29	29	29	29	29
3	Total Suspended Solids	mg/L	21	27	32	36	38
4	BOD at 27 °C for 3 days	mg/L	20	23	28	24	27
5	Dissolved oxygen	mg/L	2.8	3.1	3	3.3	3.5
6	Salinity at 25 °C	ppt	40.8	41.3	43.7	42.1	42.6
7	Oil & Grease	mg/L	BDL(DL 1.0)				
8	Nitrate as No ₃	mg/L	4.62	5.15	7.28	7.96	7.13
9	Nitrite as No ₂	mg/L	3.06	3.98	3.05	4.58	5.77
10	Ammonical Nitrogen as N	mg/L	BDL(DL 1.0)				
11	Ammonia as NH ₃	mg/L	BDL(DL 0.01)				
12	Kjeldahl Nitrogen as N	mg/L	BDL(DL 1.0)				
13	Total phosphates as PO ₄	mg/L	5.91	6.4	7.26	6.34	6.98
14	Total Nitrogen	mg/L	BDL(DL 1.0)				
15	Total Dissolved Solids	mg/L	38719	39899	45800	43127	43647
16	COD	mg/L	118	127	134	139	145
17	Total bacterial count	cfu/ml	70	86	95	88	92
18	Coliforms	Per 100 ml	Absence				
19	Escherichia coli	Per 100 ml	Absence				
20	Salmonella	Per 100 ml	Absence				
21	Shigella	Per 100 ml	Absence				
22	Vibrio cholerae	Per 100 ml	Absence				
23	Vibrio parahaemolyticus	Per 100 ml	Absence				
24	Enterococci	Per 100 ml	Absence				
25	Octane	µg/L	165	151	133	114	110
26	Nonane	µg/L	BDL(DL 0.1)				
27	Decane	µg/L	BDL(DL 0.1)				
28	Undecane	µg/L	BDL(DL 0.1)				
29	Tridecane	µg/L	8.4	7.3	9	8.2	8.9
30	Tetradecane	µg/L	BDL(DL 0.1)				
31	Pentadecane	µg/L	BDL(DL 0.1)				
32	Hexadecane	µg/L	BDL(DL 0.1)				
33	Octadecane	µg/L	BDL(DL 0.1)				
34	Nonadecane	µg/L	BDL(DL 0.1)				
35	Elcosane	µg/L	BDL(DL 0.1)				
36	Primary Productivity	mg C/m ³ /hr	7.84	8.59	9.14	9.91	10.64
37	Chlorophylla	mg /m ³	6.91	5.14	6.67	5.45	5.98
38	Phaeophytin	mg /m ³	0.53	0.73	0.85	0.98	0.86
39	Oxidisable Paticular Organic carbon	mg /L	6.79	7.28	8.05	6.57	5.75
PHYTOPLANKTON							
40	Bacteriastrum hyalinum	nos/ml	13	16	13	18	15
41	Bacteriastrum varians	nos/ml	4	6	8	11	8
42	Chaetoceros didymus	nos/ml	11	14	10	14	12
43	Chaetoceros decipiens	nos/ml	Nil	3	5	7	11
44	Biddulphia mobiliensis	nos/ml	7	10	16	10	14
45	Ditylum brightwellii	nos/ml	Nil	Nil	Nil	Nil	Nil
46	Gyrosigma sp	nos/ml	12	10	15	12	7
47	Cladophyxis sps	nos/ml	Nil	Nil	Nil	Nil	Nil

48	Coscinodiscus centralis	nos/ml	11	15	17	13	10
49	Coscinodiscus granii	nos/ml	10	13	11	8	17
50	Cylcotella sps	nos/ml	Nil	Nil	Nil	Nil	Nil
51	Hemidiscus hardmanianus	nos/ml	15	11	14	17	22
52	Laudaria annulata	nos/ml	Nil	Nil	Nil	Nil	Nil
53	Pyropacus horologicum	nos/ml	Nil	Nil	Nil	Nil	Nil
54	Pleurosigma angulatum	nos/ml	Nil	Nil	Nil	Nil	Nil
55	Leptocylindrus danicus	nos/ml	9	17	20	15	18
56	Guinardia flaccida	nos/ml	Nil	Nil	Nil	Nil	Nil
57	Rhizosolenia alata	nos/ml	14	12	15	19	21
58	Rhizosolenia imbricata	nos/ml	Nil	Nil	Nil	Nil	Nil
59	Rhizosolenia semispina	nos/ml	12	18	19	22	13
60	Thalassionema nitzschioides	nos/ml	10	6	9	16	19
61	Triceratium reticulatum	nos/ml	Nil	Nil	Nil	Nil	Nil
62	Ceratium trichoceros	nos/ml	Nil	Nil	Nil	Nil	Nil
63	Ceratium furca	nos/ml	Nil	Nil	Nil	Nil	Nil
64	Ceratium macroceros	nos/ml	Nil	Nil	Nil	Nil	Nil
65	Ceracium longipes	nos/ml	Nil	Nil	Nil	Nil	Nil

ZOOPLANKTONS

66	Acrocalanus gracilis	nos/ml	10	13	10	15	12
67	Acrocalanus sp	nos/ml	Nil	Nil	Nil	Nil	Nil
68	Paracalanus parvus	nos/ml	16	11	14	11	17
69	Eutintinus sps	nos/ml	9	15	17	13	9
70	Centropages furcatus	nos/ml	12	8	11	8	11
71	Corycaeus dana	nos/ml	Nil	Nil	Nil	Nil	Nil
72	Oithona brevicornis	nos/ml	17	12	15	17	14
73	Euterpina acutifrons	nos/ml	11	14	18	12	16
74	Metacalanus aurivilli	nos/ml	Nil	Nil	Nil	Nil	Nil
75	Copepod nauplii	nos/ml	14	10	12	9	11
76	Cirripede nauplii	nos/ml	Nil	Nil	Nil	Nil	Nil
77	Bivalve veliger	nos/ml	8	7	16	18	22
78	Gastropod veliger	nos/ml	15	9	13	15	19

Location		Bottom Water					
Month & Year		Unit	Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters		Bollard 6	Bollard 3	Bollard 19	Bollard 19	Bollard 10
1	pH @ 25°C	-	7.83	7.96	7.98	8.05	8.56
2	Temperature	°C	29	29	29	29	29
3	Total Suspended Solids	mg/L	16	19	28	32	39
4	BOD at 27 °C for 3 days	mg/L	15	17	21	27	30
5	Dissolved oxygen	mg/L	2.6	2.8	3.3	3.1	2.8
6	Salinity at 25 °C	-	36	37.3	45.8	41.9	43.5
7	Oil & Grease	mg/L	BDL(DL 1.0)				
8	Nitrate as NO ₃	mg/L	5.14	6.05	7.14	6.83	6.14
9	Nitrite as NO ₂	mg/L	5.62	4.18	3.56	4.08	4.93
10	Ammonical Nitrogen as N	mg/L	BDL(DL 1.0)				
11	Ammonia as NH ₃	mg/L	BDL(DL 0.01)				
12	Kjeldahl Nitrogen as N	mg/L	BDL(DL 1.0)				

13	Total phosphates as PO ₄	mg/L	4.51	5.64	6.98	6.12	7.09
14	Total Nitrogen	mg/L	BDL(DL 1.0)				
15	Total Dissolved Solids	mg/L	39107	40785	45600	43986	44241
16	COD	mg/L	89	102	145	141	155
17	Total bacterial count	cfu/ml	74	86	98	90	98
18	Coliforms	Per 100 ml	Absence				
19	Escherichia coli	Per 100 ml	Absence				
20	Salmonella	Per 100 ml	Absence				
21	Shigella	Per 100 ml	Absence				
22	Vibrio cholerae	Per 100 ml	Absence				
23	Vibrio parahaemolyticus	Per 100 ml	Absence				
24	Enterococci	Per 100 ml	Absence				
25	Colour	Hazan	15	10	20	25	30
26	Odour	-	Unobjectionable				
27	Taste	-	Disagreeable				
28	Turbidity	NTU	21	29	36	39	44
29	Calcium as Ca	mg/L	503	545	742	702	782
30	Chloride as Cl	mg/L	19912	20648	25366	23189	24120
31	Cyanide as CN	mg/L	BDL(DL 0.01)				
32	Fluoride as F	mg/L	0.36	0.44	0.52	0.65	0.71
33	Magnesium as Mg	mg/L	1249	1291	2069	1923	2056
34	Total Iron as Fe	mg/L	0.55	0.73	0.83	0.96	0.85
35	Residual Free Chlorine	mg/L	BDL(DL 0.1)				
36	Phenolic Compounds as C ₆ H ₅ OH	mg/L	BDL(DL 1.0)				
37	Total Hardness as CaCO ₃	mg/L	6524	6742	10476	9767	10522
38	Total Alkalinity as CaCO ₃	mg/L	596	628	125	242	299
39	Sulphide as H ₂ S	mg/L	BDL(DL 0.5)				
40	Sulphate as SO ₄	mg/L	2018	2085	2596	2140	2543
41	Anionic surfactants as MBAS	mg/L	BDL(DL 1.0)				
42	Monocrotophos	µg/L	BDL(DL 0.01)				
43	Atrazine	µg/L	BDL(DL 0.01)				
44	Ethion	µg/L	BDL(DL 0.01)				
45	Chlorpyrifos	µg/L	BDL(DL 0.01)				
46	Phorate	µg/L	BDL(DL 0.01)				
47	Mephyl parathion	µg/L	BDL(DL 0.01)				
48	Malathion	µg/L	BDL(DL 0.01)				
49	DDT (o,p and p,p-Isomers of DDT,DDE and DDD)	µg/L	BDL(DL 0.01)				
50	Gamma HCH (Lindane)	µg/L	BDL(DL 0.01)				
51	Alpha HCH	µg/L	BDL(DL 0.01)				
52	Beta HCH	µg/L	BDL(DL 0.01)				
53	Delta HCH	µg/L	BDL(DL 0.01)				
54	Endosulfan (Alpha,beta and sulphate)	µg/L	BDL(DL 0.01)				
55	Butachlor	µg/L	BDL(DL 0.01)				
56	Alachlor	µg/L	BDL(DL 0.01)				
57	Aldrin/Dieldrin	µg/L	BDL(DL 0.01)				
58	Isoproturon	µg/L	BDL(DL 0.01)				
59	2,4-D	µg/L	BDL(DL 0.01)				

60	Polychlorinated Biphenyls (PCB)	µg/L	BDL(DL 0.01)				
61	Polynuclear aromatic hydrocarbons (PAH)	µg/L	BDL(DL 0.01)				
62	Arsenic as As	mg/L	BDL(DL 0.01)				
63	Mercury as Hg	mg/L	BDL(DL 0.001)				
64	Cadmium as Cd	mg/L	BDL(DL 0.003)				
65	Total Chromium as Cr	mg/L	BDL(DL 0.05)				
66	Copper as Cu	mg/L	BDL(DL 0.05)				
67	Lead as Pb	mg/L	BDL(DL 0.01)				
68	Manganese as Mn	mg/L	BDL(DL 0.05)				
69	Nickel as Ni	mg/L	BDL(DL 0.05)				
70	Selenium as Se	mg/L	BDL(DL 0.01)				
71	Barium as Ba	mg/L	BDL(DL 0.1)				
72	Silver as Ag	mg/L	BDL(DL 0.01)				
73	Molybdenum as Mo	mg/L	BDL(DL 0.01)				
74	Octane	µg/L	170	196	170	145	168
75	Nonane	µg/L	BDL(DL 0.1)				
76	Decane	µg/L	BDL(DL 0.1)				
77	Undecane	µg/L	8.9	7	8.7	7.9	8.4
78	Tridecane	µg/L	BDL(DL 0.1)				
79	Tetradecane	µg/L	BDL(DL 0.1)				
80	Pentadecane	µg/L	BDL(DL 0.1)				
81	Hexadecane	µg/L	BDL(DL 0.1)				
Location		Bottom Water					
Month & Year		Unit	Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters		Bollard 6	Bollard 3	Bollard 19	Bollard 19	Bollard 10
82	Heptadecane	µg/L	BDL(DL 0.1)				
83	Octadecane	µg/L	BDL(DL 0.1)				
84	Nonadecane	µg/L	BDL(DL 0.1)				
85	Elcosane	µg/L	BDL(DL 0.1)				
86	Primary Productivity	mg C/m ³ /hr	10.02	9.64	8.53	8.89	10.13
87	Chlorophyll a	mg /m ³	8.19	7.03	6.28	5.74	6.81
88	Phaeophytin	mg /m ³	0.76	0.81	0.72	0.85	0.94
89	Oxidisable Paticular Organic carbon	mg /L	7.51	8.46	9.18	7.42	6.69
PHYTOPLANKTON							
90	Bacteriastrum hyalinum	nos/ml	14	19	11	15	19
91	Bacteriastrum varians	nos/ml	7	11	14	10	14
92	Chaetoceros didymus	nos/ml	8	6	8	12	16
93	Chaetoceros decipiens	nos/ml	5	7	12	9	13
94	Biddulphia mobiliensis	nos/ml	17	15	10	14	18
95	Ditylum brightwellii	nos/ml	Nil	Nil	Nil	Nil	Nil
96	Gyrosigma sp	nos/ml	Nil	4	7	11	9
97	Cladophyxis sps	nos/ml	Nil	Nil	Nil	Nil	Nil
98	Coscinodiscus centralis	nos/ml	8	12	20	17	12
99	Coscinodiscus granii	nos/ml	6	9	15	6	15
100	Cylcotella sps	nos/ml	Nil	Nil	Nil	Nil	Nil
101	Hemidiscus hardmanianus	nos/ml	10	8	10	13	20

102	Laudaria annulata	nos/ml	Nil	Nil	Nil	Nil	Nil
103	Pyropacus horologicum	nos/ml	Nil	Nil	Nil	Nil	Nil
104	Pleurosigma angulatum	nos/ml	Nil	Nil	Nil	Nil	Nil
105	Leptocylindrus danicus	nos/ml	7	14	17	21	24
106	Guinardia flaccida	nos/ml	Nil	Nil	Nil	Nil	Nil
107	Rhizosolenia alata	nos/ml	16	10	19	16	22
108	Rhizosolenia imbricata	nos/ml	Nil	Nil	Nil	Nil	Nil
109	Rhizosolenia semispina	nos/ml	15	21	13	17	18
110	Thalassionema nitzschioides	nos/ml	13	9	16	19	25
111	Triceratium reticulatum	nos/ml	Nil	Nil	Nil	Nil	Nil
112	Ceratium trichoceros	nos/ml	Nil	Nil	Nil	Nil	Nil
113	Ceratium furca	nos/ml	Nil	Nil	Nil	Nil	Nil
114	Ceratium macroceros	nos/ml	Nil	Nil	Nil	Nil	Nil
115	Ceracium longipes	nos/ml	Nil	Nil	Nil	Nil	Nil

ZOOPLANKTONS

116	Acrocalanus gracilis	nos/ml	14	17	13	17	14
117	Acrocalanus sp	nos/ml	Nil	Nil	Nil	Nil	Nil
118	Paracalanus parvus	nos/ml	8	14	18	15	18
119	Eutimnus sps	nos/ml	11	18	20	11	7
120	Centropages furcatus	nos/ml	10	6	9	6	15
121	Corycaeus dana	nos/ml	Nil	Nil	Nil	Nil	Nil
122	Oithona brevicornis	nos/ml	16	10	12	16	11
123	Euterpina acutifrons	nos/ml	15	19	21	18	19
124	Metacalanus aurivilli	nos/ml	Nil	Nil	Nil	Nil	Nil
125	Copepod nauplii	nos/ml	17	13	15	13	15
126	Cirripede nauplii	nos/ml	Nil	Nil	Nil	Nil	Nil
127	Bivalve veliger	nos/ml	13	11	17	20	24
128	Gastropod veliger	nos/ml	18	14	19	22	26


SEA SEDIMENT

Location		Sea Sediment					
Month & Year		Unit	Jan - 20	Feb - 20	Mar - 20	May - 20	Jun - 20
S.No.	Parameters		Bollard 6	Bollard 3	Bollard 19	Bollard 19	Bollard 10
1	Total organic matter	%	0.61	0.53	0.59	0.55	0.59
2	% Sand	%	19	22	24	21	23
3	%silt	%	23	27	26	24	21
4	%Clay	%	58	51	50	55	56
5	Iron (as Fe)	mg/kg	28.5	25.1	28.6	29.4	26.4
6	Aluminium (as Al)	mg/kg	10231	9845	10231	10085	11230
7	Chromium (as cr)	mg/kg	63	51	44	56	69
8	Copper (as cu)	mg/kg	59	47	53	64	77
9	Manganese (as Mn)	mg/kg	278	260	242	209	224
10	Nickel (as Ni)	mg/kg	15.1	17.5	19.3	24.2	20.5
11	Lead (as Pb)	mg/kg	40	48	52.1	47.3	44.9
12	Zinc (as Zn)	mg/kg	219	232	250	227	246
13	Mercury(as Hg)	mg/kg	0.67	0.61	0.49	0.45	0.51
14	Total phosphorus as P	mg/kg	156	139	146	131	144
15	Octane	mg/kg	BDL(DL 0.1)				
16	Nonane	mg/kg	BDL(DL 0.1)				

17	Decane		mg/kg	BDL(DL 0.1)				
18	Undecane		mg/kg	1.94	2.32	1.05	0.94	0.87
19	Dodecane		mg/kg	BDL(DL 0.1)				
20	Tridecane		mg/kg	BDL(DL 0.1)				
21	Tetradecane		mg/kg	BDL(DL 0.1)				
22	Phntadecane		mg/kg	BDL(DL 0.1)				
23	Hexadecane		mg/kg	BDL(DL 0.1)				
24	Heptadecane		mg/kg	BDL(DL 0.1)				
25	Octadecane		mg/kg	BDL(DL 0.1)				
26	Nonadecane		mg/kg	BDL(DL 0.1)				
27	Elcosane		mg/kg	BDL(DL 0.1)				
I. Nematoda								
28	Oncholaimussp		nos/m ²	15	21	17	14	17
29	Tricomasp		nos/m ²	11	14	10	16	13
II. Foraminifera								
30	Ammoniabeccarii		nos/m ²	9	17	12	8	11
31	Quinquilinasp		nos/m ²	10	16	19	15	19
32	Discorbinellasp.,		nos/m ²	13	10	14	20	22
33	Bolivinaspathulata		nos/m ²	8	12	16	18	14
34	Elphidiumsp		nos/m ²	12	18	21	10	12
35	Noniondepressula		nos/m ²	14	9	11	17	15
III. Molluscs-Bivalvia								
36	Meretrixveligers		nos/m ²	20	11	13	9	20
37	Anadoraveligers		nos/m ²	17	24	20	18	16
	Total No. of individuals		nos/m ²	129	152	153	145	159
	Shanon Weaver Diversity Index (SWDI)			2.27	2.26	2.27	2.26	2.28

PHOTOGRAPHS






DG SETS



DG SETS



Drinking Water



STP Outlet



For Greener Earth

AECTPL/ENV/ 2019-20/08

Date: 20/09/2019

To,
The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
EPIB Building, A.O Block,
Gummidipoondi Industrial Complex,
Gummidipoondi – 601201.

Dear Sir,

Sub: Submission of Environmental statement (Form V) for the Financial Year 2018-19

With reference to the captioned subject, we are herewith submitting the "Environmental Statement in Form V for the financial year 2018-19".

Submitted for your kind information and records.

Thanking you

for Adani Ennore Container Terminal Private Limited (AECTPL)


R. Sathish Kumar
Head - Environment



Enclosures: As above



Adani Ennore Container Terminal Pvt Ltd
Adani House
C/o, Kamarajar Port Limited,
Ponneri Taluk,
Tiruvallur District,
Tamil Nadu – 600 120.

Tel +91 44 2824 3062

info@adani.com
www.adani.com

CIN: U61200GJ2014PTC078795

Registered Office: Ramcon Fortuna Towers, 4th floor No 1/2, Kodambakkam High Road Nungambakkam, Chennai 600034

Form-V
(See rule 14 of Environment (Protection) Rules, 1986)

Environmental Statement for the financial year ending 31st March 2019

Part-A


i)	Name and Address of the owner/occupier of the industry operation or process	:	Mr. Jai Khurana Chief Executive Officer Adani Ennore Container Terminal Private Limited C/O Kamarajar Port Limited Vallur Post, Ennore Thiruvallur District- 600 120 Tamil Nadu, India
ii)	Industry Category	:	Primary : Red Secondary : 1065 - Ports & Harbour, Jetties and Dredging Operations
iii)	Production Capacity	:	Cargo Handling Capacity: 11.68 MMTPA • Container cargos – 11.68 MMTPA
iv)	Year of establishment	:	2016
v)	Date of the last environmental statement submitted	:	Vide our Letter No. AECTPL/KPT/GMP/CB/ENV/ES 2017-18 dated 10.09.2018

Part -B

WATER AND RAW MATERIAL CONSUMPTION

(i) Water Consumption

S.No	Water Consumption (m ³ / Day)	During the Previous financial year (2017 - 18)	During the current financial year (2018 - 19)
1	Domestic	10.64	7.33



(ii) Raw Material Consumption

S.No	Name of the Raw Material	Name of Product	Consumption of raw material per unit of output	
			During the Previous financial year (2017 - 18)	During the current financial year (2018 - 19)
1	Not Applicable	Not Applicable	NIL	NIL


The unit does not undergo any manufacturing process. The water consumed is mainly for Firefighting, Greenbelt development and maintenance, etc.,

PART- C

POLLUTION DISCHARGES TO ENVIRONMENT/UNIT OF OUTPUT

(Parameter as specified in the consent issued)

Pollutants	Quality of Pollutants Discharged (Mass/day)	Concentration of Pollutants discharges (mass/volume)	Percentage of variation from prescribed standards with reasons	
a) Water	STP Treated Water Characteristics:-			
	Parameter	Consent Limit	Actual	% Variation with prescribed standard
	pH	5.5-9	7.7	-Nil-
	Total Suspended Solids (mg/l)	30	12	-Nil-
	BOD (3 days at 27°C) (mg/l)	20	4	-Nil-
b) Air	DG sets are provided as standby power source and were used during power failure. The Height of DG stacks as per CPCB/ TNPCB Standards. All the monitored parameters are within standards.			
Particulate Matter (mg/Nm3)	DG stack emission report is enclosed as Annexure 1			
Sulphur Dioxide (ppm)				
Nitrogen Oxide (ppm)				



PART- D

HAZARDOUS WASTES

(As specified under Hazardous Waste Management and Handling Rules 1989)

Hazardous Wastes	Total Quantity (Kg)	
	During the previous financial year (2017-18)	During the current financial year (2018-19)
(a) From Process	NIL	NIL
(b) From pollution Control facilities	NA	NA
Note : Terminal commenced its operation from Oct'18. There is no generation of hazardous waste during the year 2018-19.		

PART- E

SOLID WASTES

Total Quantity Generated (MT/Annum)		
Solid Waste	During the Previous Financial Year (2017-18)	During the Current Financial Year (2018-19)
(a) From Process	Nil	Nil
(b) From Pollution Control Equipment - STP	NIL	20 Kg
(C) 1. Quantity recycled or reutilized within the unit.	Nil	20 Kg
2. Sold	Nil	Nil
3. Disposed	Nil	Nil

PART- F

Please specify the characterizations (in terms of composition of quantum) of Hazardous as well solid waste and indicate disposal practice adopted for both these categories of wastes.

- Terminal commenced its operation from Oct'18. There is no generation of hazardous waste during the year 2018-19.
- 100% utilization of STP sludge for greenbelt maintenance as manure.




- Hazardous waste Annual returns in Form 4 was submitted in line with the Hazardous and Other Wastes (Management & Trans boundary Movement) Rules, 2016.
- E-waste returns in Form 3 was submitted in line with the E-waste Management Rules 2016
- All the non-hazardous wastes like paper, wood, metal scraps generated from the terminal also are collected, stored in the Integrated Waste Management Shed and are handled as per 5R principle.

PART- G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

- Adani Ennore Container Terminal Private Limited is having electrified cranes only and hence the diesel consumption by the cranes is totally eliminated.
- All the domestic waste water generated at port is treated at existing sewage treatment plant and the treated water is being reused within port premises for gardening.
- Sewage Treatment Plant (STP) is in continuous operation and the treated effluent water quality is meeting the TNPCB norms. STP treated water is used for Gardening purpose, thereby reducing freshwater consumption. The total cost spent on STP operation during the year 2018-19 is Rs. 7 Lakhs.
- Unit is undertaking Regular Environmental Monitoring of port through NABL accredited laboratory. All the required environmental parameters are well within specified limit & the details of monitored data is regularly submitting to TNPCB, CPCB, MoEF&CC and other concerned authorities.
- Unit is continuously developing and maintaining green belt within port premises.
- Implemented Integrated Waste Management System (IWMS) for managing all types of wastes in line with 5R principle.



PART- H

ADDITIONAL MEASURES/INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION.

	Description	
<u>Regular Expenditure (cost in INR lakhs/year)</u>		
1	Environmental monitoring of MOEF recognized third party	7
2	Green belt & Horticulture development	1
3	Annual maintenance contractor of STP operation	3.6

PART- I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- Energy Conservation Committee to measure the amount of energy consumed and to actions to reduce the energy consumed through port operations
- Water Warriors committee to identify and reduce the water consumption. The committee would propose innovative water solutions
- ISO 14001 : 2015 and Integrated Management System certified Port.
- Working towards achieving "Zero Waste Inventory" as per our Group Environment Policy and all wastes are being handled in line with 5R Principle.
- Single use and throwaway plastics completely banned inside the port premises.

Date: 20.09.2019

(Signature of a person carrying out an industry operation or process)

Name : Jai Khurana

Designation: Chief Executive Officer

Address : Adani Ennore Container

Terminal Pvt Ltd

C/O Kamarajar Port Limited

Vallur post, Ennore

Thiruvallur District – 600 120

Tamil Nadu, India.



AECTPL- STACK MONITORING (April'2018 to March'2019)														
Location		DG 1500KVA - 1			DG 1500KVA - 1							DG - 3		DG - 1
Month & Year		Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	
S.No.	Parameters													
1	Stack Temperature, °C	227	236	225	221	227	235	224	236	229	220	236	235	
2	Flue Gas Velocity, m/s	16.47	16.01	16.93	16.14	17.42	18.73	17.06	18.14	17.27	18.42	18.86	17.86	
3	Sulphur Dioxide, mg/Nm3	8.1	7.3	8.1	7.5	8.5	8	7.2	8.7	8.1	7.2	8.2	7	
4	NOX (as NO2) in ppmv	132	139	130	127	134	137	130	139	134	128	125	121	
5	Particular matter, mg/Nm3	28.6	25.8	26.9	28.2	29.1	26.1	29.4	32.8	33.6	30.6	28.2	28.9	
6	Carbon Monoxide, mg/Nm3	36	34	40	43	39	40	46	51	57	55	56	53	
7	Gas Discharge, Nm3/hr	4412	4213	4548	4376	4667	4939	4598	4775	4608	5005	4960	4709	

AECTPL- STACK MONITORING (April'2018 to March'2019)															
Location		DG 1500KVA - 2			DG 1500KVA - 2							DG - 3		DG - 2	
Month & Year		Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19		
S.No.	Parameters														
1	Stack Temperature, °C	225	233	228	223	231	239	231	225	233	227	229	220		
2	Flue Gas Velocity, m/s	16.86	15.87	16.5	16.76	17.29	17.95	17.19	16.52	17.86	18.15	19.02	18.16		
3	Sulphur Dioxide, mg/Nm3	7.9	7	7.8	7.2	8.1	7.8	8.2	7.4	7.9	7.5	7.9	7.4		
4	NOX (as NO2) in ppmv	135	131	135	130	138	143	134	131	137	131	136	129		
5	Particular matter, mg/Nm3	25.3	27.5	28.4	26.9	28.3	30.2	27.1	28.6	32.5	29.8	31.4	33		
6	Carbon Monoxide, mg/Nm3	38	32	37	41	45	38	43	44	53	52	58	61		
7	Gas Discharge, Nm3/hr	4534	4202	4412	4527	4596	4697	4569	4443	4728	4863	5075	4935		



Name : M/s. ADANI ENNORE CONTAINER TERMINAL PVT LTD.,
Address: C/o. Kamarajar Port Limited, Vallur Post, Ponneri Taluk,
Tiruvallur District – 600 120.