Ports and Logistics

APSEZL/EnvCell/2021-22/025

To

Deputy Director General of Forest (Central), Ministry of Environment, Forest and Climate Change, Regional Office (WZ), E-5, Kendriya Paryavaran Bhawan, Arera Colony, Link Road No. – 3, Bhopal – 462 016. E-mail: <u>rowz.bpl-mef@nic.in</u>, <u>eccomplinace-guj@gov.in</u>

- Sub : Half yearly Compliance report of Environment Clearance for the project namely "Development of Multipurpose berth (Terminal- 2) at Mundra Port, Dist. Kutch"
- Ref : Environment clearance under CRZ notification granted to M/s Adani Ports & SEZ Limited vide letter dated 5th February, 2007 bearing no. 11-84/2006- IA.III

Dear Sir,

Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that copy of the compliance report for the Environmental and CRZ Clearance for the period of October-2020 to March-2021 is being submitted through soft copy (e-mail communication).

Kindly consider above submission and acknowledge.

Thank you, Yours Faithfully, For, **M/s Adani Ports and Special Economic Zone Limited**

Douglas Charles Smith Chief Executive Officer Mundra & Tuna Port

CD cutterched Encl: As above

Copy to:

- 1)¹ The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003
- Zonal Officer, Regional Office, CPCB Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390 023
- 3) Member Secretary, GPCB Head Office, Paryavaran Bhavan, Sector 10 A, Gandhi Nagar 382 010
- The Director, Forests & Environment Department, Block 14, 8th floor, Sachivalaya, Gandhi Nagar – 382 010
- 5) Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham, 370201

Adani Ports and Special Economic Zone Ltd Adani House, PO Box No. 1 Mundra, Kutch 370 421 Gujarat, India CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000 Fax +91 2838 25 51110 info@adani.com www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382421, Gujarat, India

T2510512021

एकीकृत क्षेत्रीय कार्यालग Integrated Regional Offic त्यावरण, यन एवं नावीवान परित्य करन Ministry of Environment, Fores & Climate Change भारत सरकार, भोपाल/Govt. et India, Bhopal



Environmental Clearance Compliance Report

of

Multipurpose Berth (Terminal -2) at Mundra Port, Dist. Kutch, Gujarat

of

Adani Ports and SEZ Limited

Period: October – 2020 to March – 2021



ndex

Sr. No.								
1	EC & CRZ Compliance Report							
2	Annexures	•						
	Annexure – A	Compliance Report of CRZ Recommendation						
	Annexure – 1	Adani Foundation – CSR Report for the FY 2020-21	36					
	Annexure – 2	Details of Greenbelt development and Mangrove plantation	139					
	Annexure – 3	GCZMA Recommendations	14 1					
	Annexure – 4	NCSCM Report for Mangrove & Tide Level Monitoring in and around APSEZ	143					
	Annexure – 5	Report on Algal removal work in mangrove area	168					
	Annexure – 6	Intimation regarding restarting of ETP after modification	171					
	Annexure – 7	Half Yearly Environment Monitoring Summary Report	173					
	Annexure – 8	Renewed / Updated details (authorization / agreement) of hazardous / Non-hazardous handling agencies	216					
	Annexure – 9	Environment Protection Expenditure	282					
	Annexure – 10							
	Annexure – 11	Reminder Letter to GCZMA to present findings of CIA Report	284					
	Annexure – 12	Compliance Report of CIA Study Environment Management Plan	286					
	Annexure – 13	Updated Oil Spill Contingency Response Plan	344					
	Annexure – 14	Environment Management Cell Organogram	442					

EC & CRZ Clearance Compliance Report



- The name of the company was changed from "Gujarat Adani Port Limited" to "Mundra Port and Special Economic Zone Limited" on 7th July, 2006.
- Further the name of the company was changed from "Mundra Port and Special Economic Zone Limited" to "Adani Ports and Special Economic Zone Limited" on 6th January, 2012.



Half yearly Compliance report of Environment and CRZ Clearance for the project namely "Development of Multipurpose berth (Terminal – 2) at Mundra Port, Dist. Kutch" issued vide MoEF letter no. 11-84/2006-IA.III dated 5th February 2007.

Sr. No.	Conditions	Compliance Status as on 31-03-2021					
A. Sp	ecific Condition						
(i)	All the conditions stipulated by Forests Environment Department, Government of Gujarat vide their letter no. ENV- 10-2005-222-P dated 12/10/2006 should be strictly implemented.	Point wise compliance report of CRZ recommendations issued vide letter No. ENV-10-2005-222-P dated 12/10/2006 is enclosed as Annexure – A.					
(ii)	No Objection Certificate	Com	olied.				
	from Gujarat State Pollution Control Board should be obtained before initiating the project.	e APSEZL had obtained No Objection Certificate vide GPCB letter No. GPCB/Unit-1/FT-139/11944 dated 27 th April 2005.					
		Sr. No.	Permission	Project	Ref. No. / Order No.	Valid till	
		1	Ct O – Renewal	Mundra Port Terminal	AWH-83561	20.11.2021	
		2	CtO - Amendment	Mundra Port Terminal	WH-88317	20.11.2021	
		3	CtO - Amendment	Mundra Port Terminal	GPCB/CCA-Kutch -39(5)/ ID- 17739/473575	20.11.2021	
		4	CtO- Amendment	Mundra Port Terminal	H-98086	20.11.2021	
		5	CtO- Amendment	Mundra Port Terminal	H-105708	20.11.2021	
		6	Ct E – Amendment	WFDP	17739 / 15618	18.05.2027	



Sr. No.	Conditions	Compliance Status as on 31-03-2021
		The permissions mentioned above were submitted along with earlier compliance report submission. And there is no further change.
(iii)	The proposed project should not handle any	Complied.
	hazardous goods and cargo.	Only containers and dry cargo is being handled on Multi- Purpose Berth (Terminal – 2).
		During the compliance period, no hazardous cargo / goods are handled at the Multi-Purpose Berth (Terminal – 2).
(iv)	Quarantine condition	Complied.
	should be provided for keeping the hazardous containers if they are accidentally received.	Only containers and dry cargo is being handled on Multi- Purpose Berth (Terminal – 2).
		During the compliance period, no hazardous cargo / goods are handled at the Multi-Purpose Berth (Terminal – 2).
(v)	Green belt area should	Complied.
	be developed along the project and budget earmarked.	During the course of development of the project, green belt was developed 72.67 ha. Total 1,49,792 trees were planted with the density of 2061 trees per hectare within the port area.
		To enhance the marine biodiversity, till date APSEZ has carried out mangrove afforestation in 2890 ha. area across the coast of Gujarat. Total expenditure for the same till date is INR 832 lakh.
		Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase- II (2019-2020) it was 02 ha and during Phase III (2020- 2021) it is 01 ha. Please refer attached Annexure – 1 for CSR activity report carried out by Adani Foundation.
		So, far APSEZ has developed 476.5 ha. area as greenbelt with plantation of more than 9.3 Lacs saplings within the APSEZ area. Details on mangroves afforestation & Green



From : Oct'20 To : Mar'21

Sr. No.	Conditions	Compliance Status as on 31-03-2021
		belt development carried out by APSEZ till date is annexed as Annexure – 2 . Total expenditures of the horticulture dept. for the financial year of 2020-21 have been INR 689 lakh.
(vi)	A disaster management plan covering emergency evacuation mechanisms etc. to deal with natural disaster event should be prepared and furnished to the ministry.	Complied. Disaster Management plan is in place and implemented to deal with natural disasters such as cyclone, earthquake, flood/heavy rain and tsunami. Updated DMP was submitted to the MoEF & CC along with half yearly compliance report for the period from Apr – 2016 to Sep – 2016 and there is no further change in that. On Site Emergency Response Plan and Crisis Management
		Plan is in place and implemented. The last updated in Sep-2020.
(vii)	The company must take up and earmark adequate funds for the socio-economic development and for welfare measures in the area including drinking water supply, vocational training, fishery related development programmes (like cold storages)	Complied. Budget for CSR Activity for the FY 2020-21 is to the tune of INR 1429.33 lakh. Out of which, Approx. INR 1117.45 lakh are spent during the year FY 2020-21. RO Plants are provided at Samaghogha, Siracha village & Vallabh Vidyalaya at Mundra village. To reduce water born disease and women drudgery to get water, Potable water is provided to the fishermen communities at different vasahat through water tanker since 08 years. APSEZ is actively working with local community around the project area and provides required support for their livelihood and other concerns through the CSR arm – Adani Foundation. Adani Foundation is working in main four persuasions as below. Education Community Health Rural Infrastructure Sustainability Livelihood
		Brief information about activities in the main four persuasions is mentioned below. Other than this, Adani Foundation has also worked for fight against COVID – 19



From : Oct'20 To : Mar'21

Sr. No.	Conditions	Compliance Status as on 31-03-2021					
		pandemic situation during this compliance period Activities					
		carried out for the same are summarized as below.					
		Area	Activity				
		Fight Against	• 24 villages of				
		COVID-19				eople (Speciall ows and senic	
			 1900 - Daily 1900 Labour 		y (Breakfast, L	unch, Diner) fo	or
				officers / sta		omen SHG fo DS, TDO, Custon	
				vazDe'a void		ld age home. ampaign in loca	al
				Covid patien		ent from overa	ıll
			Awareness d	rives by SuPe	0	es.	
		Mobile health care unit provides Primary treatment at					at
		door stap. • We have started Avurvedic Kwadh Distribution at					at
		We have started Ayurvedic Kwadh Distribution at Various Public spot, Our Port Entry & Exit gate and APL,					
			AKBTP, Tun	a with spre	ading awaren	ess to mitigat	е
						d -19. More tha oand Vitamin —	
						an & Samudr	
			·				
		Community Health	Community H	<u>lealth – Mu</u>	<u>ndra</u>		
		Community Health All Project Patient Details Project Direct In-Direct No. of					
			Medical	Beneficiary 16611	Beneficiary 66476	Villages 33	
			Mobile van				
			Rural Clinic Medical	15797 1008	63192 5040	11 63	
			Supports				
			Dialysis Supports	474	2370	63	
			Senior citizen	5836	17508	63	
			Health camp	19461	58383	11	
			TOTAL	59187	212979		
			• The mobile	health care i	unit cover 25	villages and 0	7
			fishermen se	ettlements. A	round 90 type	es of general lif	
					ilable in these		
						re there is a ga Iani Foundatio	
						ages of Mundr	
						clinics in Mandy	
						cs provide healt bees per patien	
				ctor and a vo			



From : Oct'20 To : Mar'21

Sr.	Conditions	Compliance Status as on				
No.	Conditions		31-03-2021			
			 During the year 2020-21, total 5836 transactions were done by 8711 card holders of 68 villages of Mundra Taluka. They received cash less medical services under Health Card to Senior Citizen project. In the year of 2020-21 total 97 people had been benefitted by various kind of speciality camp and needy and screened patients are treated in Adani Hospital. Total 20959 patients benefited in year 2020-21 from 55 different villages in Adani Hospital, Mundra. The TDO, THO, Flywing Foundation, Ayurved Dept. has support in UKADO and Vitamin-C tablets distribution activities. Total 18240 people had get benefits of UKADO and Vitamin-C tablets. 			
			 Community Health – Bhuj Adani Foundation Team has initiated coordination with GKGH hospital since 2014 and established a reception area for the smooth patient coordination and preparation for the social networking program. GKGH Hospital is COVID Care Hospital since 22nd March 2020. Adani Foundation staff members supported in patient counselling, coordinating and supporting for dead body COVID care van. Total 3368 Covid patients got treatment from overall Kutch with satisfaction in General hospital, Bhuj. Total 809 dead bodies privileged till now to different locations in Kutch including Covid Patients through Dead body medical van. Mahiti Setu is linkages between various Government Schemes and beneficiaries. Through Mahiti Setu sourcing of 2378 beneficiaries and linkages with more than 780 cards of MAA Yojna and Ayushman Yojna. 			
		Sustainable Livelihood – Fisher folk & Agriculture	 Average 75 KL of water was supplied to 676 households at 5 fisherman vasahat on a daily basis under Machhimar Shudhh Jal Yojana and other 4 fisherman vasahat has linkaged with Narmada water through GWIL and Mundra Gram Panachayat from which 355 households get benefited. Beneficiaries of fisherman communities till date a) 444 Book Support b) 733 Vehicle transportation from Bandar to AVMB c) 86 Cycle Support d) 481 Scholarship Support e) 280 15 Potable water provision f) 370 Youth Employment Support h) 3504 Ramaotsav Community Engagement j) 17 Fisherman Sea Weed Culture. k) 46878 Man-days Mangroves Plantation Girl child is support to Male Students. Total 59 students were 			
			 80 % support to Male Students. Total 59 students were facilitated with scholarship current year. 4830 Man-days work was provided over 236 Fishermen family during current year. 			



From : Oct'20 To : Mar'21

No. 3103-2021 • Avail easy and safe transportation service for the Fisher folk child of Various Vasahat to make them Regular and Synchronized with School atmosphere. Total 37 students from 6 to 10 standard are benefitted. • 07 Fishermen are supported for Net and Equipment 10 Fishermen to update with Fisherie Department Scheme and Fishermen required teard for bankable loan. • Total 70 Fishermen youth are selected and working in various company current year. • Under Gram Uthan Project, Adani Foundation is supporting home biogas to farmers to Ubthan Villages phase wise. Current year supported 117 home biogas in Diruch Zarpara and Navinal Villages. Till date 117 farmers are utilizing it with satisfaction and considerable outcome by saving avg. Rs. 23,400 for gas and fertilizen as well. • Dragon fruit is a tropical fruit that has become increasingly popular in recent years. Five Dragon fruit farm have been developed with pole and Wire fencing support for 2 acre land and 1000 dragon fruit plants each. Adani Foundation had given 40% contribution in this Project. Fruiting will start from June 2021. • 850 Ussee outure plants have been distributed to 34 farmers. Szlplants/Farmers. Tissue plant cost is INR 3000/per plant with 50% famer Contribution. • In 20 Villages of Mundra and Anjar Block. 6.70 laes kg Dry Fodder and 1150 laes kg Green fodder has been supported. Education • In CoVID19 Pandemic, when the schools were completely closed, education wert on mobile internet for their education. • During pandemic various capacity building program and competition organized virtually. • During pandemic various capacity building progra	Sr.	Conditions	Compliance Status as on					
folk child of Various Vasiahat to make them Regular and Synchronized with School atmosphere. Total 37 students from 6 to 10 standard are benefitted. • 07 Flahermen are supported for Nata and Equipment 10 Fishermen Linkage with Fisheries Department Scheme and Fishermen rodit card for bankable loan. • Total 70 Fishermen youth are selected and working in various company current year are utilizing it with satisfaction and considerable outcome by saving avg. Bs. 23,400 for gas and lertilizer as well. • Dragon fruit is a tropical fruit that has become increasingly popular in recent years. Five Dragon fruit farm have been developed with pole and low five fencing support for 2 acre land and 1000 dragon fruit plants each. Adani Foundation had given 40% contribution in this Project. Fruiting will start from June 2021. • 850 tissue culture plants have been distributed to 34 farmers. 25plants/Farmers. Tissue plant cost is INR 3000/per plant with 50% tharer Contribution. • In COVID19 Pandemic, when the schools were completely closed, education went on mobile planform and students are still dependent on mobile internet for their education. • Total 2098 students ducated through virtual platform and students are still dependent on mobile internet for their education. • Total 2098 students ducated through virtual platform and students are still dependent on mobile internet for their education. • Total 2098 students ducated through virtual platform and students are still dependent on mobile internet for their education. • Total 2098 students ducated through virtual platform and students are still dependent on mobile internet for their education. • Total 2098 studen	No.	Contractions	31-03-2021					
	No.		 Avail easy and safe transportation service for the Fisher folk child of Various Vasahat to make them Regular and Synchronized with School atmosphere. Total 37 students from 6 to 10 standard are benefitted. 07 Fishermen Linkage with Fisheries Department Scheme and Fishermen needit card for bankable loan. Total 70 Fishermen youth are selected and working in various company current year. Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. Current year supported 117 home biogas in Dhrub, Zarpara and Navinal Villages. Till date 117 farmers are utilizing it with satisfaction and considerable outcome by saving avg. Rs. 23,400 for gas and fertilizer as well. Dragon fruit is a tropical fruit that has become increasingly popular in recent years. Five Dragon fruit farm have been developed with pole and Wire fencing support for 2 acre land and 1000 dragon fruit plants each. Adani Foundation had given 40% contribution in this Project. Fruiting will start from June 2021. 850 tissue culture plants have been distributed to 34 farmers. 25plants/Farmers. Tissue plant cost is INR 3000/per plant with 50% farmer Contribution. In 20 Villages of Mundra and Anjar Block. 6.70 lacs kg Dry Fodder and 11.60 lacs kg Green fodder has been supported. Education In COVID19 Pandemic, when the schools were completely closed, education went on mobile internet for their education. Total 2098 students educated through virtual platform during year 2020-21. Beneficiary of Online classes -17 Utthan Sahayaks, 17 Gov. Primary Schools, 2098 total students Weekly Content of IT and Physical Education - 10.6 Gov. Pri. School & 35000+ students Weekly Content of IT and Physical Education - 10.6 Gov. Pri. School & 35000+ students Weekly Content of IT and Physical Education - 10.6 Gov. Pri. School & 35000+ students					
•			RuralAdani foundation designed and build various structure and provide service in the Health, Education, agriculture and					



From : Oct'20 To : Mar'21

Sr. No.	Conditions	Compliance Status as on 31-0.3-20.21				
No.	Conditions	Status as on 31-03-2021 WORK COM PLETED • Approach Road Restoration at all Fisher folk vasahat. • Garden Development at Primary School Rampar village • Shed Development at Shukhpurvah Mundra • Bund strengthening work at Zarpara Bio Diversity Park – Mundra • Adani Foundation, Mundra-Kutchh proposed a biodiversity park at 5 acres Nandi Sarovar area and approached to Sahjeevan, Bhuj for technical support for same. • Sahjeevan team visited this proposed site for development of greenbelt to support biodiversity and enhancement of overall ecological food web existing in				
		and around the landscape in first phase.Coastal Bio Diversity Park – Luni• Adani Foundation at Mundra-Kachchh has initiated multi-species plantation of mangroves in Kachchh in association with GUIDE. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha.• Sea Weed Culture - A pilot cultivation facility (5 KL tanks in 6 nos) for the farming of different economically important seaweeds in the tanks on the onshore has been established and commenced the cultivation trials with red sea weeds Kappaphycus alvarezii, Gracilaria dura and green sea weed Ulva. The initial trials have given very promising results and harvested 6-7 times the seeded material in a 40-45 days cultivation period.Skill Development• Over the last few years, Adani Skill Development Center has assessed various aspects of the technical, leadership and soft skills gaps that organizations, in general, face and accordingly focuses on imparting required training in those areas in partnership with various colleges and institutes.• ASDC imparted various soft skilled and technical				
		 training to make Atma Nirbhar India. Total 47 youth have been placed in various company and 37 youth are been self-employed. During this year Total 606 people trained in various trainings to enhance socio economic development. During COVID-19 pandemic, we have started virtually training on various trades like General Duty Assistant, Digital Literacy, GST with Tally, Basic Functional English etc. On Saksham Day we started E-learning training of Digital Literacy & Basic Functional English on free bases. Till date we admitted 221 candidates in domain courses and 263 candidates in non-domain courses. Now we started offline training with following all Covid-19 related guidelines. Arranged interview of DDU-GKY GDA students at Sterling Hospital –Gandhidham, GAIMS (Sodexo), Chanakya College, Accord Hospital, Fire Academy. 39 students get placement in GAIMS (sodexo), Alilance 				



From : Oct'20 To : Mar'21

Sr. No.	Conditions	Compliance Status as on 31-03-2021
		 Hospital, Shreeji Hospital, Bhuj Fire Academy, Divine Hospital etc. Online mud work training has been organized by ASDC Mundra, after training 28 students became self- employed. Soft Skill Training: 330 Nos. Technical Training: 276 Nos.
		Details of CSR activities carried out by Adani Foundation for Mundra and surrounding area for the FY 2020-21 is attached as Annexure – 1 .
(viii)	The fishing activities by	Complied.
	the fishermen living in the settlement along the creek should not be hindered and a	No commercial fisheries are prevailing in this area except Pagadia and fishermen with small boats. Unhindered access is provided to the fishing boats.
	mechanism may be evolved for the movement of fishing boats vis-a-vis shipping activities.	During project proposal, APSEZ proposed to provide four (4) dedicated accesses at Juna Bandar, Luni, Bavdi Bandar and Zarpara for the fishermen to approach the sea for fishing activity. However, during construction as well as operation, through fishermen consultative process, APSEZ has provided seven (7) access roads. Total length of all the approach roads is approx. 23 Kms and expenditure involved is Rs. 637 Lacs. There is no hindrance to the movement of fisherman boats. Details of the same were submitted along with EC Compliance report for the period Apr'18 to Sep'18.
		Communication mechanisms have been developed for the smooth movement of fishing boats vis-à-vis shipping activities. Please refer point no. vii above for further details regarding CSR activities being carried out by Adani Foundation.
(ix)	The relocation of the fishermen and local community if any, in the area should be done strictly in accordance	Complied. The project was conceptualized in such a way that there are no fishermen or local community settlements in the project proposal.
	with the norms prescribed by the State Government. The relocated communities should be provided with	APSEZ performs a large scale socio-economic upliftment program in consultation with FOKIA (Federation of Kutch Industries Association) chaired by District Collector quarterly.



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	all facilities including health care, education, sanitation and livelihood.	APSEZL have provided necessary facilities including health
(x)	The project proponent should not undertake any destruction of mangroves during construction and operation of the project.	 Complied. Construction phase is already completed and the project is in operation phase. All developments are carried out as per permissions granted. Conservation of mangroves: In and around APSEZ, approx. 1800 ha. mangrove area was identified by NIO in an EIA report prepared the year 1998. Out of this 1800 ha area, 1254 ha area was further demarcated as potential mangrove conservation by NIO in the year 2008 (as part of the EIA report of WFDP). It may be noted that the entire area of 1254 ha is not covered with mangroves. Entire area is being conserved and there is no disturbance to the mangroves in this area. Measures such as restricted entry and regular surveillance have resulted in overall growth of mangroves within this area. As per MoEF&CC directive, APSEZ entrusted NCSCM to demarcate mangroves in and around APSEZ is over 2340 ha. The analysis of the comparison between 2011 and 2016-17 has shown an overall growth of 246 ha.
		for preservation and conservation of mangroves and associated creeks in and around was submitted along with half yearly EC Compliance report for the period Apr'19 to Sep'19. The same was further submitted to GCZMA and MoEF&CC for their examination and recommendation vide (with a copy to MoEF&CC vide letter dated 04.06.2018 & reminder letter vide dated 4 th Jan, 2019). Presentation on the findings of the report was made to GCZMA committee on 4 th October 2019 and the recommendation for the same



Sr. No.	Conditions	Compliance Status as on 31-03-2021				
		condi – 3 . As a mang	itions. The copy on the copy of the copy o	de email dtd 22 nd Sept, 2020 with of the same is attached as Annexure IA recommendations and NCSCM n action plan, APSEZ has undertaken		
		Sr. No.	Recommendations	Compliance		
		1.	Mangrove mapping and monitoring in and around APSEZ	 APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7% This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. NCSCM Report of the same is attached as Annexure – 4. The cost of the said study was INR 23.56 Lacs incurred by APSEZ. 		
		2.	Tidal observation in creeks in and around APSEZ	 APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth 		
				 of mangroves. Report of the same is incorporated in NCSCM report attached as Annexure – 4. 		



From : Oct'20 To : Mar'21

Sr.	Conditions	Compliance Status as on						
No.	Conditions				31-03-2021			
				•	The cost of the said activity was INR 1.0 Lacs.			
		3.	Removal of Algal and Prosopis growth from mangrove areas	•	Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually. Report of the same is attached as Annexure – 5 . The cost of the said activity was INR			
					1.2 Lacs.			
			Awareness of mangroves importance in surrounding communities		Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves during the year 2020-21. Adani Foundation has also provided 6.7 lacs kg Dry Fodder and 11.6 lacs kg Green fodder in 20 villages of Mundra and Anjar Block to support the resource dependent villagers, to avoid their dependency on mangroves. The expenditure for fodder supporting activities was approx. 120.86 Lacs during last FY 2020-21. Village Gauchar land development for the fodder cultivation to made fodder sustain village & Avail green fodder in scarcity phase. With the support of Gauchar Seva Samiti Grassland development in Siracha – 85 Acre & Zarpara – 25 Acre done which resulted in total production of 82 ton. The brief details of the said activities are incorporated in attached CSR Report for the FY 2020-21 attached as Annexure – 1 . Other than this dedicated security guard with gate system deployed by APSEZ across the coastal area and no any unauthorized persons allowed within coastal as well as mangrove areas. by APSEZ is INR 146.62 Lacs as a part of lan.			
				- 12				
(xi)	Sewage arising in the port area should be disposed off through	Comp	blied.					



Sr. No.	Conditions	Compliance Status as on 31-03-2021						
	septic tank – soak pit system or should be treated along with the	or should be ETP and treated sewage is used for				0	5	
	industrial effluent to conform to the standards stipulated by Gujarat Pollution Control	Location	Capacity	/	Quantity astewater /g. from C Mar'2	Treated ct'20 to	Type of ETP / STP	
	Board and should be utilized / recycled for	LT	265 KLD		63 KL	D	Activated Sludge	
	gardening, plantation and irrigation.	ETP for wastewate operated I for treatm purpose w the SPCB yearly com However, t and the w water is b within por limit. The pollution c as Annexu	biological er from po by MPSEZ ent and f ithin APSE and detai pliance re he ETP wa astewater eing disch t premises same has control boa re – 6 .	treat ort pre Utiliti final d Zprer ls wer eport for as reco is bein arged s after s alrea ard. Th	ment, du emises w es Ltd. ((isposal c nises. The e submit or the pe ommission ng treate on land f achieving ady been e details	uring that as being Co-develop in land fo e same wa ted along riod Apr'20 ned since d in to ET or horticu g prescribe informed of the sar	as going on in time entire sent to CETP ber of APSEZ) r horticulture s intimated to with last half 0 to Sep'20. 16 th Nov, 2020 P and treated ilture purpose ed permissible to the state ne is attached	
		complianc				•	esults during	
		Param	eter	Unit	Min	Max	Perm. Limit ^{\$}	
		pH SS		 ma/l	7.13 25	7.56 43	6.5 - 8.5	
		TD		mg/L mg/L	1703	43 2070	100 2100	
		CO		mg/L	61	78	100	
		BO		mg/L	11	15	30	
		Ammor Nitrogen a		mg/L	2.78	3.69	50	
		^{\$} as per CC&A granted by GPCB						
		Please refer Annexure – 7 for detailed analysis reports. Approx. INR 19.17 Lakh is spent for all environmental monitoring activities during the FY 2020-21 for overall APSEZ, Mundra.						
(xii)	Project proponent	Complied.						



Sr. No.	Conditions	Comp	liance Sta 31-03-20		
	should prepare and regularly update the disaster management plan from time to time.	Disaster Management plan to deal with natural disasters such as cyclone, earthquake, flood/heavy rain and tsunami is in place and implemented. Copy of the same was submitted to MoEF & CC along with half yearly compliance report for the period from Apr – 2016 to Sep – 2016.			
(xiii)	There should be no withdrawal of ground water in CRZ area, for this project. The proponent should ensure that as a result of the proposed constructions, ingress of saline water into ground water does not take place. Piezometers should be installed for regular monitoring for this purpose at appropriate locations on the project site.	There is no withdrawal of ground water in CRZ area, project. Entire water requirement is sourced from Na water and desalination plant of APSEZ. Average consumption for entire APSEZ area is 4.16 MLD compliance period i.e. Oct'20 to Mar'21. To monitor the ground water quality, bore we provided at various location in the port and SEZ area party analysis of the ground water is being carried twice a year by NABL and MoEF&CC accredited namely M/s. Pollucon Laboratories Pvt. Ltd. Summary same for duration from Oct'20 to Mar'21 is mer			
		No of sampling locatio	Unit	Minimum	Maximum
		pH	-	7.84	8.32
		Salinity	ppt	1.44	11.6
		Oil & Grease	mg/L	2.6	2.6
		Hydrocarbon	mg/L	ND*	ND*
		Lead as Pb	mg/L	0.037	0.28
		Arsenic as As	mg/L	ND*	ND*
		Nickel as Ni	mg/L	ND*	ND*
		Total Chromium as Cr	mg/L	0.029	0.033
		Cadmium as Cd	mg/L	ND*	ND*
		Mercury as Hg	mg/L	ND*	ND*
		Zinc as Zn	mg/L	0.15	0.71
		Copper as Cu	mg/L	ND*	ND*
		Iron as Fe	mg/L	0.28	4.2
		Insecticides/Pesticides		Absent	Absent
		Depth of Water Level from GL	meter	1.65	2.08
			1	*ND =	Not Detectable
(xiv)	The project should not	Complied.			
···· · /					
	be commissioned till the				



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	requisite water supply and electricity to the project are provided by PWD/ Electricity Department.	
(XV)	Specific arrangements for rainwater harvesting should be made in the project design and the rain water so harvested should be optimally utilized. Details in this	Complied. Groundwater recharge cannot be done at the project site since the entire project is in the intertidal / sub tidal areas. Rain water within project area is managed through storm water drainage.
	regard should be furnished to this Ministry's Regional Office at Bhopal within 3 months.	within our township to recharge ground water. Details of
		We have also connected roof top rain water duct of operational building (Tug berth building within MPT) with u/g water tank for utilization of collected rain water for gardening / horticulture purpose. Details of the same were submitted along with EC Compliance report for the period Oct'18 to Mar'19.
		However, Adani Foundation – CSR arm of Adani group has carried out rainwater harvesting activities in the nearby villages for benefit of the locals.
		Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up. Including this a big recharge operation by bunding was taken up for Zarpara village as rainfall was very good last FY 2020-21.
		To make connections between human actions and the level of biological diversity found within a habitat and/or



Sr. No.	Conditions	Compliance Status as on 31-03-2021
		ecosystem, this year Adani Foundation launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan. Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per Government Figures.
		Our water conservation work is as below.
		 A large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers Roof Top Rain Water Harvesting 54 Nos. which is having 10,000 liter storage which is sufficient for one year drinking water purpose for 5 people family. Recharge Bore well 75 Nos which is best ever option to Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. AF has covered 295 farmers and 1422 acre drip irrigation area in last two years which is remarkable for water conservation in first phase—in this phase we have covered 66 farmers and 360 Acre land for the same. Total 968 Farmers and 5626 Acre Drip since 2011-12 to 2020-21.
		With the objective of to preserve the rain water to reduce the impact of salinity and recharge the ground water (the main source of water) to facilitate the Agricultural activities as well as for drinking water.
		Please refer Annexure – 1 for full details of CSR activities carried out by Adani Foundation in the Kutch region.
(xvi)	The facilities to be constructed in the CRZ area as part of this project should be strictly in conformity with the provisions of the CRZ Notification, 1991 as	Complied.



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	amended subsequently.	
(xvii)	No product other than those permissible in the coastal Regulation Zone Notification, 1991 should be stored in the Coastal Regulation Zone area.	Complied. APSEZ store only those product / cargo within CRZ area, which are permissible as per Coastal Regulation Zone Notification, 1991.
B. Ge	eneral Condition	
(i)	Construction of the proposed structures should be undertaken meticulously confirming to the existing Central / local rules and regulations including Coastal Regulation Zone Notification 1991 and its amendments. All the construction designs / drawings relating to the proposed construction activities must have approvals of the concerned State Government	Complied. All construction activities are carried out confirming to the existing rules and regulation and as per the CRZ notification. Required details on No Objection Certificate from Gujarat State Pollution Control Board and applicable consent are as provided in Specific Condition No. 2 above.
(ii)	Department / Agencies. Adequate provisions for infrastructure facilities such as water supply, fuel, sanitation, etc. should be ensured for construction workers during the construction phase of the project so as to avoid felling of trees / mangroves and pollution of water and the surroundings.	operation phase.



From : Oct'20 To : Mar'21

Sr. No.	Conditions	Compliance Status as on 31-03-2021
(iii) (iv)	The project authorities must make necessary arrangements for disposal of solid wastes and for the treatment of effluents by providing a proper waste water treatment plant outside the CRZ area. The quality of treated effluents, solid wastes and noise levels etc. must conform to the standards laid down by the competent authorities including the Central / State Pollution Control Board and the Union Ministry of Environment and Forest under The Environment Protection Act, 1986, whichever are more stringent. The proponents should provide for a regular monitoring mechanism so as to ensure that the treated effluents conform to the prescribed standards. The records of analysis reports must be properly	Complied. Liquid Effluent & Sewage - It is being treated at ETP/STP plants outside the CRZ area, treated water from ETP/STP is being used for horticultural purposes. Please refer point no xi of the specific conditions above for further details. All attributes of environment viz. air; water; soil and noise are being regularly analyzed by NABL and MoEF&CC accredited agency M/s Pollucon Laboratory Pvt. Ltd. Please refer Annexure – 6 for detailed analysis report. Waste Management – APSEZ has adopted 5R concept for environmentally sound management of different types of solid & liquid wastes. Please refer below details about management of each type of waste. Solid Waste: A well-established system for segregation of dry & wet waste is in place. All wet waste (Organic waste) is being segregated & utilized for compost manufacturing and/or biogas generation for cooking purpose. The compost is further used by in house horticulture team for greenbelt development. Whereas dry recyclable waste is being sorted in various categories. Presently manual sorting is being done for sorting of different types of solid waste. Segregated recyclable materials such as Paper, Plastic, Cardboard, PET Bottles, and Glasses, etc. are then sent to respective recycling units, whereas remaining non- recyclable waste is bailed and sent to cement plant (M/s. Ambuja Cement Ltd., Kodinar) for Co-processing as RDF (Refused Derived Fuel). Hazardous & Other Waste:
	maintained and made available for inspection to the concerned state /central officials during their visits.	 Bio medical waste generated from OHCs and Adani Hospital is being disposed at Common Bio Medical Waste Treatment Facility namely M/s. Distromed Kutch Services Pvt. Ltd., Bhuj. E - Waste & Used Batteries are being sold to GPCB registered recyclers namely M/s. e-Processing House and Sabnam Enterprise respectively. Solid Hazardous Waste is being disposed through co- processing / incineration through common facility i.e.



Sr.	Conditions	Co	mpliance Statu	
No.		 cement industri Used/Waste Oil recyclers / re-pro Bhavnagar & Avia reused within org Discarded drums decontamination Bhavnagar and J also being reu hazardous waste Solid hazardous sold to authorize Ltd., Mundra for Downgrade che storage tanks / solvent recover Chemicals, Ankle period, there was Slop Oil receiver water and oil pa Separated oil fro recycler / reproc Bhavnagar & Avis sent to ETP for compliance perio Slope Oil. Details of permissi authorized vendors EC Compliance Re Renewed / Updated 	es of Ambuja is being solo cessors namely ation Corporatic ganization for lu- s / barrels are b facility i.e. M lawrawala Petro used within o waste i.e. Tank ed recycler nam recycling. micals genera pipelines are b ry facilities eshwar however s no disposal of d from vessels articles in Oil W m the same is b cessor namely fation Corporat further treatme od, there was n ons / agreement were submitte port for the p d details (autho azardous hand	Vt. Ltd., Bhachau and/or Cement Ltd., Kodinar. d to GPCB authorized M/s. Aroma Petrochem, on, Kutch. It is also being ubrication purpose. being sold to authorized M/s. Aroma Petrochem, oleum, Ahmedabad. It is organization for filling bottom sludge is being ely M/s. Mundra Oil Pvt. ted from cleaning of eing sold to authorized namely M/s. Acquire r during the compliance downgrade chemicals. is treated to separate Vater Separator system. being sold to authorized M/s. Aroma Petrochem, ion, Kutch and water is ent. However during the o receipt or disposal of the of hazardous waste ed along with half yearly eriod Apr'18 to Sep'18. rization / agreement) of ling approved agencies
		practice (from Oct wastes at APSEZ:		the waste management for different types of
		Type of Waste Hazardous Waste	MT	Disposal method
		Pig Waste	5.87	
<u> </u>	<u>I</u>		0.07	



Sr. No.	Conditions	Compliance Status as on 31-03-2021				
		Oily Cotton was	ste	54.02	Co-processir	ig at cement
		ETP Sludge		8.48	industries	
		Tank Bottom S	ludge	34.62		ered recycler
		Used / Spent O	il –	270.35	Sell to registe	
				0.7	Reuse within	
		Discarded Cont	ainers	19.49	Sell to registe	
				1.9	Reuse within	
		Expired Paints		13.34	Incineration	at CHWIF Site
		Other Waste		10		
		Battery Waste Bio Medical Wa	at a	12 2.45		ered recycler
		Non-Hazardous		2.45	To approved	CBWIF Sile
		Non-Hazardous	swasie	1797.52	After receiv	any cont for
		Recyclables Dr	y –	4 Nos.		ery sent for Reuse within
		Waste		(Scrap Vehicle)	premises	neuse within
		Non-Recyclable	- Drv	· · ·		ig at Cement
		Waste (RDF)		204.47	Industries	-
		Wet Waste (For				o Manure for
		waste + Organi	С	448.97		use / Biogas
		waste)			for cooking purpose	
		STP Sludge		15	15 Used as a Manure f	
(v)	In order to carry out the	norticulture purpose				purpose
	environmental monitoring during the operational phase of the project, the project authorities should provide an environmental Ambient Air Quality (twice in a week) a month) monitoring are being carried MoEF&CC accredited agency name Laboratories Pvt. Ltd. Summary of the from Oct'20 to Mar'21 is mentioned below					y NABL and s. Pollucon for duration
	laboratory well equipped with standard	Parameter	Unit	Max	Min	Perm. Limit ^{\$}
	equipment and facilities	AAQM	Unit	mux		
		PM 10	μg/m ³	³ 96.75	38.42	100
	and qualified manpower	PM _{2.5}	μg/m ³		18.58	60
	to carry out the testing	SO ₂	μg/m ³		6.56	80
	of various environmental	NO ₂	μg/m ³		14.22	80
	parameters.	Noise	Unit	Leq Max	Leq Min	Leq Perm. Limit*
		Day Time	dB(A)) 72.8	42.7	75
		Night Time	dB(A)		41.2	70
				Values recorded con	C&A permission firms to the stip	
				r e – 7 for detai es Pvt. Ltd., Sur	•	•



Sr. No.	Conditions	Compliance Status as on 31-03-2021
		laboratory well equipped with standard equipment and facilities and qualified manpower to carry out the testing of various environmental parameters.
		Approx. INR 19.17 Lakh is spent for all environmental monitoring activities during the FY 2020-21 for overall APSEZ, Mundra.
(vi)	The sand dunes and mangroves, if any, on the site should not be disturbed in any way.	Complied. There are no sand dunes and mangroves within the project area. However mangrove conservation plan has been developed by NSCSM and same has been submitted. Please refer Condition No. x of specific conditions for
(vii)	A copy of the clearance letter will be marked to the concerned Panchayat / local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.	further details. Not applicable at present
(viii)	The Gujarat Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industries center and Collector's Office / Tehsildar's Office for 30 days.	Not Applicable This condition does not belong to project proponent.
(ix)	The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year wise expenditure on	Complied. Separate budget for the Environment protection measures is earmarked every year. All environment and horticulture activities are considered at corporate level and budget allocation is done accordingly. No separate bank account is maintained for the same however, all the expenses are recorded in advanced accounting system of the organization.



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	environmental safeguards should be reported to this Ministry's Regional Office at Bhopal and the State Pollution Control Board.	Budget for environmental management measures (including horticulture) for the FY 2020-21 is to the tune of INR 1257 lakh. Out of which, Approx. INR 1086 lakh are spent during the year 2020-21. Detailed breakup of the expenditures for the past 3 years is attached as Annexure – 9 .
(x)	Full support should be extended to the officers of this Ministry's Regional Office at Bhopal and the officers of the Central and State Pollution Control Board by the project	Complied. APSEZL is always extending full support to the regulatory authorities during their visit to the project site. Last visit of Regional Office, GPCB was done on 17.03.2021 for Main port and there was no any non-compliance observed during site visit. The GPCB inspection letter is attached as Annexure – 10 .
	proponents during their inspection for monitoring purposes, by furnishing full details and action plans including the action taken reports in respect of mitigative measures and other environmental protection activities.	Inline to the compliance certification process of Environment Clearance condition of Waterfront Development Plan, RO, MoEF&CC Bhopal had visited the site on 27 th & 28 th January, 2020 for compliance verification. APSEZ provided all requisite information and documents required by the Regional Officer MoEF&CC). During the said compliance verification visit and as per the compliance certification received, there was no major non- compliance observed.
(xi)	In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions or imposition of new one for ensuring environmental protection.	Complied. Construction phase is completed and the project is in operation phase. There is no deviation or alteration in project including implementing agency.
(xii)	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to	Point noted.



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	the satisfaction of this Ministry.	
(xiii)	This Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which should be complied with.	Point noted.
(xiv)	The project proponent should advertise in at least in two local newspapers widely circulated in the region around the project, one of which should be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board and may also be seen at the website of the Ministry of Environment & Forests at http://www.envfor.nic.in The advertisement should be made within	Complied
	seven days from the date of issue of the clearance letter and a copy of the same should be forwarded to the	



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	Regional office of this	
	Ministry at Bhopal.	
(xv)	The projects proponents	Complied.
	should inform regional	The construction phase is complete and the project is in
	Office at Bhopal as well	operation phase.
	as the Ministry, the date	
	of financial closure and	
	final approval of the	
	project by the	
	concerned authorities	
	and the date of start of	
	land development work.	

Compliance Report of CRZ Recommendations



Status of the conditions stipulated under CRZ Recommendation

Half yearly Compliance report of CRZ recommendation for the project namely "Development of Multipurpose berth (Terminal – 2) at Mundra Port, Dist. Kutch" issued by DoEF, GOG vide letter no. ENV-10-2005-222-P dated 12th October, 2006

Sr. No.	Conditions	Compliance Status as on 31-03-2021
Spec	cific Condition	
1	The provision of the CRZ notification of 1991 and subsequent amendments issued from time to time shall be strictly adhered to by the GAPL. No activity in contradiction to the provision of the CRZ Notification shall be carried out by the GAPL.	Construction activities are completed and the project is
2	All permissions from different Government Departments / agencies shall be obtained by the GAPL before commencing the expansion activities.	Complied. Please refer to specific condition no. 2 of the EC and CRZ clearance above for details upon NOC & CC&A obtained from GPCB. Construction activity is already completed and the project is in operation phase. APSEZ had obtained No Objection Certificate vide GPCB letter No. GPCB/Unit- 1/FT-139/11944 dated 27 th April 2005.
3	No Dredging and /or reclamation activity shall be carried out in the CRZ area categorized as CRZ (i) and it shall have to be ensured that the mangrove habitats and other ecologically important and significant areas are not affected due to any of the project activities.	Complied. No dredging or reclamation is carried out in CRZ - 1 (A) area. Capital dredging is completed and only maintenance dredging is being carried out, Please refer to specific condition no. x of the EC and CRZ clearance for mangrove conservation.
4	The dredge material shall be disposed of into pre- designated areas duly identified and got approved through the Gujarat Coastal Zone Management Authority	Complied. Construction and capital dredging activities are completed and the project is in operation phase. Impact assessment was done for the same and EIA report was submitted to GCZMA and MoEF&CC based on which the final Environmental and CRZ clearance was granted.



Sr. No.	Conditions	Compliance Status as on 31-03-2021
	for which the company shall	
	have to make separate application along with proper EIA indicating the exact location of the dredge material disposal area on the CRZ map of the region prepared by the Space Application Center, Ahmedabad, as there exists best mangrove area in and around Bocha and Navinal islands, which requires to be protected.	Detail on study for conservation and monitoring for natural mangrove stands at Mundra is as provided in condition no. 3 above.
5	Massive mangrove	Complied.
	plantation activity in at least 1200 ha. Area shall be carried out within a time frame of 5 years commencing from July, 2006 without any delay	It may be noted that to enhance the marine biodiversity, till date APSEZ has carried out mangrove afforestation in 2890 ha. area across the coast of Gujarat. Total expenditure for the same till date is INR 832 lakh.
	whatsoever.	Details on mangroves afforestation & Green belt development carried out by APSEZ till date is annexed as Annexure – 2 .
		Please refer condition no. v of specific conditions (EC & CRZ Clearance) for further details.
6	No effluent or sewage shall	Complied.
	be discharged into the sea / creek or in the CRZ area and shall be treated to conform the norms prescribed by the Gujarat Pollution Control	Entire quantity of sewage generated is being treated in designated STPs and treated sewage is used for gardening.
	Board and would be reused/ recycled within the plant premises.	Please refer to specific condition no. xi of the EC and CRZ clearance above for more details.
7	All the recommendation and	Complied.
	suggestions given by the NIO in its Comprehensive Environment Impact Assessment report for conservation / protection and betterment of	All the recommendation and suggestions for conservation / protection and betterment of environment given by the NIO in its comprehensive EIA have been implemented. Few examples are provided below.



From : Oct'20 To : Mar'21

Sr. No.	Conditions	-	nce Status as on -03-2021
	environment shall be implemented strictly by the GAPL.	Few Marine EIA recomm	endations:
		Operational protocols and safety procedure should be printed and freely available to concerned staff. The employees must be adequately trained to inculcate a high level of competence not only in day to day operations but also during emergency situations. Periodic refresher courses must also be organized to maintain the level of their competence.	The company has written the operational protocols and safety procedures as a part of ISO 14001:2015, ISO 45001:2018 and ISO 9001:2015 certifications. APSEZ has established training department to impart training to its employees. IMO module course organized by Maritime Training Institute is conducted & 36 personnel have achieved IMO level 1 & 4 personnel have achieved IMO Level 2. Different training modules as Oil Spill, Oil Spill Equipment, Notification exercise, Incident are conducted at different frequency.
		Temporary colonies of workforce should be located sufficiently away from the HTL with proper sanitation. Adequate arrangement of fuel supply to the workers should be made to discourage them from using mangroves for firewood.	Construction activity is already completed. Most of the construction labours were residing in the nearby villages where all basic facilities are easily available. However, for those residing near the construction site, infrastructure facilities such as water supply, fuel, sanitation, first aid, ambulance etc. were provided by APSEZ.
		Adequate vigilance is required to adherence of ships to Marpol protocol and related regulations.	During the vessel declaration compliances with respect to Air Pollution and Oil are monitored by the Port Authority. The ships are certified with international certification bodies only after complying with the Marpol protocol.
		Manual Listing Procedure for conducting ship movement operations in the port area must be available to the concerned staff.	Berthing Policy & Tariff Structure is made available for conducting ship movement to the concerned staff and made available on web link www.adaniports.com/pdfs/ PIB_06122013.pdf Port Information Booklet is also made available on web link www.adaniports.com/Port_ Operations_Port_Tariffs.aspx



From : Oct'20 To : Mar'21

Sr.	Conditions	Compliance Status as on
No.		31-03-2021
8	The construction and operational activities shall be carried out in such a way that there is no negative impact on mangroves and other coastal / marine habitat. The construction activities and dredging shall be carried out only under the constant supervision of the NIO.	Complied. Construction and capital dredging activity is already completed. All operational activities are being carried out in such a way that there are no impacts on the nearby mangroves. Details on mangrove conservation and afforestation are provided against Specific Condition No. 5 above.
9	The GAPL shall strictly	Complied.
	ensure that no creeks are blocked due to any activity at Mundra Port and the mangrove habitats are neither disturbed nor destroyed due to any activity.	As per Marine EIA carried out by NIO in 2008, prominent creek system (main creeks and small branches of creeks) in the study region are: (1) Kotdi (2) Baradimata (3) Navinal (4) Bocha (5) Mundra (Oldest port (Juna Bandar) leading to Bhukhi river).
		All above creeks are in existence allowing free flow of water and there is no filling or reclamation of any creek area. APSEZL has so far constructed 19 culverts having total length of approx. 1100 m with total cost of INR 20 Crores. Three RCC Bridges have been constructed over Kotdi creek with total length of 230 m and cost of INR 10 Crores. Photographs of the same have already been submitted as part of the compliance for the period of Apr'17 to Sep'17.
		As per the bathymetry study carried out by NCSCM in 2017-18, it can be concluded that there are sufficient depths at the creek mouths and all creek mouths are open allowing flushing of water.
10	The GAPL shall contribute financially for any common	Complied
	study or project proposed that may be proposed by	As part of the directions given by MoEF&CC vides order dated 18 th Sep, 2015, following studies were conducted.
	this Department for environmental management / conservation / improvement for the Gulf of Kutch.	 NCSCM study on comprehensive and integrated plan for preservation and conservation of mangroves and associated creeks in and around APSEZ and the same was submitted to the GCZMA on 04.06.2018.



From : Oct'20 To : Mar'21

Sr.	Conditions	Compliance Status as on
No.		31-03-2021 Details of the same were submitted along with half yearly EC Compliance report for the period Apr'19 to Sep'19. The cost of said study was 3.15 Cr, which was incurred by APSEZ.
		The same was further submitted to GCZMA and MoEF&CC for their examination and recommendation vide (with a copy to MoEF&CC vide letter dated 04.06.2018 & reminder letter vide dated 4 th Jan, 2019). Presentation on the findings of the report was made to GCZMA committee on 4 th October 2019 and the recommendation for the same has been received vide email dtd 22 nd Sept, 2020 with conditions.
		As a part of GCZMA recommendations and NCSCM mangrove conservation action plan, APSEZ has undertaken following activities with expenditure.
		 a. Mangrove mapping and monitoring in and around APSEZ – 23.56 Lacs b. Tidal observation in creeks in and around APSEZ – 1.0 Lacs c. Removal of Algal and Prosopis growth from mangrove areas – 1.2 Lacs
		 d. Awareness of mangroves importance in surrounding communities and fodder supply – 120.86 Lacs The overall cost incurred by APSEZ is INR 146.62 Lacs as a part of mangrove conservation plan.
		Please refer to specific condition no. x of the EC and CRZ clearance for more details w.r.t. Mangrove conservation action plan.
		2. A Regional Impact Assessment study to identify impacts of all the existing as well as proposed project activities in Mundra region inline to ToR issued by GCZMA. CIA Report was prepared inline to the ToR by Chola MS and the same was submitted to the GCZMA on 30.04.2018. Details of the same were submitted along with half yearly EC Compliance report for the period Apr'19 to Sep'19. The cost of



From : Oct'20 To : Mar'21

Sr. No.	Conditions	Compliance Status as on 31-03-2021
		 said study was 1.3 Cr, which was incurred by APSEZ. Presentation on the findings of the report was made to GCZMA committee on 4th October 2019 and after detailed discussion, authority has decided to constitute committee to discuss the details of the report further. Reminder Letter vide dated 07.09.2020 & 10.03.2021 submitted to the GCZMA, Gandhinagar for further directives to present the findings of the CIA report in detail. Copy of letter is attached as Annexure – 10.
		However, APSEZ is already complying with the Environment Management Plan (applicable to APSEZ) suggested in Cumulative Impact Assessment report. The detailed compliance, applicable to APSEZ is attached as Annexure – 11 .
11	The construction debris and/or any other type of waste shall not be disposed of into the sea, creek or in the CRZ areas. The debris shall be removed from the construction site immediately after the construction is over.	Complied. Construction activity is already completed. Project is in operation phase.
12	The construction camp shall be located outside the CRZ area and the construction labour shall be provided the necessary amenities, including sanitation, water supply & fuel and it shall be ensured that the environmental conditions are not deterioted by the construction labours.	Complied. The construction activity of said project is already completed. Project is in operation phase. No construction camps were located in CRZ area. Most workers came from nearby villages however, for others; construction camps were located outside CRZ area. All necessary infrastructure and facilities like mobile toilets, safe drinking water, medical health care etc. were provided.
13	The GAPL shall prepare and regularly update their local Oil Spill Contingency and Disaster Management Plan in for their all activities in	Complied. Oil spill contingency response plan is being updated on regular basis and the same was last updated on 01.10.2020 is in place and implemented. Updated



From : Oct'20 To : Mar'21

Sr.	Conditions	Compliance Status as on
No.		31-03-2021
	Mundra Port consonance with the National Oil Spill and Disaster Contingency	OSCRP is attached as Annexure – 13 . Regional Level Pollution Response exercise
	Plan and shall submit the same to this department after having it vetted through Indian Coast Guard.	"SWACHCHH SAMUDRA-NW 2019" was carried out by Indian Coast Guard on 18 th Dec, 2019. All participants from various Oil Handling Agencies and Stakeholders (ICG, GMB Port, DPT Vadinar, IOCL, RIL, NAYARA Energy, BORL, ESBTL Salaya, APSEZL, HMEL, GSFC, PCB, Forest Dept., Customs, Fisheries & DPT Kandla) were participated in this exercise. Details of the same were submitted along with half yearly compliance report for the period Oct'19 to Mar'20.
		For responding to oil spill, the Indian Coast Guard has developed the National Oil Spill Disaster Contingency Plan NOSDCP which has the approval of the Committee of Secretaries and has been in operation since 1996. Oil Spill Contingency Response Plan (OSCRP) prepared by APSEZ is in accordance with the NOSDCP.
		Disaster Management Plan is updated regularly and the updated DMP was submitted to the MoEF & CC along with half yearly compliance report Apr - 2016 to Sep - 2016.
		On Site Emergency Response Plan and Crisis Management Plan is in place and implemented. The last updated in Sep-2020.
14	The Gujarat Maritime Board	Point noted.
	shall expedite for the Vessel Traffic Management System for the Gulf of Kutch and would work out the modus	APSEZ is practicing well defined traffic control procedure.
	operandi for cost sharing by the different players in the Gulf indicating the GAPL. The GAPL shall contribute	A VTMS service for Gulf of Kutch is operated by Directorate General of Lighthouses and Lightships (DGLL), Govt. of India.
	for the same as may be decided by the Gujarat Marine Board or any other	Marine Control of APSEZ provides traffic update to vessels in Mundra Port Limit on VHF Channel- 77.
	competent authority for this purpose.	Arrival and departure information before arrival and departure respectively in Gulf of Kutch is provided to



Sr. No.	Conditions	Compliance Status as on 31-03-2021
110.		VTMS information cell through agent or by directly sending mail to vtsmanagergulfofkutch@yahoo.com and vtsgok@yahoo.com.
		Mundra port has subscribed and taking VTMS feed from Kandla from link <u>www.vts.gov.in</u>
15	The GAPL shall bear the cost of the external agency that	Complied
	may be appointed by this Department for supervision / monitoring of proposed activities and the environmental impacts of the proposed activities.	Please refer to condition no. 10 of the CRZ recommendations above for details upon cost incurred for various proposed studies and activities.
Gene	eral Condition	
16	The ground water shall not be tapped by the GAPL to meet with the water	Complied.
	meet with the water requirement in any case.	APSEZ does not draw any ground water for the water requirement. Present source of water for various project activities is desalination plant of APSEZ and/or Narmada water through Gujarat Water Infrastructure Limited. Average water consumption for entire APSEZ area is 4.16 MLD during this compliance period i.e. Oct'20 to Mar'21.
17	The GAPL shall take up massive greenbelt	Complied.
	development activities in consultation with Forest and Environment Department.	APSEZ has consulted Gujarat Institute of Desert Ecology (GUIDE) as they are one of the authorized agencies of Dept. of Forest & Env., Govt. of Gujarat for carrying out mangrove afforestation.
		Please refer condition no. v of specific conditions (EC & CRZ Clearance) for further details.
18	The GAPL shall have to contribute financially for taking up the socio- economic upliftment activities in this region in consultation with the	Complied. APSEZ performs a large scale socio-economic upliftment program and shares with FOKIA (Federation of Kutch Industries Association) chaired by District Collector quarterly.
	Forests and Environment Department and the District Collector / District	APSEZL have provided necessary facilities including health care, education, sanitation, livelihood, drinking



Sr. No.	Conditions		Cor	npliance 31-03	Status as -2021	on		
	Development officer.	water & o	other	infrastru	ctural s	upport	to Local	
19	A separate budget shall be earmarked for the purpose of socio-economic upliftment activities and details thereof shall be furnished to this department as well as the MoEF&CC, GOI from time to time. The details with respect to the expenditure from this budget head shall also be furnished on annual basis.	community in the region. For further information related to the CRS activities being carried out by Adani Foundation in Mundra region, please refer to specific condition no. 7 of the EC and CRZ clearance above.						
20	A separate environment	Complied.						
	management cell with qualified personnel shall be created for environmental monitoring and management during construction and operational phases of the project.	APSEZL has a well structured Environment Management Cell, staffed with qualified manpower for implementation of the Environment Management Plan at site. Site team report to Sr. Manager (Environment) at Corporate, who heads the Environment Management						
21	Environmental Post Project Monitoring report indicating the changes, if any, with respect to the baseline environmental quality in the coastal and marine environment shall be submitted every year by the GAPL to this department as well as to the MoEF&CC, GOI.	The quality of treated effluent, emission and noise level is being monitored regularly by a MoEF&CC/NABL accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Monitoring results are confirming to the applicable norms. Marine monitoring is being carried out once in a month.						
		Total Sampling Locations: 09 Nos.						
		Surface Bottom						
		Parameter Unit Max Min				Max	Min	
		рН		8.31	8.15	8.27	8.13	
		TSS	mg/L	197	10 4	235	10 4	
		BOD (3 Days @ 27 °C)	mg/L	3.9	3.3	ND*	ND*	



Adani Ports and Special Economic Zone Limited, Mundra.

From : Oct'20 To : Mar'21

Sr.	Conditions	Compliance Status as on 31-03-2021							
No.		DO	ma/l	6.1	5.8	5.9	5.5		
		Salinity	mg/L ppt	36.9	36.1	37.3	36.4		
		TDS	mg/L	38314	37294	38740	37708		
			0				t Detectable		
22	The GAPL shall have to contribute financially to support the National Green Corps Scheme being implemented in Gujarat by the GEER foundation, Gandhinagar in consultation with Forests and	Please refe Approx. IN monitoring Complied. Necessary hearing fro	R 19.17 activitie contrib	Lakh is s as during t ution if r	spent for the FY 20 equire w	r all envir 20-21. rill be pro	ronmental ovided on		
	Environment Department.								
23	A six monthly report of compliance of the conditions mentioned in this letter shall have to be furnished by the GAPL on a regular basis to this department without fail.	https://www copy of the 25.11.2020 below for submission	e repor ast cor data fo to Regi e of CPC m and E tter dat vailable w.adanip e same v to all t the def s.	gularly to t of EC npliance r the peri onal Offic CB @ Barc Dept. of F ed 25.11.1 on <u>ports.com</u> vas also s he conce tails rega	the conc condit report in od of Ap ce of Mo oda, GPCI orests & 2020. Co our <u>/ports-do</u> ubmitted rn autho rding pa	ions is icluding r'20 to So DEF&CC (B @ Gand Env., Ga Dpy of th web wnloads. I through orities. Ple ast six co	thorities. uploaded results of ep'20 was @ Bhopal, hinagar & ndhinagar e same is A soft e-mail on ease refer ompliance		
		Sr. No.		iance perio		ate of subr			
		1		7 to Mar'18		29.05.20			
		2		8 to Sep'18		30.11.20			
		3		8 to Mar'19		31.05.20			
		4		9 to Sep'19		28.11.20			
		5		9 to Mar'20		20.05.20			
		6	Apr'2	0 to Sep'20)	26.11.20	20		



Sr. No.	Conditions	Compliance Status as on 31-03-2021					
24		Any other condition stipulated for environment protection / management purpose will be complied by					

Annexure – 1



CSR KUTCH

Adani Foundation

adani

Foundation

Adani House, Port Road, Mundra – Kutch 370 421 [info@adanifoundation.com] [www.adanifoundation.com]

Page 36 of 442

Ourjourney

The year 2020-21 has passed off with great experience and new challenges for Adani Foundation due to Covid 19 Pandemic. Adani Foundation team has started working just after one week of lockdown to keep commitment towards the community. As a part of dignity of workforce team has done remarkable work for fresh food and ration kit supply to retain them at workplace with safe and comfortable environment. Regular visit to senior citizen home and running MHCU by medical officers was not less challenging. Our women SHG has prepared more than 1 lac mask for Taluka Health office, Anganwadi Staff, Police Staff, Custom and coastguard and Education staff. Adani Hospital – Non Covid Hospital and GKGH Bhuj Hospital – Covid Care Hospital remained opened 24x7 throughout the year which is matter of great proud.


Current year Sea weed culture and Natural Farming Promotion were the new concepts which will be planned with five years vision. Mangroves costal biodiversity, water harvesting structures and Tissue culture will have sharp turn with proper documentation and demarcation. Adani Vidya Mandir has proven best in education by reaching to unreached through digital technology, happy to see the fisherman students studying sincerely sitting in fisherfolk settlements by operating tablets. New Era touched upon Framers too who are a part of discussion about natural farming on Zoom application. "Vadil Swasthaya Yojna" and "Suposhan" were in last execution year as a Project but both project will be with us by sourcing and moral support by linkages with different Government Scheme.

Happy to share – under guidance of seniors proper frame work was developed for supporting community as a bridge between various Government schemes and needy people by "Community Resource Centre" its true need and real sustainable way. Fisherman and women employment sourcing created very positive impact as a regular source of income for them.

Adani skill Development center entered into MOU with KSKV Kutchh University for various skill development trainings. The ASDC is committed to the cause of the deprived and underprivileged to generate employment through enhancing skills. It has been working relentlessly which resulted in rapport building with District Administration Kachchh also.

Success is due to present of torch barer and mentor in life who is Respected Dr. Priti Adani. If you have mentor like her in life, she can turn a Mess into message. A Test into a Testimony, A Victim into Victory! We heartly thanks our Rakshit bhai, Respected Gadhvi sir and Respected PNR sir for guidance and motivation.

We wish all the very best to whole Adani Foundation Parivar!



Education (SDG - 4/4.a)



Government and citizens to improver school education. With an aim to enhance the quality of primary education in Kutch District, Adani Foundation proposed to adopt 17 government schools located at Mundra Taluka under the project '*Utthan*' as a pilot project. By this intervention, Adani Foundation seeks to facilitate; Focus on 'Priya' students and celebrate their progress, Make learning joyful, provides adequate resources and facilities, strengthen the curricula to provide basic skills, especially in the areas of literacy, numeracy and skills for life and focus on Teachers' capacity building. (SDG - 4/4.a)

The future of India depends upon the quality of

education imparted to our children. We believe

that it is the joint responsibility of the

Utthan

How Utthan Sahayaks overcame/overcoming the Pandemic

In COVID 19 Pandemic, when the schools were completely closed, education went on mobile platform and students are still dependent on mobile internet for their education.

- ✓ During the initial phase of lockdown Utthan Sahayaks reached Priya Vidyarthis through series of curated SMS and WhatsApp messages, they share text/video/audio content focused on hands-on learning activities.
- ✓ Initial approach realized us that we need to find another way to touch our audience Utthan Sahayaks convert this challenge into opportunity. They make themselves tech savvy by learning how to conduct classes on various platform especially on Google classroom.

Year	No. of school	No. of village	No. of Girls	No. of Boys	Total
2018-19	17	7	1318	1280	2598
2019-20	17	7	1227	1170	2397
2020-21	17	7	1069	1029	2098



- ✓ In pandemic times ,Priya Vidyarthis' meet were scheduled on Google meet platform. Primarily Utthan Sahayaks faced the challenges that students are unable to meet them virtually due to the single smart phone availability in the family.
- ✓ Here with us a only solution to make them study available at their door step by following all the guidelines suggested by government to maintain social distances.
- From October onwards Utthan sahayks approached their students by taking physical classes at their respective residence.

Adani Foundation Kutch

Page 40 of 442

Utthan – during pandemic

Pandemic situation has challenged the functioning of various activities of the project but team Utthan and Adani Foundation adapted to the transitions required to continue with its outreach. With the travel restrictions, team Utthan has adopted all the protocols assigned by the Adani Foundation and the health authorities and has continued both its offline activities while adopting online methods to carryout its activities especially to reach out our students.



Capacity Building Program

15

- Usage of Google meet and Google classroom
- Art of living
- Individual learning
- Digital Bookmarks
- Vedic maths
- Gandhian Education Philosophy

Competition

- Essay writing
- Ganpati idol making
- Doha recitation
- Garba decoration
- Christmas celebration
- Makarsankranti celebration

Adani Foundation Kutch

Page 41 of 442

Utthan Additional achievements

Solar panel has been installed in 17 schools of Utthan – so now the schools will be using renewable energy. Support of teachers and Principal during installation was substantial. This is changing and challenging step for Utthan Project to convert whole school running on renewable energy. In coordination with Mundra Solar Panel manufacturing unit – systems installed with inverters.





Utthan is not only deals with Education – but the main strength of the Project is Sahayak. Sahayaks remain in touch with parents and make them understand the value of education. Apart from it, Utthan Sahayaks motivated more than 700 parents of girl students to open "Sukanya Samriddhi Bank Account" for their bright future

Adani Foundation Kutch

Page 42 of 442

Utthan – Capacity Building Programmes





Staff Training - Adani Schools


Date: Saturday, February 20, 2021 10.00 hrs to 12.30 hrs Platform: ZOOM


Topic: A Blissful Journey: From Entropy to Stillness

Resource Person: Mr Saurabh Beniwal

15+ years of Corporate and Educational Training Experience during association with various organizations like Next Education, Education, Airtel, Intelenet PAN India. He has been associated with Indiannica Learning Put: Ltd. as National Head - Teacher Empowerment initiatives, conducted more than 700highly energetic Workshops, Seminars and counselling sessions for Teachers, Students, Principals and Parents on various topics listed in profile below. Served more than 1,00,000 teachers, students and Parents across nation.

Timings	Discussion Point	Material/Activity	
10:00 to 10:30 hrs	Presence of Mind, Comfort Zone	PPT presentation, Discussion	
10:30 to 11 hrs	Types of learners and how to deal with them, 3 C's of Life	PPT, Discussion and Activity	
11 to 11:30 hrs	Human Experiential Modal, Effective Communication with blocks to listening. Power of positive thinking	PPT, Story, Discussion	
11:30 to 12 Noon	Goal Setting for teachers, communication Gap, Outer world Vs Inner World	PPT, Video, Story. Discussion	
12:00 Noon to 12:30 hrs	Material Vs Spiritual Knowledge, Meditation	PPT. Guided musical meditation for 15 minutes	





Uthhan – Testimonials

Confessions



'Solar Panel installation in Uthhan Schools is biggest step towards best usage of renewable energy. Now our students can study comfortably during absence of electricity and not only this – student can understand value of solar energy too"

Principal,

Mundra, Kutch, Gujarat



'Utthan Sahayaks with the help of customized curriculum and structured time table meet huge success to achieve the main objective of the program In corona pandemic Uthhan Sahayak acted as a main force for students to remain active during lockdown through home visits, various competitions and E-events. In future, Utthan will be sound support system for Government Schools of Mundra I wish all the best to Team Uthhan

> Haresh Patel Taluka Primary Education Officer Kachchh- Bhuj

Page 45 of 442

Uthhan – Testimonials

Confessions



'During this pandemic period Utthan Sahayaks are doing very commendable job. We will receive an encouraging feedback from Parents too. Project Utthan has made a positive impact on our students as well as in school too.

> Mahendrasingh Solanki Principal, Zarpara Shaala no. 3 Mundra, Kutch, Gujarat



'Education is what builds a nation generation after generation and the process begins early on; fist at homes/communities and then in the schools. With an aim to enhance the quality education in government primary school in Kutch district project Utthan launched by Adani Foundation with the close monitoring by GoG as a pilot project with 17 schools at Mundra.

After the completion of 2 years, project marks a very positive impression not only in school but also in community. Utthan Sahayaks played a vital role to transfer Priya *Vidyarthi* into main stream. School culture and environment has become more advanced and techno based with the up skilling of government teachers through various capacity building program. Attendance of schools has increased due to active Mothers meet and SMC meetings.

I am sure in near future with the active involvement of this project performance level of government primary school shall further improve.

My good wishes and support are always with the team!'

Prabhav Joshi (IAS) District Development Officer Kachchh- Bhuj

Page 46 of 442

Adani Vidya Mandir, Bhadreshwar (SDG - 4/4.1)

ADAMI / INVA MANDIR

ge 47 of 442

EDUCATION: FREE AND COMPULSORY - WHAT A WAY TO LEARN LOGIC!" The quote mentioned unfolds the distinguished vision of Adani Foundation to provide cost-free education, food, uniform, books to the children of economically challenged families of Mundra Bock. Adani Vidya Mandir, Bhadreshwar was established in June 2012, with aim of uplifting the communities through education. The school is equipped with excellent infrastructure and resources required for all-round development of the student. The child is given admission in class 1 and is molded to be an educated and a good human being by experienced and compassionate teachers. The school follows a curriculum designed by GSEB.


Adani Vidya Mandir, Bhadreshwar

Adani Vidya Mandir Bhadreshwar Gujrat Board Standard 10th Examination Result is 82.60% (19 students have passed the examination out of 23). Adani Foundation will take all responsibility of further study of students with respect to their interest.

The global upsurge of the Covid-19 pandemic and the resultant lockdown has brought all of us to face such unprecedented times and situations. The challenge was rural locality, network unavailability, lack of health awareness, apprehensions for technology and gadgets and financial crunch to spend on mobile / Internet.

But We did not Give-up and reached out to our students to pursuit educational through virtual platform by various initiative.

	AVMB STD - 10 SECON	D BATCH RESULT
	Year 2020-	-2021
SR NO	GRADE	STUDENTS
1	Above 80 %	00
2	Above 70 %	02
3	Above 60 %	05
4	Above 50 %	07
5	Above 40 %	05
6	Fail	04
	TOTAL	23



Adani Foundation Kutch

Page 48 of 442

Activities Covered

- Admission process of Std 1 students through draw system.
- Online Class through What Sapp and YouTube video
- DD Girnar Timetable intimation and & Follow-Up
- Regular home visit for homework and lessons with PPE's by Teachers
- Textbook support to students of all classes.
- 10th standard students divided into small Group and Mentoring by AVMB Teachers.
- Unit test conducted as per GSEB circular for the students
- Offline Examination for class 3rd to 10th
- G Suite & Diksha Training for Teachers
- Opened G-Mail Account of Each Child
- Tablet support to 10th class students for Online Classes by Employees Volunteering Programme
- Self Learning Material Distribution to 1st to 9th standard students who don't have access for online education.
- Parents Meeting : Regular basis
- Start Remedial Classes at 3 villages with Following all Gov Covid Guide
- reopens Schools class 9th to 10th Standard
- Day Celebration (Fit India, Children day and Mathematic day & Republic day) Virtually and Physically to get rid off from the Covid Stigma

Adani Foundation Kutch











Community Health (SDG - 3/3.8)



Access to quality healthcare is a fundamental right of every individual


Health plays a crucial role in transforming people's lives. Throughout the year, COVID-19 has taught us the lesson about the importance of health. Access to quality health care gives a fair chance to lead healthy, productive lives. Healthy people can utilize opportunities available to them.

Page 50 of 442

Community Health

Direct Beneficiary

CH All Project Patient Details							
Project	Direct Beneficiary	In-Direct Beneficiary	Remarks				
Medical Mobile van	16611	66476	33 Villages				
Rural Clinic	15797	63192	11 Villages				
Medical Supports	1008	5040	63 Villages				
Dialysis Supports	474	2370	63 Villages				
Senior citizen	5836	17508	63 Villages				
Health camp	19461	58383	11 Villages				
Total	59187	212979					



"Healthy mind remain in healthy body which create health community to make healthy Nation."

Adani Foundation relentlessly working for same in each health core area through various kind of health activities i.e. Mobile Health Care Unit, Rural Clinics, Special Innovative Projects i.e. Health Card to Senior Citizens, "Project Abhimanyu" and support to dialysis patients projects. Adani Foundation had also organized special medical camps during Corona pandemic

Rural Clinic & Mobile Health Care unit

Adani Foundation focuses on ensuring good health for batter contribution to growth and progress. During this panic situation health is the basic need for development of community. Their objective is to live healthier lives by promoting healthcare seeking behavior.

Mobile Health Care Units and Rural Clinic Services are deployed with the objective of providing basic healthcare facilities to remote rural areas as well as poor peoples. The service is being executed by adani foundation is to reduce travel time, hardships and expenses.

The mobile health care unit cover 25 villages and 07 fishermen settlements. Around 90 types of general life saving medicines are available in these units. This service become boon for women, elderly and children as the service is availed at their doorstep.

Rural Dispensaries are established where there is a gap in the healthcare services. The Adani Foundation operates Rural Dispensaries in 7 villages of Mundra block, 03 villages of Anjar block and 1 clinics in Mandvi Block. Mobile dispensary and rural clinics provide health services with token charge of 10/- rupees per patient daily by a doctor and a volunteer.

During this year total 16611 beneficiaries 6141 male and 10470 female were benefitted by Mobile van and total 15797 beneficiaries 7128 male and 8669 female were benefitted benefits by Rural clinics.

Adani Foundation Kutch


Page 52 of 442

in606 Maineis MisSedis Iloraee

95161

Community Health – Disease wise Distribution





Health Cards to Senior Citizens

Senior citizens often face difficulties in getting treatment for want of financial, social and moral support. In this stage of life is there is need special care for health and warmth hence Adani foundation has started senior citizen project in Mundra Block since 10 years. The main objective is to provide specialized, timely and hassle-free healthcare services according to the needs of senior citizens. The initiative also encourages them to pay attention to their health and promotes preventive healthcare.

During the year 2020-21, total 5836 transactions were done by 8711 card holders of 68 villages of Mundra Taluka. They received cash less medical services under this project.

The limit for the beneficiary has been set Rs.8000/- in exit year. the senior citizens get emergency medical care at Adani Hospital, Mundra and refer to GKGH, Hospital ,Bhuj in Emergency.





Specialty Camps

General health camps, Pediatric Camp, breast and cervical cancer screening camp and surgical health camps was organized at frequently to meet the specific requirements of the community and in disease outbreak season with following the guideline of COVID-19.

In the year of 2020 -21 total 97 people had been benefitted by various kind of camp and needy and screened patients are treated in Adani Hospital.

	Sr. Citizen status Year-2011 to 2020-21										
Number of Villages	lotal	Total Survey	Pending Renew Cards	EXP	Green cards	Blue Cards	BPL Cards	APL Cards	Ration	RSBY Cards	MA Cards
68	8711	7095	901	715	6328	767	2493	4555	47	77	222

Page 54 of 442

Medical Support Detail

Adani Foundation provides primary health care and financial assistance to needy poor people for ailments such as kidney related problems, paralysis, cancerous and tumor surgeries, neurological and heart problems, blood pressure, diabetes etc.

Partial Medical Support had been given to 1008 beneficiaries of Mundra, Mandvi and Anjar Block at Adani hospital, Mundra. where as in the Critical cases after stable them we refer them to GKGH, BHUJ for further treatment.

Dialysis Support

The drinking water of Mundra contains high TDS (Total Dissolved Solids). Hence, the proportion of patients with urinary stones and kidney failure is more. Patients suffering from kidney-related diseases require regular dialysis which is costly and adds to the financial burden of the family. Hence, the Foundation has undertaken a programme to providing dialysis treatment to help the extremely needy patients to live a healthy life. During this year, 6 patients were supported for regular dialysis (twice a week) with partial support.

Ukado & Vitamin-C Tablets Distribution

Covid-19 pandemic is at the peak level And there is no any specific treatment But as preventive measure and immunity booster we had started Ayurveda UKADO distribution at various public spot in Mundra.

The TDO, THO, Flywing foundation, Ayurveda Department had support and coordinate in UKADO and Vitamin-C tablets distribution activities. Total **18240 people had get benefits of UKADO and Vitamin-C tablets.**





Machhimar Shudhh Jal Yojana (SDG 6/6.4)

To reduce water born disease and women drudgery to get water, Potable water is provided to the fishermen communities at different vasahat through water tanker since 8 years.

Sr.	Vasahat	Family	Requirement Per day	Remarks
1	Luni	116	15000	9 Months
2	Bavdi Bandar	107	15000	9 Months
3	Kutdi Bandar	118	15000	9 Months
4	Randh Bandar	245	25000	9 Months
5	Zarapra Vasahat	90	5000	12 Months
6	Vira bandar	80		Linkages with GWIL
7	Juna bandar	160		Linkage with Mundra GP
8	Ghavarvaro Banada	60		Linkages with GWIL
9	Zarapra chacha	55		Linkages with Port GWIL
	TOTAL	1031		




Adani Foundation Kutch

Community Health Bhuj (SDG 3/3.8)

- Adani Foundation Team has initiated coordination with GKGH hospital since 2014 and established a reception area for the smooth patient coordination and preparation for the social networking program.
- GKGH Hospital is Covid Care Hospital since 22nd March 2020. Adani
 Foundation staff members supported in patient counselling, coordinating and supporting for dead body covid care van.
- Total 3368 Covid patients got treatment from overall Ketch with satisfaction.
- Dead body medical van Dignity to death is one of the noble initiatives taken up by the Adani Foundation. If any death occurs in GKGH, dead bodies are shifted to the native village of the concerned in the Kutch District free of cost. Total 809 dead bodies privileged till now to different locations in Kutch including Covid Patients.
- Mahiti Setu is linkages between various Government Schemes and beneficiaries. Through Mahiti Setu sourcing of 2378 beneficiaries and linkages with more than 780 cards of MAA Yojna and Ayushman Yojna





Environmental Sustainability

Sustainable development has many important facets/components like social, economic, environmental, etc. these components are closely interrelated and mutually re-enforcing. Under Corporate Environmental responsibility 10 km radius villages from SEZ Boundaries.

Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up. Including this a big recharge operation by bunding was taken up for Zarpara village as rainfall was very good current year

To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year we launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan.



Water Conservation Projects (SDG 6/6.6)

Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per Government Figures. Our water conservation work is as Below.

- A large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department)
- Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers
- Roof Top Rain Water Harvesting 54 Nos. which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family.
- Recharge Bore well 75 Nos which is best ever option to
- Drip Irrigation 823 Farmers benefitted in coordination with Gujrat Green Revolution Company
- Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which borewell depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar.



Jiv Srishti Saurakshan Yojana (SDG 15/15.9)

Bio Diversity Park – Mundra

Ecological greenbelt development plan expects to attracts and provide habitats for many species of major faunal groups such as amphibians, reptiles, birds (terrestrial and aquatic), butterflies and mammals. Further this developed area can act as recreational, educational and interpretation center for the community of the corporate sector to understand and enhance their knowledge base on local environmental and ecological scenario.

Adani Foundation, Mundra-Kutchh proposed a biodiversity park at 5 acres Nandi Sarovar area and approached to Sahjeevan, Bhuj for technical support for same. Sahjeevan team visited this proposed site for development of greenbelt to support biodiversity and enhancement of overall ecological food web existing in and around the landscape in first phase.

In addition, senior team of Adani Foundation and Sahjeevan also discussed in details for this program and suggested to initiate an interpretation center for awareness to various stakeholders on very unique Adani Foundation Kutch biodiversity of Kutchh region in second phase.

Zone wise different habitats identified by technical team, i.e. Outside Plot Area, Along Waterlogged Area, Climber/Twiner Area, New Plantation Area, Entry Gap Filing Area, Gate Area, and Wetland Area within the proposed project area, technical team will develop a list of species that are representative of mature, undisturbed local forests, grasslands and wetlands. The chosen species will be typical of the species composition of local habitats.

Develop a list of plant species that can be chosen on the basis of aesthetic characteristics, in particular for the beauty/abundance of their flowers, eventually of their fruits/foliage.

Define information on different types activities involved under this ecological greenbelt development project (i.e. butterflies areas, medicinal plants areas, birds areas etc.).

Develop a manual that will give guidelines for habitats based on local practices, for short term and long-term management.







Jiv Srishti Saurakshan Yojana (SDG 15/15.9)

Coastal Bio Diversity Park – Luni

In the coastal environment mangroves and mudflats are dynamic ecosystems that usually support a large population of floral and faunal life forms. Mangrove forests are highly productive ecosystems, which provide numerous goods and services both to the marine environment and people. Mangroves in India are spread over nine maritime states and three Union Territories. Gujarat has the longest (1,650 km) coastline among the maritime states of the country. With the second largest mangrove cover in India after West Bengal, Gujarat's mangrove area has increased from 1,140 km² in 2017 to 1,177 km² now.

A major portion of human population of Gujarat is solely dependent on these coastal ecosystems for their livelihood. Thus, several mangrove restoration programmes/ activities are in progress in the state. Mangrove restoration activities in Gujarat are mostly single species stands of *Avicennia marina*. Adani Foundation at Mundra-Kachchh has initiated multi-species plantation of mangroves in Kachchh in association with GUIDE. During 2018-2019

(Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. Due to geological set up of Kachchh where fresh water source is atypical, the survival and growth of mangrove plantation remains poor. Thus, a survival rate of 30% is expected for this multi-species plantation. Mangrove biodiversity park of its kind will help in disseminating knowledge on mangrove ecosystem and simultaneously conserving the species.

Since, some of the mangrove species are not readily available in Kachchh, their seeds/ propagules were procured from other districts of Gujarat and other states. The proposed species of mangroves that have the potential for enhancing mangrove biodiversity in and around APSEZL include *Rhizophora mucronata*, *Ceriops tagal*, *Ceriops decandra*, *Rhizophora apiculata and Aegiceros corniculatum*.

Adani Foundation Kutch

Vision

Enhance the diversity of mangrove and its associated species in suitable coastal region of Kachchh, which in turn increase the faunal diversity and fishery resources of the area by providing suitable habitats and breeding ground. The ultimate aim of the project is to improve overall coastal biodiversity of the region.

Mission

- Reconnaissance and identification of potential sites for technical suitability for enhancing mangrove biodiversity in Kutchh.
- Examine tidal pattern, availability and duration of fresh water, water regime/inundation, and substratum and water quality, species association at the site (based on secondary literature).
- Development of different plots based on combinations of species and site characteristics.
- Nursery development, transplantation of nursery grown seeds / propagules, monitoring its survival, etc.
- Examine the physico-chemical characteristics of water and sediment in the selected plantation sites.
- To detailed out the diversity, species richness of marine faunal component in the selected plantation sites
- To assess natural (algal encrustation, shift in substrate nature) as well as anthropogenic threats (cattle grazing, lopping) to the plantation site and provide suggestive measures.
- Long term monitoring plan and protection of the developed mangrove patches and coastal biodiversity in the plantation sites.



Sea Weed Culture

Primary Information About Sea Weed

Recently, seaweeds have gained substantial traction globally owing to the appreciation of the benefits that they provide in societal, economic and environmental realms. Ever since the economic and ecological benefits of seaweeds recognised, there has been a constant and sustained global effort to further increase their production and by following innovative utilisation practices along the various value chains. Seaweeds are farmed commercially in several Asian countries where their utilisation for food and phycocolloids (agar, carrageenan and alginate) is intense, and their farming has indeed into a social enterprise evolved particularly in some Asian and tropical countries in the world. Seaweed farming has indeed emerged as an economic growth engine in several developing economies in Asia.

Adani Foundation Kutch

Utilization in India

In India so far, seaweed resources have been utilized exclusively for the production of typical phycocolloids such as agar and alginates by local processing units (about 30 MSMEs) from the wild harvest, particularly from the coast of Tamil Nadu. Despite developing pioneering technologies in both farming and processing for different economically important seaweeds, seaweed cultivation has not gained momentum and widespread in the country as expected but rather continued to confine to limited geographical regions in the state of Tamil Nadu alone. This could be partly due to different inherent challenges associated with open sea cultivation. The seaweed farming in the open sea is

interrupted by monsoon and hampers the year-round production efforts and sustainability. With this backdrop, and further to give traction to the seaweed industry in the country, a unique consortium of industry partners have come together on a common platform with a unified interest to build a technologically competitive and viable platform for the production and processing of the seaweed feedstock for harnessing the associated economic and ecological (climate reversal and prevention of coastal water eutrophication) benefits to the fullest extent possible while providing livelihoods to the coastal communities. in the spirit of creating and sustaining "Blue Economy" as also "Inclusive Economy/Circular Economy"



Sea Weed Culture

<u>Vision</u>

The consortium aims to take a holistic view of transforming seaweed resources as natural capital and use open source knowledge to build an innovative technology platform for harnessing the economic potentials along with the associated ecological benefits thereof. Also, foster a cordial relationship with visionary sponsors and collaborators from India and abroad for sustainable production and utilisation of seaweed resources for the production of innovative products while engaging the communities coastal as direct beneficiaries (human capital) of this unique effort.

Collabration

Agrocel, Piddilite, Adani Foundation has jointly initited the Pilot Project with a objective transform sew weed into Natual Capital as well as engaging community as a human capital.

Achievements

A pilot cultivation facility (5 KL tanks in 6 nos) for the farming of different

economically important seaweeds in the Adani Foundation Kutch

tanks on the onshore has been established and commenced the cultivation trials with red seaweeds *Kappaphycus alvarezii, Gracilaria dura* and green seaweed *Ulva*. The initial trials have given very promising results and harvested 6-7 times the seeded material in a 40-45 days cultivation period. The successful completion of pilot cultivation trials of Kappaphycus has helped to move forward to set up raceway type tanks of 26 m Length × 6 m Width × 1.1 m Height in 2 nos for large scale cultivation of *Kappaphycus* in Balavadi campus at Juna Bandar, Mundra. The cultivation trials are in progress.



Page 66 of 442

Sea Weed Culture

Further plan for Adani Foundation Mundra

The initial seaweed cultivation findings have provided enough evidence for upscaling the facility over a onehectare area in 2021-22 engaging the local fishers who can earn reasonable monthly income by formation of Group of Fisherman.

Fisherman Group is initially consist of 15 members. Adani Foundation will provide off shore and on shore cultivation of sea weed, its further process i.e. cleaning and drying and expolore market opportunities.

In recent times, two outreach programmes were also conducted for fishers living in the Juna Bandar area to ascertain their interest in adopting seaweed cultivation as an alternate profession to fishing which is fastly dwindling. There is a scope for providing an additional income stream through seaweed farming to fishers if we set up model demonstration farms. These farms can be utilised for showcasing the cultivation technology, training purpose and seed supply for those fishers who likely to become seaweed entrepreneurs.



Raceway tank with Kappaphycus seaweed



Drip Irrigation Project (SDG 2/2.4)

• Basis of Requirements of Drip Irrigation

The main source of livelihood being agriculture, the cultivators tend to use more and more underground water for irrigation. Underground waters have gone very highly saline. The use of such water for irrigation has made the soil also saline and the crop yields have dwindled.

Process of Drip Support

Farmer have to applied in the prescribed form of Adani foundation with photograph.

Inspection and verification will be by AF representative.

Ration card, work order of G.G.R.C, 7/12 certificate and all bills must be attached. Farmer will be informed by telephonic to have form query.

Primary information about farmer land will be received by telephone.

Farm visit within 10 days of after received of application and verified the installation of system as per map and material as per bill will be checked and get farmer feed back.

Verification report submitted to account office.

Payment within 20 days if all document is complete through net banking. Farmer economic study after our support. – Follow up

- We have covered 295 farmers and 1422 acre drip irrigation area in last two years which is remarkable for water conservation in first phase in this phase we have covered 66 farmers and 360 Acre land for the same.
- Total 968 Farmers and 5626 Acre Drip since 2011-12 to 2020-21.





Sustainable Livelihood Development



In the villages at Mundra Taluka, several communities are economically side-lined and weaker that depend on a sole income source or are unemployed. Sustainable livelihood projects have been launched to cater financial independence through building local partnerships, providing diverse livelihood avenues, inculcate the attitude to establish savings, equipping to earn and updating local skills by making use of existing resources to encourage self-reliant lifestyles. Participation Is encouraged by launching specific projects for fishermen communities, farmers and cattle owners, youth and women.

Work till date for Fisherman Development

444 Book Support

733 Vehicle transportation from Bandar to AVMB

86 Cycle Support

481 Scholarship Support

28015 Potable water provision

370 Youth Employment

2561 Fishing Net & Equipment Support

195 Linkages with Fisheries Scheme

3504 Ramaotsav Community Engagement

17 Fisherman Sea Weed Culture.

46878 Man days Mangroves Plantation



Fisher Folk Education (SDG 4/4.2)

Fisher folk are having less illiteracy level so they are not motivating their ward education, Children are engaged in fishing practices since child hood ,which pushed them in terribly poor scenario in every aspect of life. Hence Adani foundation have started education program in dynamic manner to cover each segment of life from the Balwadi to Higher education study through various Intervention.





Scholarship Support Scholarship Support is a programme to motivate fishermen students for High school and secondary education . Girl child is supported with 100% scholarship to girls & 80 % support to Male Students. Total 59 students were facilitated with scholarship current year

Fishermen Balwadi Education system were ceased in the covid-era. But with telephonic talk and home visit were continue since May 2020 with child & parents to keep them update for education, lesion revision and Covid awareness.

Vehicle transportation- Avail easy and safe transportation service for the Fisherfolk child of Various Vasahat to made them Regular and Synchronized with School atmosphere. Total 37 students from 6 to 10 standard are Benefitted.

Page 72 of 442

Fisher Folk Education (SDG 4/4.2)





Book Support-

55 Higher secondary (9 to 12 standards) students were benefited with Books material from Juna Bandar, Zarpara, Luni, Navinal, Bhadreshwar Villages.

Cycle Support

Cycle support to Juna Bandar 9^{TH} standard fisherfolk students to continue their study and Up down who are studying in Mundra Government School . This year 5 students were supported for the same

Ramaotsav

Ramaotsav Program was held at all fishermen vasahat for child motivation and aware parents for their ward education. This year total 442 students(1 to 10th standard) had participated in various outdoor game. Winner were felicitated with prize and others are appreciated with School bags.

Machhimar Ajivika Uparjan Yojana (SDG 14/14.B)

Fishermen are too vulnerable and marginalised community. Moreover due to uncertainty of fish catch and Four month Fishing band season they have to face vicious debt cycle. Adani Foundation with Gujrat Fisheries Board are providing Fishing equipment support as per Government Schemes.

Also AF has started various intervention for their alternate Livelihood and Employment.

Net & Equipment Support

Seven Fishermen are supported for Net and Equipment 10 Fishermen Linkage with Fisheries Department Scheme and Fishermen credit card for bankable loan

Mangrove Plantation

It is a win-win situation which provide 4830 Men days employment over 236 fishermen as well as created Environment sustainability as well.

Soft skilled & Technical training

Survey had been carried out in APSEZ Companies to Know human resource requirement And According that Fisher Youth youth were trained and interviewed for the Placement.

Total 70 Fishermen youth are selected and working in Various company current year.







Natural Farming Promotion

Soil is the key point for successful Agrifarming, it is the Millions of microorganism habitat which keeps an alive media for agricultural purposes, with improving water holding capacity, infiltration rainfall water rate, with improves plants ability to take soil nutrients which reflect on farmers Yield and returns. But the Imprudent & over use of chemical fertilizers & Pesticides deteriorate soil & Plant condition which made the ill effect on consumer health and farmer Livelihood .The permanent and cheapest solution to overcome the dangerous effects of modem agriculture to develop a farming system is to do natural farming which is economically productive and long lasting with various integrated and judicious method and management technique which play important role to maintaining or improving soil, plant health and farmers socio economic status.

Objectives

 Maximize biological activity in soil and minimize soil erosion.

- Enhance the genetic and biological system and its surroundings.
- Provide livestock with optimal living conditioned for wellbeing and better health.
- Promotion of environmentally friendly use of soil, water and air thus minimizing agricultural pollution.
- To improve the physical and biological properties of soils, self-life and flavor of farm Produce
- To reduce the use of inorganic fertilizers and pesticides.
- To convert Farm waste Biomass into renewable energy & rich Fertilizer. To increase export of farm produce

Implementation

A village level capacity building programs are organized for the farmers as awareness campaign and farmers are trained to adopt & implement Model farm initiative into their own farm. This Project will be implemented on cluster approach basis mean each cluster will have five to six model which will be used as demonstration and farmer to farmer training to adopt and replicate in their own farm.











જીવામૃત

ગૌકૃપા અમૃતમ

ડ્રેગનકુટ, દ્રાક્ષ,

સરગવો,પાંચ

પકારનાં

डेला





દેશી ગાયની ઓષધિય બાચોગેસ वनस्पति ວ່າງຄາດເ LAIOG પંચવઢી ગૌમુત્ર

19 माइतिड

યોડેલ કાર્ય

645

સિંચાઈ

डीयन

गार्डन

ફાર્મર ડુ ફાર્મર

तालीम

वरसाही पाशी संग्रह नो टांडो બંધપાળો, બોરવેલ રિયાર્જ

ધાસચારા વાવેતર ઝીઝવો નેપીયર, સુપર નેપીચર, મીશ્રપાર્ક ખેતી આંતરપાકો



N IS HIL

ส้างสะ-adani พยเพ มแหร้ยส



Model Farming : Parameters

Sr.	Activity Name	Objective
No		
1	Soil Health Analysis	To Provide require Micro nutrient and improvement of soil quality
2	Cow Urine Collection	To prepare Jeeva Mrut, Gau Krupa Amritam Bacteria and Panchgavya
3	Cow base Farming	To use as liquid fertilizer
4	Home Bio Gas	Source of Renewable from Farm waste
5	RRWHS	To use of natural resource (rain water) to made independent Water sustain family.
6	Kitchen Garden	Ensure inexpensive ,regular and handy supply of fresh and healthy vegetables
7	Herbals crop farming	To avail herbal medicines at Home.
8	NB-21	To create individually fodder sustainability.
9	Farm Banding	To reduce soil erosion and retained moisture in the soil.
10	Bore well & well recharge	Enhance the ground water level.
11	Drip Irrigation	To save ground water & reduce salinity ingress.
12	Fruits Crop farming (seasonal)	To Fetch high yield and returns perennial
13	Compost Fertilizer	To act As conditioning soil with increase the Nutrients and water holding capacity.
14	Wormy Compost	Increase porosity and microbial activity in soil to improve water retention and aeration.
15	Training Otlo (Farmer to Farmer)	To deliver TRAINING IN FORMAL & Informal way.
16	Jiva Mrut	As source of Natural Fertilizer and micro nutrients to healthy crop and yield.
17	Vegetable Fertilizer	To create healthy soil condtion.
18	Mulching	To create microclimate around plants root to create healthy environment for plant growth.
19	Chaft Cutter	To made easy for cattle chewable & digestion.
20	Modern Agri Tools	To have great benefit in production
21	Nursary development	To avail local plants & seed.
22	Intern Crop	To produce greater yield in limited resources.
23	Mix Farming	
24	Government Scheme Linkage	
	Dates Tissue & Offsuit Plantation	To produce uniform date fruits in the siza shape and taste.
Agger I	TRHRAGE WILK KRPC	To become share have a strain of the partners with natural farming promotion

Promotion of Natural Farming –Home biogas



Home biogas is the Israel based company was founded in 2012 manufactures dynamic biogas unit not only for farm waste but for kitchen waste too. Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. Current year supported 117 home biogas in Dhrub, Zarpara and Navinal Villages.

- Reducing organic waste,
- Transitioning to renewable energy
- Motivation for reduction in use for fertilizer

Adani Foundation Kutch

And Improving the health and living conditions for the millions of families that are still cooking on charcoal and wood. Adani Foundation is not only supporting but creating awareness to save environment and health of the community who regularly cooking on Chula. It is proven that one hour cooking on Chula is as dangerous as smoking 40 cigrates.

As a Main Process, Bacteria break down organic waste in a naturally occurring process, and Home Biogas stores and harnesses the energy created so that it can be used for gas.

Earlier we had proceeded for capacity 2 cum but after visit and series of meetings with farmer group – we need to take up plant capacity 6 cum

Till date 117 farmers are utilizing it with satisfaction and considerable outcome by saving Average Rs. 23,400 for gas and fertilizer as well.

Page 78 of 442



Benefits of Home biogas

Plants without bio slurry:





Plants with bio slurry:





Difference between plant growth



Before home biogo Rever home biogos


Adani Foundation Kutch

Page 79 of 442

Usages of biogas in villages of Mundra block

Selection of village by some important parameters i.e. Mobile Van data of lungs related issues, Ambient air quality, cattle population, agriculture land availability, willingness for natural farming

Selection of beneficiary base on willingness of Natural Farming and Number of Cattle. In this Project Primary Stakeholders are also partnering project by financial contribution as well.



Dragon Fruit Farming (SDG 2/2.4)



Dragon fruit is a tropical fruit that has become increasingly popular in recent years. Though people primarily enjoy it for its unique look and taste, evidence suggests it may provide health benefits as well. Dragon fruit grows on the *Hylocereus* cactus, also known as the Honolulu queen, whose flowers only open at night. The two most common types have bright red skin with green scales that resemble a dragon — hence the name.

The most widely available variety has white pulp with black seeds, though a less common type with red pulp and black seeds exists as well. In Kutchh Red variety is available due to its weather condition and soil type.

Dragon fruit contains small amounts of several nutrients. It's also a decent source of iron. magnesium, and fiber Dragon fruit contains several types antioxidants of These are compounds that protect your cells from unstable molecules called free radicals, which are linked to chronic diseases and aging

Due to all this benefits and suitable weather condition and soil type Adani Foundation has provided technical support and awareness training to start the dragon fruit farming. Five Dragon fruit farm have been developed with pole and Wire fencing support for 2 acre land and 1000 dragon fruit plants each. Adani Foundation had given 40% contribution in this Project. Fruiting will start from June 2021.



Tissue Culture (SDG 2/2.4)

Date palm (Phoenix dactylifera L.) is one of the oldest trees known to mankind. It is popularly referred as "Kalpavriksh of Kutchh" as it is an important fruit tree of arid and semi-arid regions of the State owing to its high tolerance to environmental stresses especially abiotic.

The biggest constraint faced for the improvement of date palm following conventional breeding approaches includes its long generation cycles. Nonconventional approaches like Marker Assisted Selection is not possible as there is no true breeding population and very trace molecular work has been carried out till date.

Due to its cross-pollinated nature, date seeds are highly heterogeneous and heterozygous which give rise to 50% unproductive male trees and 50% female trees with poor or varying productivity in terms of both yield and quality. Date palm cultivation is the only means of livelihood for majority of farmers belonging to Kutchh region of the state. Looking to aforesaid limitations in applying traditional and non-traditional approaches, mass multiplication (Tissue Culture) of superior quality date palm is the need of time to increase the socioeconomic status of the farmers and date growers

Advantage

Tissue culture plants bearing offshoots are true-to-type in nature and hence, in short duration a uniform population could be developed. Availability of planting material of Barahi genotypes round the year.

Selection of offshoots is carried out which are disease free, higher in yield and having good fruiting characteristics, hence export of fresh dates could be carried out by the farmers. Due to Large scale plantation of Barahi trees can be increased.



Dates is the nectar of the kutchh and Our periphery villages are known to produce exportable dates belt as having appropriate weather condition.

To increase the farmer income and over all production individual farmer We have provide "Barahi Varities Tissue plant" which has good strength and productivity.

850 plants have been distributed to 34 farmers. 25 plants / Farmers.

Tissue plant cost is 3000/ per cost with 50% famer Contribution. As per tracking record more than 97% plants are growing very well as per expectation.

Agri mall by Kutchh Kalptaru FPO

Kutchh Kalptaru producer company is a registered FPO by central registration center has Started Agro cum Women empowerment Mall at Shantivan complex Nanakapaya Mundra with support of AF to provide platform for farmers and SHG women to fetch the right value of their products.

The Grand Inauguration of Agri Mall was done on 26th October in presence of Mr.K.G Chaudhary (Sub District Magistrate Mundra) and Mr. Joshi Director (District Rural Development Authority, Kutchh) and Mr. Rakshit Shah EDM, APSEZ.

Currently more than 170 types of items i.e. Chemical free Grain, pulses, sugar, Jaggery, oil, masala, Vegetables ,dry Snacks made by women group, handicraft items, Mud Utensils, toys, handmade chocolates and many more are placed for sell.

Under the Umbrella of Kutchh Kalptaru farmers producer company more than 200 Farmers and 112 women been engaged. KKPC Agri –cum Women Empowerment mall Approx. Rs.4.07 lacs turn over till end Feb (for 6 months)





Central Registration Centre

Certificate of Incorporation

[Furmant to sub-section (2) of testion 7 and tob-section (1) of section 5 of the Companies Are, 2019 (18 of 2013) and rule 18 of the Companies (Incorporation) Rules, 2014]

Thereby certify fact RUTCH KALPATARU PRODUCTR COMPANY LONDTIN is incorporated on this Stateschi day of July Two incorond twenty under the Computer Act, 2013 (18 of 2013) and fact the company is busined by there.

The Corporate Identity Number of the company at U01100GD02007C11487.5

The Permanent Account Number (PAN) of the company in AAICKI2000

The Tax Deduction and Collection Account Number (TAX) of the company i. RETENSIME

Given under my hand at Manesar this Streamsth day of July Two fastment towarty .

NESS-or Color

Darial Separates Contracts Mr & ATENDER KUMAR DEFUTY REGISTAR OF COMPANIES For and as belof of the Installational Registrar of Companies

Registrar of Companies Central Remotoriou Centre

is of decourse and deduction

Disclasser: This cartificate only evidences incorporation of the company on the basis of documents and declarations of the applicant(i). This cartificate is antifar a locarce nor permission to contact business or solicit deposits or fands then public. Permission of sector regulators to necessary wherever sequend. Reguration states and other densis of the company cache scrifted or wave on a gas in

परियान के सच्च बने

Animal Husbandry-SLD (SDG 2/2.5)


The less rainfall and high saline ground water kept agriculture practices in threaten situation. Adani foundation have started various intervention for the Holistic development of Agriculture and Animal Husbandry

Fodder support

In 20 villages of Mundra and Anjar Block. 6.70 lacs kg Dry Fodder and 11.60 lacs kg Green fodder has been supported.

95 Farmers benefitted with NB -20 Off suite to bring fodder sustainability.
125 farmers are supported with 40KG maize per farmer with Micronutrient for Individual Fodder Cultivation during winter Season.





Fodder Cultivation

Village Gauchar land development for the fodder cultivation to made fodder sustain village & Avail green fodder in scarcity phase.

With the support of Gauchar Seva Samiti Grass land development in Siracha-85 Acre & Zarpara -25 Acre done which resulted in total production 82 ton.

Animal Husbandry-SLD (SDG 2/2.5)

Bovine brucellosis


Bovine brucellosis is chronic factious cattle disease that causes abortion, dead & weak birth of calves, and infertility which reduced milk production and ill effect on health as well. Cattle and buffaloes are susceptible and persist for many years. It's a zoonotic disease (that can be transmitted from animals to people)


Brucellosis disease Control and management project has been started in our 11 Villages with (National Dairy Development Board and KFFFDC(Kutch fodder fruit & forest development trust) is ongoing with awareness & vaccination to (0 to 3 yrs female cattle).

Total 2132 Cattles have been vaccinated

Under this project following activities were carried out so far,

- Meeting with Gram Panchyat, Farmers and Livestock Owners
- Development and Distribution of the Awareness Materials among the stakeholders
- Mass Level awareness by pasting the poster and meetings with Village Leaders and Gram Panchyats
- Primary Survey and Sample Collections i.e. Milk Ring Test, Blood Collection and testing
- Brucella Vaccination and Ear Tagging etc.
- Expense per Animal = Rs. 177 / Cattle including awareness and vaccination





Women Empowerment (SDG 5/5.4)

Today entire world is nothing against the corona pandemic ...not only India but all the nations world wide are striving hard to fight against this and come out of it at earliest . The situation lies in invisibility and severity of the causative agent . It is generally observed that the newly discover diseases are such which could be avoided by being more cautions.

Adani foundation works hard for upliftment of women, it has noteworthy history of completing and executing projects addressing issues like educations, health and empowerment from grass root level in Kutch district many project are done for females by various organizations but there are certain issue specially pertaining to women 's health which are still remaining unaddressed due to the social stigma and hesitations issues' like usage and importance of sanitary pad during menstrual cycle to protect oneself from fatal disease. This simple precautions can also help a female to fight against cervical cancers like

disease as well. Keeping this thought in 8th March 2020 Adani foundation held a seminar on awareness during menstrual cycle -Myth and facts . The seminar witnessed 300-400 Participants including women college going girl ,homemakers etc.. This initiatives helped the females to voice out their quarries and problems and to get a solutions for the unusual problems. District Development officer was the part of the seminar.

District development officre of kutch shri Prabhav Joshi was highly impressed with the task been undertaken for women empowerment and the motivated for production of sanitary pads to the women of adani foundation . This task was vey planned and executed by the enthusiastic women group – it was a great journey towards success"

Initially the works seemed toughed as the outcome /day was 150-200 pads with minimum profits . Bit real salute this women that they did nit lose hope and tirelessly kept working for this Page 86 of 442 mission . It is rightly said "practice make a men perfect and the graph of producing the pads per day rose from 300 to 350 and further elevated to 400 to 500 by proper distribution of work with strict target . Simultaneously the order started pouring in from District were satisfactorily completed . Today each woman is earning average 2900 Rupees /Month ,expansion of thus task is being planned by Marketing it to every small and making it a sustainable model which may be a benchmark in itself.

The spirit hard work and motivations of these women have given a way to increase in demand from district development office ,PHC,CHC office Aganvadi and even out of state orders will be very soon catered to.

This is an example showcasing how women empowering can bring about development of as small scale task to a full- fledged Endeavour.

Women Empowerment (SDG 5/5.4)

Empowered women and girls contribute to the health and productivity of their families, communities, and countries, creating a ripple effect that benefits everyone. An initiative under the Sustainable Livelihoods Development Program to encourage women, sense of self-worth, decisionmaking power, access to opportunities and resources, power and control over her own life ability to be effect change.

11 SGH Group have been engaged with 127 Women





Saheli Swa Sahay Juth are trained for Sanitary pad preparation anmd and supported with semi Automatic sanitary pad making unit. In the year of 20-21 total turn over was Rs.3.12 Lacs

e 87 of 442

Self Help Groups

Adhar Saheli Swa Sahay Juth is engaged making dry nasta preparation got Fssai Certificate in current March which will help to market the products

Sonal Saheli Swa Sahay Juth is engaged in Phynale & Washing powder making its Current year turn over was Rs.4.50 Lacs

Tejasvi Saheli Swa Sahay Juth- is expert in Stitching practices & made approx. Ninty thousand Three layer mask which had generate Rs.9.45 lacs revenue over 10 Women.



Sr. No.	Name of Group	Village	Skilled	Member	Total saving (In Rs)	
1	Sonal Saheli Swa Sahay Juth	Shekhadiya	Phynale & Washing Powder	11	1,32,500	
2	Jay Adhar Saheli Swa Sahay Juth	Baroi	Dry Snake	10	84,000	
3	Tejasvi Saheli Swa Sahay Juth	Mundra	Stiching,Uniform,Bag	14	84,000	
4	Umang Saheli Swa Sahay Juth	Mundra	Soft toyes, Jula,	11	84,000	
5	Vishvas Saheli Swa Sahay Juth	Navinal	Tie & Die, Stiching	11	84,000	
6	Jay Momay Saheli Swa Sahay Juth	Kandagara	Tie & Die, Stiching	10	84,000	
7	Meghadhanush Saheli Swa Sahay Juth	Mudara	Mud Works,	10	84,000	
8	Saheli Swa Sahay Juth	Mundara	Sanitary Ped	11	84,000	
9	Radhe Saheli Swa Sahay Juth	Zarapara	Dhadaki, Small Godadi	14	84,000	
10	Shrddha Saheli Swa Sahay Juth	Mota Kapaya	Snacks,Thepala,Vada Pav	15	84,000	
11	Mogal Saheli Swa Sahay Juth	Shekhadiya	Roti,Ladu (Churama)	10	84,000	
i Foundation Kutch Total 127						

Community Infrastructure Development (SDG 9,6)

Community infrastructure development includes both public and privately provided facilities and services required to accommodate and support community services, programs, activities, which is significant to improve their quality of life & Productivity. Adani foundation designed and build various structure and provide service in the Health ,Education, agriculture and sustainable livelihood area.



Community Infrastructure Development (SDG 9,6)

To store rainfall water and increse water level, Pond Bund strengthening work had been carried out at Zarpara Village

apart from this various activity like approach Road Restoration at All Fisherfolk Vasahat, Bus Stand with wall Construction, Open Shed Sukhpurvah Mundra, Shelter at Randh Bandar , Garden Development Primary School Rampar village has been done in this year.





Page 90 of 442

SuPoshan (SDG 3/3.8)

The objective of the Project is to reduce occurrence of malnutrition and anemia, create awareness about malnutrition and anemia and related factors amongst all stakeholders and role they may play in curbing the issue.

To successful implementation of the project, "Sangini – Village Health Volunteer" plays major role in the Project. The purpose of the Project is to reduce occurrence of malnutrition and anemia, create awareness about malnutrition and anemia and related factors amongst all stakeholders and role they may play in curbing the issue.

To successful implementation of the project, "Sangini – Village Health Volunteer" plays major role in the Project.

As per Global Nutrition Report, Children below five years- 23 % Stunted and 8 % are wasted. 69.5 % children 6-59 months old. 55.8% adolescent girls aged 15-18 years, 55.3% women aged 15-49 years have Anaemia. Moreover anaemia prevalence in pregnant women is as high as 58.7 %) Curbing Malnutrition was part of Millennium Development Goals and again focussed through second and third Sustainable Development Goals on Zero hunger and Good Health & Wellbeing respectively.





During the year various activity like, Covid-19 awareness in village & Slum Area, Menstrual Hygiene Day, Breastfeeding Week, National Deworming Day, National Nutrition Month had been celebrated.

With slogan of "RED-ACHHA HAI" - 100 beneficiaries in Menstrual Hygiene Day, 204 beneficiaries in Breastfeeding Week, 320 beneficiaries in National Deworming Day, 20 villages covered in celebration of NATIONAL NUTRITION MONTH and 42 Family counselling had been done.

Page 91 of 442

	Community Engagement and other Activities	
Sr.No	Activity	Total
1	No of Sangini	24
2	Total Village Cover	41
3	Total Anganwadi Cover	70
4	SAM to MAM Monitoring Progress	03
5	MAM to Normal Monitoring Progress	15
6	Focus Group Discussion	85
7	Family Based Counselling	42
8	Village level Events	05
9	No of SAM children referred to CMTC	06
10	Total Anthropometric screening	140
11	Total Family Cover through video & Audio Calling	20
12	Total House Hold Family Visit	130
13	No. of Severe Acute Malnourished children (SAM) Telephonic Counselling	08
14	No. of Severe Underweight children (SUW) Telephonic Counselling	03
15	No. of adolescent girls-Telephonic Counselling	190
16	No. of pregnant women-Telephonic Counselling	100
17	No. of lactating mothers-Telephonic Counselling	230
18	No IFA Tablet Distribution to adolescent girls	200
19	Total Family Cover	9178
20	No of Sangini completed online POSHAN Abhiyan E- Learning module	15

THANKS GIVING PROGRAMME" MUNDRA & BITTA Site

SuPoshan Thanksgiving program was organized. In this webinar DDO, CDPO Mundra and other dignitiaries remained present and appreciated the efforts to overcome malnourishment in Mundra and Bitta.



Adani Foundation Kutch


Community Resource Center (SDG 3)

Community resource center is the bridge between Government Schemes and real Beneficiaries. It is situated at Adani Field Office, Baroi with the motive to be Single window point solution (Online Application & Documentation) to Facilitate Government Schemes leveraged to needy and Eligible people.

- Listed out the Widow ,Senior Citizens ,Handicapped & Orphan Child from seven Utthan villages and linkages accordingly with the Social Defense Department Scheme,. 276 people are Facilitated in coordination with Bhuj Samaj Suraksha Khata.
- With a slogan "Beti Bachavo Beti Padhavo" to ensure better future for Girl child education by Linking 1001 Girl child with Government "Sukanya Samrudhhi Yojna" & Vahali Dikri Yojna.
- ✓ 48 SC Farmers were Linked Kitchen Garden Scheme.
- To avail Fishermen Government scheme (Fishermen Credit card) one day program was arranged with social distancing and all precaution.
- ✓ 30 KCC form fill-up at Navinal. Created awareness with Telephonic about same



Project Swavlamban



Project Swavlamban Launched for linkages of differently abled people of Kutchh District to Social Welfare Department. Foundation is playing supporting role to increase awareness and tie up with Government schemes for Divyang people, widows and senior citizens and coordinate them with Social Welfare Department.

The identity cards - UDID are issued for the handicapped in coordination with Bhuj Samaj Suraksha Khata which is beneficial for them to get specific kit for their disability type.

After getting income generation equipment support - Proper training provision is given to make them self-reliant in true sense!!

Till date Total 1057 beneficiaries have been linked up with various government schemes and 519 beneficiaries have been supported through various schemes of income generation.

Project Swavlamban

Total 1576 beneficiaries have been benefited and get support of Rs.24,12,550/- through Government and Adani Foundation.

No	Government	Beneficiar	Per /	Total	Government Scheme	Beneficiari es	Amount	Total Amount		Divyang A	F Support	
INO	Schemes	ies	Month	Amount	Artificially foots	14	15000	210000	Details	Beneficia ries	Amount	Total Amount
1	Widow women	237	1250	296250	Artificially Hand	1	5000	5000	Cabin	6	15000	90000
					Blind satick	7	200	1400	Frida a	1	10000	18000
2	Senior citizen	94	750	70500	Bycycle	9	4500	40500	Fridge	1	18000	18000
		-	,	,	Crutches	4	200	800	Fruit Shop	2	8000	16000
	Sankat Mochan				Hand cart	4	5000	20000	Grocery Shop			
3	(One Time)	2	40000	40000	Hearing Aid	13	3000	39000	Item	5	5000	25000
	(one mile)				M.R kit	20	500	10000				
					music	1	500	500	Hand Cart	3	9000	27000
4	Widows Ration	13	0	0	RTE Admission	1		0	Harmonium	1	10000	10000
	card Renewal	-	-	-	Sewing Machine	30	5000	150000				
					Tricycle	43	6500	279500	Rikshaw	1	80000	80000
5	Diviyang Pension	5	1000	5000	Walker	3	1000	3000	Sewing	27	5500	148500
5	Scheme	5	1000	5000	walking satick	12	200	2400	Machine	27	5500	148500
					Wheelchair	33	4000	132000	Tricycle	44	6800	299200
	Palak Mata Pita				Bus pass	427		0				
7	Pension	9	3000	27000	Rasion card	10		0	Wheelchair	60	4000	240000
					renew	13		0	Lims	9	14000	126000
	Total	260		120750	Medical certi	422		0				
	Total	360	-	438750	Total	1057		894100	Total	159		1079700

Adani Skill Development Centre



India has highest population of the youth yet there has always been a major issue of increasing unemployment on one side and non-availability of skilled professionals for industries.

Adani Group has initiated Adani Skill Development Center model with broad and long term vision to enhance employability of youth and getting right people at the right place of skilled requirement.


Adani Skill Development Centre (ASDC) is playing a pivotal role in implementing sustainable development in the state. ASDC is envisioned to be playing a major role in elevating the socio-economic status of the people belonging to the lowest strata of the society by empowering them with various skill development training for employability and livelihood.


Over the last few years, ASDC has assessed various aspects of the technical, leadership. and soft skills gaps that organizations, in general, face and accordingly. focuses on imparting required training in those areas in partnership with various colleges and institutes.

Several miscellaneous industries exist in Kutch district. Adani Skill Development Centre has started a center in Mundra and Bhuj block so that the needs of these industries are fulfilled.

Page 96 of 442

Admission for the F.Y. of 2020-21





Adani Foundation Kutch

Page 97 of 442

Placement Details

ASDC imparted various soft skilled and technical training to made Atma Nirbhar India. Total 47 youth have been placed in various company and 37 youth are been self employed.

Bhuj


Trade	Total Trained			
General Duty Assistant	51			
Basic Functional English	79			
Digital Literacy	61			
Entrepreneurship Skills	1			
Financial Literacy	2			
Mud Work	4			
GST with Tally	16			
Total	214			
Adani Foundation Kutch				

Mundra

Trade	Total Traine
Basic Functional English Basic Home Health	50
Care	12
Beauty Therapist Business Training (MS-Office)	52 66
Digital Literacy	77
Financial Literacy General Duty	7
Assistant	13
GST with TALLY	9
Marketing Skill	11
Mud Work	73
Non Domain Skills Pedicurist and	3
Manicurist	4
Training Skill	15
ΤΟΤΑΙ	392



E-Learning Training at Bhuj



In this type of pandemic we have started virtually training on various trades like General Duty Assistant, Digital Literacy, GST with Tally, Basic Functional English etc. On Saksham Day we started E-learning training of Digital Literacy & Basic Functional English on free bases.

Till date we admitted 221 candidates in domain courses and 263 candidates in non-domain courses.

Now we started offline training with following all Covid-19 related guidelines.



The students of DDU-GKY (GDA) creating awareness regarding Covid-19 in their own village through various activity



Meeting at Palara Jail and after that meeting we did skill survey of around 150 prisoners.


MoU signing ceremony was arranged by **Krantiguru Shyamji Krishna Verma Kachchh University** on 11th January, 2021. In this project we will provide training in 4 courses (General Duty Assistant, Digital Literacy, GST with Tally & Financial Literacy).

MoU signing ceremony was arranged by **The Takshshila Educational & Charitable Trust - Bhuj** on O6th March, 2021. In this project we will provide training in 7 courses (Entrepreneurship skills, Non Domain employability skills, Diet & Nutrition, First aid, Digital Literacy, GST with Tally & Financial Literacy).





Arranged interview of DDU-GKY GDA students at Sterling Hospital – Gandhidham, GAIMS (Sodexo), Chanakya College, Accord Hospital, Fire Academy. 39 students get placement in GAIMS (sodexo), Alilance Hospital, Shreeji Hospital, Bhuj Fire Academy, Divine Hospital etc. 3 students are working in COVID-19 Hospital



online beauty therapist course has been conducted by ASDC Mundra



Online mudwork training has been organized by ASDC Mundra, after training 28 students became self employed.

Soft skill training for Fishermen youth & Industrial Employer meet




Organized industrial employer meet at Adani House with support by Adani foundation team. And conformed Vacancy details in respective Company. After that ASDC mundra team and Adani foundation jointly given 3 days soft skill training for Fisherman youth. The main objective of this training are to provide alternate livelihood to Fisherman community group specially those youth who are 10th -12th, ITI, diploma and graduates.

CSR Nakhatrana



Adani Green Energy(MP) (AGEMPL) set -up approx. 1250 windmill from Dayapar to Nakhtrana in Kutch (Gujarat). And as the part of our corporate social responsibility adani foundation have started various intervention for the holistic development of community since 2019 in the Ratalita, Amara, Deshalpar, Jinjay, Dhamay & Ugedi Villages with Community Involvement by means Participatory Rural appraisal (PRA), and VDC (Unnati manch) formation to identified real need and extended our arm to render Education, Health , Livelihood and community infrastructure facilities.



Urinary Block Construction in the Ugedi village to keep Swachh Villages swachh and to provide privacy for women

Swachh Village Cleanliness is the beauty of village and to inculcate the habit to keep villages swachh and clean.100 Dustbin were provided to 8 Villages of Nakhtrana which are been kept at Public places and maintain and monitoring by GP

Sitting arrangement with Benches and tree plantation around the cricket ground of Kotda madh villag with tree Guard.

Uakdo distribution it is been said that Prevention is the better than care hence to mitigate the ill effect of covid-19 we organized Ayurvedic Kwadh & Immunity booster medicines distribution camp in the Nakhtrana city. And aware to take precautionary care. Adani Foundation Kutch Total 500 peole were benifitted with the same.

Event

- World Environment Day Celebration on 5th June and Van Mahotsav week celebration in Ugedi village with awareness and tree planation Program.
- Women day celebration on 8th march with Collaboration of ICDS Department in the Ugedi Village . On this occasion Elocution competition were held on the topic of women empowerment and women right among primary students and winner were felicitated with memento prize. More than 60 Women were remain present and motivated and Encouraged.
- Tree Plantation have been done in the Ratadiya and Deshalpar villages with tree guard with sensitization about the important of trees and responsibility for watering and caring of trees.

Lakhpat : Tree plantation with awareness at Kapurashi & Koriyani village of Lakhpat Taluka. Adani Foundation had also provided 150 cages.

Page 104 of 442



CSR Nakhatrana

Setu


we are acting as the bridge between Beneficiaries and Government to facilitate government welfare scheme. due to this effort 82 widow women are getting widow pension of rs.1250 per month which is worth for them.

Swavlamban

Adani foundation provide tool & Kits support to Physically disable person the main objective of the program is to made them self sustain and "Atma Nirbhar" We are supporting various Tool & Kits to various Villages

Swavlamban Support To Disable Person								
Sr. No	Village Name	Sewing Machine	Cabin Shop	Flour Mill	Wheel chair	Тгусусіе	Hand Cart	Total
1	Dahmay	1						1
2	Aamara	4		1			1	6
3	Jinjay	2		1	1			4
4	Deshalpar	1	1					2
5	Ugedi	1	3		1	1	1	7
6	Ratadiya		3					3
Total		9	7	2	2	1	2	23

Sr. No	Scheme	Beneficiaries	
1	Widow Pension	82	
2	Bus pass	5	
3	Wheel Cahir	2	
4	Panchar Kit	1	
	Total	91	



CSR Nakhtrana

Semi arid climate with very scanty rain fall does not support extensive and water intensive agriculture in the nakhtrana region

more ever Farmer are not aware about modern agri technology adani foundation have started some intervention for the integrated agriculture development.

Kitchen Garden Kit

To promote the horticulture farming practices farmers are provided with Kitchen garden kit with twelve type if Vegetables , fertilizers and plastic carret.

Promote for Vegetable farming with structure support i.E Bamboo ,wire and cement Pole support to set up structure for vegetable support and grow.

Sr.	Village Name	Kitchen Garden Farmers	Vela Vala Farming
1	Ugedi	8	3
2	Ratadiya	8	
3	Aamara	7	
4	Deshalpar	10	2
5	Jinjay	7	
Tota	al	40	5

Organic Farming training

To aware about the ill Effect of pesticides and chemical fertilizer in farming and promote toward organic farming training was organized at Deshalpar with hand on training for Jivamrut preparation.Total 38 Farmers were participated

Modified Dev-6 wheat seed Distribution to two farmer of Deshalpar and Ugedi Village as demonstration which resulted that it produce High yield with less irrigation comparatively.



Utthan Nakhtrana


Large-scale efforts have been made by the government and non-government sectors, especially in rural government primary schools, but coverage and quality of education are still not satisfactory.

Adani Foundation leveraging their experience, to intervene in Government Schools. These interventions will aim to enhance the quality of primary education in Government schools.

Under Project UTTHAN 8 primary government schools of Nakhtrana Taluka of Kutch district have been adopted to take up various initiatives aimed to improving quality of education these schools.

Total 234 priya vidyarthis are benefiting from a meaningful education in these schools.







CSR Nakhtrana

Environment and bio diversity conservation is always been the prime responsibility of adani Foundation. with this objective we started such work in Ugedi village near Nakhtrna to develop Ecological green belt to attract major faunal group such as amphibians, reptiles, birds ,butterflies and mammals and restoration of native vegetation to improve overall ecological food web of landscape.


This work has been entrusted to Sahajivan, an expert organization for the protection and conservation of biodiversity as part of which following work have been carried out.

- BMC –Bio diversity conservation committee has been formed in Ugedi Village.
- Habitation Improvement by removed "*PROSOPIS JULIFLORA"- Ganda Bavar* from 8-10 hectare and native tress seed has been sprinkled As well as in the garden of Ugedi village and in the place of Angalwadi, trees have been planted. Also, in the seam land seam area of Ugedi village, more than 300 native trees have been planted like Desi baval (*Acacia nilotica*), Mithi Jar (*Salvadora oleoides*), Liyar (*Cordia sp.*) and Gugal (*Commiphora wightii*) Pilu, Khejari, have been planted.
- Improvement of Catchment : approx. 750 cubic meter excavation and embankment in sloping ground to increase catchment area of open pond to support existing Vegetation and other Biodiversity
- Three species **1. Bird Peacock 2. reptile-Spiny tailed lizard 3. mammal-Chinkara** are selected for Conservation
- Started awareness program with pamphlet, Leaflet and IEC Material distribution in the Villages and School to sensitize about their important to maintain ecosystem and Bio diversity.





Adani Foundation Kutch



ચાલો મોરને જાણીએ અને તેને બચાવવામાં યોગદાન આપીએ...

- આપણે સપ્ટીસ પક્ષી મોર સામાજીક પક્ષી છે તેણી તે સમુદ્રમાં રહેવાનું પસંદ કરે છે.
- સામાન્ય, શેતે ને જગાવમાં કરે છે. તેને હુવા હવામાં, પાનખવ, લેંજ વાળા તથા સુકા જગાવો પસંદ છે. તે ખેતાઓ શોધમાં આવાવ નવાર ગામ, ખેતર-વારી વિસ્ત રમ ફરે છે
- શિકારી પ્રાણીઓથી બનવા સંત્રી દરખ્યાન તે મોઝ વૃક્ષે જેવા ઉત્ત રહેલાણના રહે છે.
- તેને ખેસ કમા દિલિયતા પસંદ દે બાથી તે જીવજ તુઓ, કુદ, કુદ, અન જના દાવા, કુસ, કર, નાના સસ્તનપાણીઓ અને સહૈયુપી વગેરેને ખેસક તરીકે ઉપયોગ કરે છે.
- 🔹 ટિંક ધર્મમાં ચીરને બ્રનિકેશનું ગણન, બીંધ્ય પછેલં મનુર છનું પ્રતિક તરહ ઇન્ક્રમમ ધર્મમાં પણ તેનુ ધાર્મિક ગણન છે.
- દેલ જમીત પર ઈટા મુંદે છે અને તેની કરતે ડાડના પાન મને ડાયબીઓ થી પાડ બનાપે છે. ઉનાયામાં દેલ ૩-૮ ઈટા મુંદે છે. અને પ્રેક માંઠેન, સુધીમાં એ દેલ સેવે છે. બધ્યું દલા માંઠી બહાર નિકલીને નારતજ તેની માતાનું અનુકરણ કરવા સાથમ કેન છે. જાબ પાક દીડા માંઠેનાથી સુધી માતા ને બધ્ય વેલુ કરે છે અને ખેતાક નારક દિવે છે.

તેને શાનો ભય છે?

- મોરનો પીછા, ખેરાક તેમ દવાઓ બનાવવા માટે શિકાર થાય છે.
- પાકળે બચાવવા ખેતરોમાં છેરી દવાચીળા છરકાવથી તેનું મુખ્યુનું પ્રભાદ વધે છે.
- સ્ટાલોના ઘયતા બારતા કારણે મેટના કુદરાઈ બિનાસસ્થાનોથી નાગ્ર ઘવાથી તે બાનસ સ્વારતની નજીવના પર છે તેથી પ્રતાવનેનો પણ વિજ્ઞા પત્ને છે.
- अन्नद्ध म्हानदेवना चञ्चम्हम् २४ छ तथा हुत्तरापांचा पढ़ा लाहर प्रत्य छ.
 अंत्रात्तीमां विश्वयोज्य तार घर भेगवाथी विद्वलन्त सोह दात्रवान, परिष्ठामे खने
- प्रतनप्रहानि अश्ते पह मृत्यु नीधायेत हे

ચાંચક્ષણ માટે શું કરી શકાય?

- તેના કુદરતી નિવાસરથાનો જેમકે જંગલીનો નાલ, પોટા વૃક્ષેનો નાલ થતો અટકાવીએ
- 🕠 બેતરોમાં ઝેરી દવાઓનો છટકાવ કરાવાનું સલીયો. અને ફરીયો દેશી જીવત ખેતી અપનાચીએ.
- આપણા સમીધ પાંચીને જો વેરસાયોસર રીતે સિંકાર થતો જણાય તે તમુકાન વન વિભાગને કે આપણા ગામની બો પ્રેમ સીંક્ષીરેક વિવિધાન વ્યવસ્થા અ સમિતિ ને જણ કરી છે.



💩 প্রতিবি

માટી માગાન્ય રીતે શુષ્ક તેમજ અપેશુષ્ક પ્રદેશમાં છેવા દતો છે. દ્રશિયામાં તે ભારત, પાકિસ્તાલ તેમજ અરૂપાસિસ્તાલદ, જોવા થયે છે અને ગાળતમાં તે ગુજરાત- ગાજરાત, દીતર પ્રદેશ તેમજ મદલા કેશળા વિસ્તારમાં બિસ્તારમાં સંચ માટે છે. શિકારી જાતવરે તથા પુરં જેવી પરિસ્થિતિથી બચવા માટે તે પોતાનું દર ઉચાવ વાળા વિસ્તારમાં બનાવાનું પસંદ કરે છે. દરા બોટાડની થોય માટે પણ બોતાન દરાથી લગુ ફૂટ વડી જતો. બિયાળે દરૂ શતા માંઢ પોતાનું દર અંદરથી બંધ કરે. શીન સમ્પ વિશ્વ થયે છે અને પ્રરીષ્ટમાં સંગઠ કરેલા બોટાકની મદદથી જલીનમાં શકે.

🧕 ગેર માન્યતા અને અંદાશ્રદદ્યા (૨૩ છુ બના જૂલ છે...)

- ે વા તથા સાંધાના દ્વખાવામાં સાક્ષણ તેલ લગા લાધી દ્વખાવી મઠે છે. તેના તેલથી પોફલત્વ વધે છે.
- સાંકો ક્રોરને બવડાવવાથી તેની પ્રક્રિત થયે છે.
- બ્રથાન ગુલાબી હાર કોઈ ધાર્મિક વિધિમાં ઉપરાંગ કરવા

🔶 (শখ

- 🕠 આપણા દ્વારા ખેતી તથા અન્ય વ્યવસાય માટે દબાણ કરી તેમાં કુટરતી મિવાસસ્થાન પર થતું નુકશાન .
- ખોસક તથા અંધલાધ્યા માટે ગેશ્કાનૂની રીતે થતો શિકાર.
- ગાસીયા જમીનોમાં ગતુ વાલેતર
- પાણીના આવન જાલન અને ટોઇટનીમાં સહી કેસ્ક્રાસ

👲 સંરક્ષણ માટે આટલું કરીએ

- માંડાનુ અક્તિના આપવા પ્રદ્યોવરદ્દ માટે ખુબ જરૂરી છે તેમાં દેશ તથા તિપ સ્તરે તેના સંરકાણ માટે કચરા પ્રાળામાં આવેલ છે. સાયતમાં માંગ્રામે વચ્ચજીવ મંગ્રાણ સથિતિયમ ૧૯૩૧ સંતર્ગત સનુપૂર્ણ-૨ માં ચ્યાન આખે ગ્રંગણિત કરેલ છે.
- ન સોઢાની ડિકાર કરવી, વેપાર કરવી, મારવી, પરેશાન કરવી કે કોઈપણ રીતે તેના કુદરતી નિવાસસ્થાન ને નુકશાન સરવું એ એક ગાંધીર ગુની બને છે આવું દરનાર વ્યક્તિ બધાવા સમૂછ પર સાયદેશરના પગણ લેવામાં આવે છે.
- તામરી આસપાસ ના મિસ્તારમ આવી પુત્રણિ થતો દ્વારો નગુલના બનવિલાગામાંલીસ સંસન, સમુદાયિક બન વ્યવસાયન સમિતિ (CFMC) અથવા સમયને સપક્ષ કરવો.

નાસાંકીય સંકથીગ

adani

by a to Liday of





ચિંકણ સામાન્યરીતે પાતિમાં મેદાબ, શ્વા. તથા શુષ્ક અને થયે શુષ્ક જંગલ ચિત્તારમાં જોવા માટે છે. હારતમાં તે ૧૬ તજાવેમાં નોધાએલ છે. ગુજરાત નકા મહત્વમાં તેમના માટે દક્તિ વિત્તાર જાહેર કાવમાં આવેલ છે. જેમાં ગુજરાતમાં કલ્લમાં અવેલ મારાયણત્વી પરંત વન્યજીય પ્રવ્યાવ્યય એ ચિંકામ માટે રણિત વિત્તાર જાહેર કારવામાં અવેલ છે ચિંકાર કાંટલા જંગલો સહીત દેશીબાયલ. મોટુ ગોરક, પીજરી જેવા વનસ્પતિ આ શાહિત વિસ્તારમાં વધારે દક્તિનું મતા કરતે.

ભય

- તેના પરીસરતબ માં ભાય અનુસવાતા પીતાની પુંછકી કલાવે છે અને આગળના બે પણ જમીન પર પછાકે છે.
- પોતાના નાક ઘાટે ખુબ જોશથી હવા બહાર કાઢી છીંક જેવો અલ જ કરતું હોવાથી તેનું ગામ છીકારા/ચિંદ્ર સ પડવું છે.
- કુદ રતી નિવાન હોવ પર ધનુ-નુસ્થાન, ગેરક નુની રીતે થતો ક્ષિકાર, હેમનિક ઝાડી નુકૉન્ટુ થતું નિકેટન અને આડેયક થતુ જંગલીને નુકશાન તેના સચના કારણી છે.
- સ્થાનિક લોકોમાં આ પ્રાણીના મહત્વ ચાંગે ચાલે કુક સાંભા ચાલોખા જીવ પ્રત્યેની જાગૃતિનો અભાવ પણ ભચનું કારણ છે.

સંરક્ષણ માટે આટલું કરીએ

- ચિકારાન અસ્તિત્વ આપણા પર્ચાવરલ માટે તથા કુદરતી આકાર લુંબલાના નિભાવ માટે ખુબ જરૂરી છે. તેથી દેશ તથા વિષ સ્તર્ય તેના સંરકાલ માટે શબદ ઘટળામાં અવેલ છે.
- ભારતમાં ચિંકારાને વત્યજીવ સરક્ષણ અધિનિયમ ૧૯૭૨ અંતર્ગત અનુસુચિ ૧ મ. સ્વાન આપી સંરક્ષિત કરેલ છે.
- ચિંકાર: નો ગ્રેસર કરવો, તેને પરેશાન કરવો કે કોઈપણ દીતે તેના કારરની નિવાસત્સાન ને બુકરાન કરવું ને બેક ગુસીર પ્રકારનો ચૂનો બને છે. આવું કરનાર વ્યક્તિ અથવા સમૂહને તે સજા થઇ શકે છે.
- તમારી આસપાસ ના વિસ્તારમાં આવી પ્રકૃતિ રાતી બેગતો અજીકના અનવિભાગ,પોલીસ સ્ટેશન, સામુટાબિક અન વ્યવસ્થાપન સગીતિ (CFWC) ચાલ્લ સંસ્થાને સંપર્ક કરવો.



Adani Foundation Kutch

2014/01/22/00

teles with a full carry of the second second

OF NAMES, BAS, A. AVAID-908.



नाडांडीय संस्थीन

adani

STATISTICS.

CSR Tuna



Adani Kandla Bulk Terminal Pvt. Ltd. is joint venture of Adani Ports and SEZ Limited as well as Kandla Port. There are three Villages & Two Fishermen Vasahat where Adani Foundation Doing various CSR activities in the Education, Health , SLD and Community Infrastructure area. Adani Foundation are running Rural Clinics in 3 villages on regular basis and supporting the villages in water storage and distribution networks. Current year supported for Drainage network for Tuna and Wandi as per MOU between Pandit Dindayal Trust and Adani Foundation

Drainage work

As per MOU between Dindayal Port Trust and Adani Founation – Contribtuion of Rs. 40 Lacs for Drainage Facility Provision in Tuna and Wandi Village was taken up and work will be completed upto June 2021

Water facility

To reduce water born disease, we are providing portable drinking water facility at Dhavalvaro bandar and Vira bandar.

Ration kit support

During covid -19 pandemic & lock down directly and adversely affect over Poor and vulnerable families whose are sustain daily wages work. We Distributed Ration kit to those people with aware to take precautionary measures as well. Total 1100 Ration Kits were distributed to Tuna Rampar and Vandi Villages

Tree plantation

Tree plantation has been carried out at Tuna, Vandi & Rampar village and Garden development work has been done at Rampar primary school which would create healthy environment and entertainment over students.

Fodder support

in Rampar and Tuna village 47950kg dry fodder and 335730kg fodder has been supported during this year.

Rural Clinics

Rural Clinics 2 hours per day are operated by Adani Foundation to ensure primary health at door step. Total OPD is @ 350 per month.





CSR Bitta



Under Adani Solar Limited – 40 MW Solar Panel Power Unit is Situated at Bitta Village in Abdasa Taluka. We have done various activity under the CSR work.

As Abdasa is water scared region with list amount of rain Fodder support had been provided to 100 ton fodder to Bitta, Dhrufi and Moti Dhrufi villages.

Cleanliness of village Pond inlet in the Bita Village which lead more storage capacity and Village. Pond bunding construction in Dhufi village.

Cricket ground of bitta village has been upgraded and cricket kit provided to youth.

Panchayat Building construction was carried out by Adani Foundation's support and technical guidance.

Drainage line maintenance and Cleanliness is frequently done in Bita which lead Swachh Village

EVP Employee Volunteering program

Since last few years adani group employees are adopting students of migrant labours. this year also all the 802 students of Vallabh vidhalaya were adopted. All this students are belongs to migrants labour families who are working in various industries in and around of Mundra. The students does not feet any difficulty of language because the vallabh vidhalaya is Hindi medium school.

On 1st may i.e. on the world labour day, all the cheques of rs.16.04 lacs had been handed over to Mr. Dharmendra who is the director of vallabh vidhalaya

Due to COVID-19, the 10th standards students of AVMB felt difficulties in study as they do not have any digital gadget for online learning. Our APSEZ Employee had been voluntary support to provide Lenova tablet to the AVMB Students.





WORK DURING COVID-19

To fight against the COVID19, Adani foundation has stepped up to guard the health and well-being of rural communities, provide relief material to needy.

Chemical sanitization was carried in various villages of Mundra with the coordination of Fire Department APSEZ. With coordination of Port, Wilmar and Foundation free cost food facility (Breakfast, Lunch and Dinner) in port & SEZ premises and AWL area. 24 Sanitization work in villages

1900

Daily Food Facility (Breakfast, Lunch, Diner) for 1900 Labour per day

5500

ration kit support to needy people (Specially Fisherman, daily wedge workers, widows and senior citizen).

105000 Ma Pol

Mask prepared by women SHG for Government officers / staff of SDM, ICDS, TDO, Custom, THO, Police Dept. etc.



Adani Foundation Kutch

WORK DURING COVID-19

Providing treatment is prime thing in case if any outbreak but making people aware about safety n self quarantine plus to handle the panic situation. Our mobile health care unit had provided primary treatment to community at door step and also created awareness. In this panic situation Adani Hospital Mundra had continue his IPD and OPD services. SuPoshan Sanginis led awareness drives for conveying correct hand washing techniques, importance of sanitization. They also visited pregnant women and counselling regularly. 'Awaz De' a voice message campaign was started in local kutchi language to make the people aware on COVID-19. 158

Taken care of Senior citizens at old age home

Awareness drives by SuPoshan Sanginies

Mobile health care unit provides Primary treatment at doorstap

35000

'Awaz De' a voice message campaign in local Kutchi language



Our Change Makers



In critical time of Corona, Medical Officer Dr. Deven Goswami, Dr. Narendra Dodiya and Dr. Mukesh Parmar has performed their duties at GKGH Hospital for 1.5 month period.



My Mother's dream became true

Name: Mura Keshabhai Dhuva

Place: Khavda, Bhuj, Kutch, Gujarat

Employer: Alliance Hospital (Covid 19 hospital), Mundra, Kutch, Gujarat.

Job: Joined as Nursing Assistant.

Salary: Rs. Up to 9000/- per month with lodging and boarding facilities.

Candidate Brief:

He belongs to rural family. Father is Carpenter and mother is Home maker. Parental household's monthly income prior to his placement was Rs.8, 000. His prior educational qualifications is 12th pass.

In his own words:

My mother's dream is that one of the sons should be in medical field. But due to financial constraint, I couldn't study further. I thought I will never be able to fulfill my mother's dream but fortunately, I got opportunity to get trained under GDA course and soon after its completion, I got placement in hospital. I feel proud to serve Covid19 patients and will continue doing fearlessly.

Thanks to Adani Skill Development Centre to give me opportunity to take training under DDU-GKY scheme and make me capable to take care of my family.



It helped me to become good team member and work efficiently

Name: Nipul Punjabhai Sanjot Place: Bidada-Mandvi, Kutch, Gujarat Training Trade & PIA: Completed a course in General Duty Assistant from Adani Skill Development Centre, Bhuj under DDU-GKY. Employer: Alliance Hospital (Covid 19 hospital), Mundra, Kutch, Gujarat. Job: Joined as Nursing Assistant. Salary: Rs. Up to 9000/- per month with lodging and boarding facilities. He can be contacted at: 9726242085

Candidate Brief:

His father and mother works as helping staff (housekeepers) in another hospital. Monthly income of family prior to his placement was 10,000/-. His prior educational qualifications is 12th pass.

In his own words:

I am youngest in Covid19 hospital here but I know this is the time to act wise. When my friends ask me do you fear working as PCA? I simply laugh and say I am trained in GDA course and fully prepared for this work. My duty is to check patient's temperature, blood pressure and oxygen level and maintain record. We get residential facility nearby hospital. To Treat Covid19 patients, needs a courage and team work and I am blessed I got this wonderful chance.

Thanks to Adani Skill Development Centre to give me opportunity to take training under DDU-GKY scheme and make me capable to take care of my family.



Name: Khoja Sahista Hussenali Place: Kera, Bhuj, Kutch, Gujarat Training Trade & PIA: Completed a course in General Duty Assistant from Adani Skill Development Centre, Bhuj under DDU-GKY. Employer: Om Maternity Home, Bhuj, Kutch, Gujarat. Job: Joined as Nursing Assistant. Salary: Rs. Up to 7000/- per month with lodging and boarding facilities. He can be contacted at: 8347304586

Candidate Brief:

She is belong to poor family. Her family's monthly income prior to his placement was Rs. 8,000 and source of income is from grocery store. Her prior educational qualifications is 12th pass.

In her own words:

My name is Sahista khoja i am living in kera village . My father's dream is that my daughter should be in medical field. But due to my mother's health issue i completed my SSC and HSC external And i thought i will never fulfill my father's dream but fortunately i came to know from my friends about GDA course and i got opportunity to trained under that course. And I started my internship at Om maternity home and on last day of internship i got placement their. I want to thank Adani skill development from the bottom of my heart to give me opportunity to take training under DDU - GKY and make me capable to became a second earner for my family.



Stick at old ages

Dhanuba a self-esteem lady from Zarpara Vllage .While I peeped in her life it seems like that her existence is only to bear grief and sadness .Her husband was passed away before 20 Years since that she has been eduring social and economic responsibility of her family by drudgery daily wages. She have two daughter who are married and two sons who are supporting her for daily end meet ,day was passed little more good combativelyWho knows it was for short times

Unfortunately one more shock in her life that her elder son get Heart attack and passed away & younger son got mentally ill again she have to drudgery to get them daily bread and butter... Though her daughters called her to lives with them but she denied strongly believed to don't be burden & belongs to daughter. Now she is 70 years old and physically weak and also get illed often.

One day she came to our Rural clinc for medical check-up and was talking with deep sigh & despair about her problem. Fortunately our Employee Mr. Karsanbhai was present at their and promptly talked with her and comprehend the reality. She could not availed benefit of widow pension scheme because of the certain government limitation even after numbers of time applied and Follow-up for the same. He went along with her and Collected the essential document and submitted to the respective department later within two month she received sanction order for the same and further Rs.1250 /- Widow pension has been started which been the great support for daily meet.

She and her daughters expressed great gratitude and said that Adani Foundation is hope For the Poor and needy persons.



"Vidyadan Mahadan"

Name: Sohil Gafur Manjaliya Place: Luni ,Mundra AF intervention:- Education Scholarship Support Progress & Achievement:- Studied intently and perused Graduation Degree and process for LLB admission Salary: Working with Lawyer as a practicenor and earn Rs. 8000/Month

Back Ground : He belongs to Poor Fishermen family and sincere to study since child hood. He belongs to Poor Fishermen family and sincere to study since child hood. His father is used to Pagadiya fishing practice to get the daily end meet. In his own words:

In our community most of the youth left study after 8th standard and engaged in Fishing practice but when I had interacted with AF staff and persuaded for further study and Scholarship support. I realized that the only education can be the game changer to strengthen my Financial condition. Later I focused to study Intentionally and dreamed to be Lawyer.

Now am working with Advocate as Assistance and do Financially support to my family.

Indeed AF sensitized me and act as catalyst to transform my life than others really I am honored by friends and Society



Real Support

Name: Harkhumben hirabhai Rabari Place: Jinjauu,Nakhtrana AF intervention:- Sewing Machine Support. Progress & Achievement:- Started Embroidery and sewing work Income : Rs.2500 to 3000/Month

Back Ground : She is 40 year old lady and disable by polio in childhood. They are five members three Children and Husband wife. Her husband is driver and the only person to earn hence financial problem is always remain host.

However She is illiterate & handicapped but symbol of etiquette and dedication. She always thought to be financial Supporter to her life partner. As belongs to Rabari community stitching & hand work is imbibed in her and she want to purchase Sewing machine for the same but Financial constrain did not allow them for same.

During community interaction she express her willing sewing machine support. we met her and after verification Support accordingly.

In his own words:

It was difficult to me as house wife to maintain budget but since I have started sewing work which added some extra money which can we expense for our children nurturing and education for their bright future.

Thanks to Adani foundation to be supporter to such disable persons



Sea of Change – I can !!

Manjaliya Jakum Osman is 36 years old Fishermen Youth though he was little dull in study but has insight sense and dedication to work. After completion of primary education he had been engaged in fishing practice with his father. Though he was earning but not enough to sustain his big family with Five Daughters .


He was always thinking to get hike and asking to provide work according to his skill like drivering ,electrician and painting work.

One day we offer him contract work in our dry cargo department for loading Unloading work. He started enthusiastically with 30 Labors teams and paid 100% Efforts to fetch the targets but.....Unfortunately he had to left contract due to some constrain.

Again he engaged in fishing as routine but destiny define another for him. we had called From APSEZ to need Casual labors and referenced for Jakum as having Good feedback for dedication toward work.

he accepted opportunity even did not know the process. Initially We supported for gate pass and other mandatory formalities. Currently 22 Fishermen youth are working under him. He is saying that I am earning Approx Rs.40000/Month. And massage to Fishermen youth that I am grateful to AF to provide chance to proof my self and sustaining well. now I can Fulfill all basic amenities and invest to my daughter education.

He message to Fishermen Youth that we have great Opportunity as having ADANI port and companies to get employed.



Fostering for Future

Life without parents is like boat in the mid of the ocean without compass, Krishna was cute and beloved girl of her family. Though her parents was labour but had been grew with lots of love & fulfilled all her wishes. But who knows the destiny ,when she was 8th year old she lost her father due to heart attack. yet she get back from the shocked, her mother got remarried which pushed her in the sorrow of ocean.

she is from Siracha village & studying in 5th standard. However her uncle and aunty are looking after her fostering with all possibility, she is but since they are poor, the financial constrain cant allow them to do much more even they wish. One day when our Employee Mr. Karshanbhai Gadhvi knew about its , he met them and get review from the village leader about the reality ,They are really poor and has been taking care of Krishna with soft intend & Love. Later we informed them about the Government scheme and did all the necessary documentation to linked with Government Orphan Yojna. Now they are being facilitated with Rs.3000 pension /Month which they deposit in Krishna bank Account to invest for their Education and wish to made her Officer now Krishna s future is secured...

Events

World Environment Day

World Environment Day was celebrated in Four Talukas by different activities related to conservation of Environment. The events were organized with coordination of Sarpanch, village leader and village committee members and difference type of activity had been carried out in this events.

Activity

- Mangrove Plantation at Luni sea coast with fisher folk community
- Tree Plantation at Mundra, Nakhtrana, Lakhpat & Tuna block.
- Inauguration of Gauchar land development work in 22 acres at Siracha village
- Tissue culture plant distribution to farmer
- 1500 herbal plants like meshvak, amla, galo, gugal, ardusi, pilu, etc planted at Nandi Sarovar biodiversity park



World Mangrove day



Web talk show was organized on the occasion of "World Mangrove days On Multi species Mangrove bio diversity with Joint effort of Guide and Adani Foundation, mundra.

Dr.V.Vijayan Kumara (Director of Gujarat institute of Desert ecology), Mr. C.R.K Reddy (Former chief scientist, CSIR-CSMCRI CEO) and Respected PNR sir and Gadhvi sir had delivered occasionally speech. As well as Paper presentation by GUIDE and with KSKV Scientist. Total 70 participated had joint this webinar.

Vanmhotsav



Vanmahotsav week had been celebrated by adani foundation. The main objective of the vanmahotsav is to promote forest conservation the tree plantation.

More than 4100 tree plantation activity had been carried out in Tunda, Siracha, navinal , Zarpara, Dharb, baroi, luni, samgoga, Nani bhujapar, moti bhujapar, Mota bhadiya, Gundiyali , Anjar, tuna, rampar and wandi villages of Mundra & Anjar.

World ocean day



8th June is celebrated as world ocean day. adani foundation had celebrated the world ocean day by coastal cleaning activity at Juna Bandar, Luni Bandar and Bavadi Bandar.

More than 105 Fisherman took part in this activities with great enthusiasm and zeal. Adani Foundation has scheduled awareness of coastal biodiversity, No fishing in monsoon period and conserving mangroves by allege removal and sweet water usage in initial period.

National Youth Day



The National youth day was celebrated by motivation the youth who had play significant role during corona period as a warier in various sector and society.

On the occasion Mr.Sharad Sharma –AWL plant head and Mr. Vijay Saxena –HR head MUPL were remain present and delivered speech accordingly.

17 youth (3 utthan sahayak, 4 fishermen youth, 3 corona warriors, 7 women - animal husbandry & gram rakshak dal) were appreciated.

International Women's day



Adani foundation and Britannia had jointly celebrated women's day on 10th March 2021 in which Guest of honour was Pabiben Rabari Entrepreneur Kutchh 283 women are working at Britannia and preparing biscuit n rusk. Adani foundation is supporting for sourcing, n motivation training for them and on job training Plus convincing of families of women for shift duties also. Pabi ben had given information about her life journey n struggle and congratulated women for their joining the work. Dr Punam has informed about how to stay mentally and physically healthy plus maintain hygiene. Felicitation of 25 women by Medal who become permanent in Britannia company. Five Women shared their journey of life.

The National girl child day



Women are the epitome of strength ,Love ,sacrifice and courage.

and In the fast growing world women role is more important for the Socio , Economical & political development of Family ,Nation and world.

The National girl child day was celebrated with ICDC Department with Vahli Dikri Yojna form filling, paediatric health camp and Baby health kit distribution at Mundra . Mrs. Ashaben - CDPO Mundra was remain present in this event. Total 61 forms has received approval letter from GOG and 15 forms filled up on the same day

Ayurvedik Ukalo Distribution



Covid-19 pandemic is at the peak level and while don't having Specific treatment and vaccine taking precautionary measure and immunity boosting is the only weapon to keep away our self from Covid-19.

We have started Ayurvedic Kwadh Distribution at Various Public spot, Our Port Entry & Exit gate and APL ,AKBTP,T una with spreading awareness to mitigate rapid transition to combat against covid -19. More than 6500 people had benefitted with Ukado and Vitamin –C tablet from Mundra, Baroi Shanti van & Samudr township.

World Water day



Adani Foundation Mundra & Nakhtrana had Jointly celebrated World water Day with WASMO. Mr. R J Sonkesariya - SE irrigation dept., Ms. Dimpleben Shah -District coordinator WASMO were remain present in this event. Innovative farmer Mr.Vadilal Pokar had shared his experiance and value of drip and borewell recharge activity. more then 125 farmers of Mundra and Nakhtrana block took part in this event. To understan the value of water, drawing competition on the theme of valuing water had been organized for utthan school students.

World Disability Day

The people who living with disability, face many barriers to inclusion into key aspects of society, God blessed them with some kind of limitations with other kind of skill.Disability brings different ability.

We had celebrated world disability day on 3rd Dec with the aim to empowerment and help them to create real opportunity to make them self sustain.

In Mundra, Bita, Tuna, Anjar, Nakhtrana, Lakhpat, Bhuj & Khavda blocks of Kutch district, total 40 people were benefitted with various Tool and Machine. The District Social Welfare Officer had issued appreciation letter for our efforts. All Divyang of kutchh, have been assured to support for Government online application to facilitate Aid & Equipment well as divvying certificate and bus pass.

认识到国际

terell addres yes an vieweg's from from the first state of the second field and yes with the second field and the second field and the second second second address and the second secon

94.0. - 43.6. 543 ML 03/19/1010

સમય મુદ્દક, અધિકાર્ કથક સુષ



Page 131 of 442

Awards

Adani Port and Special Economic zone ,Mundra has been awarded with 2nd prize for the National water Award from the Government of India Ministry Of Jal Shakti for the best industry for CSR Activity Category. and got cash Prize of Rs.1.5 lacs.



Awards

There was state level QCFI Award competition for (HR and CSR activity) We participated with our Namda work revival project though virtual presentation. we received diamond award.



Beneficiaries data

No	Core Area	Direct Beneficiaries	Indirect Beneficiaries	Remarks
1	Education	2098	9424	Utthan 17 Schools
2	Adani Vidhya Mandir	472	1888	AVMB ,Students
3	Community Health Mundra	19196	212969	MHCU, Rural Clinic, Senior Citizen, Health camp,
4	Community Health, Bhuj	5870	23480	Medical Support , Mahiti setu, Dead Body , Patients Care & Co- ordination
5	AHMPUL	20959	62877	OPD & IPD Patinets
6	SLD Fishermen	8035	2330	Education, Mangrove, Water and Livelihood
7	SLD –Agriculture	21190	2991	Drip, Fodder, Home Bio Gas, Tissue ,
	SLD- Women Empowerment	127	508	SHG Group Income generation & Training
8	CRC	1079	4316	Sukanya Samrudhi Yojna, Agriculture ,Fishermen,
10	Swavlamban	276	1072	(Widow women & Divyang)
11	Community Infra Structure	111855	162488	Fishermen Amenities & Shelter ,Pond Deepening, Approach
12	Nakhtrana	18528	8168	Health ,SLD, Bio Diversity & CID
13	Tuna	6717	20151	Fodder, Health & portable water
14	Lakhpat	2956	1380	Tree Plantation & Tree Guard
15	Suposhan	20565	0	Child ,Adolescent Girl ,RPA Women
16	ASDC Bhu & Mundra	577	1432	soft skill and DL .GDA & Online Training
	Total	240500	515474	

Financial Overview - Adani Foundation -Mundra Executive Summary-Budget Utilization F.Y. 2020-201

(Rs. In Lacs)

Sr. No.	Budget Line Item	Budget 2020-21	Total LE 2020-21	% of Total Utilization
Α.	Admin Expense	61.10	56.96	93.28%
В.	Education	94.56	57.87	61.20%
B1	Utthan-Education -Mundra & Anjar	64.11	52.05	81.19%
B2	Utthan : Fisherfolk	30.45	5.82	19.12%
C.	Community Health	420.70	325.12	77.28%
D.	Sustainable Livelihood Development	365.00	336.62	92.23%
E.	Community Infrastructure Development	58.30	60.13	103.14%
F.	EDM Recommended Projects	60.00	60.00	100.00%
G.	COVID 19 Support	100.00	27.05	27.05%
H *	Budget taken against Saving			
1	Wandi – Tuna Drainage Support		45.40	
2	Support to Dhrub Hospital-Dhrub		22.00	
3	Approach Road Construction at Prasla Vadi, Zarpara		16.00	
4	Participation in Gaushala Construction at Goyersama		10.25	
	Total Budget plan against Saving:		93.65	
Т	otal AF CSR Budget :	1,159.66	1017.41	87.73%
[I] A	dani Vidya Mandir-Bhadreshwar	219.67	104.74	47.68%
[II] P	Project Udaan-Mundra	50.00	49.30	98.61%
	GRAND TOTAL Budget F.Y. 2021-22 :	1,429.33	1,171.45	81.96%

મુંદ્રાના ૧૧ ગામોના ખેડૂતોના ઉત્થાન માટે 'કચ્છ કલ્પતરૂ પ્રોડ્યુસર કંપની લિ.' એગ્રોમોલ બનાવશે !





• અદાણી કાઉન્ડેશનનો સહયોગ અને ડાર સમન્વચ થકી ઘરતીપુત્રોને કૃષિ ક્ષેત્રે મળ AN DESCRIPTION મદદ કરવાના હેતુસર અદાંશ ઓક્ટોબરના અંત સુધીમાં ૨૦૦ સભાસદોન



કૃષિ સંવાદદાતા રાજકોટ, તા.૨૨ કચ્છ જિલ્લાના મુંદા તાલુકાના ૧૧ ગામડાઓના ખેડૂતોને કૃષિ

નિઃશલ્ક ઓનલાઇન ટ્રેનિંગ આપી તેમના કૌશલ્ય વર્ષનમાં વધારો કરવાના સહિય પ્રયાસો થઈ રહ્યા છે. જુદા જુદા કોવીડ ૧૯ શહત ફંડમાં પણ અદાણી સૂપ દારા અમૃત્ય યોગદાન આપવામાં આવ્યું છે અત્યાર સુધીમાં અદાલી સુપ એ 35 G18-15 20

પ્રેસ રીલીઝ) મંદરા તા. ૧૨ આજે અદાશી ઠાઉન્ડેશન ૧૮ અદાણી ફાઉન્ડેશન દ્વારા દેશના ૧૮ રાજ્યમાં ૨,૨૫૦ રાજ્યમાં ૨૨૫૦ ગામડાઓ સુધી ગામડાઓમાં કરવામાં આવેલ લોક કલ્યાણના વિવિધ કર્યો : મુન્દ્રા લોક કલ્યાણ અર્થે કામ કરી રહ્ય છે. અદાણી ઢાઉન્ડેશન કચ્છ જિલ્લામાં તાલુકાના ૨૨ ગામોને સેનીટાઈઝ કરવામાં આવ્ય અસરગ્રસ્ત પણ સુસંગત, વ્યવસ્થિત રીતે. સમાજ ઉપયોગી કામગીરી કરવા પરિવારોને ૧૦,૦૦૦ જેટલી રાશન કીટનું વિતરણ હંમેશા તત્પર રહ્યું છે. તેની

ભુજપુર આસપાસ ૨૩ લાખના ખર્ચે વિવિધ વકાસકામાં સપન્ન : ખાનગો

Be inspin 1535

end had

ાસ્તારમાં મહત્વના ભુજપુર

હાલની આદયલી લાધુ વાંકરાત

મમાં તગાવ મનેલ હતા. પરંત

della Care

Carrie a

1115-1

492414

NO 2H SL & BIM 200FIS are any warad drawn લામલે છે. જેમાં તારે

કાયે પદ્યાંનું વાપેસર થયું

while her activit Attest મંદરાના સહયોગથી નિય

પ્રાથમિય દેશના ધનાઢસ ઉદ્યોગપતિ ગૌતમ સદાશીસે કચલ્ન ગામકામાં કરી નવા quell Gerdell-શેખડીચા ગામે PHISON W सलपरिवार 5-219] Herotol





અદાણી ફાઉન્ડેશને મુંદરાના વલ્લભ વિદ્યાલયનાં ૮૦૦ બાળકને દત્તક લીધાં



અનુરીય કરતાં લાઈગલી હુટ પ્રાંથ કરતાં વડા માયજામાંથી ALC: NOT વિશ્વ સંબંધ દિવસ નિમિત્તે ગાછોમારીને શાવે સખી અદાણી કાંડે. હારા કરાઈ ટુંબેશ

Mrs. mill. ELECT THE HERITAL મુહ માન્યમાં માટે જાવાદીથી तेवाची वालीवार अमुदायना संदर्शस्यी व्याली इलीन्ज्ञान तथा विश्व अमुद्र दिवन निष्टित्र તનીક સ્વગ્નમ મુદ્દવા તળ્યુકાળ દ્વારી આ ખે સમુદ્દ સંકાઇ નસ્પિયાન તાથ પરવામાં આવ્યુ તત્ ૧૫૦ દિસાથી વધુ થન AND BE STRING RECORD

ખારેક બજાર વ્યવસ્થા માટે કચ્છ-કલ્પ તરુ પ્રોડ્યુસર કંપની બનાવશે : અદાણી ફાઉ. દ્વારા આયોજન

અદાણી ફાઉન્ડેશન તેમજ ફલાય વિંગ

કાઉન્ડેશન સંજય બાપટ, મનહરભાઈ

ચાવડા, અશો કભાઈ, મેહ્લ

જોષી,દારા ઉકડાનું વિતરલ વિવિધ

વિસ્તારો માં કરવા માં આવ્યું હતું

આંદાજી તાલ તલત શ્રી તમ લોકો એ

ગઢવી, દતાત્રેય ગોખલે તેમજ અદ્દાણી સેઝ પોર્ટના એક્ઝ્રીક્યુટીવ ડાયરેક્ટર રક્ષિત્ભાઈ ાબરદાવા હતા

મુન્દ્રા : તાલુકાના જુદા જુદા ૮ ગામોમાં ખારક સમિતિ મુન્દ્રા અને અદાષ્ઠી ફાઉન્ડેશનનાં સંયુક્ત પ્રયાસથી ખારેક વાવતા ખેડૂતોને જરૂરી વળતર મળે એ હેતુંસર બારંહી ખારેકના ૮૫૦ ટીસ્યુ કલ્ચર રોપાઓનું ૩૪ ખેડૂતોને વિતરણ કરવામાં આવ્યું હતું, તો બીજી તરફ ખેડૂતોનાં આ ઉત્પાદનની બજાર વ્યવસ્થા માટે કચ્છ - કલ્પતરુ પ્રોડ્યુસર કંપની બનાવવાની કાર્યવાહી શરુ

મુંદરા બારોઇ વિસ્તારમાં વિવિધ સંસ્થાઓના સહયોગથી



above anima ridered - same

જન જાગતિ આરોગ્ય સપ્તાહ બેનર હેઠળ મુંદરા-બારોઇ વિસ્તારો માં કોરોના સામે રક્ષણ માટે અને લોકો માં જાગૃતિ લાવવા માટે મુંદરા તાલુકા પંચાયત પાસે ૨૧/૦૯ થી તાલકા વિકાસ અધિકારી ગો હિલસાહેબ.છ ર્ટચંદેસાહેબ વિસ્તરણ અધિકારી જાડેજા સાહેબ,તાલુકા હેલ્ય ઓફિસર





સ્થિતિમાં ઉદભવેલી અદાણી ફાઉન્ડેશન દારા શહેર સમીપના ઝૂપડપકી વિસ્તારમાં પુરી, શાકના

Page 136 of 442

મુન્દ્રા તા.ના પ્રાગપર ખાતે ૫ એકરના 🖬 з કચ્છમાં આંતરરાષ્ટ્રીય દિવ્યાંગ દિવસની ઉજવણી કરાઇ પ્લોટમાં બાચોડાચવર્સીટી પાર્ક બનશે મુંદરા તાલુકાના વિવિધ ગામોમાં ૪ હજારથી વધુ વ્રક્ષોનું વાવેતર કરાયું નંદી સરોવરમાં અદાણી કાઉન્ડેશન એન્કરવાલા દ્રારા ઝરપરાના વીર અહિંસાયામ અને શહિદની પુણ્યતિથિએ અદાણી કાઉન્ડેશન કરાઈ કામગીરી દારા આયોજન મુન્દ્રા : વૃક્ષોએ ધરતી પરનાં મૌન સંતે છે. પોતે મુન્દ્ર નાલુકાના પામપર તાપ સહન કરી બીજાને છાયો આપે છે. જેમ વક્ષોનું વાવેતર નખત્રાણા શહેરમાં આયુર્વેદિક ઉકાળાનું વિતરણ અને જિલ્લનું પ્રમાણ વધશે તેમ રાજ્ય સરકારના આઈસીડીએસ વિભાગદ્વારા સંયુક્ત ઝુંબેશ યોજાઈ કચ્છના યુવાનોમાં રહેલા કૌશલ્યનો વિકાસ કરવા સાથે રોજગારી વધારાશે કરવામાં આવ્યું મુદરા તા.મા વહાલી દીકરી યોજના હંઠળ by કચ્છ સમાચાર -૧૫૦થી વધ બાળાન mailine ્યુવાનોને પ્રોશાલ્ય A-18.2-44 વિકાસસામી રોજગારી માટે વધુ ્યનુરોધ કર્યો હતો તથા ક વાલીઓનેસમજઅપાઈહતી પ્રયત્નો કરવામાં આવશે. દિક્ય ભુજ,ગુરૂવારં ❤આવ્યા હતા. પ્રથમતબક્કે૧૫૦દિકરીઓના મંદરા તાલરામાં આંતરર છીર દિરડી ⊨ેર્મ અટલામાં આવ્ય હત અને હજાણઆ આવ્યા હતા. પ્રથમ તબક્કે ૧૫૦ દિકરીઓના ડેવ.ના હેડ જતિન ગિવેદી. an immediate figures મુંદરામાં અદાણી ફાઉન્ડેશન દારા વિવિધ ક્ષેત્રના તારલાઓનું બહુમાન પંક્તિબેન કાલે ઇદ્દભોષન કર્ય ભુજ અદાશી સ્તિલ હવ.ના માછીમાર સમુદાયના ઉચ્ચ અભ્યાસ તેક સાગય કોટકે તથા કચક 461.41 આંતરરાષ્ટ્રીય ભાભતોના અને ક્રોપોરેટ અકેસેના વિભાગના હ્રયપેક્ટર કરનારા નવયુવાનોનું સન્માન કરાયું વિલિના સોસંક્રીએ બેઠકનો હેલ રગુ કર્યો હતો. પુનિ ના કરિયર કાળ-સંતર બજપ રાઠો ક તેમજ મુજ, શુક્રવાર | આરોગ્ય ક્ષેત્રમાં નોંધપાત્ર કામગીરી કરનારા યુવાનોનું મુંદરા ખાતે અદાર્જી સ્ટિલ દેવલેપચેન્ટ દારા સ્વામી સન્યાન કરતા અગ્રલીઓએ પ્રત્વેક યુવાનો પોતાના સંબંધિત વિદેશનદની જન્ય જયંતી પ્રસંગે ગ્રાચીક્ષ વિસ્તારમાં ખેતી ગ્રેશવારન, કૌશલ, શિવાલ ટેશનિકલ, લામ સ્લક્ટલ અને શક્યે વેવો નિર્દેશ આપ્યો હતો. સ્વમાનભેર રોજગારી મેળવવા યુવાનો પારંગત બને તેવો સંદેશો અપાયો માર્ગમારસગ્રદાયમાં આવેલા અભ્યાસ કચ્છમાં જરૂરિયાત મુજબ નિમણુક અપાવવામાં પ્લેસમેન્ટ ઓફિસર કરનાર દિકરીઓ રક્ષિયા, સબ્રેસ અને અત્રે ઉલ્લેખનીય છે કે, ગયા તાલીમ અસ્મિતાબેન કરીદા, અદાવી સ્ક્રીલ દેવલ પ્લેન્ટવેન્ટરમાં ઓક્ટોબર-૧૯માં બેચ શરૂ થઇ તાલીય મેળવી આરોગ્ય લેવે કોરોના 88 અને yd ગોસ્વામી

ગોરિયર્સ તરીકે નમુનેદાર કામ કરનાર

મુરભાઈ ધ્યા, સનજી ફ્લલ, નિયુલ સંસંદ

લા પ્રક્રિપશિંહ વાયેલા, ઈંગલપ્રેન

લેશી. રાજેન્દ્રસિંહ ચંહાજનુ સન્માન કરવામાં

આવ્યું હતું. ઉપરાંત સાથ રક્ષકદળ માટે

ેતલ માટી, કરણીવેલલી અને ખેતી અને

નારવા રખારી, જવેશ રબાદીનું સન્યાન કરા

વશુવાલન માટેલનભાઈ સેડા, સોનભાઈ ગેકાવા, નંદનીબેન રવેયા તેમજ અન્ય ક્ષેત્રમાં

નર્સિંગ કોર્ષના ૨૦ તાલીમાથીઓને પ્રમાણપત્ર પહેલા જ નોકરી મળી

સહાયરૂપ થયા હતા. હજૂ પણ

જરૂરિયાત મુજબ પ્રયત્નો કરવામાં

આવી રહ્યા છે.

ભુજમાં આદાણી સ્ક્રિલ ડેવલોપમેન દ્વારા અપાઈ હતી તાલીમ

(vavad daily bhuj)

on more site

skinaba wilde ian

fine are gin wheth

ett from value die, Ber

માર્ગ્સ સંગળ તેવા છે.

લેશન મને મારણી કોનિશનના anital meaning lines.

for you level had

ed. The Break rules St.

VENT ALS BON BAR DATE

ei aunute non

તે કે માટે તે પ્રેસ પ્રેસ પ્રેસ પ્રેસ પ્રેસ ને પ

(Area)

ભુજ, તા. ૧૧ ા કચક યુનિ. અન્દે આદાવી દિકલ દેવલો પગેન્ટ

હારા કચ્છના યુવાનોનો આધિક,

સામાજિક વિકાસ થાય એ માટે

કોશબ્ય વિકાસ કાર્યક્રમો આગળ

વધારવા પંડિત શ્વામજી કુલ્લ

વર્ષાના ૧૬ લખા જન્મદિન

ગિષિને ધુનિ, ખાતે વર્ગાબગ

બેઠકનાં આચોજન કરી ભેને

સંસ્થારનનો લગ્ય એમ.આ.પ.

પ્રદેશ્વ તથા આદાશી દિકેલ

ડેવલોપમેન્ટનાં ઝપરેક્ટર વી.

એસ. ગઢવીની ઉપસ્થિતિમાં

amasimi DiBaza

1947.196 1944

કરવામાં આખો છે.

કલપતિ

એઝીક ઈંગ્લીસ, વ્યવસાયલથી

તાલીય, રીટેલ સેલ્સ એસોસિયેટ અને જનરત છુટી

શ્યામજી કથ્ણ વર્માના ૧૬૩મા

અદાણી સિકલ ડેવ. વચ્ચે કરાર

આસિસ્ટન્ટ પ્રેથી તાલીમાં ચાલ

and and the size

કરવામાં આ ક્રોકાલ્ય વિક્રાસ

કુલ પતિ કરી જાઉજાએ કહ્યુ

કબદ્રના યુવાનોને આ

નિરવ લેઉવા, કિન્નરી ઉમરાશીયા

તથા

થયા હતા.

રોહન સોની મદદરૂપ

જન્મદિને કચ્છ ચનિ. અને

કરવા નાક્સ કરાવું છે.

MMG-3CLOM

હતી. પરંતુ, લોકડાઉન આવી જતા

પરીક્ષા લઇ શકાઈ નહોતી છતાં

ફળ મળ્યું છે.

Disability brings different ability, it bring hope in different way let us pray the God to give confidence and strength to the person who are having some kind of limitations with other kind of skill

Thank You...



Annexure – 2



Details of Greenbelt Development at APSEZ, Mundra

Total Green Zone Detail Till Up to March – 2021					
LOCATION	Area (In Ha.)	Trees (Nos.)	Palm (Nos.)	Shrubs (SQM)	Lawn (SQM)
SV COLONY	71.63	34920	7962	69426.00	100646.00
PORT & NON SEZ	81.51	149192	19220	75061.78	62062.38
SEZ	116.60	227120	20489	220583.60	28 16 2.0 3
МІТАР	2.52	8 16 8	33	3340.00	4036.00
WEST PORT	100.25	244112	70331	24612.00	22854.15
AGRI PARK	8.94	17244	1332	5400.00	2121.44
SOUTH PORT	14.45	27530	3470	3882.00	3327.26
Samudra Township	56.89	62522	11834	20908.89	47520.07
Productive Farming (Vadala Farm)	23.79	27976			
TOTAL (APSEZ)	476.56	798784	134671	423214.27	270 729 .33
Total Saplings: 933455 Nos.					



Details of Mangrove Afforstation done by APSEZ

SI. no.	Location	Area (ha)	Duration	Species	Implementation agency
1	Mundra Port	24.0	-	Avicennia marina	Dr. Maity, Mangrove consultant of India
2	Mundra Port	25.0	-	Avicennia marina	Dr. Maity, Mangrove consultant of India
3	Luni/Hamirmora (Mundra, Kutch)	160.8	2007 - 2015	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GUIDE, Bhuj
4	Kukadsar (Mundra, Kutch)	66.5	20 12 - 20 14	Avicennia marina	GUIDE, Bhuj
5	Forest Area (Mundra)	298.0	20 11 - 20 13	Avicennia marina	-
6	Jangi Village (Bhachau, Kutch)	50.0	20 12 - 20 14	Avicennia marina	GUIDE, Bhuj
7	Jakhau Village (Abdasa, Kutch)	310.6	2007-08 & 2011-13	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GUIDE, Bhuj
8	Sat Saida Bet (Kutch)	255.0	20 14 - 15 & 20 16 - 17	Avicennia marina & Bio diversity	GUIDE, Bhuj
9	Dandi Village (Navsari)	800.0	2006 - 2011	Avicennia marina, Rhizophora mucronata, Ceriops tagal	SAVE, Ahmedabad
10	Talaza Village (Bhavnagar)	50.0	20 11-12	Avicennia marina	SAVE, Ahmedabad
11	Narmada Village (Bhavnagar)	250.0	20 14 - 20 15	Avicennia marina	SAVE, Ahmedabad
12	Malpur Village (Bharuch)	200.0	20 12-14	Avicennia marina	SAVE, Ahmedabad
13	Kantiyajal Village (Bharuch)	50.0	20 14 - 15	Avicennia marina	SAVE, Ahmedabad
14	Devla Village (Bharuch)	150.0	210-16	Avicennia marina	SAVE, Ahmedabad
15	Village Tala Talav (Khambhat, Anand)	100.0	20 15 - 20 16	Avicennia marina	SAVE, Ahmedabad
16	Village Tala Talav (Khambhat, Anand)	38.0	20 15 - 20 16	Avicennia marina	GEC, Gandhinagar
17	Aliya Bet, Village Katpor (Hansot, Bharuch)	62.0	20 17-18	Avicennia marina & Rhizophora spp.	GEC, Gandhinagar
Tota	Mangrove Plantation:	2889.90	Ha		

Annexure – 3

Chiragsing Rajput

From: Sent: To: Subject: Azharuddin Kazi Tuesday, September 22, 2020 1:11 PM Chiragsing Rajput FW: Mangrove conservation plan

From: Shalin Shah Sent: Tuesday, September 22, 2020 1:00 PM To: Azharuddin Kazi <Azharuddin.Kazi@adani.com> Cc: Haresh Bhatt <Haresh.Bhatt@adani.com> Subject: FW: Mangrove conservation plan

For necessary record and compliance.

Shalin

From: S. M.Saiyad, IFS (Director, Env.) [mailto:direnv@gujarat.gov.in]
Sent: 22 September 2020 12:51
To: Shalin Shah
Cc: ashokchauhan1971@gmail.com; gaurangbhatt22
Subject: Mangrove conservation plan

CAUTION: This mail has originated from outside Adani. Please exercise caution with links and attachments.

Respected Sir,

As decided in 45th meeting of the Gujarat Coastal Zone Management Authority (GCZMA) was held on 04-10-2019 under chairmanship of Dr. Rajiv Kumar Gupta, IAS, Additional Chief Secretary, Forests & Environment Department and Chairman, GCZMA in the Committee Room, Forests and Environment Department, Gandhinagar .

The Authority has approved Adani Port and SEZ Ltd. mangrove conservation plan with following conditions:

- 1. The APSEZL shall carry out annual compliance monitoring of the mangrove conservation area.
- 2. The APSEZL shall explore the possibility for taking necessary adequate measures to reduce the erosion near Bocha island.
- 3. The approval of mangrove conservation plan shall not be considered as any permission under CRZ Notification for dredging activity.
- 4. There should not be blockage of any drainage line and free flow of water is to be maintained, as flushing of mangrove areas is very essential.
- 5. The APSEZL shall carry out mangrove monitoring every two years and submit the data to Forest Department/GCZMA and MOEF&CC, GOI

You are directed to comply the above mentioned conditions.

Thanking You,

With regards,

S. M. Saiyad, IFS

Director (Environment) & Member Secretary Gujarat Coastal Zone Management Authority Forest & Environment Department Sachivalaya, Gandhinagar Tel: 079-23252660

This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any error or omissions in the contents of this message, which arise as a result of e-mail transmission.

Annexure – 4

Report on Comprehensive and Integrated plan for preservation and conservation of mangroves and associated creeks in and around the Adani Ports and Special Economic Zone Ltd., Mundra, Gujarat



Submitted to

M/s Adani Ports and Special Economic Zone Ltd Mundra

Prepared by

National Centre for Sustainable Coastal Management Ministry of Environment, Forest and Climate Change Chennai March, 2021



Progress report on

Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island

1. Introduction

The northern Gulf of Kachchh in the western coast of India has extensive formation of mangrove. Ministry of Environment, Forest and Climate Change have accorded Environmental Clearance (EC) vide Letter No. F.No.10-138/2008-IA.III dt. 15th July, 2014 & 12th February, 2020 to M/s Adani Ports and Special Economic Zone Ltd (APSEZ), to set up a multi-product SEZ at Mundra, Kachchh, Gujarat. The project involves development of SEZ in a notified SEZ area of 8481.2784 ha.

While according Environmental Clearance (EC) to the project, the MoEF&CC have stipulated General and Special conditions in their Environment Clearance. Further inline to the MoEF&CC final order, vide F.No.10-47/2008-IA.III dtd 18th Sept. 2015 which also contained special conditions, two of which (sr. no iv and v of the order) are as follows:

(iv) A Comprehensive and integrated conservation plan including detailed bathymetry study and protection of creeks/mangrove area including buffer zone, mapping of coordinates, running length, HTL, CRZ boundary will be put in place. The plan will take note of all the conditions of approvals granted to all the project proponents in this area, e.g., the reported case of disappearance of mangroves near Navinal creek. The preservation of entire area to maintain the fragile ecological condition will be a part of the plan in relation to the creeks, mangrove conservation and conservation of Bocha Island up to Baradimata and others.

(v) NCSCM will prepare the plan in consultation with NIOT, PP and GCZMA. In recognition of the fact that the existing legal provisions under the E(P) Act 1986 do not provide for any authority to impose ERF by the Government, the plan will be financed by the PP. The implementation will be carried out by GCZMA. The monitoring of the implementation will be carried by NCSCM.

2. Compliance to the EC conditions

Accordingly, Adani Ports and Special Economic Zone Limited (APSEZ) had requested the National Centre for Sustainable Coastal Management (NCSCM) for preparation of Comprehensive and Integrated plan for preservation and conservation of mangroves and associated creeks. The components of plan are analysis of mangrove health by comparing the coverage between 2011 and 2016, bathymetry of creeks, socio-economics of villages adjoining creeks of APSEZ. One of the key recommendations is monitoring of coverage of mangrove in the late 2019 and comparing its extent of distribution with the data reported



in 2016-17. As per reported in the Conservation plan there has been overall increase in mangrove area by 246 ha in 2016-17 in the creeks in and around APSEZ compared to 2011 indicating existence of near healthy conditions for growth of the mangroves. It was recommended that the trend of mangrove cover needs to be studied in Jan/March 2020 using satellite images of late 2019 and if the trend continues, only monitoring is needed. The Conservation plan was submitted to the Gujarat Coastal Zone Management Authority and in its meeting held in October, 2019, then plan was approved as per their email dt 22nd Sept 2020. The major recommendation relating to mangroves that were specified in the conservation plan are as follows:

2.1. There has been overall increase in mangrove area by 246 ha in 2016-17 in the creeks in and around APSEZ compared to 2011 indicating existence of near healthy conditions for growth of the mangroves. No action is needed at present except at Navinal creek, Bocha island and off Bocha creek. The trend of mangrove cover needs to be studied in Jan/March 2020 using satellite images of late 2019 and if the trend continues, only monitoring needed. The tidal range in the mangroves is also to be observed annually using tide poles to ensure that the flow of tidal water remains same as observed in April 2017 during the field study.

If degradation of mangroves to the extent of 10% due to inadequate seawater is observed in Kotdi and Baradimata creeks, initially the mouth areas need to be made free from silt. If tidal flow does not improve after one year and if the extended banks are noticed which might be due to siltation, silt need to be removed on the banks where there are no mangrove roots. If the tidal conditions still do not improve after one year, the interior parts of the creeks need to be dredged in a phased manner from 0.5 m to 1 m. Otherwise, the monitoring of mangrove needs to be carried out once in two years and whenever, degradation is noticed the above strategy needs to be implemented.

2.2. In the Navinal creek, if degradation of mangroves or reduction of mangrove cover by even 10% is noticed in 2020 due to decrease in tide water flow, dredging of Navinal creek from beyond port operation areas up to 4.5 km to increase the depth by 1 m in a phased manner must be taken up to facilitate increased tidal water flow into the mangrove areas of Bocha island. Otherwise, the monitoring of mangrove needs to be carried out once in two years and whenever, degradation is noticed the above strategy needs to be implemented.

The authority suggested to undertake compliance monitoring of the mangrove conservation area to comply the above recommendations and study the health of mangroves in creeks. Accordingly, APSEZ has requested NCSCM to monitor the mangrove coverage using the satellite images of 2019 and also to check the extent of shoreline changes in the eroding areas of Bocha Island which led to loss of about 5.33 ha of dense mangroves between 2011 and 2016-17.




3. Scope of work

In order to comply with above recommendations relating to assessment of health of mangroves and also to assess the coastal erosion following activities are proposed:

- i. Procurement of high-resolution satellite images of late 2019/Jan 2020 and prepare GIS based maps on distribution of mangroves in creeks of APSEZ. Field validation of mangrove data collected (subject to COVID-19 conditions prevailing in the country)
- ii. Comparative analysis on variation of mangrove coverage between 2016/17 and late 2019 using GIS techniques and drawl of inference on health of mangroves.
- iii. Determination of shoreline changes at the reported eroding shoreline of Bocha island by comparing shoreline of 2016/17 with 2019.

4. Proposed Tasks

i. In the Conservation plan prepared for creeks and mangroves of APSEZ, it was observed that there has been overall increase in mangrove area by 246 ha in 2016-17 in the creeks in and around APSEZ compared to 2011 indicating existence of near healthy conditions for growth of the mangroves. The extent of mangrove cover will be mapped in the creeks Kotdi (I & II), Baradimatha (I &II), Navinal, Bocha and Khari creeks using High resolution satellite images of late 2019. These creeks have been indicated in Fig.1.



Page 3 of 24



Fig.1. APSEZ area, creeks and mangrove formation along the creeks

- ii. Change detection analysis using GIS tool will be carried out for Bocha Island to determine and mangroves will be categorized as scattered, sparse and dense. {While categorizing mangroves in terms of their density, they have been classified as dense (mangrove plants both tall and stunted with gap between one tree and another being 2 m and less), sparse (shrubs with distance between patches being more than 2 m but less than 5 m) and scattered (shrubs with distance between patches being more than 5 m)}. The changes from one category to other will be indicated as quantitative data along with locations in the GIS map.
- iii. Determination of shoreline changes in eroding areas of Bocha Island by comparing the shoreline of March,2017 with shoreline as found in the satellite images of Sept. 2019 to understand the extent of increase/decrease of erosion and corroborating with underlying oceanographic parameters that cause erosion.

5. Tasks Completed

5.1. Tidal observations in the creeks in and around APSEZ

The technical personnel of APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. A Google earth image showing the locations where tidal observations made in December 2020 is placed in Fig.2. These observations made in a 24 hrs tide cycle using tide poles in December, 2020.

The observed tide levels are given in Annex 1. A comparison of tide levels recorded between April, 2017 and December, 2020 is given in Table 1.

Table 1. Comparison of tide levels between April, 2017 and December, 2020 in creeks in and around APSEZ

Creek	2017 (values in meters) 2020 (va		2017 (values in meters)			neters)
	Max	Min	Range	Max	Min	Range
Kotdi I L 1	5.63	3.16	2.47	5.84	2.94	2.90
Kotdi I L 2	5.45	2.17	3.28	5.81	2.81	3.00
Kotdi II	5.60	2.98	2.62	6.08	1.38	4.70
Baradimata I L 1	4.83	3.59	1.24	6.08	2.88	3.20
Baradimata II L 1	5.55	4.01	1.54	5.90	0.50	5.40
Baradimata II L 2	4.89	0.53	4.36	6.11	3.41	2.70
Navinal L 1	5.21	3.42	1.79	6.01	3.41	2.60
Navinal L 2	5.20	3.76	1.44	6.18	1.98	4.20
Navinal L 3	5.18	3.54	1.64	6.10	1.14	4.96
Bocha L 1	5.81	2.99	2.82	6.16	1.06	5.10
Bocha L 2	5.75	3.87	1.88	6.03	2.53	3.50
Bocha L 3	5.75	3.44	2.31	5.88	1.48	4.40
Khari L 1	6.15	4.07	2.08	6.01	1.71	4.30






Figure 2: Google image showing locations of tide observations



As the tides primarily follow lunar cycle of the year, there are natural variations in tidal ranges among months in a year. An analysis tide values at selected locations (indicated as L in table 1) reveals existence of higher tidal ranges at most of the locations in 2020 compared to the year 2017. Though such variations are attributed year to year variation in high tide levels in a 19 year lunch cycle, it also indicates prevalence of good tidal ranges in the observed locations revealing normal flow of tides around the observed locations. A comparison of mangrove health with tidal observations through a general inference of availability of tidal water all along the creeks leading to presence of mangrove categories were observed viz., from dense to sparse and scatter and vice versa. These changes have been described in the respective sections below.

5.2. Procurement of High Resolution satellite imagery

Enquiries were made with National Remote Sensing Centre (NRSC) who are the only authorized distributor of satellite images in India, for availability of high resolution satellite imagery especially multi-spectral images similar to the images used to study the mangrove distribution i.e., 0.6m PAN and 2.0 m multispectral data from World view 2 foreign satellite. NRSC has intimated that a procurement procedure for e-purchase of images acquired by foreign satellite is being evolved and it would take considerable time to finalise the procedure. Further, NRSC also informed that no Indian satellite has facility for capturing 2.5m multi-spectral image data. As there are uncertainties in the acquisition of the images from World view 2 satellites during the period of progress report preparation, an effort has been made to use freely available open source Google earth images which is a merged product of 0.65 PAN and 2.5m Multi-spectral data. It has limitations as it is not a digital data and the mangroves details are obtained from Google earth images by directly digitizing from the computer screen. There could be possible error of less than 10 % in mangrove categorization (as dense, sparse and scatter) and also extent of total coverage in terms of hectare. The methodology adopted to map the distribution of mangroves is similar to the method mentioned in the Conservation plan report except the source of satellite image. The present report on mangrove distribution is based on Google images of March, 2017 and Sep 2019, as cloud free images are available only for these dates.

5.3. Monitoring on distribution of mangroves in creeks in and around APSEZ to assess their health conditions

5.3.1. Overall assessment

The Kotdi, Baradimata, Navinal, Bocha and Khari creeks experience high tidal ranges up to 6m and with average tidal range of 2 to 4.5m which varies annually. The creeks have mangrove formation due to muddy substratum and the mangroves are tide fed and tidal flow in to the mangroves occurs only during high tide. This makes the mangroves as intertidal one and any change of tidal conditions in the creeks affect the growth and distribution of mangroves.



Distribution of mangroves in Kotdi, Baradimata, Navinal, Bocha and Khari creeks and also in Bocha island was studied using Google earth images (2017 March and 2019 Sep). The data obtained for 2017 i.e., 2398 ha was compared with data reported for 2016 (Dec) - 2017 (Jan & Feb) i.e., 2340 ha in the Conservation plan submitted earlier. The Google earth showed a marginal difference of + 58 ha (compared to earlier 2016-17 data) which shows 2.4% higher and the difference can be considered as insignificant.

Further for both the start year (2017 March) and the end year (Sep.2019) Google earth image was used as a source and therefore, the results will be quite acceptable for assessment. With regard to overall health of mangroves in the creeks in and around APSEZ, it was found that there was an increase of mangrove cover between March 2017 and Sep 2019 to an extent of 256 ha which is about 10.7% increase in mangroves. It reveals that the mangrove and the tidal system in the creeks remained undisturbed over this period (Table 1 and Figs.1 to 3). Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction (Table 2 and Figs 3 to 5).

Table 2: Data on distribution of various categories of mangroves in the cre	eks in and
around APSEZ in 2017 and 2019	

Category	Area in Hectares	
	2017 2019	
Dense	623 701	
Sparse	741 925	
Scatter	1034 10	
Total	2398 2654	




Figure 3: Comparison of various categories of mangroves in creeks of APSEZ between 2017 and 2019





Figure.4. Google earth image showing GIS output on distribution of various categories of mangroves in March 2017



Figure 5: Google earth image showing GIS output on distribution of various categories of mangroves in March 2019



5.3.2. Creek wise assessment a. Kotdi creek

The Kotdi creek with two mouths, named as Kotdi I on the western end of South Port of Adani and Kotdi II east of Kotdi I experience tidal flow up to 4.5 km in Kotdi I and up to 7.4 km in Kotdi II during high tide periods. The tidal range observed in 2020 is 2.9 to 4.7m. During the period of study, the creek showed significant growth of all categories of mangroves and the overall increase in Sep 2019 compared to March, 2017 was to the extent of 106.86 ha which is about 25.9%. It is also worth noting that dense mangroves have increased by 106.5% (Table 3 and Fig.6 to 8). While the sparse category marginally decreased to the extent of 20.8 ha, the scatter ones increased by 77.3 ha. (Table 3 Figs 6 to 8). The results reveal good tidal flow in the creeks of Kotdi during the period of investigation and the mangroves are generally in good health condition. Marginal decrease of sparse category and increase of area of scatter are mainly due to transitional changes which are natural in mangrove distribution.




Table 3. Distribution of mangroves in Kotdi creek system in 2017 and 2019

Figure 6: Comparison of mangrove distribution between 2017 and 2019 in Kotdi creek system.

Area in Hectares 2019

Area in Hectares 2017





Figure 7: Distribution of mangroves in 2017 in Kotdi creek system.



Figure 8. Distribution of mangroves in 2019 in Kotdi creek system.



b. Baradimata Creek

The creek has been one of the well tide influenced creeks and as of 2020, the creek experienced a tidal range of 2.7 to 5m and the high tide penetrates approximately up to 6.15 km from its mouth. The creek too remains uninfluenced by human interventions except navigation by fishing community from the nearby villages. The health of the mangroves was assessed between 2017 and 2019 and the results are shown in Table 4 and Figs.9 to 11. It has showed overall improvement in mangrove coverage to the extent of 129.47 ha (11.3% increase) mostly with formation of new mangroves in the form of sparse mangroves with minor inter-conversion in categories of sparse to dense (Table 4 and Figs.9 to 11).

Table 4: Data on various categories of mangroves in the years 2017 and 2019 inBaradimatha creek system

Category		Area in Hectares		
		2017	2019	
Dense		218.90	241.41	
Sparse		328.83	337	
Scatter		590.60	689.01	
Total		1138.33	1267.80	




Figure 9: Comparative data on various categories of mangroves in 2017 and 2019 at Baradimata creek.





Figure 10: Distribution of mangroves at Baradimata creek in 2017 shown in Google earth image



Figure 11: Distribution of mangroves at Baradimata creek in 2019 shown in Google earth image



As the data on mangrove distribution has shown in increased trend between the years especially improvement to higher categories (i.e., from scattered to sparse and further to dense) and also formation of new mangroves, it could be inferred that the mangroves in the creek are in healthy conditions with normal tidal flow.

c. Navinal and Bocha creeks including Bocha island

The creek system is complex with Navinal creek situated abetting to Adani Port and the eastern Bocha creek connecting to Navinal creek in the north leading to formation of Bocha island which has substantial dense mangroves. The mouth of creeks has good tidal inflow especially in Navinal creek as its mouth forms entry to the Port. The Navinal creek becomes narrow towards north and flow eastward to connect with Bocha creek (Fig.1). The creeks have fair to good growth of mangroves on their bank with dense mangroves in the Bocha island and the Figs.12 to 14 shows distribution of mangroves in 2017 and 2019 respectively.

The data on distribution of various categories of mangroves have been shown in Table 5 and Fig.12. The mangroves of the creek system have almost remained at 2017 level with marginal increase of 11.43 ha which is an increase of 2.1%. At pre-pages the recommendation made in the conservation plan has been mentioned. Accordingly, if there has been decrease in mangroves less than 10% to the 2017 level, then the tidal flow in the creeks needs to be studied to check reduction in tidal flow, as the tidal flow is the key parameters for survival and growth of mangroves. As the present data has shown increase of 2.1% cover of mangroves in the Navinal-Bocha island and Bocha creek system, in general, overall mangrove health is normal with usual tidal flow.

	Area in Hectares 2017 2019		
Dense	212.90	212.6	
Sparse	102.75	278.4	
Scatter	230.44	66.2	
Total	546.09	557.52	

Table 5: Data on distribution of mangroves in 2017 and 2019 in Navinal Bocha creeksystem






Figure 12: Comparison on distribution of mangroves between 2017 and 2019 in Navinal Bocha creek system

Though, the overall increase in mangrove in the Navinal-Bocha creek system shows prevalence of normal conditions, specific attention was drawn in the case of Navinal creek in the Conservation due to formation of sand spits. It was postulated that continued growth of sand spit across the creek might reduce tidal flow in future which may affect the growth of the mangroves. In this regard, it is pertinent to draw the following recommendations for mangroves in Navinal creek in the Conservation plan:

Sand/silt spits were observed on the banks of Navinal creek and some of them were extending close to Bocha island. If such spits continue to grow, they may obstruct tidal flow leading to reduced tidal water supply to the northern banks of Navinal creek and the Bocha island. Therefore, assessment of the health of mangroves should also be carried out along the Navinal creek in Jan/Mar 2020. If the health of the mangroves either remains at the current condition or improves, the situation should be monitored once in every two years using high resolution satellite images. If there are signs of degradation of mangroves due to decrease of flow of tidal waters in the interior parts of the Navinal creek, Bocha island that are fed by tidal waters of Navinal creek, then it would be necessary to deepen the Navinal creek to facilitate movement of tidal water"

As there was a specific recommendation on Navinal creek, comparison of mangrove categories between 2017 and 2019 was made using mangrove distribution depicted in Figs 13 and 14. It was observed that while the southern side of Navinal bank adjoining Adani port where tidal range is high (~5 m) the scattered mangroves of 2017 grew well to become dense. However, in the northern side, the dense mangroves at the landward side of creek bank, few patches of dense mangroves have turned to sparse and scatter. On analysis of tidal values in the deeper northern part of the creek, it was found that the location which is a junction of a branch of Bocha creek showed in a tidal range of 2.6m



(6.01 m during peak high tide and 3.4 m during peak low tide) in 2020 compared to 1.8m in 2017 at same location (measured in 2017 while preparing the Conservation plan) which indicates a good tidal flow in the creek. Conversion of mangrove from dense to sparse in Navinal from 2017 to 2019 despite such good tidal flow is not clear.

In order to understand the causes, it is necessary to measure tide at closer intervals (every 300m) in this mangrove change section of Navinal creek till the meeting point of Bocha creek during the next monitoring cycle. This may indicate locational change of tidal range and also influence of tide from Bocha creek at the meeting point.



Figure 13: Distribution of various categories of mangroves overlayed in Google earth image of Navinal and Bocha creek system for the year 2017






Figure 14: Distribution of various categories of mangroves overlayed in Google earth image of Navinal and Bocha creek system for the year 2019

The change analysis performed using GIS overlay techniques to understand interconversion among Dense, Sparse and Scattered indicates there is a net loss of dense mangroves to the extent of 2.83 ha which has mostly occurred at the tip of the Bocha island and also along the coast east of Bocha creek (Table 6 and Figs 15 and 16). Loss of dense mangroves around the tip of Bocha island to the extent of 5.33 ha between 2011 and 2016-17 was reported in the Conservation plan. From the present results, it is evident that the erosion has been continuing around the tip of the Bocha island resulting in the loss of dense mangroves.

Category	Area in Hectares					
	Dense in 2019 Sparse in 2019 Scatter in 2019 Gain/Loss Total 20					
Dense in 2017	206.06	1.94	2.06	2.83	212.90	
Sparse in 2017	0.74	52.42	49.69	-0.10	102.75	
Scatter in 2017	5.56	89.31	135.59	-0.01	230.44	
Gain/Loss	0.19	134.73	-120.72			
Total 2019	212.55	278.40	66.62			

Table 6: Data on inter-conversion of mangrove categories from 2017 to 2019






Figure 15: Result of change analysis from 2017 to 2019 on categories of mangroves in Navinal-Bocha creek system overlaid on Google earth image






Figure 16: Mangrove layers of 2017 and 2019 and the overlaid results



Khari creek

The creek experiences normal tidal flow with settlements located in the northern part of the creek (Junabunder village). Distribution of mangroves between March, 2017 and Sep 2019 has been studied and the data is given in Table.7 and Fig.17. and categories of mangroves are indicated in Figs18 & 19. The data indicates there is a marginal increase of mangroves to the extent of 7.87 ha which 2.62% compared to 2017 level. The minor decrease in scatter category is due to its conversion to both dense and sparse. This is a normal process of changes in mangroves due to annual variation in tidal regimes. Since there has been an increase of 2.62% of mangroves compared to 2017 level, the mangroves are in normal conditions and the decrease in scatter may be due to conversion to higher category namely sparse.

Table 7: Distribution of various categories of mangroves in 2017 and 2019 in Khari creek

Category		Area in Hectares		
		2017	2019	
Dense		143.71	149.46	
Sparse		120.83	141.28	
Scatter		36.14	17.80	
Total		300.68	308.55	




Figure 17: Comparison of mangroves in 2017 and 2019 in Khari creek





Figure 18: GIS based map showing distribution of mangroves in March,2017in Khari creek.



Figure 19: GIS based map showing distribution of mangroves in Sep.2019 in Khari creek



6. Erosion at Bocha Island

In the Conservation plan prepared in 2017, it was indicated that erosion is prevalent around the Bocha island leading loss of about 30m of coastline along with 5.33 ha of dense mangroves between 2011 and 2017 (Feb). A solution with alternative was also suggested in the Conservation plan to control the erosion. One of the main reasons attributed for the cause of erosion occurrence of strong tidal currents along the Bocha creek side of the island. Prevalence of high current was due to shallowness of the mouth of Bocha creek, which acts as barrier and deflects the tidal current to the island shore.

However, in order to check whether any natural process has nullified erosion around the Bocha island, attempt has been made to study the erosion rate from 2017 March and 2020 March using the Google image. The results have been shown in Fig.19 which indicates continued erosion at the site rate of 10 to 16 m/yr with loss of about 2 ha of dense mangroves. This re-emphasizes the need to implement the solution of deepening the submerged portion of the mouth of Bocha island to dampen the current.

The Conservation plan had already suggested two solutions to mitigate the erosion, which will be carried out after taking approvals from the concerned authorities. APSEZ has already initiated the process of obtaining required approvals to execute the first solution of deepening the mouth of Bocha creek and same will be implemented and monitored for erosion to decide the future course of actions required, if any.




Figure 19: Rate of erosion around the mouth of Bocha island between 2017 and 2019



7. Summary

Based on the results obtained by comparing distribution of mangroves between 2017 (March) and Sep 2019 using Google earth images, following inferences could be drawn:

- (a) Overall health of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 with 2019 and it is observed that there was an increase in mangrove cover between March 2017 and September 2019 to the extent of 256 ha, which is about 10.7%. This suggests that the mangrove and the tidal system in the creeks remain undisturbed over this period.
- (b) The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves.
- (c) While Kotdi creeks have shown significant increase in dense mangrove cover, it remained unchanged/ marginal increase in Baradimata creek, Navinal-Bocha island Bocha creek system and Khari creek.
- (d) At Navinal creek, which had shown formation of sand spits from western bank to east, has shown good growth of mangroves in the southern sector. However, in the northern sector, the dense mangroves on the landward edge of western part of the creek was observed to be converted to sparse mangroves, occurring in patches. However, good tidal flow at the far end of the creek is noticed, it is recommended to measure tide at closer intervals (every 300m) in the sections of Navinal Creek upto the meeting point at Bocha creek during the next monitoring period. This may indicate locational change of tidal range and also impact of sand spits on the tidal regime from the middle to the northern end of the creek. Alternatively Drone survey with appropriate speed and elevation may also be considered in the subsequent survey(s) at both high and low tides to determine the extent of tidal water reaching along this part of bank of the creek along with the residence time.
- (e) Erosion around the Bocha island has been continuing at the rate of 10 16m/yr requiring urgent action. The Conservation plan had already suggested two solutions to mitigate erosion, which will be undertaken after taking approvals from the concerned authorities. APSEZ has already initiated the process of obtaining required approvals to execute the deepening the mouth of Bocha creek, as a first step and same will be implemented and monitored for erosion to decide the future course of actions required, if any.



Table 8. Observations of tide levels in the creeks in and around APSEZ

Location - 1 KOTADI CREEK 1-L2	2020	2017
LATITUDE / LONGITUDE	22°47'29.66"N	22°47'28.99''
	69°33'44.84"E	69°33'42.20''
Max.	5.81	5.45
Min.	2.81	2.17
Mean	4.51	4.18

Location – 2 KOTADI CREEK 1-L1	2020	2017
LATITUDE / LONGITUDE	22°48'0.57"N	22°48'04.43'
	69°34'25.23"E	69°34'28.97''
Max.	5.84	5.63
Min.	2.94	3.16
Mean	4.33	4.59

Location – 3 KOTADI CREEK-2	2020	2017
LATITUDE / LONGITUDE	22°46'36.45"N	22°46'36.77''
	69°36'26.25"E	69°36'27.59''
Max.	6.08	5.60
Min.	1.38	2.98
Mean	3.24	4.78

Location – 4 BARADIMATA CREEK 1	2020	2017
LATITUDE / LONGITUDE	22°48'3.76"N	22°48'14.54''
	69°38'8.78"E	69°38'22.09''
Max.	6.08	4.83
Min.	2.88	3.59
Mean	4.42	4.24

Location – 5 BARADIMATA CREEK2-L1	2020	2017
LATITUDE / LONGITUDE	22°46'2.65"N	22°46'01.30''
	69°39'56.80"E	69°39'57.24''
Max.	5.90	5.50
Min.	0.50	4.01
Mean	3.46	5.01

Location – 6 BARADIMATA CREEK2-L2	2020	2017
LATITUDE / LONGITUDE	22°47'29.85"N	22°47'30.01''
	69°40'21.45"E	69°40'21.83''
Max.	6.11	4.89
Min.	3.41	0.53
Mean	4.86	3.05



Location – 7 NAVINAL CREEK-L1	2020	2017
LATITUDE / LONGITUDE	22°46'47.51"N	22°46'47.49''
	69°40'59.09"E	69°40'57.78''
Max.	6.01	5.21
Min.	3.41	3.42
Mean	4.58	4.52

Location – 8 NAVINAL CREEK-L2	2020	2017
LATITUDE / LONGITUDE	22°45'44.89"N	22°45'43.39''
	69°41'19.88"E	69°41'20.61''
Max.	6.18	5.20
Min.	1.98	3.76
Mean	3.80	4.74

Location – 9 BOCHA CREEK-L2	2020	2017
LATITUDE / LONGITUDE	22°45'58.52"N	22°46'47.49''
	69°41'36.13"E	69°40'57.78''
Max.	6.03	5.75
Min.	2.53	3.87
Mean	4.33	4.97

Location – 10 BOCHA CREEK-L1	2020	2017
LATITUDE / LONGITUDE	22°45'43.20"N	22°45'47.21''
	69°42'22.22"E	69°42'16.87''
Max.	6.16	5.81
Min.	1.06	2.99
Mean	3.58	4.91

Location – 11 BOCHA CREEK-L3	2020	2017
LATITUDE / LONGITUDE	22°45'12.33"N	22°44'09.38''
	69°42'41.88"E	69°43'02.58''
Max.	5.88	5.75
Min.	1.48	3.44
Mean	3.62	4.89

Location - 12 KHARI CREEK	2020	2017
LATITUDE / LONGITUDE	22°47'39.13"N	22°47'46.53''
	69°43'27.00"E	69°43'26.82''
Max.	6.01	6.15
Min.	1.71	4.07
Mean	3.77	5.43

Location – 13: NAVINAL CREEK-L3	2020	2017
LATITUDE / LONGITUDE	22°43'57.58"N	22°44'09.38''
	69°42'30.60"E	69°43'02.58''
Max.	6.10	5.18
Min.	1.14	3.54
Mean	3.66	4.63

Annexure – 5



ALGAL REMOVAL WORK FROM MANGROVE AREAS

Creek area is regularly observed for checking algal encrustations. On the mangrove recruits & where the algal encrustation is found to be substantial, it is removed manually by deployment with required manpower. This operation is performed during the low tide conditions. The main object is to provide better growing condition for the growth of mangroves. Periodically, spread of Prosopis sp towards the mangrove areas is also observed as this species will compete with mangrove plants for growth.

Mangroves nursery is developed in a creek behind IOCL & 50,000 Nos. of new saplings are planted in creek area.

Reference photographs of activities undertaken as per given guidelines,

A) Removal of algal encrustations & preventing the spread of Prosopis:












B) Latitude & Longitude details of the location for removal of algal encrustations:





C) Development of Nursery & Plantation of Mangroves:







Annexure – 6



PCB ID: 17739

APSEZL/EnvGell/2020-21/101

Date: 02.12.2020

To, The Regional Officer Regional Office Gujarat Pollution Control Board (East – Kutch), Gandhidham, Kutch – 370201.

Subject: Intimation regarding Re-commissioning of Liquid Terminal ETP

Reference:

1. CC&A Order No. AWH - 83561, dated 09.01.2017, Valid till 20.11.2021

2. Our letter dated 14.09.2020 (Annoxure - 1)

Dear Sir,

With reference to above stated subject and references, we would like to inform you that our Effluent Treatment Plant was under maintenance due to modification of biological treatment scheme, which had been intimated to your good office vide our letter dated 14.09.2020.

The entire modification work has been completed and ETP is recommissioned from 16th November 2020. We are operating ETP regularly and efficiently to achieve the permissible norms and entire treated water from ETP is being utilized for horticulture purpose on land within APSEZ premises.

This is for your information and kind perusal.

Thanking you, For, Adami Ports and Special Economic Zone Limited

Bhagwat Swaleop Sharma (Head - Environment Mundra & Tuna Port)

000 VELONIOUS

ð,

CC To:

Unit Head (Kutch), Gujara: Pollution Control Board, Gandainesar - 382010.

03/12/2020

Guisnet Pollution Control Bost. Plaad Office Sector Ro. 18-A, Ganchineger-S62018

ACROFPaits and Special Economic Zone Ltd. ACROFHeuse, PO Box No. 1 Mundra, Rutcht 370:421 Gujarat, hela CIN: L630900J1990PL0034182

Tel +50 2030 25 5000 Fox +31 2038 25 51110 Infu@edani.com www.adani.com

Ragiscered Office: Adam Constitute Louise: Shanrightam Nf, Vaishno Davi Circle, S.G. Highway, Khudiyar, Ahmedebed – 362421, Bujarat, Incia



APSEZL/EnvCell/2020-21/101

To,

The Regional Officer Regional Office Gujarat Pollution Control Board (East—Kutch), Gandhidham, Kutch – 370201.

Subject: Intimation regarding Re-commissioning of Liquid Terminal ETP

Referenco:

1. CC&A Order No. AWM - 83561, dated 09.01.2017, Valid till 20.11.2021

Our letter dated 14.09.2020 (Annexure – 1)

Dear Sir,

With reference to above stated subject and references, we would like to inform you that our Effluent Treatment Plant was under maintenance due to modification of biological treatment scheme, which had been intimated to your good office vide our letter dated 14:09.2020.

PCB ID: 17739

Date: 02.12.2020

G-112-20

Augural Pollution Control Bosts Regional Office Kutch (Easi)

The entire modification work has been completed and ETP is recommissioned from 16th November 2020. We are operating ETP regularly and efficiently to achieve the permissible norms and entire treated water from ETP is being utilized for horticulture purpose on land within APSEZ promises.

This is for your information and kind perusal.

Thanking you, For, Adani Ports and Special Economic Zone Limited

Bhagwat Swafeop Sharma (Nead – Environment Mundra & Tuna Port)

CC To:

Unit Head (Kutch), Gujarat Pollution Control Board Gardanian - 382010.

one

ASCIVIDAS

£1

Adenii Ports and Special Economic Zone Ltd Adeni House, PO Box No 1 Mundra, Katon 370 431 Gujaret, India Cliki Lõsogoodintsi SPLCoscias

Tel 1912838 25.5000 Fax 1912838 25.51110 Info@adacl.com www.odanl.com

Registarad Office: Adani Corporate House, Shantigram, Nr. Vaišhno Devi Cirole, S.G. Highway, Kkodiyor, Anmedabad -382421 Gujarat, India

Annexure – 7



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

"HALF YEARLYENVIRONMENTAL MONITORING REPORT"

FOR



ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED TAL: MUNDRA, KUTCH, MUNDRA – 370 421

MONITORING PERIOD: OCTOBER 2020 TO MARCH 2021

PREPARED BY:

POLLUCON LABORATORIES PVT.LTD.

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE/FAX – (+91 261) 2455 751, 2601 106, 2601 224. E-mail: pollucon@gmail.com/web: www.polluconlab.com

TC - 5945

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

MARINE WATER MONITORING SUMMARY REPORT

RESULTS OF MARINE WATER [M1 LEFT SIDE OF BOCHA CREEK - N 22°45'183" E 069°43'241"]

SR.	TEST		ОСТОВ	R 2020	NOVEMB	ER 2020	DECEMB	ER 2020	JANUAF	RY 2021	FEBRUA	RY 2021	MARCH	H 2021	
NO.	PARAMETERS	UNIT	SURFACE	воттом	SURFACE	BOTTOM	SURFACE	воттом	SURFACE	воттом	SURFACE	воттом	SURFACE	BOTTOM	TEST METHOD
1	pН		8.24	8.19	8.20	8.18	8.27	8.22	8.23	8.2	8.28	8.25	8.25	8.21	IS3025(P11)83Re.0 2
2	Temperature	оС	30.3	30.1	30.2	30.1	30.4	30.1	29.7	29.5	30.1	29.8	30.3	30.1	IS3025(P9)84Re.02
3	Total Suspended Solids	mg/L	179	198	163	180	156	138	140	157	132	151	126	110	IS3025(P17)84Re.0 2
4	BOD (3 Days @ 27 °C)	mg/L	2.8	Not Detected	3	Not Detected	3.6	Not Detected	3.5	Not Detected	3.4	Not Detected	3.5	Not Detected	IS 3025 (P44)1993Re.03Edit ion2.1
5	Dissolved Oxygen	mg/L	6.0	5.8	5.9	5.7	5.9	5.6	5.8	5.5	6	5.8	5.9	5.7	IS3025(P38)89Re.9 9
6	Salinity	ppt	36.4	36.6	36.5	36.8	36.3	36.7	36.1	36.4	36.5	36.9	36.7	37	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	APHA(22 nd Edi)5520 D											
8	Nitrate as NO ₃	µmol/L	3.34	3.1	3.75	3.58	3.36	3.1	3.28	3.46	3.17	2.93	3.56	3.24	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.57	0.39	0.84	0.69	0.68	0.51	0.64	0.7	0.83	0.75	1.4	1.18	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.78	2.51	2.93	2.84	2.51	2.30	2.39	2.68	1.96	1.68	2.37	2.21	IS3025(P34)88Cla.2 .3
11	Phosphates as PO_4	µmol/L	1.96	1.9	2.36	2.15	2.28	2.19	1.75	1.99	2.37	2.13	2.19	1.93	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.69	6.00	7.52	7.11	6.55	5.91	6.31	6.84	5.96	5.36	7.33	6.63	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	13	Not Detected	16	Not Detected	14	Not Detected	17	Not Detected	14.6	Not Detected	12	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37450	37698.0	37456	37740	37270	37639	37106	37410	37498	37834	38294	38514	IS3025(P16)84Re.0 2
15	COD	mg/L	24.6	19.2	23	Not Detected	25	Not Detected	30	21.0	31.4	23	32	25.0	APHA(22 nd Edi) 5520-D Open Reflux
Α	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.93	2.72	2.99	2.56	3.2	2.67	2.56	2.45	3.07	2.83	2.75	2.42	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.0	1.8	1.8	2.1	1.6	2.0	1.25	0.87	0.46	0.50	0.02	0.03	APHA (22 nd Edi)
-€	1-0-1					SURA	1821					1-2	ere ein		
н. т.	Shah					3	E					Dr. Ar	unBajpai		
Lab I	Manager					* 99	0					Lab M	anager (Q)	1	

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART,

NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

DELLOCEN LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacifitator

Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

															10200-H
16.3	Cell Count	No. x 10 ³ /L	142	98	134	94	148	102	164	104	186	118	172	104	APHA (22 nd Edi) 10200-H
16.4	Name of Group Number and name of group species of each group		Pinnularia sp. Biddulphi a sp. Coscinodi scus sp. Skeletone ma sp.	Fragillaria sp. Gyro sigma sp. Chaetogn athes	Coscinodi scus sp. Pleurosig ma sp. Fragillaria sp. Surirella sp. Thallasion ema sp.	Navicula sp. Melosira sp. Cyclotella sp. Biddulphi a sp. 	<i>Melosira</i> <i>sp.</i> <i>Thallasios</i> <i>ira sp.</i> <i>Rhizosole</i> <i>nia sp.</i> <i>Skeletone</i> <i>ma sp.</i> <i>Pleurosig</i> <i>ma sp.</i>	Nitzschia sp. Navicula sp. Thallasiosi ra sp. 	Thallasios ira sp. Nitzschia sp. Coscinodi scus sp. Skeletone ma sp.	Synedra sp. Amphora sp. Navicula sp. Nitzschia sp. 	Triceratiu m sp. Cymbella sp. Cheatocer ous sp. Rhizosole nia sp. Skeletone ma sp.	Nitzschia sp. Thalasion ema sp. Biddulphi a sp. Cymbella sp. 	Rhizosole nia sp. Synedra sp. Biddulphi a sp. Skeletone ma sp.	Nitzschia sp. Navicula sp. Pleurosig ma sp. 	APHA (22 nd Edi) 10200-H
В	Zooplanktons														
17.1	Abundance (Population)	noX10 ³ / 100 m ³	3	0	2	6	2	8	3	9	3	5	3	0	APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group		Gastro Polych Ostra Mys	aetes acods	Ostra Polych Gastro Isop	aetes opods		•	Polych Gastro	epods naetes opods -	Cope Polycł Deca Gastro	, naetes pods	Deca Polycł Amph Foramir	ipods	APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	3.4	45	3.	1	3	3	3.	.4	3.4	15	3.2	25	APHA (22 nd Edi) 10200-G
С	Microbiological Para	ameters													
18.1	Total Bacterial Count	CFU/ml	23	80	23	50	24	10	21	50	22	90	23	70	IS 5402:2002
18.2	Total Coliform	/ml	Abs	ent	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Pres	sent	APHA(22 nd Edi)9221- D
18.3	Ecoli	/ml	Abs	ent	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Absent		IS:1622:1981Edi.2. 4(2003-05)
18.4	Enterococcus	/ml	Abs	ent	Abs	Absent		ent	Abs	sent	Abs	ent	Pres	sent	IS : 15186 :2002
18.5	Salmonella	/ml	Abs	ent	Absent		Abs	ent	Abs	sent	Abs	ent	Abs	ent	IS: 5887 (P-3)
18.6	Shigella	/ml	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Absent		Abs	ent	IS : 1887 (P-7)
18.7	Vibrio	/ml	Abs	ent	Absent		Absent		Absent		Absent		Absent		IS : 5887 (P-5)

5

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 Environmental Additors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF SEDIMENT ANALYSIS [M1 LEFT SIDE OF BOCHA CREEK - N 22°45'183" E 069°43'241"]

SR.			OCTOBER 2020	NOVEMBER 2020	DECEMBER 2020	JANUARY 2021	FEBRUARY 2021	MARCH 2021	TECT METHOD
NO.	TEST PARAMETERS	UNIT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	TEST METHOD
1	Organic Matter	%	0.96	0.83	0.76	0.63	0.58	0.51	FCO:2007
2	Phosphorus as P	µg/g	412	390	487	514	463	576	APHA(22 nd Edi) 4500 C
3	Texture		Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.46	4.38	4.7	5.16	4.92	5.24	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	150	129	163	173	168	113	AAS 3111B
5.3	Manganese as Mn	µg/g	802	786	706	724	693	758	AAS APHA 3111 B
5.4	Iron as Fe	%	4.76	4.43	4.57	4.68	4.75	4.82	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	39	51	63	56	38.9	27	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	23	36	27	43	58.2	39	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	145	128	119	159	135	106	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.6	2.1	1.75	2.13	2.39	3.26	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos		Amphipods Gastropods olychaetes	Polychaete worms Amphipods Gastropods	Polychaete worms Crustaceans Bivalves	Polychaete worms Crustaceans Amphipods	Polychaete worms Crustaceans Gastropods	Polychaetes Gastropods Amphipods Bivalves	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos			Nematodes	Foraminiferans	Nematodes Foraminiferans	Nematodes		APHA (22 nd Edi) 10500-C
6.3	Population	no/m2	441	439	351	471	529	437	APHA (22 nd Edi) 10500-C



H. T. Shah

Lab Manager



hereit Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 Ecviroamental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M2 MOUTH OF BOCHA & NAVINAL CREEK - N 22°44'239" E 069°43'757"]

CD			OCTOR	-0.20		FD 2020	DECEMP	ED 2020	748014		FEDRUA	DV 2021	MARC	11 2021	TECT
SR. NO.	TEST PARAMETERS	UNIT	OCTOBE SURFACE	BOTTOM	NOVEMB SURFACE	BOTTOM	SURFACE	ER 2020 BOTTOM	SURFACE	RY 2021 BOTTOM	SURFACE	RY 2021 BOTTOM	SURFACE	Н 2021 ВОТТОМ	TEST METHOD
1	рН		8.25	8.21	8.23	8.20	8.27	8.24	8.23	8.18	8.17	8.14	8.15	8.13	IS3025(P11)8 3Re.02
2	Temperature	oC	30.0	29.8	30.2	30.0	30.3	30.1	29.9	29.6	30.1	29.9	30.2	30	IS3025(P9)84 Re.02
3	Total Suspended Solids	mg/L	173	187	160	187	146	163	153	139	142	163	135	114	IS3025(P17)8 4Re.02
4	BOD (3 Days @ 27 °C)	mg/L	3.4	Not Detected	3.2	Not Detected	3.4	Not Detected	3.2	Not Detected	3.5	Not Detected	3.4	Not Detected	IS 3025 (P44)1993Re. 03Edition2.1
5	Dissolved Oxygen	mg/L	5.9	5.7	5.9	5.8	5.9	5.7	6	5.8	6.1	5.9	5.9	5.8	IS3025(P38)8 9Re.99
6	Salinity	ppt	36.4	36.6	36.3	36.7	36.5	36.8	36.2	36.5	36.4	36.7	36.6	36.9	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi) 5520D
8	Nitrate as NO ₃	µmol/L	3.27	3.1	3.9	3.6	3.5	3.39	3.34	3.16	3.23	2.94	3.17	2.75	IS3025(P34)8 8
9	Nitrite as NO ₂	µmol/L	0.75	0.63	0.57	0.46	0.68	0.47	0.78	0.67	0.69	0.53	0.93	0.82	IS3025(P34)8 8 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.56	2.41	2.34	2.10	2.20	2.31	2.16	1.95	1.92	1.79	2.1	2.0	IS3025(P34)8 8Cla.2.3
11	Phosphates as PO ₄	µmol/L	2.17	1.96	1.98	1.74	2.36	2.19	1.98	1.84	2.68	2.4	2.35	2.21	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.58	6.14	6.78	6.16	6.37	6.17	6.28	5.78	5.84	5.26	6.24	5.54	IS3025(P34)8 8
13	Petroleum Hydrocarbon	µg/L	9.6	Not Detected	12.0	Not Detected	15.0	Not Detected	19	Not Detected	13.2	Not Detected	16	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37368	37560	37270	37694	37486	37809	37314	37498	37406	37689	38096	38374	IS3025(P16)8 4Re.02
15	COD	mg/L	25.0	19.0	21.0	Not Detected	23.0	Not Detected	25.0	18.0	28	21	29.0	23.0	APHA(22 nd Edi) 5520-D Open Reflux
A	Phytoplankton														
16.1	Chlorophyll	mg/m ³	3.04	2.77	2.93	2.72	3.36	2.61	3.09	2.56	3.28	2.75	2.83	2.67	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	1.3	2.2	1.4	2.3	3.0	2.5	0.6	0.69	0.10	0.02	0.9	0.15	APHA (22 nd Edi) 10200-H
-€	7-0-5					ABOMAIO	15					1. se	رينغ هن		
н. т.	Shah					SURAT-	E					Dr. Aruı	nBajpai		
Lab I	Vanager					od *	<i>y</i>					Lab Ma	nager (Q)		

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART,

NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

	Contraction of the local division of the loc
191	manna mark
1.1	POLLOCON LABORATI
(-)	O COCCESCION ERDONATI
	The second

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Facilitator

ORIES PVT. LTD

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985 APHA (22nd No. x 16.3 Cell Count 144 102 130 90 158 118 171 90 178 166 114 114 Edi) 10200-H $10^{3}/L$ Coscinodi Navicula Thallasion Fragillaria Cvmbella Coscinodi Coscinodi Coscinodi Navicula Nitzschia scus sp. Nitzschia sp. Nitzschia ema sp. scus sp. scus sp. scus sp. sp. sp. Surirella Rhizosole sp. sp. sp. sp. Biddulphi Cyclotella Nitzschia Skeletone Thalasion Cheatocer Rhizosole Cyclotella Thallasion sp. nia sp. Pleurosiq Name of Group Number ema sp. ous sp. a sp. sp. sp. ma sp. Thallasion ema sp. Biddulphi nia sp. ma sp. APHA (22nd sp. and name of group 16.4 Skeletone Navicula Skeletone Pleurosig Nitzschia Navicula Fragillaria Fragillaria Amphora ema sp. a sp. Thalasiosi Edi) 10200-H species of each group ma sp. sp. ma sp. ma sp. sp. sp. Cyclotella Skeletone ra sp. sp. sp. sp. Rhizosole Nitzschia Rhizosole Thallasion Amphipro Thalasiosi sp. ma sp. --nia sp. nia sp. ema sp. ra sp. ra sp. sp. Biddulphi Coscinodi ----a sp. scus sp. Zooplanktons В noX10³ APHA (22nd 30 42 Abundance (Population) 35 36 34 31 17.1 / 100 Edi) 10200-G m³ Lamellibranches Gastropods Gastropods Hydrozoans Polychaetes Gastropods Name of Group Number Ostracods **Bivalves** Bivalves Polychaetes Gastropods Polychaetes APHA (22nd 17.2 and name of group ---Edi) 10200-G Gastropods Ostracods Copepods Gastropods **Bivalves** Decapods species of each group Isopods -----Ostracods ml/10 APHA (22nd Total Biomass 2.95 17.3 3.25 3.05 3.45 3.55 3.15 Edi) 10200-G 0 m³ С **Microbiological Parameters** 18.1 **Total Bacterial Count** CFU/ml 2140 2220 2290 2380 2150 2360 IS 5402:2002 APHA(22ndEdi) 18.2 Total Coliform /ml Absent Absent Absent Absent Absent Present 9221-D IS:1622:1981 18.3 Ecoli /ml Absent Absent Absent Absent Absent Absent Edi.2.4(2003-05) IS: 15186 18.4 Enterococcus /ml Absent Absent Absent Absent Absent Present :2002 IS: 5887 (P-Salmonella /ml Absent Absent Absent Absent Absent Absent 18.5 3) IS: 1887 (P-18.6 Shigella /ml Absent Absent Absent Absent Absent Absent 7) IS: 5887 (P-18.7 Vibrio /ml Absent Absent Absent Absent Absent Absent 5)

H. T. Shah

Lab Manager



hereein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

> EMAIL: pollucon@gmail.com Page 178 01 442

Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF SEDIMENT ANALYSIS [M2 MOUTH OF BOCHA & NAVINAL CREEK - N 22°44'239" E 069°43'757"]

SR.			OCTOBER 2020	NOVEMBER 2020	DECEMBER 2020	JANUARY 2021	FEBRUARY 2021	MARCH 2021	TECT METHOD
NO.	TEST PARAMETERS	UNIT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	TEST METHOD
1	Organic Matter	%	0.38	0.7	0.68				FCO:2007
2	Phosphorus as P	µg/g	329	410	524				APHA(22 nd Edi) 4500 C
3	Texture		Sandy	Sandy	Sandy				
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected				PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.5	4.7	4.69				AAS APHA 3111 B
5.2	Total Chromium as Cr+3	µg/g	189	159	170				AAS 3111B
5.3	Manganese as Mn	µg/g	726	810	738				AAS APHA 3111 B
5.4	Iron as Fe	%	4.69	4.53	4.73				AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	32	56	64				AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	25	37	43				AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	170	269	190				AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.34	2.16	1.72				AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected				AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos		Polychaetes Crustaceans Amphipods	Polychaete worms Crustaceans Bivalves	Polychaetes Crustaceans Gastropods				APHA (22 nd Edi) 10500-C
6.2	MeioBenthos		Foraminiferans	-	Foraminiferans				APHA (22 nd Edi) 10500-C
6.3	Population	no/m ²	471	412	382				APHA (22 nd Edi) 10500-C



H. T. Shah

Lab Manager



horsein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 179 01 442 Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M3 EAST OF BOCHAISLAND - N 22°46'530" E 069°41'690"]

SR.	TEST PARAMETERS	UNIT	ОСТОВ	ER 2020	NOVEMB	ER 2020	DECEMB	BER 2020	JANUAI	RY 2021	FEBRUA	RY 2021	MARCI	H 2021	TEST METHOD
NO.	IESI PARAMETERS	UNIT	SURFACE	BOTTOM											
1	рH		8.27	8.24	8.23	8.20	8.28	8.24	8.21	8.17	8.19	8.23	8.23	8.2	IS3025(P11)83Re. 02
2	Temperature	oC	30.1	29.8	30.2	30.0	30.4	30.1	30.1	29.8	30	30.1	30.1	30	IS3025(P9)84Re.0 2
3	Total Suspended Solids	mg/L	186	203	168	178	148	169	129	143	104	123	133	106	IS3025(P17)84Re. 02
4	BOD (3 Days @ 27°C)	mg/L	3.5	Not Detected	3.3	Not Detected	3.4	Not Detected	3.7	Not Detected	3.5	Not Detected	3.4	Not Detected	IS 3025 (P44)1993Re.03Ed ition2.1
5	Dissolved Oxygen	mg/L	5.8	5.6	5.9	5.7	5.9	5.8	5.8	5.7	5.9	5.8	6	5.8	IS3025(P38)89Re. 99
6	Salinity	ppt	36.5	36.8	36.4	36.8	36.5	36.8	36.2	36.6	36.5	36.9	36.7	37	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	APHA(22 nd Edi)552 0D											
8	Nitrate as NO ₃	µmol/L	3.14	2.96	3.87	3.61	3.43	3.27	3.26	3.41	3.18	2.9	2.8	2.7	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.63	0.54	0.73	0.53	0.61	0.53	0.75	0.86	0.63	0.56	0.89	0.72	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH₃	µmol/L	2.37	2.25	2.64	2.46	2.41	2.28	2.27	2.56	2.57	2.35	2.3	2.1	IS3025(P34)88Cla .2.3
11	Phosphates as PO ₄	µmol/L	1.72	1.65	2.1	1.9	2.37	2.24	2.19	2.27	2.39	2.17	1.93	1.75	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.14	5.8	7.24	6.6	6.45	6.1	6.28	6.63	6.38	5.85	5.92	5.51	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	19.4	Not Detected	17.0	Not Detected	21.6	Not Detected	15.6	Not Detected	12	Not Detected	17	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37462	37734	37380	37740	37510	37798	37140	37586	37524	37816	38184	38492	IS3025(P16)84Re. 02
15	COD	mg/L	23.0	18.6	20.4	Not Detected	23.4	Not Detected	27.0	18.0	29	21.4	27	13.0	APHA(22 nd Edi) 5520-D Open Reflux
Α	Phytoplankton														
16.1	Chlorophyll	mg/m ³	3.09	2.99	2.88	2.72	3.2	2.93	2.67	2.13	2.79	2.42	2.68	2.42	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.3	1.4	2.5	1.7	2.2	1.5	1.14	2.1	0.26	0.03	0.44	0.0	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	128	104	122	96	156	112	164	90	171	106	115	91	APHA (22 nd Edi) 10200-H

10

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

	15	DELLOCON LABORATORIES PVT.
1.1.1	\sim	Provincemental Auditory, Consultants & Analysis

Environmental Auditors, Consultants & Analysts. Cleaner Production / Waste Minimization Pacifitator LTD

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

16.4	Name of Group Number and name of group species of each group		Oscillatori Melosi a Rhizoso Pinnularia nia sp Biddulphi Gyrc a sp. sigma s Ceratium	ole Coscinodi Nitzschia scus sp. sp. Fragillaria sp. sp. Melosira	Rhizosole Nitzschia nia sp. sp. Thallasion Melosira ema sp. sp. Skeletone Synedra ma sp. sp. Chaetogn Gyrosigm athes a sp. 	Rhizosole nia sp.Nitzschia sp.Pleurosig ma sp.Sp.Biddulphi a sp.Sp.Melosira sp.Chatogna thes sp.Sp.Chatogna thes sp.Thallasion ema sp.Sp.	Triceratiu Nitzschia m sp. sp. Cymbella Pleurosig sp. ma sp. Thalasion Pinnularia ema sp. sp. Biddulphi Cyclotella a sp. sp.	Coscinodi Nitzschia scus sp. sp. Thalasiosi Navicula ra sp. sp. Rhizosole Synedra nia sp. sp. Biddulphi Pleurosig a sp. ma sp.	АРНА (22 nd Edi) 10200-Н
В	Zooplanktons								
17.1	Abundance (Population)	noX10 ³ / 100 m ³	21	24	30	43	37	33	APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group		Foraminiferans Ctenophores Gastropods Polychaetes	Polychaetes Chaetognathes Gastropods Ostracods	Copepods Gastropods Polychaetes Isopods	Cephalopods Polychaetes Ostracods Mysids	Copepods Polychaetes Amphipods Isopods Gastropods	Polychaetes Gastropods Decapods	APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.9	2.8	3.25	3.4	3.80	3.1	APHA (22 nd Edi) 10200-G
С	Microbiological Para	meters							
18.1	Total Bacterial Count	CFU/ml	2190	2230	2310	2280	2250	2140	IS 5402:2002
18.2	Total Coliform	/ml	Absent	Absent	Absent	Absent	Absent	Present	APHA(22 nd Edi)922 1-D
18.3	Ecoli	/ml	Absent	Absent	Absent	Absent	Absent	Absent	IS:1622:1981Edi.2 .4(2003-05)
18.4	Enterococcus	/ml	Absent	Absent Absent		Absent	Absent	Present	IS: 15186:2002
18.5	Salmonella	/ml	Absent	Absent Absent		Absent	Absent	Absent	IS : 5887 (P-3)
18.6	Shigella	/ml	Absent	Absent	Absent	Absent	Absent	Absent	IS : 1887 (P-7)
18.7	Vibrio	/ml	Absent	Absent	Absent	Absent	Absent	Absent	IS : 5887 (P-5)

5 -01

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF SEDIMENT ANALYSIS [M3 RIGHT SIDE OF BOCHA CREEK - N 22°46'530" E 069°41'690"]

SR			OCTOBER 2020	NOVEMBER 2020	DECEMBER 2020	JANUARY 2021	FEBRUARY 2021	MARCH 2021	
NO NO	TEST PARAMETERS	UNIT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	TEST METHOD
1	Organic Matter	%	0.4	0.63	0.7	0.65	0.61	0.53	FCO:2007
2	Phosphorus as P	µg/g	364	318	498	510	483	519	APHA(22 nd Edi) 4500 C
3	Texture		Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.62	4.46	4.74	4.98	4.69	5.12	AAS APHA 3111 B
5.2	Total Chromium as Cr+3	µg/g	174	137	169	170	158	132	AAS 3111B
5.3	Manganese as Mn	µg/g	732	790	734	756	672	740	AAS APHA 3111 B
5.4	Iron as Fe	%	4.42	4.72	4.58	4.76	4.83	4.92	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	30	59	64	53	64.5	48	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	26	37	41	47	53.2	35	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	153	206	169	138	146	118	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.7	2.13	1.56	2.19	2.95	3.14	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos		Crustaceans Gastropods Polychaetes	Polychaete worms Crustaceans Bivalves	Polychaetes Crustaceans Bivalves	Crustaceans Bivalves Amphipods	Polychaetes Gastropods Bivalves	Polychaetes Crustaceans Gastropods Nematodes	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos					Turbellarians Nematodes	Foraminiferans		APHA (22 nd Edi) 10500-C
6.3	Population	no/m ²	497	439	409	460	471	412	APHA (22 nd Edi) 10500-C
-4	7-0-			100	RATORIES			heed	

H. T. Shah

Lab Manager

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: polluco ollucon.com

LABORATORIES PVT. LTD. σ Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M4 JUNA BANDAR N 22°47'577" E 069°43'620"]

SR.	TEST PARAMETERS	UNIT	ОСТОВЕ	R 2020	NOVEME	ER 2020	DECEMB	ER 2020	JANUAF	RY 2021	FEBRUA	RY 2021	MARC	-	TEST
NO.	IESI PARAMETERS	UNIT	SURFACE	BOTTOM	METHOD										
1	pН		8.25	8.20	8.23	8.20	8.29	8.24	8.23	8.2	8.17	8.14	8.21	8.19	IS3025(P11)83R e.02
2	Temperature	оС	30.2	30.0	30.1	29.9	30.3	30.1	29.8	29.7	30.2	30	30.3	30.1	IS3025(P9)84Re .02
3	Total Suspended Solids	mg/L	197	216	164	183	138	154	120	108	107	136	125	107	IS3025(P17)84R e.02
4	BOD (3 Days @ 27 °C)	mg/L	3.2	Not Detected	3.5	Not Detected	3.9	Not Detected	3.4	Not Detected	3.5	Not Detected	3.2	Not Detected	IS 3025 (P44)1993Re.03 Edition2.1
5	Dissolved Oxygen	mg/L	5.9	5.8	5.8	5.6	5.8	5.7	5.9	5.7	5.8	5.9	5.9	5.7	IS3025(P38)89R e.99
6	Salinity	ppt	36.5	36.8	36.3	36.7	36.5	36.7	36.3	36.7	36.5	36.8	36.6	36.9	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	APHA(22 nd Edi)5 520D											
8	Nitrate as NO ₃	µmol/L	3.52	3.4	3.98	3.74	3.46	3.38	3.19	3.28	3.36	3.27	3.17	2.96	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.68	0.53	0.87	0.7	0.67	0.51	0.75	0.81	0.58	0.41	0.93	0.85	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH₃	µmol/L	2.32	2.17	2.59	2.38	2.43	2.30	2.26	2.17	1.87	1.53	2.2	1.9	IS3025(P34)88C la.2.3
11	Phosphates as PO_4	µmol/L	1.94	1.83	2.27	2.1	2.19	1.96	2.34	2.14	2.18	1.94	1.86	1.72	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.52	6.10	7.44	6.82	6.56	6.19	6.20	6.26	5.81	5.21	6.27	5.71	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	12	Not Detected	16	Not Detected	20	Not Detected	17	Not Detected	15.2	Not Detected	17	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37586	37740	37294	37710	37618	37708	37318	37729	37728	37809	38098	38394	IS3025(P16)84R e.02
15	COD	mg/L	23.0	Not Detected	25	Not Detected	29	Not Detected	25.8	17	27.3	19.4	25.2	20.0	APHA(22 nd Edi) 5520-D Open Reflux
Α	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.99	2.56	3.09	2.61	3.2	2.88	3.15	2.72	2.75	2.4	2.71	2.38	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.3	2.4	2.2	2.3	2.1	2.1	1.07	2.32	0.54	0.51	0.61	0.54	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10³/L	150	102	170	103	190	120	169	97	180	109	153	89	APHA (22 nd Edi) 10200-H

H. T. Shah

Lab Manager



hereit

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

llucon.com

P	
)-	5000000000
	DOLLOCON LABORATORIES PVT. LTD.
C	Environmental Auditors Consoltants & Analysis

Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

16.4	Name of Group Number and name of group species of each group		Oscillatori a sp. Pinnularia sp. Ceratium Rhizosole	Coscinodi scus sp. Fragillaria sp. Rhizosole nia sp. Navicula sp.	Biddulphi a sp. Coscinodi scus sp. Cyclotella sp. Nitzschia sp. Thallasios ira sp.	Nitzschia sp. Navicula sp. Pleurosig ma sp. Surirella sp. 	<i>Coscinodi</i> <i>scus sp.</i> <i>Skeletone</i> <i>ma sp.</i> <i>Rhizosole</i> <i>nia sp.</i> <i>Odentalla</i> <i>sp.</i>	Nitzschia sp. Thallasion ema sp. Synedra sp. Navicula sp.	Amphipro ra sp. Nitzschia sp. Rhizosole nia sp. Biddulphi a sp.	Cyclotella sp. Synedra sp. Skeletone ma sp. Thallasion ema sp.	Amphipro ra sp. Gyro sigma sp. Cheatocer ous sp. Rhizosole nia sp. Triceratiu m sp.	Nitzschia sp. Cymbella sp. Surirella sp. Pinnularia sp. 	Rhizosol enia sp. Cheatoce rous sp. Nitzschia sp. Biddulphi a sp. Tricerati um sp.	Synedra sp. Nitzschia sp. Pleurosig ma sp. Stauronei s sp. 	АРНА (22 nd Edi) 10200-Н
В	Zooplanktons Abundance	noX10 ³ /													APHA (22 nd Edi)
17.1	(Population)	100 m^3	34		28	3	32		40		46		3	5	10200-G
17.2	Name of Group Number and name of group species of each group		Chaetogna Ostraco Gastrop Foraminife	ods oods	Chaetognathes Ostracods Gastropods Polychaetes		Polychaetes Copepods Bivalves Isopods		Polych Deca Gastr Mys	pods opods	Polych Gastro Biva	pods	Bivalves Polychates Ostracods Amphipods		APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	3.1		2.95		3.3		3.0	50	3.9	95	3.2	25	APHA (22 nd Edi) 10200-G
С	Microbiological Paran	neters													
18.1	Total Bacterial Count	CFU/ml	2130)	21	50	22	20	21	40	21	80	22	70	IS 5402:2002
18.2	Total Coliform	/ml	Absen	nt	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Pres	sent	APHA(22 nd Edi)9 221-D
18.3	Ecoli	/ml	Absen	nt	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	IS:1622:1981Edi .2.4(2003-05)
18.4	Enterococcus	/ml	Absen	nt	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Pres	sent	IS : 15186 :2002
18.5	Salmonella	/ml	Absen	nt	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	IS: 5887 (P-3)
18.6	Shigella	/ml	Absen	nt	Absent		Abs	ent	Absent		Absent		Abs	ent	IS : 1887 (P-7)
18.7	Vibrio	/ml	Absen	nt	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	IS: 5887 (P-5)

D -01

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 184 of 442



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF SEDIMENT ANALYSIS [M4 JUNA BANDAR N 22°47'577" E 069°43'620"]

SR.			OCTOBER 2020	NOVEMBER 2020	DECEMBER 2020	JANUARY 2021	FEBRUARY 2021	MARCH 2021	TECT METHOD
NO.	TEST PARAMETERS	UNIT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	TEST METHOD
1	Organic Matter	%	0.4	0.64	0.73	0.69	0.59	0.5	FCO:2007
2	Phosphorus as P	µg/g	379	410	568	591	532	586	APHA(22 nd Edi) 4500 C
3	Texture		Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.58	4.79	4.67	4.93	4.73	4.9	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	193	206	183	208	168	138	AAS 3111B
5.3	Manganese as Mn	µg/g	756	814	710	729	623	720	AAS APHA 3111 B
5.4	Iron as Fe	%	4.3	4.8	4.59	5.1	4.81	4.97	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	39	53	65	58	63.2	45	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	27	36	41	45	54.4	38	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	158	210	169	173	161	119	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.19	2.59	1.53	2.26	2.57	2.75	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organisms								
6.1	Macrobenthos		Polychaetes Bivalves Gastropods	Polychaete worms Crustaceans Amphipods	Polychaetes Isopods	Polychaete Amphipods Crustaceans	Polychaetes Gastropods Bivalves	Polychaetes Gastropods Amphipods	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos			Nematodes	Foraminiferans	Nematodes Harpacticoids	Nematodes	Foraminiferans	APHA (22 nd Edi) 10500-C
6.3	Population	no/m ²	499	441	471	559	439	409	APHA (22 nd Edi) 10500-C



H. T. Shah

Lab Manager



horsein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 185 01 442

LABORATORIES PVT. LTD. σ Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M5 TOWARDS WESTERN SIDE OF EAST PORT - N 22°46'041" E 069°47'296"]

SR.	TEST PARAMETERS	UNIT	ОСТОВ		NOVEMB		DECEMB		JANUAF			RY 2021		H 2021	TEST
NO.	ILJI PARAPILILKJ	UNIT	SURFACE	BOTTOM	METHOD										
1	рН		8.25	8.21	8.20	8.17	8.28	8.26	8.22	8.19	8.25	8.21	8.21	8.19	IS3025(P11)83Re .02
2	Temperature	oC	30.2	29.9	30.1	29.9	30.0	29.8	29.9	29.6	30.3	30.1	30.2	30.1	IS3025(P9)84Re. 02
3	Total Suspended Solids	mg/L	187	215	164	173	135	149	117	128	105	119	116	104	IS3025(P17)84Re .02
4	BOD (3 Days @ 27 °C)	mg/L	3.3	Not Detected	3.0	Not Detected	3.3	Not Detected	3.5	Not Detected	3.4	Not Detected	3.5	Not Detected	IS 3025 (P44)1993Re.03E dition2.1
5	Dissolved Oxygen	mg/L	5.8	5.6	5.9	5.7	5.9	5.8	5.8	5.6	5.9	5.7	6	5.8	IS3025(P38)89Re .99
6	Salinity	ppt	36.5	36.8	36.3	36.7	36.5	36.7	36.3	36.5	36.6	36.9	36.7	37.1	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	APHA(22 nd Edi)55 20D											
8	Nitrate as NO ₃	µmol/L	3.49	3.12	3.93	3.8	3.71	3.58	3.36	3.27	3.57	3.41	3.18	2.83	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.86	0.73	0.75	0.69	0.69	0.47	0.70	0.64	0.63	0.52	0.74	0.61	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.39	2.14	2.47	2.36	2.34	2.26	2.18	2.36	1.90	1.83	1.68	1.52	IS3025(P34)88Cl a.2.3
11	Phosphates as PO ₄	µmol/L	2.13	1.91	2.6	2.41	2.26	2.11	2.39	2.21	2.17	1.95	2.39	2.17	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.74	5.99	7.15	6.85	6.74	6.31	6.24	6.27	6.10	5.76	5.6	4.96	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	12.3	Not Detected	17.0	Not Detected	21.6	Not Detected	18	Not Detected	13.8	Not Detected	11.3	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37562	37840	37284	37646	37664	37684	37298	37702	37704	37905	38314	38624	IS3025(P16)84Re .02
15	COD	mg/L	22.0	Not Detected	25.0	Not Detected	27.8	Not Detected	30	18	31.2	23.2	28.0	21.0	APHA(22 nd Edi) 5520-D Open Reflux
А	Phytoplankton														
16.1	Chlorophyll	mg/m ³	3.31	2.88	2.93	2.56	3.25	2.93	2.99	2.83	2.91	2.61	2.8	2.67	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.0	2.1	2.3	2.4	2.0	2.0	2.69	1.58	2.0	1.08	2.17	0.99	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	164	106	138	90	166	108	158	96	164	104	150	102	APHA (22 nd Edi) 10200-H
16.4	Name of Group		Navicula	Fragillaria	Biddulphi	Nitzschia	Skeletone	Nitzschia	Microcysti	Biddulphi	Triceratiu	Nitzschia	Melosira	Fragillaria	APHA (22 nd Edi) 10200-H
-6	1-0-					SURAT	1821					1-2	esen.		
н. т.	Shah					8 SURAT	A					Dr. Ar	unBajpai		
Lab N	/lanager					Od *	01					Lab M	anager (Q)		

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

.pollucon.com

1-1	POLLOCON LABORATOR
	Provinsemental Auditory Convoltants & Analys

Environmental Auditors, Consultants & Analysts. Cleaner Production / Waste Minimization Pacilitator

IES PVT. LTD.

										all and a second se					
				Recognia	sed by MoE	F New Del	hi Under Se	e. 12 of En	vironment	al (Protectio	on) Act-198	6	_		
	Number and name of group species of each group		sp. Coscinodi scus sp. Oscillatori a sp. Polychaet es	<i>sp.</i> Pinnularia sp. Rhizosole nia sp. Melosira sp.	a sp. Melosira sp. Pleurosig ma sp. Fragillaria sp. Cyclotella sp.	sp. Navicula sp. Thallasios ira sp. 	ma sp. Thallasion ema sp. Coscinodi scus sp. Rhizosole nia sp. Melosira sp.	<i>sp.</i> <i>Synedra</i> <i>sp.</i> <i>Navicula</i> <i>sp.</i> <i>Chaetogn</i> <i>athes</i> 	s sp. Cosmariu m sp. Thallasios ira sp. Amphipro ra sp. Navicula sp.	a sp. Rhizosole nia sp. Cyclotella sp. Melosira sp. 	m sp. Skeletone ma sp. Biddulphi a sp. Rhizosole nia sp. Melosira sp.	sp. Navicula sp. Amphipro ra sp. Cyclotella sp. 	sp. Thalasiosi ra sp. Closteriu m sp. Biddulphi a sp. Coscinodi scus sp.	<i>sp.</i> Nitzschia sp. Pleurosig ma sp. Synedra sp. 	
В	Zooplanktons				,		,		,		,		,		
17.1	Abundance (Population)	noX10 ³ / 100 m ³	1	9	2	3	2	9	3	9	4	4	33	2	APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group			niferans opods naetes	Gastro Ostra Chaetog Polych	cods Inathes	Hydro Gastro Deca Mys	pods pods	Gastr Mys	naetes opods sids niferans	Gastro Deca	haetes opods pods gnathes	Polycl Ostra Fish la Deca	cods arvae	APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.	.4	2.6	55	3.2	25	3.	45	4	.0	2.8	35	APHA (22 nd Edi) 10200-G
С	Microbiological Para														
18.1	Total Bacterial Count	CFU/m I	21	80	22	30	21	40	2210		22	30	24	50	IS 5402:2002
18.2	Total Coliform	/ml	Abs	sent	Abs	ent	Abs	ent	Absent		Abs	ent	Pres	ent	APHA(22 nd Edi)92 21-D
18.3	Ecoli	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	sent	Abs	sent	Abs	ent	IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	sent	Abs	sent	Pres	ent	IS: 15186:2002
18.5	Salmonella	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Abs	ent	IS: 5887 (P-3)
18.6	Shigella	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Abs	ent	IS: 1887 (P-7)
18.7	Vibrio	/ml	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	IS: 5887 (P-5)

-0-0-

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 187 of 442 Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF SEDIMENT ANALYSIS [M5 TOWARDS WESTERN SIDE OF EAST PORT - N 22°46'041" E 069°47'296"]

SR. NO.	TEST PARAMETERS	UNI T	OCTOBER 2020 SEDIMENT	NOVEMBER 2020 SEDIMENT	DECEMBER 2020 SEDIMENT	JANUARY 2021 SEDIMENT	FEBRUARY 2021 SEDIMENT	MARCH 2021 SEDIMENT	TEST METHOD
1	Organic Matter	%	0.41	0.59	0.68	0.58	0.62	0.52	FCO:2007
2	Phosphorus as P	µg/g	393	403	480	513	472	568	APHA(22 nd Edi) 4500 C
3	Texture		Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.68	4.5	4.69	4.95	4.72	5.12	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	170	213	183	218	168	128	AAS 3111B
5.3	Manganese as Mn	µg/g	759	820	756	734	623	765	AAS APHA 3111 B
5.4	Iron as Fe	%	4.7	4.46	4.79	5.1	4.85	4.92	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	35	57	68	59	63.7	51	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	26	39	43	64	58.1	29	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	184	213	169	187	170	138	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.37	1.94	1.51	2.3	2.43	2.76	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organism	าร							
6.1	Macrobenthos		Polychaetes Gastropods Bivalves	Polychaete worms Crustaceans Amphipods	Polychaetes Crustaceans Bivalves	Polychaete Amphipods Bivalves	Polychaetes Gastropods Amphipods	Polychaetes Crustaceans Gastropods	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos		Foraminiferans	Nematodes		Nematodes Turbellarians	Nematodes	Nematodes	APHA (22 nd Edi) 10500-C
6.3	Population	no/m 2	471	440	412	528	439	380	APHA (22 nd Edi) 10500-C
- E	त्रेर्ठा Shah			Contra	SURAT-7			Dr. ArunBajpai	
	Manager			R.	00 * 01			Lab Manager (Q)	

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART,

NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M7 EAST PORT N 22°47'120" E 069°47'110"]

SR.	TEST PARAMETERS	UNIT	ОСТОВ		NOVEMB		DECEMB		JANUAF			RY 2021	MARCI		TEST METHOD			
NO.	ILJI PARAMETEKJ	UNIT	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM				
1	рН		8.26	8.23	8.23	8.19	8.27	8.23	8.24	8.20	8.20	8.17	8.23	8.14	IS3025(P11)83Re. 02			
2	Temperature	оС	30.2	29.9	30.1	30.0	30.2	29.9	29.7	29.6	30	29.8	30.2	30	IS3025(P9)84Re.0 2			
3	Total Suspended Solids	mg/L	183	207	167	184	152	173	128	147	104	123	127	112	IS3025(P17)84Re. 02			
4	BOD (3 Days @ 27°C)	mg/L	3	Not Detected	3.3	Not Detected	3.5	Not Detected	3.9	Not Detected	3.5	Not Detected	3.4	Not Detected	IS 3025 (P44)1993Re.03Ed ition2.1			
5	Dissolved Oxygen	mg/L	5.8	5.6	5.9	5.7	5.9	5.6	5.8	5.6	5.9	5.8	6	5.8	IS3025(P38)89Re. 99			
6	Salinity	ppt	36.5	36.7	36.4	36.8	36.6	36.9	36.2	36.5	36.6	36.8	36.7	37.2	APHA (22 nd Edi) 2550 B			
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)552 0D			
8	Nitrate as NO ₃	µmol/L	3.39	3.12	3.64	3.5	3.24	3	3.36	3.59	3.15	2.97	2.97	2.83	IS3025(P34)88			
9	Nitrite as NO ₂	µmol/L	0.78	0.53	0.99	0.84	0.73	0.56	0.69	0.73	0.52	0.41	0.68	0.59	IS3025(P34)88 NEDA			
10	Ammonical Nitrogen as NH ₃	µmol/L	2.81	2.69	2.57	2.36	2.30	2.17	2.47	2.60	2.18	2.06	2.37	2.16	IS3025(P34)88Cla .2.3			
11	Phosphates as PO ₄	µmol/L	1.76	1.58	2.13	1.94	2.48	2.28	2.39	2.17	2.1	1.93	2.58	2.23	APHA(22 nd Edi) 4500 C			
12	Total Nitrogen	µmol/L	6.98	6.34	7.20	6.70	6.27	5.73	6.52	6.92	5.85	5.44	6.02	5.58	IS3025(P34)88			
13	Petroleum Hydrocarbon	µg/L	15.0	Not Detected	12.0	Not Detected	19.0	Not Detected	15	Not Detected	12.3	Not Detected	15	Not Detected	PLPL-TPH			
14	Total Dissolved Solids	mg/L	37613	37662	37362	37740	37680	37906	37208	37593	37708	37850	38192	38702	IS3025(P16)84Re. 02			
15	COD	mg/L	21.0	Not Detected	24	Not Detected	27	18.3	31	18.7	29.7	21.3	28	23.0	APHA(22ndEdi) 5520-D Open Reflux			
Α	Phytoplankton																	
16.1	Chlorophyll	mg/m ³	3.2	2.72	2.99	2.61	3.04	2.93	3.20	2.8	2.81	2.7	2.64	2.57	APHA (22 nd Edi) 10200-H			
16.2	Phaeophytin	mg/m ³	2.5	2.1	2.7	2.2	2.6	1.9	0.72	1.28	0.10	0.11	0.39	0.27	APHA (22 nd Edi) 10200-H			
16.3	Cell Count	No. x 10 ³ /L	172	108	163	95	180	113	178	98	168	104	142	98	APHA (22 nd Edi) 10200-H			
16.4	Name of Group		Pinnularia	Cymbella	Biddulphi	Coscinodi	Skeletone	Nitzschia	Rhizosole	Nitzschia	Thalasion	Nitzschia	Thalasiosi	Nitzschia	APHA (22 nd Edi) 10200-H			
-€	1-0-		-			SURAT	1821					10 Det	cee in					
н. Г.	snañ					3	13	H. T. Shah Dr. ArunBajpai										

Lab Manager

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

Lab Manager (Q)

EMAIL: pollucon@gmail.com Page 189 of 442 .pollucon.com



1	DOLLOCON LABORATORIES PVT. LTD.
\bigcirc	

Environmental Auditors, Consultants & Analysts. Cleaner Production / Waste Minimization Pacilitator

			-			Catorius	act resourcement	2.51989105 Jozanna	and a state of the state of the state	attorney.			2.47		
				Recognie	sed by MoE	F New Del	hi Under Se	ec. 12 of Er	vironment	al (Protectio	on) Act-198	б			
	Number and name of group species of each group		sp. Ceratium Rhizosole nia sp. Pleurosig ma sp. Melosira sp.	sp. Fragillaria sp. Amphora sp. Navicula sp.	a sp. Cyclotella sp. Thallasion ema sp. Melosira sp. Peridiniu m sp.	scus sp. Navicula sp. Nitzschia sp. Fragillaria sp. 	ma sp. Amphipro ra sp. Rhizosole nia sp. 	sp. Fragillaria sp. Synedra sp. Surirella sp.	nia sp. Cosmariu m sp. Stauronei s sp. Microcysti s sp. Biddulphi a sp.	sp. Navicula sp. Ceratiums p. Synedra sp. 	ema sp. Pleurosig ma sp. Ceratium sp. Coscinodi scus sp. Biddulphi a sp.	<i>sp.</i> <i>Cymbella sp.</i> <i>Fragillaria sp.</i> <i>Navicula</i> <i>sp.</i> 	ra sp. Melosira sp. Navicula sp. Skeletone ma sp. 	sp. Pleurosig ma sp. Synedra sp. Cyclotella sp. 	
В	Zooplanktons														
17.1	Abundance (Population)	noX10 ³ / 100 m ³	2	29	2	0	3	0	3	5	4	3	3	3	APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group		Gastr Ampl	niferans opods nipods apods	Polychaetes Chaetognathes Ostracods 		Biva Formin		Mys Polych Biva	pods sids naetes Ilves niferans	Deca Gastr	haetes pods opods epods -	Gastro Polyc Amph Cope	hates	APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	3	.1	2.	15	3	.3	3	.6	3.	55	2.	.9	APHA (22 nd Edi) 10200-G
С	Microbiological Parar	neters													
18.1	Total Bacterial Count	CFU/ml	22	200	23	10	23	50	22	90	21	40	23	20	IS 5402:2002
18.2	Total Coliform	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Pres	sent	APHA(22 nd Edi)922 1-D
18.3	Ecoli	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	sent	Abs	sent	Abs	ent	IS:1622:1981Edi.2 .4(2003-05)
18.4	Enterococcus	/ml	Abs	sent	Abs	ent	Abs	sent	Abs	sent	Abs	ent	Pres	sent	IS: 15186:2002
18.5	Salmonella	/ml	Abs	sent	Abs	ent	Abs	sent	Abs	sent	Abs	ent	Abs	ent	IS: 5887 (P-3)
18.6	Shigella	/ml	Abs	sent	Abs	ent	Abs	sent	Abs	sent	Abs	ent	Abs	ent	IS: 1887 (P-7)
18.7	Vibrio	/ml	Abs	sent	Abs	ent	Abs	sent	Abs	sent	Abs	ent	Abs	ent	IS: 5887 (P-5)

-01-10-

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 190 of 442 Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M8 RIGHT SIDE OF BOCHA CREEK N 22°45'987" E 069°43'119"]

SR.	TEST	UNIT		ER 2020	NOVEME		-	ER 2020		RY 2021	FEBRUA	-	MARC	-	TEST
NO.	PARAMETERS		SURFACE	BOTTOM	METHOD										
1	pН		8.24	8.19	8.21	8.17	8.29	8.25	8.23	8.19	8.19	8.15	8.24	8.23	IS3025(P11)83Re .02
2	Temperature	oC	30.2	30.0	30.2	30.0	30.1	29.8	29.9	29.6	30.2	30	30.3	30.1	IS3025(P9)84Re. 02
3	Total Suspended Solids	mg/L	190	235	175	187	140	162	132	158	112	138	128	114	IS3025(P17)84Re .02
4	BOD (3 Days @ 27 °C)	mg/L	3.1	Not Detected	3.4	Not Detected	3.1	Not Detected	3.4	Not Detected	3.1	Not Detected	3.3	Not Detected	IS 3025 (P44)1993Re.03E dition2.1
5	Dissolved Oxygen	mg/L	5.8	5.6	5.8	5.7	5.9	5.7	5.8	5.7	5.9	5.8	5.9	5.7	IS3025(P38)89Re .99
6	Salinity	ppt	36.2	36.5	36.3	36.6	36.4	36.7	36.2	36.5	36.5	36.9	36.7	37.2	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	APHA(22 nd Edi)552 0D											
8	Nitrate as NO ₃	µmol/L	3.48	3.19	3.95	3.7	3.48	3.19	3.29	3.48	3.17	2.96	2.73	2.58	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.85	0.63	0.87	0.89	0.67	0.53	0.75	0.69	0.68	0.53	0.81	0.69	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH₃	µmol/L	2.10	1.95	2.59	2.37	2.39	2.16	2.18	1.93	2.35	2.17	2.27	2.18	IS3025(P34)88Cla .2.3
11	Phosphates as PO_4	µmol/L	2.39	2.21	2.68	2.436	2.41	2.3	2.3	2.16	2.19	1.99	2	1.83	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.43	5.77	7.41	6.76	6.54	5.88	6.22	6.10	6.20	5.66	5.81	5.45	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	15.0	Not Detected	17.0	Not Detected	19.0	Not Detected	15.6	Not Detected	13.6	Not Detected	15.3	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37204	37628	37286	37628	37394	37786	37314	37718	37694	37908	38206	38703	IS3025(P16)84Re .02
15	COD	mg/L	20.0	Not Detected	23.0	Not Detected	27.5	17.4	31	19	28.4	17	29	21	APHA(22 nd Edi) 5520-D Open Reflux
Α	Phytoplankton														
16.1	Chlorophyll	mg/m ³	3.25	2.56	2.83	2.4	3.09	2.67	2.93	2.83	2.69	2.49	2.72	2.67	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	1.3	2.2	2.7	2.3	2.5	2.0	1.3	1.73	0.22	0.42	2.55	1.74	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	178	110	155	118	195	133	163	94	158	96	162	96	APHA (22 nd Edi) 10200-H



H. T. Shah

Lab Manager



horsein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART,

NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

	15	POLLOCON LABORATORIES PVT
<i></i>		Environmental Auditors Consultants & Analysis

Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

16.4	Name of Group Number and name of group species of each group		Skeletone ma sp. Biddulphi a sp. Pinnularia Cyclotella sp.	Nitzschia sp. Gyro sigma sp. Amphora sp. Melosira sp.	Thallasios ira sp. Surirella sp. Coscinodi scus sp. Fragillaria sp. 	Navicula sp. Cyclotella sp. Melosira sp. Nitzschia sp. 	Rhizosole nia sp. Coscinodi scus sp. Biddulphi a sp. Ceratium sp. Melosira sp.	Nitzschia sp. Chaetocer os sp. Synedra sp. Pleurosig ma sp. 	Skeletone ma sp. Biddulphi a sp. Thallasios ira sp. Rhizosole nia sp. Cosmariu m sp.	Nitzschia sp. Synedra sp. stauronei s sp. Fragillari a sp.	Biddulphi a sp. Rhizosole nia sp. Thalasion ema sp. Gyro sigma sp. Skeletone ma sp.	Nitzschia sp. Navicula sp. Amphipro ra sp. Cyclotella sp.	Rhizosole nia sp. Biddulphi a sp. Thalasiosi ra sp. Closteriu m sp. 	Nitzschia sp. Navicula sp. Pleurosig ma sp. Synedra sp. 	АРНА (22 nd Edi) 10200-Н				
В	Zooplanktons																		
17.1	Abundance (Population)	noX10 ³ / 100 m ³	2	3	18		24		35		39		3)	APHA (22 nd Edi) 10200-G				
17.2	Name of Group Number and name of group species of each group		Ostra Chaeto Gastro	gnathes	Siphonophores Gastropods Polychaetes 		Siphonophores Gastropods Polychaetes 		Biva	sids	Polycl Biva	opods naetes Ives pods	Polycl Gastro Deca Fish la	pods pods	APHA (22 nd Edi) 10200-G				
17.3	Total Biomass	ml/100 m ³	2.	55	2.	1	2.55		3.	.9	3	.5	2.9	95	APHA (22 nd Edi) 10200-G				
С	Microbiological Para	ameters																	
18.1	Total Bacterial Count	CFU/ml	22	90	22	10	21	.80	2230		2180		22	50	IS 5402:2002				
18.2	Total Coliform	/ml	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Absent		Pres	ent	APHA(22 nd Edi)922 1-D				
18.3	Ecoli	/ml	Abs	ent	Abs	ent	Absent		Absent		Absent		Absent		Absent		Absent		IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Abs	ent	Pres	ent	IS: 15186:2002				
18.5	Salmonella	/ml	Abs	ent	Absent		Abs	sent	Abs	ent	Absent		Abs	ent	IS: 5887 (P-3)				
18.6	Shigella	/ml	Abs	ent	Absent		Abs	sent	Abs	ent	Absent		Abs	ent	IS : 1887 (P-7)				
18.7	Vibrio	/ml	Abs	ent	Abs	ent	Abs	sent	Abs	ent	Abs	Absent Abs		ent	IS: 5887 (P-5)				

-01 D

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 192 of 442 Environmental Auditors, Consultants & Analysts.

Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF SEDIMENT ANALYSIS [M8 RIGHT SIDE OF BOCHA CREEK - N 22°45'987" E 069°43'119"]

SR.	TEST		OCTOBER 2020	NOVEMBER 2020	DECEMBER 2020	JANUARY 2021	FEBRUARY 2021	MARCH 2021	
NO.	PARAMETERS	т	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	SEDIMENT	TEST METHOD
1	Organic Matter	%	0.42	0.64	0.69	0.57	0.62	0.52	FCO:2007
2	Phosphorus as P	µg/g	398	428	473	528	493	568	APHA(22 nd Edi) 4500 C
3	Texture		Sandy	Sandy	Sandy	Sandy	Sandy	Sandy	
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	PLPL-TPH
5	Heavy Metals								
5.1	Aluminum as Al	%	4.63	4.43	4.61	5.14	4.78	4.95	AAS APHA 3111 B
5.2	Total Chromium as Cr ⁺³	µg/g	170	209	179	168	153	113	AAS 3111B
5.3	Manganese as Mn	µg/g	768	804	738	701	689	712	AAS APHA 3111 B
5.4	Iron as Fe	%	4.52	4.7	4.59	4.87	4.65	4.86	AAS APHA(22 nd Edi)3111 B
5.5	Nickel as Ni	µg/g	39.4	58	63	71	69.4	53	AAS APHA(22 nd Edi)3111 B
5.6	Copper as Cu	µg/g	28.6	34	51	68	57.4	46	AAS APHA(22 nd Edi)3111 B
5.7	Zinc as Zn	µg/g	170	213	180	159	135	123	AAS APHA(22 nd Edi)3111 B
5.8	Lead as Pb	µg/g	2.14	1.9	1.59	2.3	2.49	2.75	AAS APHA(22 nd Edi)3111 B
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
6	Benthic Organism	าร							
6.1	Macrobenthos		Gastropods Crustaceans Polychaetes	Polychaete worms Bivalves Isopods	Crustaceans Gastropods	Crustaceans Polychaetes <i>Amphipods</i>	Crustaceans Polychaetes	Crustaceans Polychaetes Bivalves	APHA (22 nd Edi) 10500-C
6.2	MeioBenthos			Nematodes	Foraminiferans	Harpacticoids Turbellarians	Nematodes Foraminiferans	Nematodes	APHA (22 nd Edi) 10500-C
6.3	Population	no/ m²	439	409	352	559	471	469	APHA (22 nd Edi) 10500-C



H. T. Shah

Lab Manager



horsein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 193 of 442



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M11 MPT T1 JETTY N 22°42'278" E 069°43'450"]

PARAMETERS	UNIT		ER 2020	NOVEMB			ER 2020		RY 2021	FEBRUA	-	MARCI		TEST
FARAPILIERS	UNIT	SURFACE	воттом	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	воттом	SURFACE	BOTTOM	SURFACE	BOTTOM	METHOD
		8.27	8.24	8.24	8.19	8.27	8.23	8.23	8.20	8.29	8.27	8.25	8.23	IS3025(P11)83Re .02
rature	oC	30.2	29.9	30.2	30.0	30.1	29.9	29.9	29.7	30.1	30	30.3	30.1	IS3025(P9)84Re. 02
uspended	mg/L	197	228	180	199	167	181	150	173	132	146	127	106	IS3025(P17)84Re .02
Days @ 27	mg/L	3	Not Detected	3.2	Not Detected	3.5	Not Detected	3.4	Not Detected	3.0	Not Detected	3.2	Not Detected	IS 3025 (P44)1993Re.03E dition2.1
ed Oxygen	mg/L	5.9	5.7	5.9	5.6	5.8	5.6	5.9	5.6	6.1	5.9	5.9	5.7	IS3025(P38)89Re .99
	ppt	36.5	36.9	36.2	36.6	36.3	36.7	36.1	36.5	36.9	37.3	36.7	37.2	APHA (22 nd Edi) 2550 B
rease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)552 0D
as NO₃	µmol/L	3.28	2.94	3.86	3.64	3.56	3.23	3.19	3.27	3.32	3.17	2.81	2.56	IS3025(P34)88
as NO ₂	µmol/L	0.93	0.82	0.74	0.59	0.43	0.38	0.73	0.86	0.58	0.43	0.67	0.48	IS3025(P34)88 NEDA
nical Nitrogen	µmol/L	2.24	2.13	2.36	2.20	2.16	2.10	2.28	2.34	2.63	2.51	2.41	2.36	IS3025(P34)88Cla .2.3
ates as PO ₄	µmol/L	2.18	2.1	2.58	2.31	2.49	2.37	2.34	2.56	2.56	2.37	2.13	1.92	APHA(22 nd Edi) 4500 C
itrogen	µmol/L	6.45	5.89	6.96	6.43	6.15	5.71	6.20	6.47	6.53	6.11	5.89	5.4	IS3025(P34)88
um arbon	µg/L	11.2	Not Detected	16.0	Not Detected	20.0	Not Detected	17	Not Detected	10.6	Not Detected	14.3	Not Detected	PLPL-TPH
issolved Solids	mg/L	37456	37824	37192	37566	37306	37716	36994	37538	37894	38740	38174	38658	IS3025(P16)84Re .02
	mg/L	21.0	Not Detected	23	Not Detected	26	Not Detected	28	19	25	18	28	22.0	APHA(22 nd Edi) 5520-D Open Reflux
olankton														
bhyll	mg/m ³	3.15	2.67	2.67	2.35	3.15	2.99	3.04	2.72	3.25	2.83	2.88	2.72	APHA (22 nd Edi) 10200-H
hytin	mg/m ³	1.5	2.1	2.1	2.3	1.3	1.8	1.89	1.91	1.53	1.84	2.16	2.02	APHA (22 nd Edi) 10200-H
unt	No. x 10 ³ /L	158	106	136	98	152	106	172	98	186	106	166	96	APHA (22 nd Edi) 10200-H
of Group		Pinnularia	Cyclotella	Melosira	Navicula	Skeletone	Nitzschia	Rhizosole	Navicula	Cyclotella	Nitzschia	Rhizosole	Synedra	APHA (22 nd Edi) 10200-H
			10°/L	107L	10°/L	Pinnularia Cyclotella Melosira Navicula	Pinnularia Cyclotella Melosira Navicula Skeletone	Pinnularia Cyclotella Melosira Navicula Skeletone Nitzschia	Pinnularia Cyclotella Melosira Navicula Skeletone Nitzschia Rhizosole	10°7L Pinnularia Cyclotella Melosira Navicula Skeletone Nitzschia Rhizosole Navicula	10°7L Pinnularia Cyclotella Melosira Navicula Skeletone Nitzschia Rhizosole Navicula Cyclotella	1071	10°7L Pinnularia Cyclotella Melosira Navicula Skeletone Nitzschia Rhizosole Navicula Cyclotella Nitzschia Rhizosole	10°7L Pinnularia Cyclotella Melosira Navicula Skeletone Nitzschia Rhizosole Navicula Cyclotella Nitzschia Rhizosole Synedra

H. T. Shah

Lab Manager


-01-10-

herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon Bemail.com 94 OT 442 llucon.com



DOLLOCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

				Recognia	sed by MoE	F. New Del	hi Under Se	ec. 12 of Er	vironmente	d (Protectio	on) Act-198	6			
	Number and name of group species of each group		Biddulphi a sp. Skeletone ma sp. Coscinodi scus sp. Gyro sigma sp.	sp. Nitzschia sp. Synedra sp. Fragillaria sp.	sp. Nitzschia sp. Coscinodi scus sp. Thallasion ema sp. 	sp. Pleurosig ma sp. Peridiniu m sp. 	ma sp. Coscinodi scus sp. Thallasion ema sp. Ceratium sp. Biddulphi a sp.	sp. Navicula sp. Pleurosig ma sp. Synedra sp. 	nia sp. Thallasios ira sp. Biddulphi a sp. Amphipro ra sp. Coscino discus sp.	<i>sp.</i> <i>Synedra</i> <i>sp.</i> <i>Surirella</i> <i>sp.</i> Nitzschi a sp. 	sp. Skeletone ma sp. Gyro sigma sp. Rhizosole nia sp. 	sp. Cheatocer ous sp. Cymbella sp. Navicula sp. 	nia sp. Skeletone ma sp. Coscinodi scus sp. Biddulphi a sp. Navicula sp.	<i>sp.</i> Pleurosig ma sp. Thalasiosi ra sp. Nitzschia sp. '	
В	Zooplanktons														
17.1	Abundance (Population)	noX10 ³ / 100 m ³	2	3	19	9	2	7	3!	5	3	9	30)	APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group		Deca Foramir Gastro	niferans	Chaetog Ostra Gastro	cods	Polych Gastro Deca Ostra Mys	pods pods cods	Polych Biva Isop Cephal	lves ods	Polycl Gastro Biva Ostra	lves	Amph Polycł Deca Gastro	nates pods	APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	2.0	65	2.	4	2.9	95	3.4	10	3.	6	2.8	35	APHA (22 nd Edi) 10200-G
С	Microbiological Para	meters													
18.1	Total Bacterial Count	CFU/m I	23	60	228	80	21	50	22	50	22	80	23	50	IS 5402:2002
18.2	Total Coliform	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Pres	ent	APHA(22 nd Edi)922 19.21-D
18.3	Ecoli	/ml	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Abs		Abs		Abs		Abs		Abs		Pres		IS: 15186:2002
18.5	Salmonella	/ml	Abs		Abs		Abs		Abs		Abs		Abs		IS: 5887 (P-3)
18.6	Shigella	/ml	Abs		Abs		Abs		Abs		Abs		Abs		IS: 1887 (P-7)
18.7	Vibrio	/ml	Abs	sent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	Abs	ent	IS: 5887 (P-5)

-0-10-

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 195 of 442

15	DELLOCON LABORATORIES PVT. LTL
	Environmental Auditors, Consultants & Analysts.

Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF MARINE WATER [M12 SPM N 22°40'938" E 069°39'191"]

SR.	TEST PARAMETERS	UNIT		ER 2020	NOVEMB			ER 2020	JANUAF			RY 2021	MARCI		TEST
NO.		UNIT	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM	METHOD
1	рН		8.26	8.23	8.25	8.20	8.27	8.18	8.26	8.21	8.31	8.27	8.25	8.21	IS3025(P11)83Re .02
2	Temperature	oC	30.2	30.1	30.3	30.0	30.1	29.9	29.9	29.8	30	30.1	30.2	30	IS3025(P9)84Re. 02
3	Total Suspended Solids	mg/L	187	209	157	179	168	180	137	158	120	143	138	115	IS3025(P17)84Re .02
4	BOD (3 Days @ 27 °C)	mg/L	3.2	Not Detected	3.4	Not Detected	3.1	Not Detected	3.3	Not Detected	3.1	Not Detected	3.2	Not Detected	IS 3025 (P44)1993Re.03E dition2.1
5	Dissolved Oxygen	mg/L	5.8	5.6	5.9	5.7	5.9	5.8	5.9	5.7	6.1	5.9	5.9	5.7	IS3025(P38)89Re .99
6	Salinity	ppt	36.6	36.9	36.5	36.8	36.4	36.9	36.1	36.6	36.8	37.3	36.7	37.1	APHA (22 nd Edi) 2550 B
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	APHA(22 nd Edi)552 0D
8	Nitrate as NO ₃	µmol/L	3.28	2.97	4.13	3.86	3.64	3.49	3.34	3.53	3.25	3.19	2.93	2.75	IS3025(P34)88
9	Nitrite as NO ₂	µmol/L	0.74	0.56	0.94	0.73	0.78	0.63	0.71	0.86	0.56	0.43	0.61	0.58	IS3025(P34)88 NEDA
10	Ammonical Nitrogen as NH ₃	µmol/L	2.10	1.87	2.18	1.96	2.10	1.70	2.26	2.41	2.73	2.56	2.49	2.3	IS3025(P34)88Cla .2.3
11	Phosphates as PO ₄	µmol/L	1.8	1.56	2.36	2.14	2.34	1.9	2.17	2.06	2.5	2.39	2.16	1.95	APHA(22 nd Edi) 4500 C
12	Total Nitrogen	µmol/L	6.12	5.40	7.25	6.55	6.52	5.82	6.31	6.80	6.54	6.18	6.03	5.63	IS3025(P34)88
13	Petroleum Hydrocarbon	µg/L	15.0	Not Detected	20.0	Not Detected	22.0	Not Detected	13	Not Detected	11.8	Not Detected	12.9	Not Detected	PLPL-TPH
14	Total Dissolved Solids	mg/L	37568	37834	37456	37746	37416	37906	37118	37706	37803	38714	38209	38604	IS3025(P16)84Re .02
15	COD	mg/L	23.0	Not Detected	25	Not Detected	24	19.0	28	17	26	17.3	27	21	APHA(22 nd Edi) 5520-D Open Reflux
Α	Phytoplankton														
16.1	Chlorophyll	mg/m ³	2.99	2.83	2.72	2.61	2.93	2.77	3.15	2.83	3.20	2.99	2.86	2.61	APHA (22 nd Edi) 10200-H
16.2	Phaeophytin	mg/m ³	2.1	2.0	2.1	2.5	2.2	2.1	1.75	2.22	1.73	1.20	2.3	1.83	APHA (22 nd Edi) 10200-H
16.3	Cell Count	No. x 10 ³ /L	150	106	158	102	166	108	196	104	198	104	152	127	APHA (22 nd Edi) 10200-H
16.4	Name of Group Number		Pinnularia sp.	Cymbella sp.	Amphipro ra sp.	Navicula sp.	Cyclotella sp.	Nitzschia sp.	Nitzschia sp.	Navicula sp.	Skeletone ma sp.	Cymbella sp.	Coscinodi scus sp.	Nitzschia sp.	APHA (22 nd Edi) 10200-H
-€	7-10-					(2) SOMM	CALES .				·	1.00	ceedin.		
Н. Т.	Shah					SURAT	13					Dr. Ar	unBajpai		
Lab I	Vanager					od *	0.5					Lab M	anager (Q))	

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

1-1	mannana)
/ 1	REARAGE
$ \bigcirc $	

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

ത

LABORATORIES PVT. LTD.

			-												
				Recognis	sed by MoE	F New Del	hi Under Se	e. 12 of En	vironmente	al (Protecti	on) Act-198	6			
	and name of group species of each group		<i>Melosira</i> <i>sp.</i> <i>Skeletone</i> <i>ma sp.</i> <i>Ceratium</i> <i>Nitzschia</i> <i>sp.</i>	Amphora sp. Fragillaria sp. Navicula sp.	Biddulphi a sp. Coscinodi scus sp. Gyro sigma sp. Nitzschia sp.	Rhizosole nia sp. Synedra sp. Cyclotella sp. 	Biddulphi a sp. Skeletone ma sp. Thallasion ema sp. Pleurosig ma sp.	Navicula sp. Coscinodi scus sp. Synedra sp. 	Skeletone ma sp. Thallasios ira sp. Pleurosig ma sp.	Synedra sp. Biddulphi a sp. 	Rhizosole nia sp. Biddulphi a sp. Coscinodi scus sp. Pleurosig ma sp.	Nitzschia sp. Pinnularia sp. Cyclotella sp. 	Rhizosole nia sp. Thalasiosi ra sp. Cheatocer ous sp. 	Synedra sp. Pleurosig ma sp. Navicula sp. 	
В	Zooplanktons														
17.1	Abundance (Population)	noX10 ³ / 100 m ³	2	5	2	1	2	1	39	9	3	4	2	7	APHA (22 nd Edi) 10200-G
17.2	Name of Group Number and name of group species of each group		Amph Mys Gastro Chaeto	sids opods	Siphono Gastro Ostra Isop	cods	Gastro Polych Deca Formin	aetes pods	Gastro Polych Decaj Mys	aetes pods	Gastro Polycł Deca Cope	naetes pods	Ostra Deca Polycl Foramir	pods nates	APHA (22 nd Edi) 10200-G
17.3	Total Biomass	ml/100 m ³	3.		2.	9	2.7	75	3.5	55	3.0	50	2.	7	APHA (22 nd Edi) 10200-G
С	Microbiological Para	meters													
18.1	Total Bacterial Count	CFU/m I	23	00	24	10	23	50	227	70	23	40	24	10	IS 5402:2002
18.2	Total Coliform	/ml	Abs	ent	Abs	ent	Abs	ent	Abse	ent	Abs	ent	Pres	ent	APHA(22 nd Edi)922 19.21-D
18.3	Ecoli	/ml	Abs	ent	Abs	ent	Abs	ent	Abse	ent	Abs	ent	Abs	ent	IS:1622:1981Edi. 2.4(2003-05)
18.4	Enterococcus	/ml	Abs	ent	Abs	ent	Abs	ent	Abse	ent	Abs	ent	Pres	ent	IS: 15186:2002
18.5	Salmonella	/ml	Abs	ent	Abs	ent	Abs	ent	Abse	ent	Abs	ent	Abs	ent	IS: 5887 (P-3)
18.6	Shigella	/ml	Abs	ent	Abs	ent	Abs	ent	Abse	ent	Abs	ent	Abs	ent	IS: 1887 (P-7)
18.7	Vibrio	/ml	Abs	ent	Abs	ent	Abs	ent	Abse	ent	Abs	ent	Abs	ent	IS: 5887 (P-5)
18.4 18.5 18.6	Enterococcus Salmonella Shigella	, /ml /ml /ml	Abs Abs Abs	ent ent ent	Abs Abs Abs	ent ent ent	Abs Abs Abs	ent ent ent	Abse Abse Abse	ent ent ent	Abs Abs Abs	ent ent ent	Pres Abs Abs	ent ent ent	2.4(2003 IS : 15186 IS : 5887 IS : 1887

D -01

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751

EMAIL: pollucon@gmail.com Page 197 of 442



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF ETP OUTLET

					GPCB				
SR. NO.	TEST PARAMETERS	UNIT	Oct-20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Permissible Limit
1	Colour	Co-pt				30	20	25	100
2	рН					7.28	7.56	7.13	6.5 to 8.5
3	Temperature	°C				29.9	30.1	30.3	40
4	Total Suspended Solids	mg/L				43	37	25	100
5	Total Dissolved Solids	mg/L				1703	1823	2070	2100
6	COD	mg/L				68	61	78	100
7	BOD (3 Days @ 27 °C)	mg/L				11	12	15	30
8	Chloride as Cl	mg/L				498	453	432	600
9	Oil & Grease	mg/L				3.6	4.1	3.1	10
10	Sulphate as SO ₄	mg/L				472	428	398	1000
11	Ammonical Nitrogen as NH ₃	mg/L				3.69	2.78	3.1	50
12	Phenolic Compound	mg/L				Not Detected	Not Detected	Not Detected	1
13	Copper as Cu	mg/L				Not Detected	Not Detected	Not Detected	3
14	Lead as Pb	mg/L				Not Detected	Not Detected	Not Detected	0.1
15	Sulphide as S	mg/L				1.24	1.68	1.4	2
16	Cadmium as Cd	mg/L				Not Detected	Not Detected	Not Detected	2
17	Fluoride as F	mg/L				0.36	0.27	0.24	2
18	Residual Chlorine	mg/L				0.60	0.6	0.7	0.5 min

10

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 Environmental Auditors, Consultants & Analysts Cleaner Production / Waste Minimization Facilitator

LABORATORIES PVT. LTD.

Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULT OF AMBIENT AIR QUALITY MONITORING

	ADANI PORT – TUG BERTH 600 KL PUMP HOUSE												
Sr. No	Date of Sampling	Particulate Matter (PM10) μg/m ³	Particulate Matter (PM 2.5) μg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) µg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH ₄ mg/m ³	Benzene as C ₆ H ₆ µg/m³					
1	02/10/2020	72.68	31.57	24.24	40.20	0.74	ND*	ND*					
2	06/10/2020	91.22	48.65	18.64	34.23	0.93	ND*	ND*					
3	09/10/2020	84.27	45.69	22.43	42.56	0.50	ND*	ND*					
4	13/10/2020	79.56	36.28	15.25	38.29	0.64	ND*	ND*					
5	16/10/2020	87.23	44.19	19.82	41.26	0.88	ND*	ND*					
6	20/10/2020	92.46	51.27	23.46	44.20	0.70	ND*	ND*					
7	23/10/2020	85.63	40.57	21.58	35.75	0.57	ND*	ND*					
8	27/10/2020	74.23	42.57	12.64	30.23	0.73	ND*	ND*					
9	30/10/2020	82.46	37.28	17.38	33.29	0.80	ND*	ND*					
10	03/11/2020	68.36	29.37	21.54	38.67	0.53	ND*	ND*					
11	06/11/2020	76.35	47.22	17.52	33.31	0.78	ND*	ND*					
12	10/11/2020	80.22	44.56	11.24	28.44	0.32	ND*	ND*					
13	13/11/2020	74.55	49.26	23.50	39.52	0.54	ND*	ND*					
14	17/11/2020	83.42	41.35	14.23	21.57	0.76	ND*	ND*					
15	20/11/2020	78.37	37.57	18.57	34.28	0.52	ND*	ND*					
16	24/11/2020	84.25	50.22	20.59	40.22	0.71	ND*	ND*					
17	27/11/2020	62.46	26.46	8.59	31.63	0.61	ND*	ND*					
18	01/12/2020	85.37	49.34	11.22	23.49	0.65	ND*	ND*					
19	04/12/2020	61.52	28.62	21.62	41.30	0.57	ND*	ND*					
20	08/12/2020	82.63	50.22	19.64	37.58	0.88	ND*	ND*					
21	11/12/2020	75.35	39.57	12.81	28.50	0.46	ND*	ND*					
22	15/12/2020	88.21	46.35	18.63	25.68	0.96	ND*	ND*					
23	18/12/2020	70.31	33.62	20.24	35.36	0.73	ND*	ND*					
24	22/12/2020	86.27	48.34	14.57	30.25	0.63	ND*	ND*					
25	25/12/2020	93.53	54.34	22.21	39.56	0.72	ND*	ND*					
26	29/12/2020	83.64	42.64	17.26	42.32	1.01	ND*	ND*					
27	01/01/2021	75.62	48.39	18.32	22.69	0.42	ND*	ND*					
28	05/01/2021	81.76	44.31	13.59	26.26	0.70	ND*	ND*					
29	08/01/2021	79.34	52.34	11.70	23.24	0.62	ND*	ND*					
30	12/01/2021	73.58	32.53	20.25	25.55	0.73	ND*	ND*					

Continue ...

5

H. T. Shah Lab Manager

SURAT

herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@pail.com 1990f 442

LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF AMBIENT AIR QUALITY MONITORING

			ADANI PORT	– TUG BERTH	600 KL PUMP	HOUSE		
Sr.N o.	Date of Sampling	Particulate Matter (PM10) µg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) µg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH ₄ mg/m ³	Benzene as C ₆ H ₆ µg/m ³
31	15/01/2021	41.42	35.61	12.56	28.51	0.31	ND*	ND*
32	19/01/2021	70.65	47.55	14.28	19.62	0.54	ND*	ND*
33	22/01/2021	60.51	24.59	19.64	33.49	0.53	ND*	ND*
34	26/01/2021	80.64	43.77	21.30	38.42	0.80	ND*	ND*
35	29/01/2021	88.51	51.26	15.54	31.81	0.64	ND*	ND*
36	02/02/2021	62.53	29.54	10.31	24.29	0.31	ND*	ND*
37	05/02/2021	78.33	25.42	12.57	21.19	0.66	ND*	ND*
38	09/02/2021	68.34	39.40	9.29	22.62	0.34	ND*	ND*
39	12/02/2021	70.36	36.53	14.53	26.48	0.17	ND*	ND*
40	16/02/2021	50.52	23.42	16.24	19.60	0.48	ND*	ND*
41	19/02/2021	65.34	33.57	13.51	30.18	0.65	ND*	ND*
42	23/02/2021	58.31	28.37	15.45	34.19	0.60	ND*	ND*
43	26/02/2021	86.32	44.27	8.60	17.54	0.49	ND*	ND*
44	02/03/2021	68.26	26.34	18.65	35.68	0.49	ND*	ND*
45	05/03/2021	95.37	49.59	14.59	28.55	0.16	ND*	ND*
46	09/03/2021	73.57	23.59	22.69	38.44	0.17	ND*	ND*
47	12/03/2021	84.63	52.63	12.72	30.24	0.27	ND*	ND*
48	16/03/2021	72.62	37.36	11.56	24.49	0.62	ND*	ND*
49	19/03/2021	92.42	51.63	15.82	29.57	0.29	ND*	ND*
50	23/03/2021	86.26	47.55	13.42	32.67	0.47	ND*	ND*
51	26/03/2021	78.25	43.56	17.22	31.57	0.11	ND*	ND*
52	30/03/2021	82.43	33.41	9.46	23.62	0.42	ND*	ND*
	LIMIT [#]	100	60	80	80	4	Not Specified	5
TES	ST METHOD	IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric- CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO2)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method

*Not Detected

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah





herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@pail.com Page 200 of 442

COLLOCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF AMBIENT AIR QUALITY MONITORING

	NEAR FIRE STATION													
Sr. No.	Date of Sampling	Particulate Matter (PM10) µg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) µg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH ₄ mg/m ³	Benzene as C ₆ H ₆ µg/m ³						
1	02/10/2020	62.55	24.56	10.67	19.55	0.57	ND*	ND*						
2	06/10/2020	50.21	27.22	14.25	25.65	0.77	ND*	ND*						
3	09/10/2020	71.58	41.63	17.33	31.75	0.30	ND*	ND*						
4	13/10/2020	68.55	28.43	6.56	34.52	0.72	ND*	ND*						
5	16/10/2020	73.53	38.42	13.53	24.59	0.61	ND*	ND*						
6	20/10/2020	67.56	33.59	15.19	18.54	0.74	ND*	ND*						
7	23/10/2020	70.25	36.55	11.25	29.69	0.47	ND*	ND*						
8	27/10/2020	52.61	23.43	20.29	22.80	0.39	ND*	ND*						
9	30/10/2020	66.37	29.39	8.88	15.68	0.46	ND*	ND*						
10	03/11/2020	55.64	23.38	14.51	29.56	0.60	ND*	ND*						
11	06/11/2020	63.21	31.58	8.58	16.26	0.46	ND*	ND*						
12	10/11/2020	72.64	40.23	15.66	24.68	0.66	ND*	ND*						
13	13/11/2020	66.22	29.61	17.22	36.26	0.48	ND*	ND*						
14	17/11/2020	70.55	26.43	23.40	33.43	0.58	ND*	ND*						
15	20/11/2020	62.75	30.40	20.45	38.67	0.84	ND*	ND*						
16	24/11/2020	79.31	47.34	18.86	18.98	0.79	ND*	ND*						
17	27/11/2020	68.44	28.61	12.60	23.89	0.47	ND*	ND*						
18	01/12/2020	65.32	34.54	13.61	26.37	0.55	ND*	ND*						
19	04/12/2020	50.35	39.27	19.30	33.66	0.64	ND*	ND*						
20	08/12/2020	67.70	36.51	17.49	29.61	0.78	ND*	ND*						
21	11/12/2020	53.44	22.67	14.31	32.36	0.24	ND*	ND*						
22	15/12/2020	73.66	29.32	11.57	21.83	0.76	ND*	ND*						
23	18/12/2020	78.76	49.77	9.58	18.72	0.40	ND*	ND*						
24	22/12/2020	89.62	35.51	12.64	25.81	0.80	ND*	ND*						
25	25/12/2020	71.62	31.53	10.88	22.61	0.61	ND*	ND*						
26	29/12/2020	64.27	30.40	15.59	28.60	0.70	ND*	ND*						
27	01/01/2021	80.36	38.43	14.57	18.61	0.60	ND*	ND*						
28	05/01/2021	63.67	33.46	11.53	15.62	0.52	ND*	ND*						
29	08/01/2021	72.51	35.67	9.63	20.61	0.46	ND*	ND*						
30	12/01/2021	69.42	40.36	16.40	33.28	0.50	ND*	ND*						

Continue ...

D

H. T. Shah Lab Manager

SURAT-7

herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: <u>pollucon@gnail.com</u> 2018 of 442 LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF AMBIENT AIR QUALITY MONITORING

				NEAR FIRE ST	TATION			
Sr.N o.	Date of Sampling	Particulate Matter (PM10) μg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) μg/m ³	Carbon Monoxide as CO mg/m³	Hydrocarbon as CH4 mg/m ³	Benzene as C ₆ H ₆ µg/m ³
31	15/01/2021	75.62	43.83	6.66	14.22	0.16	ND*	ND*
32	19/01/2021	86.30	52.74	10.61	25.67	0.23	ND*	ND*
33	22/01/2021	49.36	21.62	17.67	36.53	0.63	ND*	ND*
34	26/01/2021	68.62	47.55	18.64	29.49	0.56	ND*	ND*
35	29/01/2021	43.76	27.69	13.98	27.62	0.24	ND*	ND*
36	02/02/2021	56.28	25.43	17.23	20.59	0.16	ND*	ND*
37	05/02/2021	84.38	40.36	15.65	18.42	0.45	ND*	ND*
38	09/02/2021	89.75	50.35	12.45	26.41	0.22	ND*	ND*
39	12/02/2021	80.46	45.63	18.43	21.49	0.38	ND*	ND*
40	16/02/2021	69.36	39.27	21.30	39.49	0.36	ND*	ND*
41	19/02/2021	73.60	28.44	11.27	23.58	0.41	ND*	ND*
42	23/02/2021	82.63	46.34	13.23	29.30	0.26	ND*	ND*
43	26/02/2021	43.52	25.43	16.23	24.52	0.63	ND*	ND*
44	02/03/2021	70.63	23.59	15.30	24.28	0.46	ND*	ND*
45	05/03/2021	76.86	26.47	10.57	21.37	0.31	ND*	ND*
46	09/03/2021	87.82	42.41	16.53	25.64	0.37	ND*	ND*
47	12/03/2021	73.46	36.22	20.33	34.35	0.13	ND*	ND*
48	16/03/2021	65.62	34.59	17.64	23.46	0.22	ND*	ND*
49	19/03/2021	77.12	43.41	13.36	33.33	0.15	ND*	ND*
50	23/03/2021	68.62	40.36	19.21	30.57	0.36	ND*	ND*
51	26/03/2021	58.76	48.64	12.49	26.38	0.53	ND*	ND*
52	30/03/2021	78.12	20.58	11.24	29.35	0.40	ND*	ND*
	LIMIT [#]	100	60	80	80	4	Not Specified	5
TES	ST METHOD	IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric- CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO2)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method

*Not Detected #: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah Lab Manager



herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@pail.com Page 202 of 442

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

LABORATORIES PVT. LTD.

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF AMBIENT AIR QUALITY MONITORING

ADANI HOUSE										
Sr. No	Date of Sampling	Particulate Matter (PM10) μg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) μg/m ³	Oxides of Nitrogen (NO2) μg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH4 mg/m ³	Benzene as C ₆ H ₆ µg/m ³		
1	02/10/2020	57.56	18.58	20.55	35.61	0.49	ND*	ND*		
2	06/10/2020	65.61	37.61	8.30	17.52	0.37	ND*	ND*		
3	09/10/2020	60.37	30.24	22.30	27.54	0.44	ND*	ND*		
4	13/10/2020	55.22	25.36	11.23	30.80	0.55	ND*	ND*		
5	16/10/2020	62.65	32.57	15.39	37.25	0.31	ND*	ND*		
6	20/10/2020	78.25	43.57	19.21	32.50	0.41	ND*	ND*		
7	23/10/2020	64.27	29.57	12.55	33.56	0.76	ND*	ND*		
8	27/10/2020	59.24	33.57	21.24	34.54	0.62	ND*	ND*		
9	30/10/2020	71.24	31.49	13.90	20.69	0.53	ND*	ND*		
10	03/11/2020	62.58	26.20	8.70	19.58	0.79	ND*	ND*		
11	06/11/2020	70.67	41.22	12.36	22.76	0.62	ND*	ND*		
12	10/11/2020	66.23	32.49	19.87	32.43	0.36	ND*	ND*		
13	13/11/2020	58.68	27.55	9.60	20.45	0.60	ND*	ND*		
14	17/11/2020	65.47	23.45	20.23	28.61	0.44	ND*	ND*		
15	20/11/2020	72.53	34.62	16.42	25.64	0.70	ND*	ND*		
16	24/11/2020	68.36	36.29	13.44	36.48	0.87	ND*	ND*		
17	27/11/2020	55.21	20.53	6.90	15.61	0.72	ND*	ND*		
18	01/12/2020	60.51	30.23	17.51	34.51	0.46	ND*	ND*		
19	04/12/2020	72.38	35.66	15.35	38.34	0.39	ND*	ND*		
20	08/12/2020	55.66	43.56	13.67	23.52	0.69	ND*	ND*		
21	11/12/2020	66.27	26.34	16.34	35.67	0.38	ND*	ND*		
22	15/12/2020	78.68	34.53	9.54	18.66	0.71	ND*	ND*		
23	18/12/2020	62.86	45.53	7.55	26.19	0.27	ND*	ND*		
24	22/12/2020	96.75	52.76	10.23	22.32	0.56	ND*	ND*		
25	25/12/2020	76.48	44.53	12.51	19.55	0.42	ND*	ND*		
26	29/12/2020	58.66	24.37	8.66	27.56	0.77	ND*	ND*		
27	01/01/2021	69.36	32.69	11.53	25.88	0.29	ND*	ND*		
28	05/01/2021	52.42	38.76	8.63	19.32	0.47	ND*	ND*		
29	08/01/2021	85.76	49.63	16.46	31.50	0.33	ND*	ND*		
30	12/01/2021	90.60	51.63	12.68	21.07	0.45	ND*	ND*		

Continue ...

5

H. T. Shah Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@pail.com Page 203 of 442

LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental 'Protection' Act-1985

ADANI HOUSE											
Sr. No	Date of Sampling	Particulate Matter (PM10) μg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) μg/m ³	Carbon Monoxide as CO mg/m³	Hydrocarbon as CH ₄ mg/m ³	Benzene as C ₆ H ₆ µg/m ³			
31	15/01/2021	63.52	37.67	15.25	28.24	0.40	ND*	ND*			
32	19/01/2021	95.84	43.52	17.53	32.57	0.17	ND*	ND*			
33	22/01/2021	38.42	18.77	13.83	30.48	0.39	ND*	ND*			
34	26/01/2021	70.36	31.61	14.57	35.38	0.60	ND*	ND*			
35	29/01/2021	77.54	39.43	9.21	24.56	0.69	ND*	ND*			
36	02/02/2021	76.34	36.25	19.45	28.28	0.19	ND*	ND*			
37	05/02/2021	71.52	24.31	17.22	25.37	0.31	ND*	ND*			
38	09/02/2021	58.63	26.84	15.34	30.39	0.57	ND*	ND*			
39	12/02/2021	66.22	29.48	7.71	18.61	0.27	ND*	ND*			
40	16/02/2021	57.33	33.49	10.24	15.40	0.64	ND*	ND*			
41	19/02/2021	60.36	30.44	8.66	21.51	0.53	ND*	ND*			
42	23/02/2021	52.42	21.24	11.54	31.20	0.44	ND*	ND*			
43	26/02/2021	69.32	34.20	13.53	22.38	0.21	ND*	ND*			
44	02/03/2021	57.28	19.65	12.66	20.34	0.52	ND*	ND*			
45	05/03/2021	69.24	41.27	18.30	36.88	0.44	ND*	ND*			
46	09/03/2021	77.55	33.66	8.68	21.56	0.48	ND*	ND*			
47	12/03/2021	63.56	26.51	11.51	23.62	0.41	ND*	ND*			
48	16/03/2021	79.22	31.52	13.85	29.67	0.25	ND*	ND*			
49	19/03/2021	55.64	20.28	9.63	25.49	0.39	ND*	ND*			
50	23/03/2021	67.52	37.59	16.41	28.44	0.14	ND*	ND*			
51	26/03/2021	62.66	32.65	10.61	18.66	0.56	ND*	ND*			
52	30/03/2021	74.31	27.51	6.81	22.32	0.23	ND*	ND*			
LIMIT [#]		100	60	80	80	4	Not Specified	5			
TEST METHOD		IS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)	Gravimetric- CPCB - Method (Vol.I,May-2011)	IS:5182(Part II):Improved West and Gaeke	IS:5182(Part VI):Modified Jacob &Hochheiser (NaOH-NaAsO2)	NDIR Digital Gas Analyzer	SOP: HC: GC/GCMS/Gas analyzer	IS 5182 (Part XI):2006/CPCB Method			

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

D

H. T. Shah





herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@snail.com Page 204 of 442

COLLOCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF AMBIENT AIR QUALITY MONITORING

				CT-3 RM	U-2			
Sr.N o.	Date of Sampling	Particulate Matter (PM10) μg/m ³	Particulate Matter (PM 2.5) µg/m ³	Sulphur Dioxide (SO2) µg/m ³	Oxides of Nitrogen (NO2) µg/m ³	Carbon Monoxide as CO mg/m ³	Hydrocarbon as CH4 mg/m ³	Benzene as C ₆ H ₆ µg/m ³
1	02/10/2020	66.32	28.47	14.22	22.61	0.86	ND*	ND*
2	06/10/2020	81.24	45.36	11.84	29.34	0.60	ND*	ND*
3	09/10/2020	76.67	40.27	20.65	35.61	0.81	ND*	ND*
4	13/10/2020	83.58	36.43	8.42	15.64	0.79	ND*	ND*
5	16/10/2020	78.66	41.23	21.26	34.67	0.48	ND*	ND*
6	20/10/2020	82.65	46.31	17.84	28.64	0.63	ND*	ND*
7	23/10/2020	75.65	34.23	19.54	25.34	0.52	ND*	ND*
8	27/10/2020	84.21	47.57	23.43	39.45	0.68	ND*	ND*
9	30/10/2020	77.55	33.73	15.89	30.40	0.40	ND*	ND*
10	03/11/2020	85.76	44.37	18.58	26.33	0.64	ND*	ND*
11	06/11/2020	79.36	36.51	16.21	30.42	0.26	ND*	ND*
12	10/11/2020	92.68	54.27	24.26	40.86	0.55	ND*	ND*
13	13/11/2020	80.78	46.25	11.20	24.64	0.30	ND*	ND*
14	17/11/2020	75.67	37.22	20.42	31.60	0.38	ND*	ND*
15	20/11/2020	83.68	45.58	14.84	23.42	0.80	ND*	ND*
16	24/11/2020	90.44	53.44	9.53	22.66	0.45	ND*	ND*
17	27/11/2020	72.64	32.48	17.59	37.56	0.41	ND*	ND*
18	01/12/2020	78.62	46.33	20.89	39.48	0.74	ND*	ND*
19	04/12/2020	65.65	31.57	11.36	26.36	0.65	ND*	ND*
20	08/12/2020	88.36	55.39	15.67	32.46	0.86	ND*	ND*
21	11/12/2020	79.68	43.38	9.62	27.50	0.41	ND*	ND*
22	15/12/2020	82.41	40.34	16.29	33.52	0.58	ND*	ND*
23	18/12/2020	90.62	42.63	13.80	29.32	0.92	ND*	ND*
24	22/12/2020	80.34	45.62	17.79	34.26	0.66	ND*	ND*
25	25/12/2020	87.36	48.74	14.36	36.21	0.52	ND*	ND*
26	29/12/2020	76.35	32.65	10.71	30.62	0.37	ND*	ND*
27	01/01/2021	85.62	43.67	16.29	31.52	0.53	ND*	ND*
28	05/01/2021	76.62	24.83	21.63	35.63	0.57	ND*	ND*
29	08/01/2021	92.76	44.67	18.59	29.66	0.42	ND*	ND*
30	12/01/2021	86.50	33.77	14.60	30.69	0.61	ND*	ND*

Continue ...

0

H. T. Shah Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: <u>pollucon@gnail.com</u> 205 0f: 4422 LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF AMBIENT AIR QUALITY MONITORING

	CT-3 RMU-2												
Sr.N o.	Date of Sampling	Particulate Matter (PM10) μg/m ³	Particulate Matter (PM 2.5) μg/m ³	Sulphur Dioxide (SO2) μg/m ³	Oxides of Nitrogen (NO2) μg/m ³	Carbon Monoxide as CO mg/m³	Hydrocarbon as CH4 mg/m ³	Benzene as C ₆ H ₆ µg/m³					
31	15/01/2021	80.34	41.67	8.82	22.66	0.25	ND*	ND*					
32	19/01/2021	90.62	39.63	19.55	36.81	0.37	ND*	ND*					
33	22/01/2021	55.76	36.51	15.71	40.26	0.71	ND*	ND*					
34	26/01/2021	87.62	51.57	10.86	25.65	0.65	ND*	ND*					
35	29/01/2021	82.62	46.58	17.24	34.59	0.58	ND*	ND*					
36	02/02/2021	82.65	44.33	21.64	36.60	0.27	ND*	ND*					
37	05/02/2021	89.35	48.53	19.41	28.60	0.39	ND*	ND*					
38	09/02/2021	94.36	55.39	16.48	33.47	0.32	ND*	ND*					
39	12/02/2021	85.76	51.28	22.43	29.43	0.42	ND*	ND*					
40	16/02/2021	78.84	45.33	12.62	26.28	0.52	ND*	ND*					
41	19/02/2021	92.52	54.36	17.53	38.65	0.62	ND*	ND*					
42	23/02/2021	87.56	49.82	20.31	20.43	0.40	ND*	ND*					
43	26/02/2021	91.76	52.40	18.57	27.63	0.37	ND*	ND*					
44	02/03/2021	80.36	35.64	23.69	44.53	0.57	ND*	ND*					
45	05/03/2021	70.42	30.40	21.20	40.26	0.66	ND*	ND*					
46	09/03/2021	93.42	47.62	18.41	29.46	0.74	ND*	ND*					
47	12/03/2021	78.62	55.39	10.51	38.63	0.54	ND*	ND*					
48	16/03/2021	60.24	43.63	19.39	34.51	0.68	ND*	ND*					
49	19/03/2021	87.62	56.35	16.36	39.53	0.50	ND*	ND*					
50	23/03/2021	94.36	50.32	25.41	42.45	0.71	ND*	ND*					
51	26/03/2021	72.52	40.34	15.52	33.43	0.60	ND*	ND*					
52	30/03/2021	88.62	53.44	20.25	36.28	0.33	ND*	ND*					
LIMIT [#] 100			60	80	80	4	Not Specified	5					
TES	TEST METHODIS:5182(Part 23):Gravimetric CPCB - Method (Vol.I,May-2011)Gravimetric- CPCB - Method (Vol.I,May-2011)IS:5182(Part II):Improved West and GaekeIS:5182(Part VI):Modified Jacob & Hochheiser (NaOH-NaAsO2)NDIR Digital Gas AnalyzerSOP: HC: GC/GCMS/Gas analyzerIS:5182 (Part SIS:2006/CPCB Method												

*Not Detected

#: Industrial, Residential, Rural and other Area Notification Dated 16th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@snail.com Page 206 of 442

LABORATORIES PVT. LTD.

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF NOISE LEVEL MONITORING

Result of Noise level monitoring [Day Time]

			ADANI	PORT – TUG BER	TH 600 KL PUPM	HOUSE					
SR. NO.	Name of Location	Result [Leq dB(A)]									
nor	Sampling Date & Time	23/10/2020	17/11/2020	09/12/2020	20/01/2021	20/02/2021	11/03/2021				
1	6:00-7:00	59.1	60.4	58.6	53.7	58.8	62.4				
2	7:00-8:00	62.4	65.4	64.1	51.8	60.2	67.4				
3	8:00-9:00	68.4	68.1	65.7	56.9	62.4	67.2				
4	9:00-10:00	64.4	61.8	63.8	59.7	63.8	69.2				
5	10:00-11:00	62.1	70.6	68.5	47.3	65.6	61.4				
6	11:00-12:00	61.8	65.2	66.6	61.7	58.4	60.4				
7	12:00-13:00	67.4	68.4	65.1	63.4	69.4	68.4				
8	13:00-14:00	69.8	62.9	63.6	64.4	65.2	72.4				
9	14:00-15:00	62.1	66.7	67.2	63.2	66.1	69.4				
10	15:00-16:00	61.5	63.1	64.5	62.8	68.1	70.5				
11	16:00-17:00	68.4	63.4	62.9	62.4	61.4	65.4				
12	17:00-18:00	65.1	62.2	64.3	58.3	67.8	63.4				
13	18:00-19:00	62.8	68.8	66.2	64.3	72.1	61.5				
14	19:00-20:00	61.0	68.4	65.8	54.8	70.6	62.8				
15	20:00-21:00	62.8	65.5	64.6	58.7	65.5	68.1				
16	21:00-22:00	61.8	61.7	63.2	53.5	68.8	63.8				
	Day Time Limit*			75 Leq	dB(A)						

Result of Noise level monitoring [Night Time]

SR.	Name of Location		ADANI	PORT – TUG BER	TH 600 KL PUPM	HOUSE				
NO.	Name of Location	Result [Leq dB(A)]								
1	Sampling Date & Time	23/10/2020	17/11/2020	09/12/2020	20/01/2021	20/02/2021	11/03/2021			
2	22:00-23:00	62.4	65.3	64.5	63.7	62.2	60.1			
3	23:00-00:00	68.4	65.2	67.3	56.4	61.2	62.5			
4	00:00-01:00	62.1	61.5	64.9	51.2	63.8	68.4			
5	01:00-02:00	63.1	62.5	61.5	56.7	67.4	69.1			
6	02:00-03:00	65.8	68.4	66.2	59.4	62.4	62.4			
7	03:00-04:00	62.8	63.4	64.8	45.4	63.9	65.2			
8	04:00-05:00	61.4	62.8	65.1	46.9	62.8	63.1			
9	05:00-06:00	62.8	60.4	61.4	47.8	61.8	60.8			
	Night Time Limit*			70 Leo	dB(A)					

H. T. Shah Lab Manager



herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@pail.com Page 207 of 442

LABORATORIES PVT. LTD.

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF NOISE LEVEL MONITORING

Result of Noise level monitoring [Day Time]

	Name of Location			NEAR FIRE	STATION					
SR. NO.	Name of Location	Result [Leq dB(A)]								
NO.	Sampling Date & Time	09/10/2020	20/11/2020	08/12/2020	06/01/2021	10/02/2021	25/03/2021			
1	6:00-7:00	60.8	60.4	61.7	56.8	60.1	68.4			
2	7:00-8:00	65.2	68.5	67.2	62.4	64.8	62.1			
3	8:00-9:00	62.1	65.4	64.6	53.7	62.5	66.8			
4	9:00-10:00	61.4	63.8	62.8	61.4	69.3	69.5			
5	10:00-11:00	64.1	72.4	70.2	65.7	70.2	64.1			
6	11:00-12:00	63.2	62.5	61.1	67.4	63.2	60.2			
7	12:00-13:00	68.4	61.5	60.3	69.8	69.4	65.3			
8	13:00-14:00	62.5	63.4	64.5	63.4	70.5	63.4			
9	14:00-15:00	61.2	65.4	63.9	71.4	65.4	69.7			
10	15:00-16:00	69.4	68.5	65.8	67.8	72.8	60.1			
11	16:00-17:00	65.1	69.4	66.2	68.5	63.5	63.1			
12	17:00-18:00	66.8	62.1	71.3	70.3	62.4	65.5			
13	18:00-19:00	70.2	62.8	68.7	66.5	65.1	60.4			
14	19:00-20:00	68.5	62.8	65.2	68.8	62.8	61.8			
15	20:00-21:00	64.1	64.8	62.4	61.8	68.4	65.8			
16	21:00-22:00	62.1	68.7	65.1	55.8	63.8	62.7			
	Day Time Limit*			75 Lec	dB(A)					

Result of Noise level monitoring [Night Time]

SR.	Name of Location			NEAR FIRE	E STATION						
NO.			Result [Leq dB(A)]								
1	Sampling Date & Time	09/10/2020	20/11/2020	08/12/2020	06/01/2021	10/02/2021	25/03/2021				
2	22:00-23:00	69.5	65.5	64.2	61.4	66.5	65.5				
3	23:00-00:00	65.2	62.4	63.8	52.4	65.1	62.1				
4	00:00-01:00	67.4	64.2	66.1	48.3	62.5	60.1				
5	01:00-02:00	62.5	63.5	65.9	47.3	63.4	63.8				
6	02:00-03:00	66.9	65.8	63.4	44.2	59.1	59.4				
7	03:00-04:00	62.4	62.5	60.3	43.1	62.8	61.5				
8	04:00-05:00	61.8	68.4	63.2	49.2	60.2	65.1				
9	05:00-06:00	63.4	63.8	61.6	51.3	68.1	62.4				
Night Time Limit* 70 Leq dB(A)											

D

H. T. Shah Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: <u>pollucon@spail.com</u> W6851TE: <u>www.pollucon.com</u> Page 208 01 442

LABORATORIES PVT. LTD.

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF NOISE LEVEL MONITORING

65	Name of Location			ADANI	HOUSE						
SR. NO.		Result [Leq dB(A)]									
NO.	Sampling Date & Time	20/10/2020	10/11/2020	15/12/2020	14/01/2021	11/02/2021	04/03/2021				
1	6:00-7:00	63.1	63.8	62.4	46.8	62.4	60.1				
2	7:00-8:00	68.8	65.1	66.1	47.3	60.5	65.1				
3	8:00-9:00	72.1	68.4	70.9	49.3	68.4	66.8				
4	9:00-10:00	69.5	62.5	68.8	42.7	71.4	70.1				
5	10:00-11:00	64.2	63.4	66.6	55.8	62.5	68.5				
6	11:00-12:00	61.5	68.4	65.4	59.7	72.5	66.1				
7	12:00-13:00	62.8	66.1	71.3	54.9	70.1	62.5				
8	13:00-14:00	69.5	62.8	68.2	57.3	62.1	64.5				
9	14:00-15:00	63.1	69.8	62.8	55.2	69.7	69.5				
10	15:00-16:00	62.4	62.4	64.7	54.4	66.1	71.4				
11	16:00-17:00	66.1	69.5	68.1	56.7	67.4	68.3				
12	17:00-18:00	68.4	62.1	65.9	53.8	69.3	63.4				
13	18:00-19:00	65.2	61.5	64.3	58.3	63.5	68.2				
14	19:00-20:00	63.1	63.4	65.2	51.8	61.4	62.2				
15	20:00-21:00	69.5	68.4	67.4	53.7	60.4	63.1				
16	21:00-22:00	66.4	62.8	65.1	49.7	65.4	61.5				
	Day Time Limit*			75 Lea	dB(A)						

Result of Noise level monitoring [Day Time]

Result of Noise level monitoring [Night Time]

SR.	Name of Location			ADANI	HOUSE						
NO.		Result [Leq dB(A)]									
1	Sampling Date & Time	20/10/2020	10/11/2020	15/12/2020	15/01/2021	11/02/2021	04/03/2021				
2	22:00-23:00	65.8	67.4	66.8	58.7	63.8	60.1				
3	23:00-00:00	68.4	65.2	67.2	69.7	68.4	62.5				
4	00:00-01:00	61.2	62.5	63.1	41.2	60.1	67.4				
5	01:00-02:00	62.3	68.4	65.4	46.8	59.4	60.3				
6	02:00-03:00	68.1	61.5	65.3	45.2	55.1	60.2				
7	03:00-04:00	60.4	66.2	64.7	46.1	53.8	65.4				
8	04:00-05:00	63.2	62.7	63.2	44.8	62.1	61.2				
9	05:00-06:00	62.8	68.4	61.6	42.8	60.5	63.8				
	Night Time Limit*			70 Leo	dB(A)						

D

H. T. Shah Lab Manager



herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@pail.com 209 of 442

LABORATORIES PVT. LTD.

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF NOISE LEVEL MONITORING

	Name of Location	CT-3 RMU-2								
SR. NO.		Result [Leq dB(A)]								
nor	Sampling Date & Time	10/06/2020	06/11/2020	16/12/2020	25/01/2021	17/02/2021	10/03/2021			
1	6:00-7:00	58.8	59.2	60.2	52.4	57.4	58.4			
2	7:00-8:00	60.4	63.1	61.7	56.8	56.4	65.6			
3	8:00-9:00	68.4	61.8	62.8	49.7	60.4	60.1			
4	9:00-10:00	65.2	61.4	63.8	51.5	67.9	62.5			
5	10:00-11:00	62.4	69.7	64.3	55.8	65.2	65.3			
6	11:00-12:00	63.8	71.5	70.6	53.8	63.8	62.3			
7	12:00-13:00	67.4	63.8	68.2	59.2	68.4	65.1			
8	13:00-14:00	62.8	65.4	66.1	61.7	62.8	68.5			
9	14:00-15:00	64.5	69.1	67.9	68.7	69.9	64.2			
10	15:00-16:00	66.1	68.4	65.8	63.7	62.3	61.7			
11	16:00-17:00	62.1	68.7	67.2	69.8	70.4	63.4			
12	17:00-18:00	61.5	64.1	64.6	57.8	66.7	66.1			
13	18:00-19:00	68.4	62.8	65.1	56.9	62.4	68.4			
14	19:00-20:00	63.2	61.7	66.3	61.4	62.5	69.4			
15	20:00-21:00	62.8	60.1	64.2	52.7	66.8	62.4			
16	21:00-22:00	63.4	62.7	63.1	48.7	68.1	62.8			
	Day Time Limit*			75 Leq	dB(A)					

Result of Noise level monitoring [Day Time]

Result of Noise level monitoring [Night Time]

SR.	Name of Location			CT-3 F	RMU-2					
NO.		Result [Leq dB(A)]								
1	Sampling Date & Time	06/10/2020	06/11/2020	16/12/2020	25/01/2021	17/02/2021	10/03/2021			
2	22:00-23:00	68.4	65.8	67.1	68.2	64.4	63.8			
3	23:00-00:00	65.2	65.4	64.4	61.8	61.2	58.4			
4	00:00-01:00	63.4	62.4	65.3	48.9	63.4	55.1			
5	01:00-02:00	65.8	68.4	66.2	41.8	61.4	62.1			
6	02:00-03:00	62.4	63.4	64.6	43.7	62.5	60.4			
7	03:00-04:00	61.4	61.4	62.3	43.2	68.4	58.1			
8	04:00-05:00	62.3	62.8	63.2	47.1	64.2	62.4			
9	05:00-06:00	63.7	62.7	61.9	49.2	62.8	59.2			
	Night Time Limit*			70 Leo	dB(A)					

D

H. T. Shah Lab Manager



herein

Dr. ArunBajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: <u>pollucon@spail.com</u> 2 W6BSITE: <u>www.pollucon.com</u> Page 2 10 01 442 LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULT OF STACK MONITORING

SR NO	TEST PARAMETERS	UNIT	STD. LIMIT	THERMIC FLUID HEATER (BITUMEN- 01)	THERMIC FLUID HEATER (BITUMEN- 02)	HOT WATER SYSTEM-1	HOT WATER SYSTEM-2	TEST METHOD
					ОСТОВ	ER 2020		
1	Particulate Matter	mg/Nm ³	150	19.36		28.38	30.61	IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	4.74		6.57	7.45	IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	25.37		34.22	38.62	IS:11255 (Part- VII):2005
					NOVEM	BER 2020		
1	Particulate Matter	mg/Nm ³	150	26.41		32.41		IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	6.27		5.73		IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	28.78		30.73		IS:11255 (Part- VII):2005
					DECEME	3ER 2020		
1	Particulate Matter	mg/Nm ³	150			37.62		IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100			7.63		IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50			35.52		IS:11255 (Part- VII):2005
					JANUA	RY 2021		
1	Particulate Matter	mg/Nm ³	150					IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100					IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50					IS:11255 (Part- VII):2005
					FEBRUA	RY 2021		
1	Particulate Matter	mg/Nm ³	150			32.42		IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100			5.71		IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50			33.54		IS:11255 (Part- VII):2005
					MARCH	1 2021		
1	Particulate Matter	mg/Nm ³	150	21.29		35.71		IS:11255 (Part-I):1985
2	Sulfur dioxide	ppm	100	5.76		7.76		IS:11255 (Part-II):1985
3	Oxides of Nitrogen	ppm	50	30.71		37.56		IS:11255 (Part- VII):2005

*Below detection limit

Results on 11 % O_2 Correction when Oxygen is greater than 11 %. And 12% CO_2 correction when CO_2 is less than 12%

D

H. T. Shah

Lab Manager



herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@phail.com Page 211 of 442



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

RESULTS OF D.G. STACK MONITORING

				31/01/2021				
SR.	TECT DADAMETERS			Adani Port		GPCB		
NO.	TEST PARAMETERS	Unit	D.G. Set-1 (500 KVA)	D.G. Set-2 (500 KVA)	D.G. Set-3 (500 KVA)	Limit	Test Method	
1	Particulate Matter	mg/Nm ³	25.36	17.53	22.31	150	IS:11255 (Part-I):1985	
2	Sulphur Dioxide	ppm	5.05	4.49	7.52	100	IS:11255 (Part-II):1985	
3	Oxide of Nitrogen	ppm	34.55	37.57	31.52	50	IS:11255 (Part- VII):2005	

*DG sets are used as standby, so stack monitoring is done on quarterly basis. Results on 15 % O2 Correction when Oxygen is greater than 15 %

			31/01	/2021	25/03/2021		
SR.				Adani Port		GPCB	
NO.	TEST PARAMETERS	Unit	D.G. Set-4 (500 KVA)	D.G. Set-5 (500 KVA)	D.G. Set -6, 7 & 8 (1250 KVA, each)	Limit	Test Method
1	Particulate Matter	mg/Nm ³	18.50	22.64	22.61	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	6.49	5.29	6.76	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	36.24	31.29	35.42	50	IS:11255 (Part- VII):2005

*DG sets are used as standby, so stack monitoring is done on quarterly basis. Results on 15 % O2 Correction when Oxygen is greater than 15 %

H. T. Shah Lab Manager



horsein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@email.com Page 212 of 442



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

				30/01/2021			
SR.	TEST PARAMETERS	11		CT-4		GPCB	Test Method
NO.	IESI PARAMETERS	Unit	D.G. Set-1 (1500 KVA)	D.G. Set-2 (1500 KVA)	D.G. Set-3 (1500 KVA)	Limit	Test Method
1	Particulate Matter	mg/Nm ³	21.25	25.65	23.85	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	4.20	7.32	5.65	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	29.58	36.35	34.26	50	IS:11255 (Part- VII):2005

*DG sets are used as standby, so stack monitoring is done on quarterly basis. Results on 15 % O2 Correction when Oxygen is greater than 15 %

				12/02/2021			
SR. NO.	TEST PARAMETERS	CT-3 (South Basin)	sin)	GPCB	Test Method		
	IESI PARAMETERS	Unit	D.G. Set-1 (1500 KVA)	D.G. Set-2 (1500 KVA)	D.G. Set-3 (1500 KVA)	Limit	rest Method
1	Particulate Matter	mg/Nm ³	30.86	24.55	22.40	150	IS:11255 (Part-I):1985
2	Sulphur Dioxide	ppm	6.28	5.58	3.59	100	IS:11255 (Part-II):1985
3	Oxide of Nitrogen	ppm	35.71	32.41	30.86	50	IS:11255 (Part- VII):2005

*DG sets are used as standby, so stack monitoring is done on quarterly basis. Results on 15 % O2 Correction when Oxygen is greater than 15 %

H. T. Shah Lab Manager



horsein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@email.com Page 213 of 442

DELLOCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts, Cleaner Production / Waste Minimization Pacilitator

Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

Minimum Detection Limit [MDL]

	Ambient Air Parameters					
Sr. No.	Test Parameter	MDL				
1	Particulate Matter (PM10) (µg/m ³)	10				
2	Particulate Matter (PM 2.5) (µg/m ³)	10				
3	Sulphur Dioxide (SO ₂) (µg/m ³)	5				
4	Oxides of Nitrogen (µg/m ³)	5				
5	Hydrogen Sulphide as H2S (µg/m ³)	6				


	Stack Parameters					
Sr.No.	Test Parameter	MDL				
1	Particulate Matter (mg/Nm ³)	10				
2	Sulphur Dioxide (ppm)	1.52				
3	Oxides of Nitrogen (ppm)	2.65				
4	Carbon Monoxide (mg/Nm ³)	0.1				
5	Haydro Carbon NMHC (ppm)	1.0				

	Sea Water Parameters					
SR. NO.	TEST PARAMETERS	UNIT	MDL			
1	рН		2			
2	Temperature	°C	2			
3	Total Suspended Solids	mg/L	2			
4	BOD (3 Days @ 27 °C)	mg/L	1			
5	Dissolved Oxygen	mg/L	0.1			
6	Salinity	ppt	1			
7	Oil & Grease	mg/L	2			
8	Nitrate as NO ₃	µmol/L	0.5			
9	Nitrite as NO ₂	µmol/L	0.01			
10	Ammonical Nitrogen as NH_3	µmol/L	0.2			
11	Phosphates as PO ₄	µmol/L	0.5			
12	Petroleum Hydrocarbon	µg/L	1			
13	Total Dissolved Solids	mg/L	10			
14	COD	mg/L	3			
15	Primary productivity	mgC/L/day	0.1			
16	Chlorophyll	mg/m ³	0.1			
17	Phaeophytin	mg/m ³	0.1			
18	Cell Count	No. x 10 ³ /L	1			

	Sea Sediment Parameters					
SR. NO.	TEST PARAMETERS	UNIT	MDL			
1	Organic Matter	%	0.1			
2	Phosphorus as P	µg/g	1			
3	Petroleum Hydrocarbon	µg/g	1			
4	Aluminum as Al	%	0.1			
5	Manganese as Mn	µg/g	1			
6	Mercury as Hg	µg/g	0.1			

5

H. T. Shah



herein

Dr. ArunBajpai Lab Manager (Q)

Lab Manager



SURAT



Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1985

	STP Water parameter(mg/L)						
Sr. No.	Sr. No. Test parameter MDL						
1	рН	2					
2	Total Suspended Solids (mg/L)	2					
3	BOD (3 days @ 270 C) (mg/L)	1					
4	Residual Chlorine (mg/L)	0.2					
5	Fecal Coliform (MPN INDEX/100 mL)	1.8					

	ETP Water Parameters					
SR. NO.	TEST PARAMETERS	UNIT	MDL			
1	Colour	Co-pt	2			
2	pH		2			
3	Temperature	°C	2			
4	Total Suspended Solids	mg/L	2			
5	Total Dissolved Solids	mg/L	10			
6	COD	mg/L	3			
7	BOD (3 Days @ 27 °C)	mg/L	1			
8	Chloride as Cl	mg/L	1			
9	Oil & Grease	mg/L	2			
10	Sulphate as SO ₄	mg/L	1			
11	Ammonical Nitrogen as NH ₃	mg/L	0.2			
12	Phenolic Compound	mg/L	0.005			
13	Copper as Cu	mg/L	0.01			
14	Lead as Pb	mg/L	0.01			
15	Sulphide as S	mg/L	0.1			
16	Cadmium as Cd	mg/L	0.002			
17	Fluoride as F	mg/L	0.05			



H. T. Shah Lab Manager



herein

Dr. ArunBajpai Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@gnail.com Page 2 15 0f: 442



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

"HALF YEARLY ENVIRONMENTAL MONITORING REPORT"

FOR



BORE HOLE WATER ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED TAL: MUNDRA, KUTCH, MUNDRA – 370 421

> MONITORING PERIOD: OCTOBER 2020 TO MARCH 2021

> > PREPARED BY:

POLLUCON LABORATORIES PVT.LTD.

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE/FAX – (+91 261) 2455 751, 2601 106, 2601 224. E-mail: pollucon@gmail.com Web: www.polluconlab.com

TC - 5945

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: <u>pollucon@gmail.com</u>. WEBSITE: <u>www.pollucon.com</u>



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF BORE HOLE WATER

SR.				RESULTS		
NO	TEST PARAMETERS	UNIT	PUMP HOUSE-1	PUMP HOUSE-2	PUMP HOUSE-3	TEST METHOD
	Sampling Date		17/12/2020	17/12/2020	17/12/2020	
1	рН		8.32	8.07	8.13	IS3025(P11)83Re.02
2	Salinity	ppt	4.78	1.44	1.76	APHA 2520B
3	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	APHA(22ndEdi)5520D
4	Hydrocarbon	mg/L	Not Detected	Not Detected	Not Detected	GC/GC-MS
5	Lead as Pb	mg/L	0.043	0.037	0.048	AAS APHA(22ndEdi)3111 B
6	Arsenic as As	mg/L	Not Detected	Not Detected	Not Detected	AAS APHA 3114 B
7	Nickel as Ni	mg/L	Not Detected	Not Detected	Not Detected	AAS APHA(22ndEdi)3111 B
8	Total Chromium as Cr	mg/L	Not Detected	0.029	0.033	AAS 3111B
9	Cadmium as Cd	mg/L	Not Detected	Not Detected	Not Detected	AAS APHA(22ndEdi)3111 B
10	Mercury as Hg	mg/L	Not Detected	Not Detected	Not Detected	AAS APHA- 3112 B
11	Zinc as Zn	mg/L	Not Detected	0.42	0.27	AAS APHA(22ndEdi)3111 B
12	Copper as Cu	mg/L	Not Detected	Not Detected	Not Detected	AAS APHA(22ndEdi)3111 B
13	Iron as Fe	mg/L	0.39	2.84	2.68	AAS APHA(22ndEdi)3111 B
14	Insecticides/Pesticides	mg/L	Absent	Absent	Absent	GC/GC-MS
15	Depth of Water Level from Ground Level	meter	1.82	2.0	1.65	-

~D

H. T. Shah

Lab Manager



he same

Dr. Arun Bajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

SR.	TEST PARAMETERS U		RES	ULTS	
NO	TEST PARAIVIETERS	UNIT	NEAR ETP OFFICE	NEAR ETP PLANT	TEST METHOD
	Sampling Date		17/12/2020	17/12/2020	
1	рН		8.03	7.84	IS3025(P11)83Re.02
2	Salinity	ppt	7.4	11.6	APHA 2520B
3	Oil & Grease	mg/L	2.6	Not Detected	APHA(22ndEdi)5520D
4	Hydrocarbon	mg/L	Not Detected	Not Detected	GC/GC-MS
5	Lead as Pb	mg/L	0.058	0.28	AAS APHA(22ndEdi)3111 B
6	Arsenic as As	mg/L	Not Detected	Not Detected	AAS APHA 3114 B
7	Nickel as Ni	mg/L	Not Detected	Not Detected	AAS APHA(22ndEdi)3111 B
8	Total Chromium as Cr	mg/L	Not Detected	Not Detected	AAS 3111B
9	Cadmium as Cd	mg/L	Not Detected	Not Detected	AAS APHA(22ndEdi)3111 B
10	Mercury as Hg	mg/L	Not Detected	Not Detected	AAS APHA- 3112 B
11	Zinc as Zn	mg/L	0.15	0.71	AAS APHA(22ndEdi)3111 B
12	Copper as Cu	mg/L	Not Detected	Not Detected	AAS APHA(22ndEdi)3111 B
13	Iron as Fe	mg/L	0.28	4.2	AAS APHA(22ndEdi)3111 B
14	Insecticides/Pesticides	mg/L	Absent	Absent	GC/GC-MS
15	Depth of Water Level from Ground Level	meter	2.1	2.1	

D

H. T. Shah

Lab Manager



here

Dr. Arun Bajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

	Borehole Water Parameters					
SR. NO.	TEST PARAMETERS	UNIT	MDL			
1	pH		2			
2	Salinity	mg/L	0.5			
3	Oil & Grease	mg/L	2			
4	Hydrocarbon	mg/L	0.01			
5	Lead as Pb	mg/L	0.01			
6	Arsenic as As	mg/L	0.001			
7	Nickel as Ni	mg/L	0.02			
8	Total Chromium as Cr	mg/L	0.025			
9	Cadmium as Cd	mg/L	0.002			
10	Mercury as Hg	mg/L	0.005			
11	Zinc as Zn	mg/L	0.06			
12	Copper as Cu	mg/L	0.01			
13	Iron as Fe	mg/L	0.1			
14	Insecticides/Pesticides	mg/L	0.1			

D

H. T. Shah

Lab Manager



Dr. Arun Bajpai

Lab Manager (Q)

PLOT NO.5/6 "POLLUCON HOUSE", OPP. BALAJI INDUSTRIAL SOCIETY, OLD SHANTINATH SILK MILL LANE, NEAR GAYTRI FARSAN MART, NAVJIVAN CIRCLE, UDHANA MAGDALLA ROAD, SURAT-395007. PHONE: [0261] 2635750, 2635751 EMAIL: pollucon@gmail.com. WEBSITE: www.pollucon.com

Annexure – 8

Distromed Kutchh Services Pvt. Ltd. (373266)

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

Act: B,A,W,H

Scale : S

Authorization for operating a facility for Generation, Segregation, Storage of biomedical wastes.

BMW AUTH NO :BMW-333816, VALID UPTO : 01/06/2022

Application Inward No: 35914, Date: 05/06/2017

CCA No: BAWH-87262 (01/06/2022)

File No: KUTCHH-INV-CF-361,

No of Beds : 4,442,	Investment(in lakh) : 70.00,		
No of H.W : 3,	Water Consumption(klpd) : 6.00,		

In exercise of power conferred by this Board and after scrutiny of above referred application, Superintendent / Incharge of Distromed Kutchh Services Pvt. Ltd. at Survey No- 42/1/1,Kodki road, Ratia., Ratia Tal : Bhuj Dist : Kutch West is here by granted an Authorisation to operate Health Care facility for Generation,Segregation,Storage of biomedical wastes on the premises of M/S. Self is a CBWTF Operator ***** situated at -,- Dist : - Under CBWTF Reg. No : NA, Valid Upto :

M/S. Self is a CBWTF Operator * * * * * *, -, -, Dist: - is hereby authorized for handling biomedical waste as per the capacity given below:

- (i) Number of beds of HCF : 4,442
- (ii) Number of healthcare facilities covered by CBWTF : **308**
- (iii) Installed Treatment and Disposal capacity : 3,000.00 KG/DAY
- (iv) Area or Distance Covered by CBWTF : 150.00
- (v) Qty of Biomedical waste handled, treated or disposed : $\mathbf{550.00}$

1. The Authorisation is granted for **4,442** nos. of beds with generation of

Type of Waste Category (Kgs/Month)	YELLOW	WHITE (Translucent)	RED	BLUE
Qty permitted for Handling	18,000.00	1,500.00	3,500.00	6,000.00

category of biomedical wastes. (Unit - Kgs/Month)

2. This BMW Authorisation shall be in force for a period of (5 year, Valid Upto 01/06/2022)

This CCA Authorisation shall be in force for a period of 5 year[up to 01/06/2022]

3. This Authorisation is subject to the conditions stated in the Annexure-I attached here with and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act 1986.

Dt: 11/08/2017	Granged on 6 20402/2017 15:52:09	TPAV # CVUG6MJS3X	NIC
----------------	----------------------------------	-------------------	-----







Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

4. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

5. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.

6. The person authorised shall not rent, lend, sell, transfer or otherwise transport the biomedical waste without obtaining prior permission of the prescribed authority.

7. Any unauthorised changes in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.

8. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the fecility and such other terms and conditions may be stipulated by the prescribed authority.



e-Signed On 20/07/2017 15:52:09 (Organic Authentication on AADHAR from UIDAI Server) TPAV # CVUG6MJS3X

Remark: Specific Condition : For & On behalf of Gujarat Pollution Control Board

e ter

K.C.Mistry, Unit Head

С

Encl.: Annexure-I Issued to , Mrs. Vinod L. kachhadia, Distromed Kutchh Services Pvt. Ltd., Survey No- 42/1/1, Kodki road, Ratia. , Ratia Tal :Bhuj Dist :Kutch West (BMW Id: 373266)

Copy to Regional Office - Kutch West/ H.O With a request to carry out periodically monitoring of above said hospital/clinic and submit the visit report to this Office.



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in

NO: GPCB/ ID-17221/CCA/JNG- 24(19)/

RPAD

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous and other Wastes (Management and Trans boundary movement) Rules, 2016 framed under the Environmental (Protection) Act-1986.

And whereas Board has received consolidated consent application No.139359 dated: 02/07/2018 for the Consolidated Consent and Authorization (CC & A) of this Board under the provisions/rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts).

To, MIS AMBUJA CEMENTS LTD, SURVEY NO: 315 to 320, 351 to 352, 395 to 410, P.O: AMBUJANAGAR -362715, TAL: KODINAR, DIST: GIR SOMNATH.

1. Consent Order No. : AWH- 97567 date of Issue: 05/12/2018 1.1 The consents shall be valid up to 19/02/2018

1 The consents shall be valid up to 18/09/2023 for use of outlet for the discharge of trade effluent & emission due to operation of industrial plant for manufacture of the following items/products;

Sr No	Product	Capacity	-1
1	Cement	1.5 Million TPA	-
2	Receiving, Common Storage, Handling & Producessing facility for co- processing of Hazardous & Non- inzardous Waste to be used at: Ambuja Cement Unif(ID 17221) and 2.Gajambuja Unit (ID 17221)	1,50,000 TPA	

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

CONDITIONS UNDER THE WATER ACT:

 $f_{i,k}$

water consumption and waste water generation shall be as under. 2. 2.1.

The water co	Water Consumption	Waste water generation
Industrial	250 KL/Day	Nil
Domestic	1550 KL/Day	1400 KL/Day

- The quantity of sewage from the factory and from township shall not exceed 2.2
- Sewage shall be treated at Sewage Treatment Plant to confirm to the following 2.3 si

standards.		Permissible Limit
SR No	Parameters	
	nH	6.5-9.0
<u> </u>		[30]
2	BOD (mg/l)	Less than 100
3	I Mai Suspended Condo (<u>1977</u>	
	Eccal Coliform(EC) (MPN/100 ml)	Less than 1000

- Treated water from Sewage Treatment Plant shall be utilized for following 2.4 purpose.
 - Plant cooling for Ambuja & Gajambuja plant
 - Dust suppression on haul roads
 - Horticulture and green belt development
 - On land for imgation
 - Fire lighting purpose

CONDITIONS UNDER THE AIR ACT:

3. 3.1

The fo	llowing sl		Quantity	
		Fuel Coal/lignite/Pet coke or in combination with Alternate fuel (Non hazardous waste i.e. bio fuel/biomass/agro waste/RDF & SCF from MSW/plastic waste/type chips etc	55 Ton/hr (Inclusive of	


in any case, quantity of fuel shall not exceed 55 tons/Hr.

3.2 f imported pet coke shall as follows.

Source of petcoke Imported Petcoke (However, the overall 15500 MT/Month Consumption of Coal/ Petcoke i.e. imported (186000 MT/Annum)		Quantity	3 The quantity of imported per cone of the do to the
Imported Petcoke (However, the overall (186000 MT/Annum) Consumption of Coal/ Petcoke i.e. imported (186000 MT/Annum)		Godinoty	
Consumption of Coal Percoke i.e. imported (1988-1997)		1 15500 M (AMORIAN	
Consumption of Coal Petcoke I.C. Instruction		(186000 MT/Annum)	imported recovery Botcoke is imported
	Į		Consumption of Coan relicine not Battakal
		1 g-	the leaks including indidentious reconcer
Indigenous Coal/ is Sorted Coal will not exceed	ł		Indigonous Coall is Sorted Coal will not exceed
15500 MT/Months 186000 MT/Annum)			(Indigenous Court Streenon MT/Annum)

You shall have a comply all the conditions of Office Memorandum for Guidelines 15500 MINNONER, 1 for Regulati V and Monitoring of Imported Petcoke in India issued vide Letter 3.4dated 10th Japt 2018 by MoEFCC.

Importes Petcoke shall be used as feedstock and in any petcoke used by unit to sulphur content shall not be more than 7% in Petcoke. 3.5



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax: (079) 23232156 Website : www.gpcb.gov.in

- HSD shall be used as a secondary fuel start up of kiln. Any other non hazardous & high calorific value material shall be used as
- 3.6
- alternative fuel of co-processing in cement kiln. The applicant shall install & operate air pollution control system in order to 3.7
- The flue gas emission through stack shall conform to the following standards: achieve norms prescribed below 3.8
- 3.9

Stac k No.	Stack attache d to	Stack height In	Pollution Control	Parameter	Permissible Limit
1	Raw Milli Kiln Exit	Meter 95	system Glass Bag House & Selective Non - Catalytic Reduction (SNCR) System For Nox Reduction	TOC	30 mg/NM ³ 100 mg/NM ³ 800 mg/NM ³ 10 mg/NM ³ 10 mg/NM ³ 10 mg/NM ³
		25	ESP	Hg and its compounds Cd+T) and Their compounds Sb+As+Pb+Co+Cr+V+Cur Mn+Ni+V And their compounds Dioxins and Furans Particulate Matter	0.05 mg/NM ³ 0.05 mg/NM ³ + 0.5 mg/NM ³ 0.1 ng TEQ/NM ³ 30 mg/NM ³
2	Mill-	er Mill 53 ient 34 ient 34	Bag Fil Bag Fil	ter Iter	P

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

		<i>n</i> :	<u> </u>		
·· ·	6	Packing	- 30	Bag Filter	
1.7	ľ : ,•	Plant -	·		
e 4	7	Packing	30	Bag Filter	
-	ĺ	Plant-II			
	8	Crusher	20	Bag Filter	
	1				

Note:

•

- A) The monitored values of SO2,NOx,HCL,HF,TOC, Metals and Dioxins and Futans at main kiln stack shall be corrected to 10% Oxygen, on dry basis and the Norms for SO2,NOxHCL,HF,TOC, Metals and Dioxins and Furans shall be applicable to main kiln stack and the norms for Particulate Matter (PM) shall be applicable to all the stacks in the plant.
- B) PM, SO2, NO_x shall be monitored continuously. HCL, HF, TC, Metals and Dioxins and Furans shall be monitored once in a year.
- C) Scrubber meant for scrubbing emission shall not be used as quencher and plants having separate stack for gaseous emission for the scrubbing unit, the height of this stack shall be at least equal to the main stack.
- 3.10 There shall be no process gas emission.
- 3.11 The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder.

PARAMETERS	PERMISSIBLE LIMIT		
	Annual	24 Hrs Average	
Particulate Matter-10 (PM to)	60 Microgram/M ³	100 Microgram/M ³	
Particulate Matter- 2.5 (PM 25)	40 Microgram/M ³	60 Microgram/M ^a	
SO ₂	50 Microgram/M ³	80 Microgram/M ³	
NOr	40Microgram/M ³	80 Microgram/M ³	

- 3.12 The applicant shall install & operate air pollution control equipment Very efficiently and continuously so that the gaseous emission always conforms to the standards specified in Condition no.3.3 & 3.5 above.
- 3.13 The consent to operate the industrial plant shall lapse if at any time the parameters of the gaseous emission are not Within the tolerance limits specified in the condition no.3.3 & 3.5 above.
- 3.14 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of. Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 3.15 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to best than 75dB(a) during day time and 70 Db (A)during night time. Daytime is packoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 0 p.m. and 6 a.m.



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone: (079) 23222425 (079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in

ļ

GENERAL CONDITIONS: -4.

- Any change in personnel, equipment or working conditions as mentioned in the 4.1 consents form/order should immediately be intimated to this Board.
- Applicant shall also comply with the general conditions given in annexure-I 4.2
- Whenever due to accident or other unforeseen act or ever, such emissions occur 4.3 or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, Concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body. In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- In order to enable the board to perform its functions of ascertaining the standards 4.4 of effluent laid down by it for the discharge of the effluent under the condition no 2.3 of this order are complied with by the company while causing discharge of effluent, the applicant shall have to submit every month the analysis report of the samples of effluent got collected and analyzed by one of the laboratories recognized by the state Board.
- The Environmental Management Unit/Cell shall be setup to ensure 4.5 implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise of
- The applicant shall also comply with the General Conditions as per Annexure t 4.6 enclosed.
- The Board reserves the right to review and/or revoke the consent and/or make 4.7 variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- In case of change of ownership/management the name and address of the new 4.8 owners/partners/?vectors/proprietor should immediately be intimated to the Board.
- HAZARDON AND OTHER WASTES (MANAGEMENT AND **5**;²⁰⁰⁰ TRANSEL-UNDARY MOVEMENT) RULES, 2016 Form -2(See Rule 6(2))
- Form *, grant of authorization for occupier or operator handling hazardous 5.1 wastro
- MIT AMBUJA CEMENTS LTD is hereby granted an authorization to 5.2 warate facility for following hazardous wastes on the premises situated at JURVEY NO: 315 to 320, 351 to 352, 395 to 410, P.O: AMBUJANAGAR -362715, TAL: KODINAR, DIST: GIR SOMNATH.

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

÷	· _	* *		
Sr. No	Type of waste	Quantity in MT/Annum	Schedules	Facility
1:	Tarry residue and still bottoms from distillation	150000	1.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
2.	Oil sludge and Emulsion	150000	-4.1	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
3	Spent catalyst	150000	4.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
4	Organic residue from process	150000	4.4	Collections, Reception, Recovery, Storage, Transportation By Co- Processing in Cement Kiln
5	Spent clay containing oil	150000	4.5	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
6	Used/Spent oil		5.1	Collection, Storage, Transportation, Disposal By Sale To Registered Recycle
7	Waste or residue containing oil	150000	5.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
8	Cathode residue including pot lining waste	150000	11.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
9	Phosphate sludge		12.5	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kilr
10	Plating metal sludge		end Byrriages	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kilr
11	Sludg Srom acid rechasty unit	150000	13.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kill

् • •

ı,


4) 2 - -4, 14

.

د.

-

ъ. **қ**



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone: (079) 23222425 (079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in


12	Distillation residue generating from production and /or industrial use of solvents	150000	20.3	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
13	Process waste, residue and sludge	150000	21,1	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
14	Process residues	150000	22.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
15	Waste or residues (not made with vegetable or animal materials)	150000	23.1	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
16	Process waste sludge /residue containing acid, toxic metal, organic compounds (i.e. Chemical gypsum)	237250	26.1	Collections, Reception Recovery, Storage, Transportation By Co- Processing in Cement Kiln
17	Dust from air filtration system	150000	26.2	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln
18	Spent sch-sht	150000	26.4	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kim
19	Spent catalyst	150000	26.5	Collections, Reception, Recovery, Storage, Transportation By Co- Processing In Cement Kiln

Clean Gujarat Green Gujarat ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Page 224 of 442

a lagation

<u>.</u>	<u>i</u>			
20	Process residue and	150000	28.1	Collections, Reception,
	wastes			Recovery, Storage,
				Transportation By Co-
				Processing In Cement Kiln
21	Spent catalyst	150000	28.2	Collections, Reception,
-				Recovery, Storage,
				Transportation By Co-
				Processing In Cement Kiln
				(As per List attached in
				Annexure 1)
22	Sperit carbon	150000	28.3	Collections, Reception,
				Recovery, Storage,
				Transportation By Co-
			1	Processing In Cement Kiln
				(As per List attached in
			ľ	Annexure 2)
23	Off specification	150000	28.4	Collections, Reception,
	products		1	Recovery, Storage,
	•		i i	Transportation By Co-
	ł			Processing In Cement Kiln
24	Date expired	150000	28.5	Collections, Reception,
	products			Recovery, Storage,
			1	Transportation By Co-
				Processing In Cement Kiln
25	Spent solvent	150000	28.6	Collections, Reception,
		10000,0	2010	Recovery, Storage,
				Transportation By Co-
				Processing in Cement Kiln
26	Process waste or	150000	29.1	Collections, Reception,
	residues	100000	20,1	Recovery, Storage,
	10010400		ļ	Transportation By Co-
	- ·		ľ	Processing In Cement Kiln
27	Sludge containing	150000	20.0	
£ †	residual pesticides	100000	29.2	Collections, Reception,
	restanai beancides			Recovery, Storage,
				Transportation By Co-
28	Emple	450000	00.4	Processing In Cement Kiln
20	Empty	150000	33.1	Collections, Reception,
	barrels/containers/	1	Į.	Recovery, Storage,
	liners contaminated		1º	Transportation By Co-
	with hazardous	i	1-	Processing In Cement Kiln
	chemicals/w: ve			
	(Only From Faint		1	
	Industrie Sector)			
29	Chemii-containing	150000	34.1	Collections, Reception,
	resir ve arising from]		Recovery, Storage,
	decontamination	1	ļ	Transportation By Co-
		l		Processing In Cement Kiln
30	, cxhaust air or gas	150000	35.1	Collections, Reception,
	cleaning residue			Recovery, Storage,
1. F. F.				Transportation By Co-
	1	I	1	Processing In Cement Kiln



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in

- 5.7 The industry should take necessary steps for prevention of any spillages / Leaching etc. in respect of Hazardous waste from the premises.
- 5.8 Cement plant shall have to explore the possibilities for transportation of Hazardous waste for the co-processing purpose through dedicated tankers with GPS enabled system in line with Hazardous Waste Rules -2016
- 5.9 The industry shall use Hazardous Waste tracking (HWT) system of XGN for online real time data for preparing online manifest system for regular updating for retrieval and maintain record thereof and to furnish details to the concerned GPCB, Regional Office & Head Office, Gandhinagar at regular interval.
- 5.10 The industry should maintain good housekeeping & maintain proper records of Hazardous Waste mentioned in Authorization.
- 5.11 The industry should submit the point wise compliance report on half yearly basis and monthly report in prescribed format annexed here with as (Annexure-A) to the Hazardous Waste Cell at Head Office Gandhinagar.
- 5.12 The industry should obtain prior regular permission of CPCB for co-processing of Hazardous wastes in cement kiln (if applicable).
- 5.13 The industry should take all precautionary measure to prevent odour, nuisance and spillage during the storage and handling of Hazardous Waste.
- 5.14 The industry should obtain prior permission of trial run for co-processing of wastes for which regular permission is not issued to any cement plant.
- 5.15 The industry should follow the guideline of CPCB for labeling transportation, storage and disposal of hazardous wastes in a environmental sound manner.
- 5.16 The authorization is granted to operate a facility for collection, storage, transportation and ultimate disposal of Hazardous wastes as above.
- 5.17 The authorization shall be in force for a period up to 18/09/2023.
- 5.18 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 5.19 It shall be the recoonsibility / duty of the applicant to take adequate steps while handling hazar to us wastes to contain contaminants and prevent accident and their consequations on human and environment and prevent person working on the site with information, training and equipment and necessary to ensure their safety.
- 5.20 The applicant shall be liable for all damage caused to the environment or their party due to improper handling of Hazardous Wastes or Disposal of hazardous wastes.
- 5.21 The applicant shall be liable to pay financial penalties as levied for any violation of the provisions under Hazardous and other wastes (management and transboundary movement) rules, 2016 by the State Pollution Control Board with the prior approval of the Central Pollution Control Board.

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Page 226 of 442

- 5.22 The applicant shall ensure that the Hazardous wastes are packaged and labeled, based on the composition in a manner suitable for safe handling, storage and transport. The labeling and packaging shall be easily visible and to be able to with and stand physical conditions and climatic factors as per guidelines issued by the Central Pollution Control Board from time to time. The transport of hazardous wastes shall be in accordance with the provisions of the rules made by Central Government under the Motor Vehicles Act, 1988 & other guidelines issued from time to time and the transporter shall comply with the provisions of Hazardous and other wastes (management and transboundary movement) rules.
- In case of transportation of Hazardous Wastes through a state other than the state of origin or destination the occupier shall intimate the concerned State 5.23 Pollution Control board before, he hands over the Hazardous Waste to the transporter (if applicable).

TERMS AND CONDITIONS OF AUTHORISATION 6.

a) The applicant shall comply with the provisions of the Environment (Protection) Act - 1986 and the rules made there under.

のないないではないないないないでのですないない

- b) The authorization shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board. The persons authorized shall not rent, lend, sell, and transfer of otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- c) Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a
- breach of this authorization. d) It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- e) An application for the renewal of an authorization shall be made as laid down in
- f) industry shall have to manage waste oil, discarded containers etc as per Amended Rules-2003 and shall apply Authorization/submit details for all applicable waste as per Amended Rules-2003 with 15 days.
- g) Industry shall submit annual report within 15 days and sub squinty by 30th June
- every year.

General Conditions: 7.

- The waste generator shall be totally responsible for (i.e. collection, storage, encapsulation, incineration, treatment, transportation and ultimate disposal) of 7.1 the wastes generated.
- Records of waste Sneration, its management and annual return shall be submitted to Grat Pollution Control Board in Form - 4 by 31st January of every 7.2 year.
- In case of by accident, details of the same shall be submitted in Form 5 to 7.3 Gujarz's 'ollution Control Board.
- As 3 "Public Liability Insurance Act 91 "company shall get insurance Policy, 7.4
 - if applicable.



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 Website : Fax : (079) 23232156 (079) 23232152

www.gpcb.gov.in

from time to time framed under the Environment (Protection) Act-1986. In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(b) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules'2016 & as amended

provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under And whereas Board has received consolidated consent application Inward I.D.NO. 144910 dated 05/10/2018 for the amendment in Consolidated Consent and Authorization (CC & A) of this Board and under the whereas Board has

CONSENTS AND AUTHORISATION:

Tal: Bhachau Vill: Juna Katariya/Lakadiya, Plot no/Survey no. 386/1,409/1, 414,/1,415 & 417 M/s Saurashtra Enviro Projects Pvt Ltd. Ţ (Under the provisions /rules of the aforesaid environmental acts)

DIST: KUTCH-370 150

Consent Order No: AWH ~ 97731, Date of Issue 13/12/2018.

٦

due to operation of industrial plant for following activities at Plot no/Survey no. 386/1, 409/1,414/1, 415 &417, Vill: Juna Katariya/Lakadiya, Tal: Bhachau, Dist: Kutch, East- 370150. The consents shall be valid up to 05/11/2023 for use of outlet for the discharge of trade effluent and emission

2 1	 			S		1
Incineration Facility			Site	Secured Landfill	PRODUCTS	
7.50 Million Kcal/Hour	Closed & Capped	Cell no.2 - 2,75,000 MT,	(Cell no.1 - 1,20,000MT,	8,45,000 MT	Capacity	
	East- 370150,	Tal: Bhachau, Dist: Kutch,	Vill: Juna Katariva/Lakadiva	386/1, 409/1,414/1, 415 &417	Survey No	

ы SPECIFIC CONDITION

- 2.1 SEPPL shall send generated leachate to M/s ACPTCL for further treatment; unit shall maintain & submit monthly record.
- 2.2 2.3
- SEPPL shall comply the submitted notarized undertaking dated 31/03/2018.
- In case of issue related to groundwater contamination or any other damage to environment in future, there shall be a joint responsibility and liability of both Saurashtra Enviro Projects Pvt. Ltd., and remediation as per CPCB guidelines. Ankleshwar Cleaner Process Technology Centre Pvt Ltd., for conducting assessment study and
- 2.4 Saurashtra Enviro Projects Pvt. Ltd shall bound to comply all the condition of EC/CTE for the facilities
- 2.5 as per business transfer agreement. Saurashtra Enviro Projects Pvt. Ltd will maintain their independent Escrow Accounts as per the
- guidelines.
- 2.6 The Board shall not take any responsibility for legal/Civil dispute between Saurashtra Enviro
- 2.7 Projects Pvt. Ltd and Ankleshwar Cleaner Process Technology Centre Pvt Ltd.
- As Saurashtra Enviro Projects Pvt. Ltd. and Ankleshwar Cleaner Process Technology Centre
- and shall have different identity. Put Ltd. have continuous premises, they shall provide fencing and demarcation of boundaries
- Outwatq 2.8 As all cells are closed of Saurashtra Enviro Projects Pvt. Ltd, No new waste shall be collected for

TSDF disposal.

Page 1 of 6

Closs Dilarat Page 228 of 442 ò k,



٠.

GUJARAT POLLUTION CONTROL BOARD

Sector-10-A, Gandhinagar 382 010 Website : Phone : PARYAVARAN BHAVAN Fax www.gpcb.gov.in (079) 23232152 (079) 23232156 (079) 23222425

BY RPAD

No: GPCB/HAZ-GEN-680(1)/ID: 65572/

Amendment to Consolidated Consent Order No.AWH-97750 issued dated 14/12/2018 Date:

Jo, M/s. Detox India Private Limited,

Plot No: 383, 384, 386 P-2, 401, 409/2, 410, 411, 412/1, 412/2, 414 P-2, 416, 418, 178, 179, (Old Name: M/s. Ankleshwar Cleaner Process Technology Centre Pvt Ltd.) Vill: Juna Katariya, Lakadiya- 370150,

Tal: Bhachau & Dist: Kutch

REF: - (1) CCA Order No. GPCB/HAZ-GEN-680/ID-65572/480066 dated: 28/12/2018. SUB: - Consolidated Consent and Authorization (CC&A) under various Environment Acts / Rules

(2)Your letter dated: 02/01/2019 regarding change of name of the industry

above reference the CCA order No.AWH-97750 issued under the provisions of the various Environment the said acts / Rules in any way; this Board is empowered to amend consent order in connection with Movement) Rules'2016, framed under the EP Act-1986 and without reducing your responsibility under Authorization under rule 6(2) of the Hazardous and other waste (Management and Transboundary Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Acts/ Rules, which stands amended as under. In exercise of the power conferred under section-25 of the Water (Prevention and Control of

from member units at Plot No: 383, 384, 386 P-2, 401, 409/2, 410, 411, 412/1, 412/2, 414 P-2, 416, 418, waste TSDF, Forced Evaporation and pre-processing facility for disposal of hazardous waste received 178, 179 of Vill: Juna Katariya, Lakadiya- 370150, Tal: Bhachau & Dist: Kutch. The consents shall be valid up to dated: 04/10/2023 for operation of common hazardous

- 1. The Board has issued CCA-Fresh valid up to dated: 04/10/2023 vide letter no GPCB/ HAZ-GEN-680/ID-65572/480066 dated: 28/12/2018. M/s. Ankleshwar Cleaner Process Technology Centre to this industry originally. India Private Limited, shall bound to comply with all the conditions subject to which it was granted Pvt Ltd stands transferred to M/s. Detox India Private Limited, with condition that M/s. Detox
- 2 The other condition of the CC&A order no: AWH-97750 issued vide letter No: GPCB/ HAZ-GEN-680/ID-65572/480066 dated: 28/12/2018 shall remain unchanged. و
- س You are directed to comply with these conditions judiciously

For and on behalf of GPCB

D-M. Thaked

Unit head, Haz Waste Cell

Environmental Engineer

(D.M. Thaker)

Outward .

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation Clean Gujarat Green Gujarat

Page 229 of 442

GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152

Website : Fax : www.gpcb.gov.in (079) 23232156

GPCB

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(b) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules'2016 & as amended from time to time framed under the Environment (Protection) Act-1986.

under the provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under 05/10/2018 for the amendment in Consolidated Consent and Authorization (CC & A) of this Board and And whereas Board has received consolidated consent application Inward I.D.NO. 144207 dated

CONSENTS AND AUTHORISATION:

То, (Under the provisions /rules of the aforesaid environmental acts)

M/s Ankleshwar Cleaner Process Technology Centre Pvt Ltd, Plot no/Survey no. 383,384,386P2,401,409/2,410,411,412/1,412/2,414 P2,416,418,178 &179

Tal: Bhachau, Vill: Juna Katariya/Lakadiya,

Dist: Kutch, East-370 150

Consent Order No: AWH - 97750, Date of Issue 14/12/2018.

-

and emission due to operation of industrial plant for following activities at Plot no/Survey no. 383,384,386P2,401,409/2,410,411,412/1,412/2,414P2,416,418,178&179, Vill:Juna Katariya/ Lakadiya, Tal: Bhachau, Dist: Kutch, East-370150. The consents shall be valid up to 04/10/2023 for use of outlet for the discharge of trade effluent

Sr.	Facility	Capacity	Survey No.
No			•
1.	Secured Landfill Site	Cell No.4: 3,55,000MT(In	Plot no/Survey no.
		operation)	383,384,386P2,401,409/2,410
5	Forced Evaporation	500KL/Day	,411,412/1,412/2,414P2,416,4
	System		18,178 &179 Vill:Juna
3.	Coal Crusher	IOMT	Katariya/Lakadiya,
4.	Pre-Processing facility	120MT/Day	Diet: Kutch Fact 270 150
Ϋ́	Ammonical Nitrogen	300KL/Day	
	stabilization plant	-	,
6	VOC Stripper	150KL/Day	

ы SPECIFIC CONDITION

2.2 In case of issue related to groundwater contamination 2.1 ACPTCL shall comply the submitted notarized undertaking dated 31/03/2018

- for conducting assessment study and remediation as per CPCB guidelines. Enviro Projects Pvt. Ltd., and Ankleshwar Cleaner Process Technology Centre Pvt Ltd., environment in future, there shall be a joint responsibility and liability of both Saurashtra or any other damage to
- 23 In no circumstances, VOCs and high ammonical nitrogen containing stream shall be

2.4 Unit shall strictly adhere and comply with guidelines issued by the Central Pollution evaporated in spray dried.

No Control Board for Odour control.

Clean Gujarat Green Gujarat

Outward

Page 1 of 7

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation Page 230 of 442



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in

By R.P.A.D.

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous & Other Waste (Management & Transboundary Movement) Rules-2015, framed under the Environmental (Protection) Act-1986. The board has granted the consent order no. PC/CCA KUTCH-519/GPCB ID 11948/141682 Date 26/03/2013

And whereas Board has received application inward No. 130423 dated 08/12/2017 for the Renewal Consolidated Consent and Authorization (CC3A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under

CONSENTS AND AUTHORISATION:

(Under the provisions trules of the aforesaid environmental acts)

To, Sabnam Enterprise, Plot No. 87, GIDC Anjar, Dist : Kutch 370 110

1. Consent Order No. AWH-91299 Date of Issue: 16/02/2018

2. The consort shall be valid up to 05/12/2022 for manufacture of the following products

 SR. NO.
 PRODUCT
 QUANTITY

 1
 Lead Ingots from used Lead Acid batteries
 75 MT/MONTH

SUBJECT TO THE FOLLOWING SPECIFIC CONDITIONS:

2.1 You shall not carry out any activity which may attract the provision of EIA notification-2006.

2.2 You shall submit clood lead reports of workers within one-month time period.

2.3. Ground water shall not be used for any industrial purpose.

3. CONDITIONS UNDER THE WATER ACT 1974:

- 3.1 The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations shall be NIL.
- 3.2 The quantity of Sewage effluent from the factory shall not exceed 0.250 KL/Day.
- 3.3 Domostic effluent shall be disposed off through septid tank / soak pit system
- 3.4 The quality of incustrial waste water shall conform to the following standards

	PARAMETER	PERMISSIBLE LIMIT	
	ρH	6 5 to 8.5	
	Temperature	40°C	
hulbuff		at Green Gujarat	Page 1 of 5

17.

Colour (Pt. Co. scale units)	100 units
Total suspended Sol ds	100 mg/L
Oil & Grease	10 mg/L
Ammonical Nitrogen	50 mg/L
BOD (5 Days at 20°C)	30 mg/L
COD	100 mg/L
Chlorides	600 mg/L
Sulphates	1000 mg/l
Total Disso yed Solids	2100 mg/L
Percent Sodium	60 %
Phenolic Compound	Q1 mg/L
Lead	0.1 mg/L
Copper	02 hig4_
Total Chromum	02 mg/L
Hexavalent Chromium	0.1 mg/L

- 3.5 The treated effluent confirming to the above standards small be reused in scrubbing and there shall not be waste water discharge
- 3.6 Domestic effluent shall be disposed off through septic tank.

4. CONDITIONS UNDER AIR ACT 1981:

14.1 The following shall be used as fuel in the furnace as following rates

Sr. no.	Name of Fuel	Quantity
1	Charcoal	400 Kg/Day

4.2 The applicant shall instal & operate air pollution control system in order to achieve five gas emission norms as prescribed below

Sr. no.	Stack attached to	Stack height in Meters	Air Pollution Control System	Parameter	Permissible limit
3.	Furnace Numbers - 2	35	Bag Filter and multi cyclone separator followed by water scrubber	SO: NOX	150 mg/Nm ⁹ 100 ppm 50 ppm

- 4.3. The shall be no process gas emission from the manufacturing and other ancillary activities
- 4.4. The concentration of the following caranteters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as cer National Ambient Air Quality. Standards issued by Ministry of Environment and Forest dated 16th November 2009.

Sr. No	Pollutant	Time Weighted Average	Concentration in Ambient air in µg/M ⁵
4	Surphur Dioxide (SO_2)	Annual 24 Hours	50 80
2	Nitrogen Dioxide (NO2)	Annual 24 Hours	40 80
3	Particulate Matter (Size less than 10 µm) OR PM ::	Annual 24 Hours	65 100
Z_{ij}	Particulate Matter (Size less than 2.5 µm) OR PM :::	Amual 24 Hours	45 60

Page 232 of 442

- 4.5 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the aremissions and the same shall be open for inspection. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be plainted / displayed to facilitate identification.
 - 4.6 The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:

Between 6 A M to 10 P.M.: 75 dB (A) Between 10 P M to 8 A M 70 dB (A)

- 5. <u>Authorization under Hazardous and Other Waste [Management & Transboundary</u> <u>Movement] Rules, 2016 & amended.</u>
- 6. Authorization Number: AWH- 90274 and shall valid up to 26/11/2022.
- 6.1 Sabnam Enterprise is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Plot No.87 GIDC Anjar, Dist. Kulon 370 110

Sr. No.	Waste	Quantity per Annum	Category	Facility
Ť.,	Used lead Acid batteries	150 T/ Month	Schedule-IV (No 17)	Reception, Storage, Transportation & Reuse for recovery of Lead Ingots
2	Lead bearing residue	10 MT	1-9-1	Collection storage, transportation and discosal at TSDF
3.	Discarded drums/ Iners contaminated with hazardous chemicals waste and container	10 MT	1-33-3	Collection, Storage decontamination transportation and Disposal OR Collection, Storage, Transportation and selling to authorized decontamination facility

- 6.2 The authorization is granted to operate a facility for reception collection, storage and transportation and ultimate disposal of Hazardous wastes by selling out to authorized decontamination facility, TSDF
- 6.3 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time unper the Environment (Protection) Act 1986.

6.4 GENERAL CONDITIONS OF AUTHORIZATION:

- 1 The authorized person shall comply with the provisions of the Environment (Protection) Act 1985, and the rules made there under
- The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the State Pollution Control Board.
- 3 The person authorized shall not rent, end sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
- 4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the cerson authorized shall constitute a breach of his authorization.
- 5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.

[uhhul]

Page 3 of 5

- 5 The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on 'Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty'
- 7 It is the outy of the authorized cerson to take prior cermission of the State Pollution Control Board to close down the facility.
- 8 The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- 9 The record of consumption and fate of the imported hazarcous and other wastes shall be maintained.
- 10 The hazardous and other waste which gets generated during recycling or reuse or recovery or pro-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
- 11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any
- 12. An application for the renewal of an authorization shall be made as laip down under these Rules
- 13 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment Forest and Climate Change or Central Pollution Control Board from time to time
- 14. Annual return shall be filed by June 30th for the benod ensuring 31st March of the year.

7. GENERAL CONDITION:

- 7.1 Unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within premises, the unit shall tie up with local agencies like gram panchayat, school, social forestry office etc. for the plantation at suitable open land in nearby locality and submit an action plan of plantation for next three years to GPCB.
- 7.7 Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 frees per acre of land and a green bell of 10 meters width is developed.
- 7.3 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 7.4 The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sowage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the Water (Prevention and Control of Pollution) Act-1974, the Air (Prevention and Control of Pollution) Act-1981 and the Environment (Protection) Act-1986.
- 7.5 The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering control like acoustic insulation hoods silencers, enclosures etc on all sources of noise generation. The ambient noise ovel shall conform to the standards prescribed under the Environment (Protection) Act, 1986 & Rules.
- 7.6 Applicant is required to comply with the manufacturing. Storage and Import of Hazardous. Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
- 7.7 If it is established by any competent authority that the damage is caused due to their incustrial activities to any person or his property in that case they are obliged to pay the compensation as determined by the competent authority.

Unlarge

Page 4 of 5

- 7.8 Applicant shall have to comply with all the guidelines / Directive issued / being issued by MoEF&CC / CPCB / DoEF from time to time.
- 7.9 Applicant shall not use/withdraw ground water either during construction and /or operation phase.
- 7.10 Environmental cell shall be setup and shall be responsible for the total Environmental management.
- 7.11 Monitoring in respect to Air, Water, Noise level shall be carried out and results shall be submitted to GPCB on quarterly basis.

For and on behalf of GUJARAT POLLUTION CONTROL BOARD

[enthy]

(P. J. Vachhani)

Senior Environment Engineer

NO: PC/ CCA- KUTCH- 513 /GPCB ID - 11946/ 447285

Date: 12/3/18

ISSUED TO: Sabnam Enterprise, Plot No. 87, GIDC Anjar, Dist : Kutch 370 110



In exercise of the power conferred under section-25 of the Waster (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 6(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 framed under the E (P) Act-1986.

And whereas Board has received consolidated application no: 176383, dated 28/06/2020 for the fresh consolidated consent and authorization (CC & A) of this Board under the provision / rules of the aforesaid acts-rules. Consent & Authorization is hereby granted as under.

CONSOLIDATED CONSENT AND AUTHORISATION:

(Under the provision / rules of the aforesaid environmental acts)

To, Aviation Corporation (PCB ID –63724), PLOT NO: S. No. 67/2/P1, Shikarpur- 370150 TAL: Bhachau, DIST: Kutch.

1. Consent Order No: AWH -43501; Date of Issue: 21/10/2020.

2. The consent shall be valid up to 27/06/2025 for the use of outlet for the discharge of trade effluent and emission due to operation of industrial plant for manufacture of following items/products at an above-mentioned address.

Sr	Product	Quantity
No		
		300 MT/Month
1	Used Oil/ Waste Oil Reprocessing	(Used Oil- 150 MT/Month &
		Waste Oil- 150 MT/Month)
2	Sodium Silicate	1500 MT/Month

Specific Condition

- 1. No ground water shall be withdrawn without prior approval from competent authority.
- 2. You shall not carry out any activity which may attract the applicability of EIA notification-2006 and its amendments.
- 3. Management of Solid Waste generated from industrial activities shall be as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46).
- **1.** As per provision of Rule-18 of Solid Waste Management Rules-2016 all industrial units using fuel and located within 100 km from the refused derived fuel (ROF) plant shall made an arrangement to replace at least five percent of their fuel requirement by refused derived fuel so produced.
- 5. Industry shall manage Solid Waste generated from industrial activities as per Solid Waste Management Rules- 2016 (Solid Waste as defined in Rule- 3(46)).
- 6. Industry shall comply with Plastic Waste Management Rules- 2018 & amended therefore. (if applicable)
- 7. You shall have to comply with Coal Handling guideline.

1 PPage



3	Condition	under the Water	Act				
3.1	Source of W	/ater: Tankers					
3.2		ty of industrial wa	ter consumption s	shall not e	exceed 07 Kl	L/Dav.	
3.3		y of Domestic wat					
3.4		ty of industrial wa	•				& other ancillar
		hall not exceed 2.2				01	
3.5		y the Domestic wa		e) shall n	ot exceed 1.	2 KL/Day.	
3.6	Industrial e	effluent from proc	cess plant, washir	ng etc. sh	all be colled	cted separate	ly & treated int
	ETP adequa	ately so that treate	ed industrial efflue	ent shall c	comply with	following not	ms:
		RAMETER	PERMISS				
	pН			1	6.5 to 8.5		
	Temperat	ure			40°C		
	Color				100 Units		
	Suspende				100 mg/l		
	Oil & Grea				10 mg/l		
	Phenolic C	-			01 mg/l		
	Amonical	lays At 27° C)			50 mg/l 30 mg/l		
	COD	lays ALZ7 CJ			100 mg/l		
	Chloride				600 mg/l		
	Sulphates				000 mg/l		
		olved Solids			100 mg/l		
	Sulphides				02 mg/l		
	Percent So	odium			60%		
		dsorption Ratio			26		
		luent confirming to	o the above stand	ards shall	be reuse in	within plant	only.
3.7		all provide fixed p					
	Liquid Disc	harge.					
3.5	Sewage sh	all be disposed o	f through septic	tank / se	oak pit syst	æm.	
4	Conditions	under the Air Ao	ct				
4.1	The followi	ng shall be used as	s fuel.				
	Sr No	Fuel	Quantity				
	1	HSD	20 Lit/Hr.				
	2	LDQ	290 Lit/Day				
	3	Fire Wood	08 MT/Day				
	4	Goal	05 MT/Day				
4.2	The flue gas	s emission through	n stack shall confi	rm to the	following st	andards.	
	1			1.0.01		D	
	- (n)	Stack attached to	Stack height	APCM		Parameter	Permissible
	No S		in meter				Limit
	1	Boiler (01 TPD)	12	Water	Scrubber	PM	150 mg/Nm3

2 PPage



	2	Vessel (12 TPD)	11	with Cyclo	one SO2	100 PPM
				Separator	NOx	50 PPM
	3	Furnace	30	Alkali Scrubber		
	4	DG Set (80 kVA)	11			
		Stand by				
.3	There s	hall be no process ga	s emission	from manufacturi	ng activities	and other ancilla
	operatio	ons.			<u> </u>	
.4		centration of the following				-
	-	shall not exceed the lim	-	-	lational Ambi	ent Air Quality
	Standar	ds issued by MoEF & CC	dated 16th N	ovember-2009.		
	Sr.	Pollutant		Time	Concentratio	on in Ambient
	No.			Weighted	air in microg	gram/cum
				Average		
	1	Sulphur Dioxide (SO,)		Annual		50
				24 Hours		80
	2	Nitrogen Dioxide (N02)	Annual		40
			1.02	24 Hours		80
	3	Particulate Matter (PM	10)	Annual		60
	4	Danti gulata Mattan (DM	יס ד ו	24 Hours Annual		40
	4	Particulate Matter (PM	2.5)	24 Hours		60
.5	TT1	licant shall provide por				
	-	v(s) vents attached to va	arious source	es of emission shall	l be designed	
<u>-</u> 6	S-1, S-2, The induction The present		arious source ainted/ displ te measures f a ambient air	es of emission shall ayed to facilitate id for control of noise r quality standard	l be designed <u>entification.</u> levels from it s in respect o	by numbers such s own sources with of noise to less that
.6	S-1, S-2, The indu- the pren 75dB(a)	r(s) vents attached to va etc. and these shall be pa ustry shall make adequat mises so as to maintain	arious source ainted/displ te measures f a ambient ain dB(A)during	es of emission shal ayed to facilitate id for control of noise quality standards night time. Daytin	l be designed <u>entification.</u> levels from it s in respect o	by numbers such s own sources with of noise to less that
	S-1, S-2, The indu the prev 75dB(a) 10 PM a	(s) vents attached to va etc. and these shall be pa ustry shall make adequat mises so as to maintain during day time and70	arious source ainted/displ te measures f a ambient ain dB(A)during	es of emission shal ayed to facilitate id for control of noise quality standards night time. Daytin	l be designed <u>entification.</u> levels from it s in respect o	by numbers such s own sources with of noise to less that
	S-1, S-2, The indu- the prei 75dB(a) 10 PM a DG Sets The D.G	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and 70 nd nighttime is reckoned. Conditions:	arious source ainted/ displ te measures f a ambient ain dB(A)during d between 10 enclosure an	es of emission shall ayed to facilitate id for control of noise quality standards night time. Daytin PM to 6 AM. d shall comply wit	l be designed lentification. levels from it s in respect on ne is reckoned h the standard	by numbers such s own sources with of noise to less tha l in between 6 AM ds specified at Sr. r
	S-1, S-2, The indu- the prei 75dB(a) 10 PM a DG Sets The D.G 95 of Sc	(s) vents attached to va etc. and these shall be pa ustry shall make adequat mises so as to maintain during day time and70 nd nighttime is reckoned Conditions: . Set shall have acoustic hedule-l of the rule-3 of l	arious source ainted/ displ te measures f a ambient ain dB(A)during d between 10 enclosure an	es of emission shall ayed to facilitate id for control of noise quality standards night time. Daytin PM to 6 AM. d shall comply wit	l be designed lentification. levels from it s in respect on ne is reckoned h the standard	by numbers such s own sources with of noise to less tha l in between 6 AM ds specified at Sr. n
	S-1, S-2, The indu- the pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and 70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of last standards:	arious source ainted/ displ te measures f a ambient ain dB(A)during d between 10 enclosure an E.P. Rules -19	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 86 and Noise pollu	l be designed lentification. levels from it s in respect on ne is reckoned h the standard ition level.as p	by numbers such s own sources with of noise to less tha l in between 6 AM ds specified at Sr. n per the Air Act-1982
	S-1, S-2, The induct the present 75dB(a) 10 PM a DG Sets The D.G 95 of Sct D.G. Set The flue	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and 70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st	arious source ainted/displ te measures f ambient ain dB(A)during d between 10 enclosure an E.P. Rules -19 ack attached	es of emission shall ayed to facilitate id for control of noise quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co	l be designed lentification. levels from it s in respect on the is reckoned h the standard tion level.as p	s own sources with of noise to less tha d in between 6 AM ds specified at Sr. n per the Air Act-1982 following standard
4.6 4.7	S-1, S-2, The indu- the preid 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and 70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of 	arious source ainted/ displ te measures f a ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p	es of emission shall ayed to facilitate id for control of noise quality standards night time. Daytin PM to 6 AM. d shall comply wit 286 and Noise pollu- to D.G. Sets shall co provided with each	l be designed lentification. levels from it s in respect on the is reckoned h the standard tion level.as p onform to the	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n per the Air Act-1982 following standard ator set shall be H=
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and 70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of +0.2(KVA) 112, where Here the standard standards is the standard sta	arious source ainted/ displ te measures f a ambient ain dB(A)during d between 10 enclosure an E.P. Rules -19 ack attached stack to be p I=Total stack	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h	l be designed lentification. levels from it s in respect on the is reckoned h the standard tion level.as p onform to the of the genera n=height of th	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n per the Air Act-1982 following standard ator set shall be H=
	S-1, S-2, The indu- the pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and 70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of 	arious source ainted/displ te measures f dB(A)during d between 10 enclosure an E.P. Rules -19 ack attached stack to be p I=Total stack which the gen	es of emission shall ayed to facilitate id for control of noise quality standards night time. Daytin PM to 6 AM. d shall comply wit 86 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install	l be designed lentification. levels from it s in respect on the is reckoned h the standard tion level.as p onform to the of the generation height of the	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n per the Air Act-1983 following standard ator set shall be He building in mete
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac	l be designed lentification. levels from it s in respect on the is reckoned h the standard tion level.as p onform to the of the generation n=height of the ed.	by numbers such s own sources with of noise to less tha l in between 6 AM ds specified at Sr. n per the Air Act-1981 following standard ator set shall be He le building in mete
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoneed Conditions: Set shall have acoustic hedule-l of the rule-3 of last standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of whoise from DG set shall be room acoustically, at the The acoustic enclosure of the set start of the set start of the set shall be set shall be room acoustically.	arious source ainted/ displ te measures f a ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 86 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo	l be designed entification. levels from it s in respect on the is reckoned h the standard tion level.as p onform to the of the genera- n=height of the ed. coustic enclose om shall be de	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n ber the Air Act-1982 following standard ator set shall be H= the building in mete ure or by treating the esigned for minimu
	S-1, S-2, The indu- the pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of	arious source ainted/ displ te measures f ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 86 and Noise pollu to D.G. Sets shall co provided with each c height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient no	l be designed lentification. levels from it s in respect of he is reckoned h the standard tion level.as p onform to the of the genera- n=height of the ed. coustic enclose om shall be de ise standards,	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n per the Air Act-1982 following standard ator set shall be H= te building in mete ure or by treating the esigned for minimu , whichever is on th
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of we Noise from DG set shall be room acoustically, at the The acoustic enclosure of 25 dB (A) insertion loss higher side (if the actual)	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti d ambient no	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient noi pise is on the high	l be designed lentification. levels from it s in respect of the is reckoned h the standard tion level.as p onform to the of the genera n=height of the ed. coustic enclose om shall be de ise standards, er side, it ma	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n per the Air Act-1982 following standard ator set shall be H= ne building in mete ure or by treating the esigned for minimu , whichever is on the by not be possible
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of list standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of whoise from DG set shall be room acoustically, at the The acoustic enclosure of 25 dB (A) insertion loss higher side (if the actual clicck the performance of the actual click the perform	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti al ambient no of the acousti	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient noi pise is on the high c enclosure/ acoust	l be designed lentification. levels from it s in respect of the is reckoned h the standard tion level.as p onform to the of the genera n=height of the ed. coustic enclose om shall be de ise standards, er side, it ma stic treatment	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n ber the Air Act-1982 following standard ator set shall be H= te building in mete ure or by treating the esigned for minimu , whichever is on the y not be possible . Such circumstanc
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of loss standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of we Noise from DG set shall be room acoustically, at the The acoustic enclosure of 25 dB (A) insertion loss higher side (if the actual)	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti al ambient no of the acousti	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient noi pise is on the high c enclosure/ acoust	l be designed lentification. levels from it s in respect of the is reckoned h the standard tion level.as p onform to the of the genera n=height of the ed. coustic enclose om shall be de ise standards, er side, it ma stic treatment	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n ber the Air Act-1982 following standard ator set shall be H= te building in mete ure or by treating the esigned for minimu , whichever is on the y not be possible . Such circumstanc
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of list standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of whoise from DG set shall be room acoustically, at the The acoustic enclosure of 25 dB (A) insertion loss higher side (if the actual clicck the performance of the actual click the perform	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti al ambient no of the acousti	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient noi pise is on the high c enclosure/ acoust	l be designed lentification. levels from it s in respect of the is reckoned h the standard tion level.as p onform to the of the genera n=height of the ed. coustic enclose om shall be de ise standards, er side, it ma stic treatment	by numbers such s own sources with of noise to less that d in between 6 AM ds specified at Sr. n per the Air Act-1982 following standard ator set shall be H= te building in mete ure or by treating the esigned for minimu , whichever is on the y not be possible . Such circumstance
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of list standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of whoise from DG set shall be room acoustically, at the The acoustic enclosure of 25 dB (A) insertion loss higher side (if the actual clicck the performance of the actual click the perform	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti al ambient no of the acousti	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient noi pise is on the high c enclosure/ acoust	l be designed lentification. levels from it s in respect of the is reckoned h the standard tion level.as p onform to the of the genera n=height of the ed. coustic enclose om shall be de ise standards, er side, it ma stic treatment	by numbers such s own sources with of noise to less that in between 6 AM ds specified at Sr. r ber the Air Act-1983 following standard ator set shall be H= building in mete ure or by treating the esigned for minimu , whichever is on the y not be possible . Such circumstanc
	S-1, S-2, The induction The pren 75dB(a) 10 PM a DG Sets The D.G 95 of Sc D.G. Set The flue a)	(s) vents attached to valet. and these shall be particularly shall make adequate mises so as to maintain during day time and70 nd nighttime is reckoned. Conditions: Set shall have acoustic hedule-l of the rule-3 of list standards: gas emission through st The minimum height of +0.2(KVA) 112, where He where up by the side of whoise from DG set shall be room acoustically, at the The acoustic enclosure of 25 dB (A) insertion loss higher side (if the actual clicck the performance of the actual click the perform	arious source ainted/ displ te measures for ambient ain dB(A)during d between 10 enclosure an E.P. Rules - 19 ack attached stack to be p I=Total stack which the gen be controlled user's end or acoustic tr or for meeti al ambient no of the acousti	es of emission shall ayed to facilitate id for control of noise r quality standards night time. Daytin PM to 6 AM. d shall comply wit 986 and Noise pollu to D.G. Sets shall co provided with each t height in meter, h erator set is install by providing an ac eatment of the roo ng the ambient noi pise is on the high c enclosure/ acoust	l be designed lentification. levels from it s in respect of the is reckoned h the standard tion level.as p onform to the of the genera n=height of the ed. coustic enclose om shall be de ise standards, er side, it ma stic treatment	by numbers such s own sources with of noise to less that in between 6 AM ds specified at Sr. r ber the Air Act-1983 following standard ator set shall be H= building in mete ure or by treating the esigned for minimu , whichever is on the y not be possible . Such circumstanc



e) f) g) Autho Mover Autho	premises, within the ambient no Installation of a D.G. Sets must D.G. Set manufacturer.	ic enclosure/ with proper ex- ring down th- oise requirem be strictly in re maintenand the DG Set n orating with use	room, and the xhaust muffler e noise level nents by prope compliance w ce procedure f nanufacture v <u>ise.</u> Wastes (Mar	averaged. r with insertion loss of minimu due to the D.G. Set, outside t er siting and control measures with the recommendations of t for the D G. Set should be set a which would help prevent no
M/s. /	Aviation Corporation (PCB ID			
-	y for following hazardous wast pur– 370150, TAL: Bhachau, DIS	-	remises situa	ted PLOT NO: S. No. 67/2/1
Sr. No	Waste	Quantity	Schedule- l	Facility
1	Used or spent Oil	1800 MT/yr.	5.1	Receipt, Collection, Storage Transportation & reused in process.
2	Oily waste	1800 MT/yr.	5.2	Receipt, Collection, Storage Transportation & reused in process.
2	Sludge from Wet Scrubber	05.0 MT/yr.	37.1	Collection, Storage Transportation & Disposed to TSDF site.
3	Sludge and filter contaminated with Oil	20.0 MT/yr.	3.3	Collection, Storage Transportation & Disposed to TSDF site.
4	Empty barrels/ containers/ liners contaminated with hazardous chemicals / wastes	04.00 M/yr.	33.1	Collection, Storage Transportation & disposed by selling it to registered recycler.
	uthorization is granted to operat ortation and ultimate disposal of			
				waste referring to the amend
Unit s Rules.	15			
Unit s Rules. The au specifi	uthorization is subject to the con ied in the cules from time to time	under the En		
Unit s Rules. The au specifi Term:	uthorization is subject to the con	under the En on:-	vironment (P	rotection) Act-1986.



-	
2.	The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the State Pollution Control Board.
3.	The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and
5	other wastes except what is permitted through this authorization.
4.	Any unauthorized change in personnel, equipment or working conditions as mentioned in the
	application by the person authorized shall constitute a breach of his authorization.
5.	The person authorized shall implement Emergency Response Procedure (ERP) for which this
	authorization is being granted considering all site specific possible scenarios such as spillages,
	leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular
	interval of time.
6.	The person authorized shall comply with the provisions outlined in the Central Pollution Control
	Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and
	Disposal of Hazardous Waste and Penalty".
7.	It is the duty of the authorized person to take prior permission of the State Pollution Control
	Board to close down the facility.
8.	The imported hazardous and other wastes shall be fully insured for transit as well as for any
	accidental occurrence and its clean-up operation.
9.	The record of consumption and fate of the imported hazardous and other wastes shall be
	maintained.
10.	The hazardous and other waste which gets generated during recycling or reuse or recovery or
10.	pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed
	of as per specific conditions of authorization.
11.	The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12.	An application for the renewal of an authorization shall be made as laid down under these Rules.
13.	
15.	Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment,
14.	Forest and Climate Change or Central Pollution Control Board from time to time.
14 5.7	Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
	General Conditions
1	Any change in personnel, equipment or working conditions as mentioned in the consents
0	form/order should immediately be intimated to this Board.
2	Applicant shall also comply with the general conditions given in annexure I.
3	The waste generator shall be totally responsible for (I.E. Collection, storage, transportation and
	ultimate disposal) of the wastes generated.
4	Records of waste generation, its management and annual return shall be submitted to Gujarat
	Pollution Control Board in Form - 4 by 31s1 January of every year.
5	In case of any accident, details of the same shall be submitted in Form - 5 to Gujarat Pollution
	Control Board.
<u></u> б	As per "Public liability Insurance Act - 91" company shall get Insurance policy, if applicable.
7	Empty drums and containers of toxic and hazards material shall be treated as per guideline
	published for management & handling of discarded containers". Records of the same shall be
-92	maintained and forwarded to Gujarat Pollution Control Board regularly.
8	In no case any kind of hazardous waste shall be imported without prior approval of appropriate
<u> </u>	authority.
0	In case of transport of hazardous waste to a facility for (I.E. Treatment, Storage and disposal)
	existing in a state other than the state where hazardous waste are generated, the occupier shall
	obtain. "No Objection certificate" from the state pollution Control Board, the Committee of the
	to the second se

5 PPage



	concerned state or Union territory Administration where the facility exists.
10	Unit shall take a)) concrete measures to show tangible results in waste generation reduction, voidance, reuse and recycle. Action taken in this regards shall be submitted within 03 months and
	also along with Form 4.
11	Industry shall have to display the relevant information with regard to hazardous waste as
	indicated in the Hon Supreme Court's order in W.P. NO.65 of 1995 dated 14th October 2003.
12	Industry shall have to display online data outside the main factory gate with regard to quantity
	and nature of hazardous chemicals being handled in the plant, including wastewater and air
	emissions and solid hazardous waste generated within the factory premises.

For and behalf of Gujarat Pollution Control Board

-tam

Regional Officer, Kutch(East)

1020 Ho. 25050 3011012020 6 PPage



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN Sector-10-A. Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax : (079) 23232155 Website : www.gpcb.dov.in

By-R.P.A.O.

In exercise of the power control and encer section-25 of the Water (Provention and Control of Pollution) Adi-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under tube 5(2) of the Hazardous & other Waster (Management and Fransboundary Movement), Rules 2016 framed under the Environmental (Protection) Adi-1986.

And whereas bloard has received consolidated consent application letter No 120321 dated 17/04/2017 for the Consolidated Consent and Authorization (CC-3-A) of the Board ander the provisions / rises of the accessib Acts. Consente & Authorization and hereby granted as unner:

CONSENT? (Under the involve one index of the afor(as diece concreated acts) To, MIS, ARQMA PETROCHEM (ID-13988), PEDTINO, 50, GIDC, VARTES VARTES - 364001, TAL-DIST-SHAVNAGAR,

- Consent Order No. XX:n-37(72 sale of issue, 13(37/26)7.
 The consents shall be using a 200/2022 for use of calls
 - The consents shall be where to \$1990**/2002 for aso of collet for the contary** of your stilluaritis emission due to operation of <u>moust a cranition and</u> fecture of th**e cost one interns**/products:

Sr. No.	Product	Capacity
•	Re- Refined used bi!	125SLMcrth

<u>CONDITIONS UNDER WATER ACT 1974</u>.

- 3.1 The objective of the industrial discharge shall not exceed 1.5 (3/3/2) Generated water will be evaporated in evaporation tark after promary treatment here shall be 'Zrote Displayed' from the industry. The records regarding the generation of the effective displayed in received all shall be regulated in the lowe of a log-brook & made available to the membranes.
- 3.2 The guantity of the Jamostic waste wath (sewage) shall an exceed 0.3 KL/day.
- Sewage et al. Us depond of through Septid tenk/seah pit system.

<u>CONDITIONS UNDER AIR ACT 1981:-</u>

- 41 The following shall be used as feel in the Purrace's respectively. St. Co. Fine Country
- Website in the special state of the sp
- The five case engador, through stacks (3) contains to the fullowing standards;

51.45	Common	- Stack neight i	in Air Polite	co ¹ Parsmerat	Permissiole Limit
	stacres is	<u>i karer</u>	Lorho (syster		
·	Funtabe(SMpa)	J 12	Cyclone	Perféduletà	150 mg/ NM 4
			separator	Mailer	:00 ppm
1	- A	:	1	506	50 pam
	· .O			I NOM	i
	C	i			·

- 4.4. There shall be no process an estor, the hither manufacturing process as well as ther untiliary process.
- 4.5. Stack monitoling fact time key political, planform/loader (key and by and ideal with observents chimney in order to facilitate sampling of pases being emitted in to the attroaphere.

4.6 The concentration or the following substances in the embrent sit victor title granulases of this industry and still all statice of 10 arguments from the source (other then the static), with height of more than 9 gives industry and levels shall not exceed the following levels.

Page 1 of 3

Clean Gujarat Green Gujarat

ISO-9001 2008 & ISO-14001 - 2004 Certified Organisation

Page 242 of 442

PARAMETER PERMISSIBLE LIME PERMISSIBLELIMIT 1 Actual 24 hrs. Average Рерчайств тарайн С., Е(Анд) TO Micro. / en /NM 10D Wicrogram (NM⁸) Particulate matter/2 5/ 544-40 40 Microj/an/NM-60 Microgram /NMP 1 ēο. 80 Succes an /NMS | 50 Microchan /NRd?

4.7 Archivers all unality within the order is as of the industry shall conform to the following standards -

4.6 All measures for the confriction environmental pollution shall be provided before charmenting upduction.

I

No.

5.1 Any or angle all consonrable additioner i on sorting surrations as the if close of the Conson's fort Jordan should Portroduce) be informatic to the Board.

- 5.2 Applicant shak also for projektion for general conditions given in somewore 1.
- 5.3 Indesity shall have to deplay on-site para publice the main factory pale with Regard to quartily, and habite of hazardous phemioais being factore R sol, including wasteviated with emissions and 20.0 hazardous waste gandrated within the factory promises.

40 Micro, ren/MM

- 5.4 Indusity shall have so placing there exact of poration with regard to have output use as indicates in the Plan. Suprement on in twict no. 657 of 1986 dated 14 th October 2003.
- Authorities don coder Repercipts and Other Waste (Management and Yestebric: dery Movement) Rules-2016. FORM 2 (See the State State
 See the State Code State Stat

FORM HOR GRANT OR REMEWAL OF AUTHORISATION BY STATE FOLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERE, REPROCESSORS, REUSERS USER AND DPERATORS OF DISPOSAL FACILITIES 61. Number of authorization. AVXH-87122, Data of essual 3007/2012

		De Awitinet Awitine Awitinet is the state of the second seco	
S.		of Authorized mode of disposal or Quantity	
No.	' Hazardows - Mas	stellas / recycling on utdization //r. cov [(Ton/Annum)	
1		es tail processing, etc.	
I	and all of those i		
1	1947	1 Callectore, storage, usy sociál ob 300 MTOY.	
		🚬 - disposato LITGEF site 🔄 🔄 🔄 🔄 🔄 🔄	
2.	1.53	Dallection storage, transportation, 0.2 MT,Yr	
i		disposal #1730F site	
2	557 4	Peosption, Collection storage 1506 MTPY:	
		a angport-tion, & Rerefining	
1 <u>4.</u>		Covection, storage venagocialion 95 VT/Yr	
), soosal ⊲1 TGDF s to	
1.		Collection, storage, series/stalling, 4.8 MT(Y)	
i	- CT	decontan: nation	
i 3,	かいたえ じごご	Collection, storage, disposition of 0.2 MT-Yr	_
1 4	M	momental r	
	·		

- 5.2 The authorization is previed to cost site a facility for collection, storage with a factory premises transportanion and Recycle
- 6.3 The approximation that be valid up to 21.63/28/28

80 Vicesprant /NMP

⁵ GENERAL CONCATIONS -



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN Sector-10-A. Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax : (079) 23232156

Website : www.gpcb.gov.in

AT MELTING STORES

6.4 The sufficience of the supersisticate stated below and such other conditions as may be specified in the

rules from time to time under the Environmost (Protoction) Act 1986.

TERMS AND CONDITIONS OF AUTHOR/SATION:

- The applicant shall comply with the provisions of the Environment (Protection) Av. 1966 and the rules made there updet.
- b) The authorization shall be produced for inspection at the request of an officer authorized by the Galarat Pollution Control. Board

B. General Conditions:

A. Conditions under Bazardous and other Westes (M&TM) Rules-2018.

- The Asthonised person shall comply with the provisions of the Environment (Protection) Act, 1955, and the rules made there. з under
- the Authorization or its renewal shat, to produced for inspection at the reduced of an olficer Authorized by the State Pollution Ŀ. Control Board
- The person Automized shall but rand land, self, paneler or of ionvice transport for hezedous and other wastes except what G. is point tool through this sufficiences.
- Any unsubstrized change is personnel equipment or working conditions as succedence in the application by the person đ മാർന്തിലെ ടിഷം താട്ടിവരെ പ്രകേഷം പറഞ്ഞി തെകോറം.
- The person authorised shall implement Emergency Response Freeduline (ERP) (Shydrich this authorisation is being granted. ĉ considering all site specific possible scenarios such as splitages, leakages, the etc. and their possible impacts and also carry. out more driving this regard at requiring rear an interval of time.
- The person authorised shell comply with the provisions outlined in the Central Follution Control Edard guidelines on "mplementing Lisbilities for Environments: Carnagea due to Handling and Disposal of Rezervous Waste and Penalty"
- It is the only of the authorized reason to take gran permission of the State Poll. She Cover 9 band is dose down the facility у.
- The imported historidate and cover entries shall be fully last, earlier transit as well as for any socide hall occurrence and its h. pieson grapesation.
- The record of consumption and fate of the imported bezardous and other wastes shall be maintened. i.
- The nazarbous and other wasto which only generated during repeating or reast- or recovery or pre-processing or utilization of j. imported hower does or other measure at all be began and dispused of server apport to conditions of authorization.
- k The importance priesponal scale carrière nod of import or exponence margarity, chas nates if any,
- I. An application for the renewal of all estimatisation stall be made as is didown unter these Rules.
- Any other conditions for compliance as gentine Guidelines issued by the Ministry of Emirci ment. Powest and Climate Change, m. or Contral Follation Control Board from time to time Annual relates shall be files by up as \$10 for the period ensuring 314 March of the year.
- n.

B. Specific Conditions.

- The authorised aplual user of nazardeas and other wastes shall maintain records of hizerdous and other wastes purchased 1 in a passbook, second by the State PokeBon Control Board along with the authorisation.
- Fanding over of the riszer case ato other wastes to the authorised actual user shall be only effer making the study into the passook of the addel cap.
- In case of renews to such a softward ed compliance report in receive of eligibition scient standards and the conditions specified in the authorization for hazerbous approximentwastes analities supplied to SFUB

Page 3 of 4

Clean Gujarat Green Gujarat

\$0-9001-2008 & ISO-14001 - 2004 Certified Organisation

- 4 The polupier of the /asility shall (proply Statuard operating procedure/ guidesnow published by McER&CC or CPCB or CPCS form three to the
- 5 Contracted controly privations of E-radiated Venagement Rulhs-2018
- Thus states of Hazardays make usual be varied but as yer the wave Managumenth eradby. 5

For and on Sehalf of SUJARAT POLLUTION CONTROL BOARD

I

(Chirag Bhimani) Unit head

Date.

No. 20/004-5:17-41 \$10-43786-

lesued (o; M/S. AROMA PETROCHEM) (ID-13686). ward No. Artor 21108/2011 PLOT NO. ED. GIDG, VARYES, VARTEJ -364001. TAL-DIST-BRAVNA/SAR

Signature Not Verified

Digitally signed by HIMANI CHIRAG Date: 2017.09.20 14:31:09 IST Reason: Secure Document Location: IndiaPage 4 of 6



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone: (079) 23222425

(079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in

By R.P.A.D

-DIUU

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorisation under Hazardous Waste (Management and Transboundary Movement) Rules'2016 framed under the Environmental (Protection) Act-1986.

And whereas Board has received consolidated consent application letter dated 02/11/2017 for the Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(under the provisions /rules of the aforesaid environmental acts)

To; JAWRAWALA PETROLEUM PLOT NO. 200/33, B/H KASHIRAM TEXTILE, NAROL, AHMEDABAD-382405

- Consent Order No.: AWH-90572 Date of Issue: 20/01/2018 1. 2.
 - The consents shall be valid up to 12/02/2024 for use of outlet for the discharge of trade effluent & emission due to operation of industrial plant for manufacture of the following items/products:

Sr. No	Name (Qty:MT/Month)	Existing Quantity	Proposed Quantity	Total Quantity
1	Re-Cycled Waste Oil	600KL/Month	1.	600 KL/Month
2.	Re- refined used oil	400KL/Month		400KL/Month
3.	De Contamination,De toxification and Recycle/Reconditioning of Empty barrels (MS & Plastics)	20,000 No/Month	180,000 No/Month	2,00,000 No/Month
4.	Plastic Scrap Granules	100 MT/Month	1900 MT/Month	2000MT/Month
5.	MS Cut Barrles & Sheets		3,000-MT/Month	3,000MT/Month

Specific Condition

- CCA Order no: AWH-61464 dated: 01/04/2014 shall considered as cancelled,
- Unit shall comply with CPCB guideline for Environment Sound Technology for waste oil/used oil 2) Recycling and also SOP for decontamination of discarded containers/Balreis/drums.
- Unit shall explore the possibility of co-processing for incinerable kinz. Waste in cement industry & shall Submit the progress report for the same.
- 4) Unit shall obtain necessary permission under the Plastic Waste Management Rules-2016.

3. CONDITIONS UNDER THE WATER ACT:

- The quantity of the industrial effluent to be generated from the manufacturing process and other 3.1 ancillary industrial operations shall not exceed 29,600 lits/day. Out of which 2000 lit/day treated effluent (Condensate) shall be reuse and 18,000 lit/day treated effluent shall be evaporated in electricity operated evaporator & 11,600 Lit/day treated effluent shall be incinerated . Thus there shall he No discharge of any industrial effluent within or outside unit.
- The quantity of Sewage effluent from the industry shall not exceed 2000 Lit/day. 3.2

Clean Gujarat Green Gujarat ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Page 246 of 442

- 3.3 Domestic effluent shall be discharged off through septic tank/soak pit system.
- 3.4 The directives issued by the Board from time in view of direction issued by the Honorable High Court Of Gujarat in the matter of S.C.A. 770/95 and any other shall have to be complies with.
- 4. CONDITIONS UNDER THE AIR ACT:

Following shall be used as fuel in Wood & LDO.

Sr.No.	Fuel	Existing Quantity	Proposed Quantity	Total Quantity
1	Wood (04 No) (Furnace)	400 Kg/day	-	400 Kg/day
2	LDO	35L/hour	20L/hr	55 L/hour

4.2 The applicant shall install & operate air pollution control system in order to achieve norms prescribed below

4.2.1 The flue gas emission through stack attached to boiler/furnace/heater shall conform to the following standards:

Stack No.	Stack attached to	Stack height in meter	Air Pollution Control System	Parameter	Permissible Limit
1,	Furnace(Existing)- 3No		Scrubber & guencher		
2.	Heating furnace (Proposed new)-1No Attached to single effect evaporator	30 (Common Stack)	2.3	Particulate Matter SO ₂	150 mg/Nm ³ 106 ppm
3.	Thermic fluid Heater	" 3	2 al	NO _x	50 ppm
4.	DG set (125 KVA)	2.5	XX	/	-

4.2.2 The Process gas emission through stack attached to boiler/furnace/heater shall conform to the following standards:

Stack No.	Stack attached to	ck attached to Stack height in meter		Parameter	Permissible Limi	
L	Cative incinerator for hazardous waste (cap-500 kg/hr)	•	Afkali scrubber	Particulate Matter SO ₂ NO, HCL cl ₂ HF CO TOC	150 mg'Nm ³ 100 ppm 50 ppm 50 mg'Nm ³ 09 mg'Nm ³ 04 mg'Nm ³ 100 mg'Nm ³ 20 mg'Nm ³	



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN Sector-10-A, Gandhinagar 382 010 Phone : (079) 23222425 (079) 23232152 Fax : (079) 23232156 Website : www.gpcb.gov.in

4.2.3

Ambient air quality within and outside the premises of the unit shall conform National Ambient Air Quality standards notified by MOEF vide notification dated 16/11/2009 and mainly to the following

Sr. No.	Pollutant	Time Weighted	Concentration in
1.	Sulphur Dioxide (SO2), µg/m3	Average	Ambient air
	Land Cool, pyrit	Annual	50
2.	Nitrogen Dioxide (NO2), µg/m3	24 Hours	80
100	in browne (NO2), μg/m	Annual	40
3.	Particulate Matter	24 Hours	80
	(Size less than 10 µm) OR PM10 µg/m3	Annual	60
4.	Particulate Matter (Show Mio ug/m)	24 Hours	100
	Particulate Matter (Size less than 2.5 µm) OR PM 2.5 µg/m ³		40
	ALLE	24 Hours	60

The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air 43 emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.,

- The industry shall take adequate measures for control of noise levels from its own sources within the 4.4 premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(a) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a/m.
- The applicant shall provide proper ventilation and exhaust facilities so as to maintain healthy working 4.5 atmosphere within the factory premises/ **GENERAL CONDITIONS: -**
- 5.1
- Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board. Form for grant of authorisation for occupier or operator handling hazardous waste
- AUTHORISATION FOR THE MANAGEMENT & HANDLING OF HAZARDOUS WASTES
- Number of authorisation: AWH-90572 Date of Issue: 20/01/2018 6.1
- 6.1.1 Jawrawala Petrofeum, is hereby granted an authorisation to operate facility forfollowing hazardous wastes on the premises situated at PLOT NO.200/33-, B/H KASHIRAM TEXTILE, NAROL,AHMEDABAD-382405

Sr. No.	Waste	Quantity	Process Category	Facility and Final
1	ETP Waste	1.8 MT/y	35.3	Collection, Storage, Transportation, Disposal at TSDF-NECL Vadodara
2	Discarded Containers	2,00,000 nos./Month	33.1	Reception, Storage, Decontamination & Transportation

Clean Gujarat Green Gujarat ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation Page 248 of 442

3	Used Oil	400KL/Month (4800 KLA)	5.1	Reception, Storage, reprocessing in your unit.
4	Spent Clay	120 MT/yr	4.5	Disposal by Captive incinerator/send to cement ind for co-processing
5	Filer& Filtered Material	0.84MT/yr	* 36.1	Disposal by Captive incinerator/send to cement ind for co-processing
6	Incineration ash	LSO MT/yr	37.2	Collection, Storage, Transportation, Disposal a TSDF -NECL Vadodars
,	Oily Sludge	768 KL/yr	4.1	Disposal by Captive incinerator/send to cement ind for co-processing
8	Waste oil	600KL/Month (7200 KLA)	5,2	Reception, Storage, reprocessing in your unit.

The authorisation is granted to operate a facility for collection, storage, within the factory premises and 6.1.2 as per 6.1.1

The authorisation shall be valid up to 12/02/2024. 6.1.3

したからないというというという

The authorisation is subject to the conditions stated below and such other conditions as may be 6.1.4 specified in the rules from time to time under the Environment (Protection) Act/1986/

6.1.5

- TERMS AND CONDITIONS OF AUTHORISATION rules made there under.
- The authorisation shall be produced for inspection at the request/of an afficer authorized by the Gujarat b) Pollution Control Board.
- The persons authorized shall not rent, lend, self, transfer of otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the d) authorisation order by the persons authorized shall constitute a breach of this authorisation.
- e) It is the duty of the authorised person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- An application for the renewal of an authorisation shall be made as laid down in rule (6) (ii). Ð
- industry shall have to manage waste oil, discarded containers etc as per Hazardous and Other Wastes (Management & T.M.) Rule-2016.
- Industry shall submit annual report by 30th June every year. h)

For and on behalf of Gujarat Pollution Control Board

GUU (Y.A. Tai) Sr. Environmental Engineer

09104/2018

NO: GPCB/ABD/NL/CCA-98 A (3)/ID-11849/ 40634 JAWRAWALA PETROLEUM PLOT NO. 200/33-, B/H KASHIRAM TEXTILE, NAROL, AHMEDABAD-382405.

Page 249 of 442



Saurashtra Enviro Projects Pvt. Ltd.

Integrated Common Hazardous Waste Management Facility

Certificate

Certificate No: 120000023

To Whomsoever it may concern

This is to certify that

ADANI PORTS & SPECIAL ECONOMIC ZONE LTD.

PLOT NO.169/P, AT: NAVINLAL ISLAND, TAL:MUNDRA,

KUTCH

is a valid member of

SAURASHTRA ENVIRO PROJECTS PVT. LTD.

for Integrated Common Hazardous Waste Management Facility.

This membership is valid for a period of

5 Years

Date of issue : 06.02.2019

Date of expiration : 05.02.2024

Place of issue : Surat

For, Saurashtra Enviro Projects Pvt. Ltd.

Director

SUBJECT TO SURAT JURISDICTION

Corporate Office : Detox House, Opp. Gujarat Samachar Press, Udhna Darwaja, Ring Road, Surat - 395 002. (Guj.) p. +91 261 2351248, 2346181 f. +91 261 2354068 e. info@sepplindia.com w. www.detoxgroup.in CIN :- U51100GJ2006PTC047689

Address Name APSCZ, Myrdas	AXIS BARK (TD) ADANI PORT MUNDRA 370421	भारत	94857 152965	MAY 30 2020
Value Rs 300	GUJISOSIAUTH/AV/101/2006		Re.0000	300-P85257
In Word three hum alarlel		INDIA	STAMP DUTY	GUJARAT

Service Agreement

This Service Agreement (hereinafter referred to as the "Agreement"), is made and entered into at Ahmedabad on this 20th May, 2020

By and between

Adani Ports And Special Economic Zone Limited, a Company incorporated under the Companies Act,1956havingCINNo.L63090GJ1998PLC034182 and its Registered Office at Adani House, Mithakhali Six Roads, Navrangpura, Ahmedabad and Corporate office at Adani Corporate House Shantigram S G Highway P.O. Ahmedabad-382421, and its port office situated at Adani Port, Navinal Island Mundra -370421 District Kutch, Gujarat (Hereinafter referred to as the "APSEZL or the First Party" or "the Generator", which expression shall, unless repugnant to the context of meaning thereof, be deemed to mean and include its successors in business and assigns) represented herein by its duly constituted attorney Mr. Avinash Rai (CEO- APSEZ Mundra & Tuna Ports) who is authorized to do so by position he holds at/of the First Part.

And

Ambuja Cements Limited, a Company incorporated under the Indian Companies Act, 1956, having CIN No. L26942GJ1981PLC004717 and its Registered Office at P.O. Ambuja Nagar, Taluka - Kodinar, Amreli, District – Gir Somnath, Gujarat – 362715 having its division/ unit/ section as "Geocycle" that provides specialized services for thermal destruction or recovery of hazardous/ non Hazardous waste material in cement kilns (hereinafter referred to as the "Second Party/ACL" which expression shall, unless repugnant to the context, mean and include its successors and assigns) represented herein by its duly constituted attorney Mr. S Ramarao (MCH- West & South) who is authorized to do so by position he holds at/of the Other Part.

APSEZL and ACL shall be collectively addressed / referred to as "the Parties" and individually as "Party" herein after in this Agreement.

WHEREAS, First Party, is in the business of Port and SEZ Operations and its Plants are situated at Mundra, Kutch, Gujarat (hereinafter referred to as the First Party's "Manufacturing Units") and is in search of disposal of (i) Contaminated Cotton waste (Cat. 33.2), (ii) Pig Waste (Cat. 3.1) and (iii) ETP Sludge (Cat. 35.3) and (iv) Sorted MSW- Non Hazardous (which are generated at First Party's Manufacturing Units during its production process (hereinafter referred to as the "Waste Material"), which is categorized as Hazardous Waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.



1

Page 251 of 442

First party also generates non-recyclable sorted municipal solid waste i.e. dry plastic waste (hereinafter referred to as the "Waste Material"), which is categorized as Non-Hazardous Waste.

AND WHEREAS, Second Party is in the business of manufacture and sale of different types and grades of cement and has the capability to dispose the waste materials in an environment friendly manner in the cement kiln process having high temperature and long residence time (hereinafter referred to as "**Co-Processing**") while simultaneously producing cement of desired quality.

AND WHEREAS, Geocycle is a business unit of ACL that provides specialized services for thermal destruction or recovery of hazardous/non hazardous waste material in cement kilns.

AND WHEREAS First Party has approached Second Party for evaluating the feasibility of safe disposal of the Waste Material which is generated at its Segregation Plant, in an environment-friendly manner and based on the evaluation report, the Second Party has offered to Co-Process the Waste Material generated by First Party's Segregation Plant in the Cement Kiln at its Ambuja Cements Limited, at P.O. Ambuja Nagar, Taluka - Kodinar, Amreli, District – Gir Somnath, Gujarat – 362715 (hereinafter referred to as the "Cement Plant").

AND WHEREAS, First Party and Second Party have agreed that Second Party shall provide the services of Co- Processing the Waste Material in the Cement Kiln at its Ambuja Cement Plant (hereinafter referred to as the "Services"), subject to First Party and Second Party obtaining all statutory clearances, consents, no objection certificate, writings and confirmations as may be applicable from various authorities and Government Agencies for the said purpose.

NOW, THEREFORE, for and in consideration of the forgoing premises and of the mutual covenant herein after stipulated, the Parties hereto, one with the other, do hereby agrees as follows:

1.0 Execution of Services

1.1 Scope

The Second Party shall during the Term of the Agreement (as set out in Clause 7 herein below), provide the Services i.e. Co-Processing of all the consignments of Waste Material of the First Party, delivered to the Cement Plant of the Second Party, which conform to the specification set out in Annexure A attached to the Agreement and which does not contain any of the item listed in the banned item list as set out in Annexure B attached to the Agreement.

1.2 Packaging and Labeling

Prior to shipment of any consignment of Waste Material to Second Party's Plant for the provision of the Services, the First Party shall comply with the following conditions:

- 1.2.1 Arrange to pack the Waste Material in Double layered/High Density Poly Ethylene (HDPE) bags locked properly with plastic locks/properly sealed packed cartons/Bulk/Loose/Bailed form (Bailing should not be done through metallic wires) (Change as per requirement) to avoid any leakages, overall weight of the packing should not be more than 300 X 300 X 300 MM.
- 1.2.2 Label every authorized vehicle (closed container type for transporting Haz Waste) loaded with Waste Material in the format set out in Annexure C attached to the Agreement specifying name of waste, quantity of waste, particle size of waste, size of packaging, Type of waste ("Hazardous/Other Waste") in bold letters both in English and Local Language and with other relevant identification as stipulated under applicable laws
- 1.2.3 Provide the copies of Health & Safety Data Sheet (in the format as set out in Annexure G) with each consignment of Waste Material.







2

Page 252 of 442

1.3 Quantity and Schedule of Delivery

- 1.3.1 First Party shall supply the agreed quantities of Waste Material as set out in Annexure D, generated at its plant, free of all costs and with zero invoice value, to the Second Party's Cement Plant.
- 1.3.2 First Party shall deliver all the consignment of Waste Material from its plant to the Second Party's Cement Plant by road transportation at its own cost and risk as per the delivery schedule set out in Annexure D attached to the Agreement. Either Party may after mutual agreement with other Party, revise the delivery schedule anytime during the term of the Agreement after giving seven (7) days advance intimation in writing to the other Party, prior to dispatch of any fresh consignment of Waste Material as per the delivery schedule as set out in Annexure D attached to the Agreement. All consignment of Waste Material shall be delivered to the storage area(s) at the Second Party's Cement Plant.
- 1.3.3 First Party shall guide the transporter on the measures to be taken in case of emergency during transportation and ensure the compliance of 'Guidelines on Transportation' as set out in Annexure E attached to the agreement during Transportation of Waste Material from First Party's Manufacturing facility to Second Party's Cement Plant.
- 1.3.4 Both the Parties declare and confirm that they shall comply with relevant portion of the Protocols for Receipt of Waste Material as set out in Annexure F attached to the Agreement.
- 1.3.5 The risks and liability associated with the Waste Material shall lie with the First Party till the Waste Material provided by the First Party is accepted by the Second Party at its Cement Plant, as per clause 1.3.8 & 1.3.9 hereof.
- 1.3.6 Second Party shall provide an orientation to the designated transporters, employees, agents and the representatives of the First Party on the applicable statutory provisions and regulations as also Security, Health and Safety Rules including the Health and Safety Policy (set out in Annexure K), as applicable at the Second Party's Cement Plant, prior to commencement of dispatch of any consignment of Waste Material by First Party to the Cement Plant. Provided the First Party shall be responsible for ensuring compliance of all applicable statutory provisions and regulations as also Security, Health and Safety Policy (set out in Annexure K), as applicable statutory provisions and regulations as also Security, Health and Safety Rules including the Health and Safety Policy (set out in Annexure K), as applicable at the Second Party's Cement Plant, by such transporters, their employees and agents and the representatives of the First Party involved in the unloading, transportation and handling of the Waste Material.
- 1.3.7 First Party shall, at its own cost, arrange to get every consignment of Waste Material weighed at an authorized weighbridge and issue the weighbridge challan to the approved transporter while dispatching the consignment of Waste Material to the Cement Plant of the Second Party. The quantity of Waste Material in any consignment delivered by the First Party to the Second Party's Cement Plant shall be determined by the electronic weighbridge installed at the Cement Plant. All Waste Material related reports including inventory list shall be prepared as per the Second Party's electronic weighbridge records maintained at the Cement Plant, which shall be the conclusive documentary proof evidencing the actual quantity of Waste Material received by the Second Party in any consignment dispatched from the First Party's Depot. In the event of any dispute relating to the actual quantities of Waste Material dispatched by the First Party and received by the Second Party, the Parties hereto shall resolve the same in good faith through discussion on the appropriate actions required to be taken for verification and correction of any discrepancy.
- 1.3.8 Second Party shall arrange for unloading, storage and handling of the Waste Material delivered by First Party to the storage area(s) at its Cement Plant in accordance with the Risk Assessment and Crisis Management Plan to be prepared before the delivery of the Waste Material to the storage area (s) of Cement Plant by the Second Party in consultation with the

Page 253 of 442



First Party on the basis of Health & Safety Data Sheet, provided by First Party as set out in Annexure G attached to the Agreement. The costs, risks, liability related to unloading, handling and storage of Waste Material in the Cement Plant during the acceptance process shall be with the First Party. However the cost of unloading, handling and storage during acceptance process has been built into the Service Charges and the First Party need not pay the same separately.

1.3.9 The stores department of the Second Party shall issue acceptance receipt to the First Party within eight (8) days from the date of delivery of Waste Material consignments by the First Party at the Cement Plant of Second Party. If the Second Party delays issuance of such acceptance receipt beyond eight (8) days from the date of delivery of consignments of Waste Material by the First Party, it shall be deemed that Second Party has accepted the consignment of Waste Material along with its risk and liability on and from the end of the eighth (8) day. The Waste Material acceptance receipt issued by stores in charge at the Second Party's Cement Plant shall be the conclusive documentary proof evidencing the acceptance of any consignment of Waste Material by the Second Party for the provision of the Services.

1.4 Non- Conforming Waste Material

- 1.4.1 First Party declares and confirms that all the consignment of the Waste Material delivered at the storage area(s) of the Cement Plant of the Second Party pursuant to the Agreement shall
 - 1.4.1.1 Confirm to the specifications as set out in Annexure A attached to the Agreement
 - 1.4.1.2 Be packed and labeled as per the clause 1.2 hereof
 - 1.4.1.3 Not contain any of the items listed in the banned item list as set out in Annexure B attached to the Agreement.
- 1.4.2 In case, Second Party is in receipt of any consignment that contains banned items or materials other than agreed between the parties as mentioned in Annexure A and/or the requirement under clause 1.2.2 (Packaging & labeling), then Second Party shall be entitled to refuse the acceptance of such consignment and shall intimate the same to First Party with in 24 hrs of the receipt of consignment at Second Party's Plant and First Party shall arrange to transport that consignment at its own cost, expense and risk within 48 hrs from the time of intimation from Second Party on the refusal of acceptance of such consignment. If First Party fails to evacuate such rejected consignment of non-conforming Waste Material as stated above within 1 week, it shall be liable and pay to Second Party liquidated damages at the rate of Rs. 500/- per ton for each day of delay (take approval for removal from RSH for 1 plant/NSH for Pan India) in its evacuation from Second Party shall have the right to forthwith terminate this Agreement.
- 1.4.3 In case if the Waste Material is not conforming to the specifications, as mentioned in Annexure A and/or the requirement under clause 1.2.2 (Packaging & labeling), both the parties shall discuss in order to arrive at a solution with respect to Co-processing that consignment, provided the additional costs towards the same shall be borne by First Party.

1.5 General Responsibilities

- 1.5.1 First Party shall provide all relevant information relating to safe handling and storage practices of the Waste Material, provide reasonable assistance such as supervision required for safe handling and storage of the Waste Material and the inspection and confirmation of the suitability of the storage arrangement made by Second Party to store the Waste Material.
- 1.5.2 First Party shall be solely responsible for ensuring that all precautionary measures are complied with, to avoid any fire, explosion or accident during the loading, transportation and



Special Econom BUB ports MUNDRA * Page 254 of 442

delivery of the Waste Material from the First Party's distribution centre to the storage area(s) of Cement Plant of Second Party for the provision of the Services.

- 1.5.3 First Party shall be responsible for the compliance of all statutory regulations and guidelines as applicable to its employees, agents or representatives engaged in loading, storage and handling of Waste Material at the First Party's plant and for onward dispatch to the Cement Plant of the Second Party.
- 1.5.4 Second Party shall be responsible for the compliance of all statutory regulations and guidelines as applicable to its employees, agents or representatives engaged in unloading, storage, handling and Co-processing of Waste Material at its Cement Plant.
- 1.5.5 Second Party shall be responsible to arrange for all tools, tackles, equipment and laboratory facilities necessary to provide the Services.
- 1.5.6 First Party shall be responsible to depute its representatives and senior executives to attend the meetings and answer any queries raised by Second Party relating to the Waste Material.
- 1.5.7 Second Party shall permit the First Party's designated persons to inspect the Co-Processing of the Waste Material at the Cement Plant, provided that First Party shall give a prior intimation in writing of such inspection to the Second Party.
- 1.5.8 First Party shall have in force and effect and shall maintain at its own cost such policy & policies of insurance as applicable, with a reputable authorized insurer which gives First Party adequate insurance cover in respect of any liability that may arise/ damage that may be caused to person/ property of First Party, Second Party & its contractors and any Third Party.
- 1.5.9 Second Party shall have in force and effect and shall maintain at its own cost such policy or policies of insurance as applicable, with a reputable authorized insurer which gives Second Party adequate insurance cover in respect of any liability that may arise or damage that may be caused to person or property of Second Party, First Party and third party
- 1.5.10 In the event the Second Party is required to comply with statutory regulations and guidelines framed by the concerned authorities or Government Agency relating to emission monitoring for demonstrating the performance of Co-processing of the Waste Material pursuant to the Agreement, the same shall be complied with by the Second Party in consultation with the First Party. Provided, the reasonable costs for the same shall be borne by the First Party.

2.0 CERTIFICATE OF CO - PROCESSING

Second Party shall at the beginning of each month during the term of this agreement, issue to First Party Certificate of Co-Processing for the Waste Material received for Co-Processing during previous month in the format set out in Annexure I attached to the Agreement.

3.0 SERVICE CHARGES AND PAYMENT TERMS

- In consideration of the Second Party providing the Services, the First Party shall pay to the Second Party co processing charges in the following manner:
- 3.1 First Party shall pay to Second Party, Service Charges towards Co-processing at Rs. 5000/-(Rs Five Thousand Only/-) per Ton of Cotton Waste & Rs. 5000/- (Rs Five Thousand Only/-) per Ton of Pig Waste Rs. 5000/- (Rs Five Thousand Only/-) per Ton of ETP Sludge and Rs 10/MT for Sorted MSW- Non-hazardous all are exclusive of any transportation cost.
- 3.2 Second Party shall issue an invoice on monthly basis with relevant supporting documents on First Party against Co-Processing services rendered to First Party on the basis of quantity received during previous month.





5

Page 255 of 442

- 3.3 The charges stated in clause 3.1 above shall be exclusive of all applicable taxes and duties. Applicable tax at the rate of 18 % (OR as per the latest Govt. norms) of the total service charge will be charged.
- 3.4 First Party shall make advance payment towards the proforma invoice as against dispatch planning. The Second Party will issue actual invoice on monthly basis based on material received in a particular month. In case of delay in any differential outstanding payments (with reference to advance payment made) beyond 10 days an **interest at the rate of 18 % per annum** shall be chargeable on the delayed payment.
- 3.5 If there is any dispute about any invoice amount, First Party shall be entitled to dispute the invoice amount within 5 days after receipt of invoice. If First Party does not raise any dispute, it is presumed that the same is acceptable and First Party shall be liable to make any differential payment (with respect to advance payment made) in respect of same within a period of 10 days from date of issue of invoice by Second Party.
- 3.6 All payment for co-processing charges, additional service charges, transportation charges, if any, and interest on overdue payments shall be made either by electronic fund transfer or by Crossed Cheque drawn in favor of "Ambuja Cements Limited" payable at Mumbai.

4. TAXES AND DUTIES

The Parties agree that all taxes, levies, imposts, deductions, charges, duties or withholdings which are assessed, levied, imposed or collected by any Government Central or State or authority and any taxes or levies arising in connection with the Agreement (other than income tax payable by Second Party) shall be included in the debit note issued by Second Party for co-processing charges and other charges, if any and shall be payable by First Party in addition to the co-processing charges and other charges, if any. The First Party agrees to provide the relevant certificate in respect of the income tax deduction at source on the amounts to be paid towards co-processing charges to the Second Party.

Without prejudice to generality of foregoing, First Party shall be responsible for the payment of the stamp duty applicable to the Agreement. Notwithstanding the foregoing, the Parties agree that they shall use their best efforts to obtain exemptions from the payment of any taxes from the concerned Government agency or authority as may be available under applicable laws.

5. STATUTORY COMPLIANCE

- 5.1 First Party shall be responsible for the following regulatory compliances under applicable laws:
 - (a) obtain statutory registrations, clearances, license no objection certificate, writings and confirmations from the concerned authorities and Government agencies, file returns, if required, relating to the loading, transportation and delivery of the Waste Material to the Cement Plant of the Second Party.
 - (b) Pay all applicable taxes, cesses, duties or other levies on (i) the supply of Waste Material to Second Party and (ii) transportation of Waste Material from First Party's Manufacturing Plant to the Second Party's Cement Plant.
- 5.2 Second Party shall be responsible for the following regulatory compliances under applicable laws:
 - (a) obtain statutory registrations, clearances, license, no objection certificate, writings and confirmations, if required, from concerned authorities and Government Agencies for the provision of the Services to the First Party. File returns with the concerned authorities or Government agencies, if required, relating to the provision of the Services.
 - (b) Pay all applicable taxes, cesses, duties or other levies on the Services.

Representations and Warranties of APSEZL

APSEZL covenants, represents and warrants to ACL that:





6

Page 256 of 442

- I. it is in good standing and that it has full authority and all rights necessary to enter into this Agreement and to perform its obligations hereunder according to the terms thereof;
- II. this Agreement is a legal, valid, binding and enforceable in accordance with the terms hereof;
- III. by entering into this Agreement, it is not in breach or future shall not be in breach of any contractual obligation against any third party;
- IV. the person signing this Agreement, on its behalf, has been duly authorized by the APSEZL to execute this Agreement;
- V. it represents that it shall not dispatch any item listed in banned item list as set out in Annexure B to this Agreement.

6. CONFIDENTIALITY OF INFORMATION

- 6.1 All information given by one Party to the other, pursuant to this Agreement in tangible form, which is specifically marked as confidential as well as all intangible information which is specifically conveyed as confidential in writing within 7 days of disclosure of such information, shall be deemed to be "Confidential Information" for the purpose of this Agreement.
- 6.2 The Parties agree that the Confidential Information which has been or will be disclosed by or on behalf of the other Party will be received by the recipient Party in confidence and will be used only for performance under and in accordance with this Agreement.
- 6.3 Each Party acknowledges and agrees that all Confidential Information constitutes valuable, special and unique assets of the business of disclosing Party. Accordingly, the Parties agree that, in the event of any breach of this clause, in addition to any other remedies at law or in equity, the Parties shall be entitled to equitable relief, including injunctive relief and specific performance.
- 6.4 The confidentiality obligations of the Parties shall not apply to the following exceptions:
 - (a) any information which, either Party can demonstrate to the reasonable satisfaction of the disclosing Party, as already available in the public domain;
 - (b) any information which, either Party can demonstrate to the reasonable satisfaction of the disclosing Party, that such information is already available with them from a third party without any corresponding confidentiality obligations;
 - (c) any information which, either Party can demonstrate to the reasonable satisfaction of the disclosing Party, that such information has been originally developed by them without using the Confidential Information .
 - (d) any disclosure which may reasonably be required for the compliance of statutory obligations or for the purposes of legal proceedings.
- 6.5 Any publicity in connection with the Agreement by either Party shall be subject to the prior consent of the other Party.
- 6.6 Upon termination of this Agreement, each Party shall return to the other Party all confidential information (without retaining copies thereof) provided for the purposes of this Agreement.

7. TERM

- 7.1 That this Agreement shall be effective from its Effective Date i.e. date of signing and shall remain valid and binding on the Parties up to 31.12.22 inclusive of the both dates unless earlier terminated pursuant to terms herein below.
- 7.2 Thereafter, both the parties, at its option, may extend the validity of the contract for a further period of months/year on same term and conditions or on the term and conditions as may be mutually agreed between the Parties.





7

Page 257 of 442

8. TERMINATION OF AGREEMENT

- 8.1 Each Party may terminate this Agreement in the following events:
 - a) In case of breach of the terms and conditions of the Agreement by either of the Parties, the other Party, may give a written notice of Thirty (30) days to such defaulting Party, demanding it to remedy such breach. If the defaulting Party fails to remedy the breach within the notice period then the other Party shall have the right to terminate this Agreement with immediate effect.
 - b) If either Party goes into liquidation or is ordered to be wound up by any court of law, the other Party shall have the right to terminate this agreement with immediate effect.
 - c) Any Party hereto may terminate this Agreement in case of Business exigencies, which shall be confirmed in a written document, executed by parties.

Upon termination of the Agreement, each Party shall endeavor to deliver to the other Party all documents and materials belonging to the other Party that may be in each Party's possession or under each Party's control. Provided the Second Party shall have the right to withhold all documents and materials belonging to First Party in the custody of Second Party, until such time all of Second Party's dues and/or invoices towards the co-processing charges, additional services charges, transportation charges, costs, if any, and interest on overdue payment incurred up to the date of termination have been settled by the First Party against the production of such invoices evidencing proof for such dues by Second Party.

8.2 Even otherwise either Party shall be entitled to terminate this Agreement by giving 60 days prior written notice to the other party without specifying any reasons for the same.

9. EFFECT OF TERMINATION

- 9.1 The rights, duties and responsibilities of each Party shall continue to be in full force and effect during the period of notice till the date of termination including the obligation of Second Party to complete the unfinished portion of the Services and the obligation of First Party to settle/pay all dues and/or invoices for the Services completed by the Second Party till the date of termination and/or expenses incurred till the date of termination by the Second Party;
- 9.2 Neither Party shall be liable to the other pursuant to such termination for compensation, reimbursement or damages on account of the loss of prospective business or profits or on account of expenditures, investments, lease or commitments or for any reason whatsoever arising out of such termination as set forth in clause 8 above, which is consequential in nature.

10. DISPUTE RESOLUTION:

- 10.1 Parties shall first use their best efforts to settle amicably any dispute arising out of or in connection with this Agreement. Party raising the dispute shall address to the other Party a notice requesting a negotiation of the dispute within ten (10) days of notification. The dispute shall then be referred for resolution between authorized representatives of Parties to be nominated by them who shall attempt to resolve such dispute by negotiation, and document any settlement that may be agreed, within a further period of thirty (30) days.
- 10.2 If authorised representative are unable to resolve the dispute within thirty (30) days through negotiation, all disputes, controversies and conflicts ("Disputes") arising out of this Agreement or in connection with this Agreement shall be referred for arbitration in terms of the Arbitration and Conciliation Act, 1996 ("Act") or any amendments thereof.



pecial Econon MUNDR Page 258 of 442

- 10.3 The place of arbitration shall be at Ahmedabad and the language used in the arbitral proceedings shall be English. Arbitration shall be conducted by a mutually agreed and appointed sole arbitrator. The arbitral award shall be in writing and subject to the provisions of the Act, shall be final and binding on each Party and shall be enforceable in any court of competent jurisdiction.
- 10.4 Pending the submission to arbitration and thereafter, till the Arbitrator or the Arbitral Tribunal renders the award or decision, the Parties shall, except in the event of termination of this Agreement or in the event of any interim order/award is granted under the afore-stated Act, continue to perform their obligations under this Agreement.

11. GOVERNING LAW AND JURISDICTION

This Agreement shall be governed exclusively by the laws of India. Court of Ahmedabad shall have exclusive jurisdiction to the extent permitted under the applicable provision of law.

12. AMENDMENT

Any amendment and / or variation to the Agreement shall be mutually agreed by the Parties in writing and executed by or on behalf of each of the Parties hereto.

11. SEVERABILITY

If at any time during the term of the Agreement, all or any of the clauses of the Agreement is or becomes illegal, invalid or unenforceable in any respect or declared null and void or illegal under the applicable laws, the same shall not affect or impair the legality, validity or enforceability of any other provisions of the Agreement.

12. FORCE MAJEURE.

Force Majeure means any unforeseen event or circumstance that is beyond the reasonable control of either Party, which event cannot by exercise of reasonable diligence be prevented or caused to be prevented, and which adversely affects such Party's performance of its duties and obligations or enjoyment of its rights under this Agreement. Neither Party shall be considered in default in the performance of its obligation under the Agreement, if such performance is prevented or delayed on account of war, civil commotion, strike, epidemics, pandemics accidents, fires, unprecedented floods, earth quake or because of promulgation of any law or regulations by the Government, unforeseen breakdowns, operational and maintenance stoppages at the First Party Manufacturing Plant or the Second Party's Cement Plant or on account of any other Acts of God. At the time of occurrence of a force majeure condition, the affected Party shall give a notice in writing with documentary proof within Fifteen (15) days from the date of occurrence of the force majeure condition indicating the cause of force majeure condition and the period for which the force majeure condition was likely to subsist. The Parties shall resume to the performance of their respective obligations after the force Majeure condition comes to an end and this agreement shall suitably be extended proportionate to the period of such Force Majeure condition. In the event the affected Party is prevented from fulfilling its obligation under the Agreement owing to the force majeure condition continuing for more than Thirty (30) days, both Parties shall consult each other regarding the continuation of the Agreement including early termination as set forth in clause 8 above. Parties shall not be entitled to any kind of damages in case of termination due to such Force Majeure situation.



Page 259 of 442



13. SUSPENSION

Second Party may suspend Services upon prior written notice to First Party, if First Party fails to:

- (a) make timely payment against invoices raised for co-processing charges beyond Sixty (60) days from the normal date of invoice,
- (b) evacuate the rejected consignment of non conforming Waste Material from the Second Party's Cement Plant within the Ten (10) days period as stated in clause 1.4 above or
- (c) deliver Waste Material as per the Delivery schedule set out in Annexure D.

Notwithstanding whatever is contained herein, in case if Parties could not resolve the issue regarding to non evacuation (as afore mentioned in Clause 13), by mutual consultation within 2 days then, Second party shall have option to terminate this agreement forthwith, Such termination shall be without prejudice to any other rights under Law, available to Second Party.

14. INDEMNITY

First Party shall indemnify, defend and hold harmless Second Party and its directors, employees and agents from and against any and all claims, demands, fines, losses, damages, costs, penalties, expenses, actions, suits or proceedings, injuries, monetary liability on account of injury to/ death of any person, costs of response to any governmental inquiry, liability for loss of or damage to property or for loss or damage arising from attachments, liens or claims of materials, men or laborers, and cost of response to Governmental enquiries, reasonable attorney and consulting fees and costs relating to any of the foregoing ("Claims"), arising from First Party's performance of the Agreement or resulting from First Party's acts or omissions or from First Party's tender of Waste Material or from First Party 's breach of the Agreement. The foregoing indemnification shall not apply to the extent such Claims are the result of Second Party's breach of the Agreement.

Second Party shall indemnify, defend and hold harmless First Party and its directors, employees and agents from and against any and all claims, demands, fines, losses, damages, costs, penalties, expenses, actions, suits or proceedings, injuries, monetary liability on account of injury to/ death of any person, costs of response to any governmental inquiry, liability for loss of or damage to property or for loss or damage arising from attachments, liens or claims of materials, men or laborers, and cost of response to Governmental enquiries, reasonable attorney and consulting fees and costs relating to any of the foregoing ("Claims"), arising from Second Party's performance of the Agreement or resulting from Second Party's acts or omissions or from Second Party's breach of the Agreement. The foregoing indemnification shall not apply to the extent such Claims are the result of First Party's gross negligence, willful default, acts or omissions or statutory non compliance or from First Party's breach of the Agreement.

15. NON WAIVER

Any delay or omission on the part of each Party in exercising any rights provided under applicable laws or under the Agreement shall not impair such rights or operate as a waiver thereof. The partial exercise of any right provided under applicable laws or under the Agreement shall not preclude any other or further exercise thereof or the exercise of any other rights under the Agreement.







10

Page 260 of 442

16. VALIDITY

If at any time during the term of the Agreement, all or any of clause(s) of the Agreement is or becomes illegal, invalid or unenforceable in any respect under the applicable laws, the same shall not affect or impair the legality, validity or enforceability of any other provisions of the Agreement.

17. ASSIGNMENT

Neither Party shall have the right to assign or transfer its rights and obligations under the Agreement to any third party or person without the prior written consent of the other Party

18. SURVIVAL

Upon termination or expiry of the Agreement Clauses 3 (Service Charges and Payment Terms), Clauses 4 (Taxes and Duties), Clauses 5 (Statutory Compliance), 6 (Confidentiality of Information), 9 (Effects of Termination), 14 (Indemnity) and 20 (Jurisdiction) will survive such termination or expiry and continue to bind the Parties.

19. NOTICE

Unless otherwise provided in the Agreement, any notice, report or other communications given or made under or in connection with the matters contemplated by or arising from the Agreement, shall be deemed to have been duly given or made if sent by personal delivery or registered post or speed post or by facsimile transmission or upon receipted delivery at the address of the relevant Party at the addresses mentioned above.

20. ANTI BRIBERY & CORRUPTION DIRECTIVES (ABCD)

APSEZL is aware that ACL has instituted a whistleblower policy to promote the highest standards of professionalism, honesty, integrity and ethical behavior within the organization. APSEZL declares that it has not paid or agreed to pay any favor either in cash or kind to any of the officials of ACL either directly or indirectly to secure this Agreement and further undertakes to promptly inform ACL if any such demand is made in future by any officials either directly or indirectly. APSEZL is also aware that if it is found indulged in any of fraudulent, unfair or unethical practices, APSEZL shall be liable for such action as per the prevailing law including termination of this Agreement by concurrent notice. Please see Annexure – L in this regard.

21. RELATIONSHIP OF PARTIES

Nothing contained in the Agreement shall be construed as the engagement of Second Party as an agent or partner of First Party. The relationship between the Parties shall be principal to principal, it being clearly understood that it is a "contract for services" and not a "contract of services" and does not create and shall not be deemed to create any partnership, joint venture or a principal agent relationship between the Second Party and First Party. Further First Party shall not be entitled to by act, word, deed or otherwise make any statement on behalf of Second Party or in any manner bind Second Party or hold out or represent that Second Party is representing or acting as agent or partner of the First Party.

22. NON EXCLUSIVE ENGAGEMENT

First Party hereby grants to Second Party a non-exclusive right, on the terms and conditions contained herein, to provide the Services. Nothing herein contained shall prevent or prohibit First Party from engaging other Parties for the provision of the Services. It is clearly understood between the Parties hereto that Second Party shall also on their part be at liberty to





Page 261 of 442

be engaged by other manufacturers who generate waste material in the process of manufacturing finished products for the provision of the Services.

23. HEADINGS

The paragraph headings contained in the Agreement are for the convenience of the Parties and shall not affect the meaning and interpretation of the Agreement.

24. **ENTIRE AGREEMENT**

The Agreement along with its annexure embodies the entire understanding between the Parties hereto and supersedes all previous correspondence, agreements and understanding, if any. This agreement shall be executed simultaneously in Two (2) counterpart originals, but shall, nevertheless together constitute one and the same instrument.

IN WITNESS WHEREOF this Agreement is executed in two counterparts on the day and year first above written. Each Party hereto shall preserve one counterpart of the Agreement.

SIGNED AND DELIVERED for and on behalf of

Adani Ports And Special Economic Zone Limited, by the hand of its authorized signatory,

Sh. Avinash Rai (CEO)

in the presence of:

1.

Signature of Witness 1,

2.

Signature of Witness 2,

Chiragsing Rajput (Name of Witness 1) Eco,

MUNDRA

oorts

Dhanesh Tank (Name of Witness 2)

SIGNED AND DELIVERED for and on behalf of

Ambuja Cements Limited, by the hand of its authorized signatory,

in the presence of:

1.

Signature of Witness 1,

115	32		87	1
15	N	的川	A.	1
12	1		13	1
16	33	93	681	11
1	Y.	4.1	Ŋ	83

S. RAMARAD

(Name of Witness 1)

2.

Signature of Witness 2,

(Name of Witness 2) al Ecor MUNDRA

ANNEXURE A Results of analysis of samples sent by First Party to R&D of Second Party

Components	Contaminated Cotton Waste	Pig Waste	ETP Sludge	Sorted MSW
% Moisture	6.4	15.86	6.65	7.22
NCV (Kcal/Kg) (ODB)	4810	5522	2568	4133
% S	0.68	0.25	2.79	0.012
% C1	0.87	0.21	0.39	0.65

1. Waste Material Specifications: Waste Materials (as received)

Note:

- Waste should be properly sealed and packed in bags as mentioned under Clause 1.2 (Packaging and labeling hereof).
- Waste should be consistent in terms of quality and similar to the samples send for testing to our lab.
- The above specified values other than moisture content can vary with in the +/- 10 % range.



yer.



13

Page 263 of 442

ANNEXURE B List of Banned Items

Waste Material dispatched by First Party's Manufacturing Plant to the Second Party's Cement Plant shall not contain following items that are in the banned item list of Second Party for Co-processing.

- Radioactive waste
- Asbestos-containing waste
- Explosives and ammunition / weapons
- Anatomical medical waste
- Electronic fraction of electrical and electronic waste (e-waste)
- Whole batteries as a targeted material stream
- Waste of unknown or unpredictable composition, including unsorted municipal waste

ANNEXURE C

Format for labeling of the Hazardous and other Waste bags/individual containers

FORM 8

[See rules 17 (1) and 18 (2)]

LABELLING OF CONTAINERS OF HAZARDOUS AND OTHER WASTE

Waste category and characteristics as per	Incompatible wastes and substances
Part C of Schedules II and III of these	
rules	
Total quantity	Date of storage
Physical State of the waste (Solid/Semi-sol	ia/liquia):
, , , , , , , , , , , , , , , , , , , ,	
Sender's name and address	Receiver's name and address
Sender's name and address	Receiver's name and address
Sender's name and address Phone	Receiver's name and address Phone
Sender's name and address Phone E-mail	Receiver's name and address Phone E-mail

Note:

- 1. Background colour of label fluorescent yellow.
- 2. The word, 'HAZARDOUS WASTES' and 'HANDLE WITH CARE' to be prominent and written in red, in Hindi, English and in vernacular language.
- The word 'OTHER WASTES' to be written prominently in orange, in Hindi, English and in vernacular language.
- 4. Label should be of non-washable material and weather proof.





MUNDRA MUNDRA

Page 264 of 442

ANNEXURE D

Quantity & Delivery Schedule

First Party, during the term of the agreement, shall deliver the following quantities of Waste Material to ACL's Cement Plant on yearly basis.

Contaminated Cotton Waste : 150 MTPA Pig Waste : 15 MTPA ETP Sludge : 10 MTPA Sorted MSW: 450 MTPA

First Party, during the term of the agreement, shall deliver the Waste Material to the Second Party's Cement Plant on monthly basis as per the mutually agreed delivery schedule. The delivery schedule of the month will be prepared by the party's through mutual consent and will be finalized before 20th of the earlier month.

In case of any change or modification required in the agreed monthly delivery schedule of a particular month by either party, the same shall be brought to the notice of other party at least seven days in advance or as mutually agreed.





Page 265 of 442

ANNEXURE E

Guidelines for Transportation of Hazardous Waste**

First Party shall ensure the following during Transportation of the Waste material:

- 1. Transport Vehicle used for transporting the Waste Material should have valid authorization for transportation.
- 2. Transporter /driver shall be licensed for collection and transportation of the Waste Material
- 3. Properly sealed and labeled containers/bags of the Waste Material should only be loaded into the Transport vehicle and there should not be any indications of potential hazards (e.g elevated temperature, barrel expansion, smoke, spillage, leaks);
- 4. Transport vehicle should be clean, fit for use and all safety equipment should be operational and easily accessible.
- 5. Transport vehicle used for transportation of waste material shall be marked with an emergency information panel and should be easily identifiable (number plate)
- 6. Only the compatible waste materials should be transported together
- 7. Transporter / driver shall carry 4/5 (Four/Five as the case may be) copies of manifest and shall be guided on the proper movement of the manifest documents.
- 8. Transporter/driver should be provided with relevant information in Form 11 (Transport Emergency (TREM) Card) of Hazardous and other Wastes (Handling and Transboundary Movement) Rules 2016, regarding the Hazardous nature of the waste and measures to be taken in case of any emergency
- 9. Logistics should be clearly defined for minimizing OH & safety risks
- 10. All relevant legal requirements for transportation should be fulfilled
- 11. Suitable specific emergency response procedures / crisis management plan and equipment should be in place and driver and cleaner should be trained accordingly.

** Please note that the above mentioned Guidelines for Transportation of Waste Material does not relieve First Party from the applicable statutory provisions and regulations relating to Transportation of Hazardous Waste such as Motor Vehicles Rules, 1989 and CPCB guidelines for Transportation of hazardous waste.







Page 266 of 442

ANNEXURE F

Protocols for Receipt of Waste Material (Hazardous waste)

The following procedures shall be followed when receiving Waste Material at the Cement Plant of Second Party:

- Transporter will report to the Second Party's security gate for delivery of the Waste Material at storage area(s) of Second Party's designated Cement Plants.
- Second Party's security officer shall inform the concerned officer of the designated Cement Plant.
- Second Party's Cement Plant officer will undertake following activities:-
- (a) Receive all relevant documents from the First Party's Transporter including;
 - (i) Delivery document
 - (ii) Certificate from the First Party specifying conformance to the waste specifications.
 - (iii) Invoice indicating zero payment by second party
 - (iv) Health & Safety Data Sheet of each of the material
 - (v) Manifest Form (7-copies as the case may be) and other necessary documents as per the statutory requirements.
 - (vi) Any other document mutually agreed between the parties.
 - (b) Second Party shall arrange and record the weight of the Transport vehicle on the weigh bridge installed at the plant before and after unloading of the Waste Material at the designated storage area.
 - (c) Second Party shall make necessary arrangements for unloading of the Waste Material at the designated storage area(s) and shall arrange to store the consignment of Waste Material the designated storage area, as per the date on which the consignment is delivered to the cement plant and shall also record the no. of bags, date of delivery, consignment no., truck no. etc. in the inventory sheet as set out in Annexure H attached to the Agreement.
 - (d) Second Party shall arrange to conduct inspection and sampling of the Waste Material as required and report to the First Party whether the Waste Material is conforming to specifications list in Annexure A and Annexure B with in eight (8) days of receipt of Waste Material.
 - (e) Incase Waste Material is not properly sealed/ packed as set out in clause 1.2 (Packaging/Labeling), Second Party shall inform the same to First Party and both the parties shall discuss and arrive at solution for safe handling and disposal of waste material.
 - (f) Second Party shall keep the storage area locked with appropriate surveillance by the security.
- (g) To attend any emergency situation, the Second Party shall maintain a copy of the risk assessment and crisis management plan with its security officer and also with its concerned officer.
- (h) Second Party shall ensure the proper movement of the manifest form at each stage as set out in Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016.
- (i) Second Party shall submit returns to the Authorities in the Form 4 as set out in Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016 and the format for the same is attached with this Agreement as Annexure J.





Page 267 of 442

ANNEXURE G (Health & Safety Data Sheet) – Contaminated Cotton Waste

-**	Customer	/ Waste Qu	alification	Form	2000	HEALTHA SAFETY
NUCL IN ADDRESS OF THE	and manifesters and that Associated State	www.parted.a.vena.bol.met.m	NAMES OF STREET	The statest BFE	Autom to Lotte	antimet .
	minuted Cotton & Rags	CHARLEN	duality of origin	SLLS	Orts (Terminer)	of the local division in which
istie x moravetate		HAUFAIR INDOCTO	101-			States of the local division in which the
Contraction of the local division of the loc	A COLUMN TWO IS NOT		~	~	~	~
A			(sec)		$\langle \mathbf{e} \rangle$	(1)
V		\sim	\sim	nuus Hum kazarā	Car La re	fremmentale brinding
	y N	Hight Based	Auto Rocch Pr		11	17
S.	A	•		NUMBER OF STREET, N	.m.	ha Queborite
18	A	A	as	A	1	
	/Ex1		V	-1001-1 TERCT	Ser.	
	Sub-erts Call MIT	Contraster line	Estimation	Interation	The Balletin	
Company Harter		[N]	[N]	IN N	н	
	Berne	ligen	Law 20	Construct .	and the party of the	
Prof	adonny of Delaig is How Di Asserti Tagi	Euroendary the Oeen	entienni Dagetoin Loop	n Landi yen a bar M	In the local division in the local divisione	
Providenty of Parastrang OE	Contraction / Hedge music		and the research the	10101	the second s	Conceive
	Head Ti hassets	Acute Tax Na Acoio		Serious Heats	and the second se	Not Applicatio
r sys cortan	Law	Nethope	-	The Aconus		Not Apprimold
skin Godaci		Na Ansin	hinii ann	Not Applied		Tiel Appliable
(infakeine)	The .	s-taobs		Not Applicat	Address of the Owner	Ber Applitable
ylogester	1.74	Producting of land	CONTRACTOR OF THE OWNER	Car Car Car	A STATE OF	at a free and a street of the
with \$ 1, to ->	Formation of Topic Vision	lavitar asst		Experience and in	e cerei	⊄oyoeriseian occe
i high ann an	Lów	Liw		7.9%		1922 Appleasin
Inder not pressult	Line	(DW		LDM		Net Applicable Net Applicable
Arien exposed to Wolar	LTW	LOW		1.04		Lite Access the
exposed to A	Lew	Low				Ne sees atte
Vhen muc (sed to Auli) Dans	LOW	Low		208	all and a second	Applicable
Wer	Not approxime	NO ALLER	50012	Not Applies	1040	
lommenta	The material is called dather	confidentiative) with oil	l. It is germal itti	and hereit a	to eyes, skill or	CITAINO, FIN IMAND
Collinson and the second		Enter	nelce	- in the second		The Party Name
apropriete resolutes	DCP mainten guistenteen We	B	•21			
NADER OF STATES	Julia (Mily					
Suitstèle media	Une extractors hing media such a	& CO2 FORK POCE	NUCLES AND ADDRESS	ir		
Specific revolutional	HIM ANY		TELES.	And in case of the local division of the loc	Contraction of the	of the Local Division in which the local division in which the local division in the loc
APPART IN ADDRESS OF THE OWNER	the same with	and a second s		a land and a land		
Сня нар Россвёнка	Come the area will hard brook					
Finddhery proceduated	COCRESSION A CC. Burger #1%				-31	
Olegona secolatives	AV NUMBER OF THE OPEN DESC	B. M. HP. Versen =1	1185473544			
NAME OF THE ADDRESS OF THE PARTY OF THE PART	Toron (P	Gray of protocilizer of	(b) For 100 (1+ 02210)	UNCLARKA PREI	and and a strength	
Cinnung v 18a	er suite	ipye Prisiation	Y Parenty goog	45	Respiratory	Celesign mit
	CPy man	Pians.	Y NES geves.		Other	- Louis
	and a second sec	THE OWNER WHEN THE	A DECK OF THE OWNER.		A DESCRIPTION	S.M. Million Providence
A paradity fill make according	vices and the second state of the second state					natec dething, van hinwe est X/64, if separatory
in appropriate memory a	(Fish any)					
Affizievit do be completed	the second se	R delivered to Laterp noise	eHolom (Georys	se contone s jo ti	te ebove descri	pton, and that at 1988m.
Data: (Milminiyyyn						
(Nerrise)		=celtor:			Signe	6.00
100 C						







18

Page 268 of 442

Pig Waste


* geocyda			WAS	STE	PROFILE HEALTH				
Waste Nome	Pig Ward	Wants			Industry of ungePorts & SEZ				
A STATE OF		Part Della	Hakeria	1011170			in the or the		
Available	12	1	1900 BW	y data sheet					
Flammable	-		Haza	eef Edmi	STITICALLIN	Sec. 2 Sec.	-	-	
Corrosive	-	Harmful	-	123		contact	PIC	-	-
Reactise		Toxic	-	9		contact.	0		
Respirable	-	Carolnog	10.0	1	By nha		2		
Comments:		Tearching	10.11	4	Oy inge	itian	100		
Committees:	1.1								-
Acid realistant clot	and a second	and the second second	Pers	enal pr	ntechion	and the second	-	_	
Fail protection ma		10	Selety g	loves			Safety hely	44	(2)
Commenta	DR.		Respiren	ar		8	Safety Gogg	ins i	0
Commenta					Use all in	Balaton		11	
A STREET, STRE		-	Contraction in	Sec. 1	The second second			-	
In case of eye con	tact .	wash the syns with water for 15 monutes, and if imitation persist scould the							
In case of skin con	L MILL N	doctor doctarely and a second person consult the							
the same of skin con	ANCE	Notion Notion contaminated clothing and wash the area with milly soles and water, if EchingArritation persist contail the doctor							
In case of Installution	30	Unangfer:	the person	thin Broke	D and and	erstet ene	Mail the stoc	ip:	
and the second se	CALL	transfer the parson to fresh er, and if respiratory deconitisit persist consult the doctor immediately							
In case of Ingestio	n .	commute the director							
Any specific Antido	tun	Animale the molton							
						it any			
	-			instru		Contraction of the	-	-	
Extinguisher Type		water/DCP	Sype extra	Quishe	1122		1111	-	-
happropriate meas	ures							_	_
	A	mat any							
Specific visika / Instr	uctains	not any					1.1		
ALL STREET, MARKING	Contractor of	Network	fipili i	(USER-S)	Lindente	-	-	-	-
HERGONEY NUMBE	1000	Mr. Kalpesh Kothan 1 8980015248 - 11 Mr. H P Meaning \$493022344							
Seature procedures	1	collect the material with soft broom is begs							
acostery procedures									
		collect the material is bligs							
Asposal procedures on processing in cell			on cente	nit klim	1.00			-	
ontact in urgent cases ins mentioned above					-		-		
				USIDERE	-				
mmants : The met		7				and the second			
ALCOHOLDER & LINE PRINT	PUPLIER PERSON	In children in sec.	CONTRACTOR OF	AT LOUGH DURING	and the second se	44.5	ISSE COLLE	3.3	





Page 269 of 442

ETP Sludge







MUNDRA Lin

Page 270 of 442

Sorted MSW

** geocycle	WASTE PROFILE							HEALTH &	
0					1			Contract of the	
Waste Name	Mixed Selic	1			Industry of onginPertu				
	Sector 1	Chings:	Male	TING IN	e date sta	Inter	Circles Street	(*	
Available	100	1. m. 2		inilabite					
		110.00	in res	cardo antico	ntvication		1001 - 1 - 111	Contractory of the	
Rammable		annant.	the second se						
Contasive	0	Hamplu		11	By skin i		1		
Reactive	-	Taxic		LU	By initial		(SE):		
Respirable		Carcino	gén		By inges	tion :	12		
Comments:	Der mitterfalle erret, situr als			ALL WEIGH	hun sat wit	t va ak	ter. It is personal and	unt and have to be	
A STREET	1127	F1 80.00	COLUMN AT	requel p	rélection	100	SPACE PROPERTY.	A DESCRIPTION OF TAXABLE PARTY.	
Adid resistant de	itnes			gloves		0	Safety nelmet	2	
full protection m	ask.	0	Respir	notor			Safety Google	8	
Comments		West 3	PE like u ó	ther man	diatory PPE	tor, he	timet and safety ins moderate oc	goggles along an lour.	
11.00				First		10-12-	Manager Resture	THE REAL	
In case of eye of	intact	wash with pierky of water for 15 minutes, if irritation persist consult physician immediately							
In case of skin o	ontact	Periodic contaminated clothing, work the area with rold soop and naming water if its implements current the physician immediately.							
In case of Inbide	ition	shift the person to a fresh area, if respiratory discomfast perset consult the physician immediately							
In case of Inges	blam	If ingested consult the physician investigately							
Arry specific Arm	dote	not any							
		Contraction of the	11-12-1	rana anna	nuction	11000	- 11 C - 11	COLUMN THE OWNER	
Extinguisher Typ	8	DCP type extinguisher/water type							
Inoppropriate m	dasures	nol, any							
Specific risks / le	structions	rol any							
All and the second second	-	-		GHU ANNS	un trierte	2031			
PREASURES INC.	Maren	Mr. Skallesk Parmer - 9099002003, Mr. Prashant Saxona - 9898506058							
Clean-sip proced	unes	clean the area with hard broom							
Recovery proced	lures -	collect i	he mare	niel im bag	p with sto	wel	5	-	
Disposal procedu	1/85	co processing in camera klin							
Contact in urgan	rgant saves as mentioned above								
	HEAT HEAVY	11, 11		Team	uniter :	1.		Total and	
Hazard code			Trans	port cada			Watte code	1	

Comments: The material is slight acids in nature having ru odcor. While Handhing wear safety goggles, respirator, safety shoes and helmet.



ANNEXURE H

Inventory List - Format for maintaining records of Waste Material

FORM 3 [See rules 6(5), 13(7), 14(6), 16(5) and 20 (1)]

FORMAT FOR MAINTAINING RECORDS OF HAZARDOUS AND OTHER WASTES

- 1. Name and address of the facility
- 2. Date of issuance of authorisation and its reference number
- Description of hazardous and other wastes handled (Generated or Received)

Date	Type of waste with category as per Schedules I, II and III of these rules	quantity (Metric	Method Storage	of	Destined to or received from

* Fill up above table separately for indigenous and imported waste.

4. Date wise description of management of hazardous and other wastes including products sent and to whom in case of recyclers or pre-processor or utiliser:

5. Date of environmental monitoring (as per authorisation or guidelines of Central Pollution Control Board):

Signature of occupier

Date.....

Place.....







ANNEXURE I

CERTIFICATE OF CO-PROCESSING



Certificate of Co-Processing

Issued To: Adami Ports And Special Economic Zone Limited Invoice No: Date: 31/05/2020

This is to certify that we have taken receipt of the following quantities of Contaminated Cotton Waste, Pig Waste & ETP Sludge, Sorted MSW sent by Adani Ports And Special Economic Zone Limited for Pre and / Or Co-processing in our Cement Kiln during the period 01/05/2020 to 31/05/2020. The same would be safely and completely disposed off within 90 days of receipt and thereafter will not exist.

Waste Name: Contaminated Cotton Waste Quantity (Tons):

Waste Name: Pig Waste Quantity (Tons):

Waste Name: ETP Sludge Quantity (Tons):

Waste Name: Sorted MSW Quantity (Tons):

Authorized Signatory

Ambuja Nagar Cement works





23

Page 273 of 442

ANNEXURE J- Format of Form 4

FORM 4

[See rules 6(5), 13(8), 16(6) and 20 (2)]

FORM FOR FILING ANNUAL RETURNS To be submitted to State Pollution Control Board by 30th play of June of every year for the preceding period April to March]

- 1. Name and address of facility:
- Authorisation No. and Date of issue:
- Name of the authorised person and full address with telephone, fax number and e-mail:
- 4. Production during the year (product wise), wherever applicable

Part A. To be filled by hazardous waste generators

- 1. Total quantity of waste generated category wise
- 2. Quantity dispatched
 - to disposal facility (f) (ii)
 - to recycler or co-processors or pre-processor
 - CIED others.
- Quantity utilised in-house, if any -
- Quantity in storage at the end of the year –

Part B. To be filled by Treatment, storage and disposal facility operators

- 1. Total quantity received -
- 2. Quantity in stock at the beginning of the year -
- 3. Guantity treated -
- 4. Quantity disposed in landfills as such and after treatment -
- Quantity indinerated (if applicable) -
- 6. Quantity processed other than specified above -
- 7. Quantity in storage at the end of the year -

Part C. To be filled by recyclers or co-processors or other users

- Quantity of waste received during the year domestic sources imported (if applicable) (iii)
- Quantity in stock at the beginning of the year -
- 3. Quantity recycled or co-processed or used -
- 4. Quantity of products dispatched (therever applicable) -
- 5. Quantity of waste generated -
- 6. Quantity of waste disposed -
- 7. Quantity re-exported (wherever applicable)-
- 8. Quantity in storage at the end of the year -

Signature of the Occupier or Operator of the disposal facility

Date Place.....





24

ANNEXURE - K Health and Safety Policy of ACL







HEALTH & SAFETY POLICY

Ambuja Cements Limited is an industry leader in the building materials industry.

We conduct our business in a manner that creates a healthy and safe environment for all stakeholders - our employees, contractors, communities and customers - built on a sound health and safety culture.


Health and Safety is our core value. We believe in visible leadership and personal accountability for Health and Safety at all levels and throughout our organization.

Nothing we do is worth getting hurt for.

Our Commitment We will:

- Conduct our business with a goal of zero harm.
- Provide safe, healthy and secure work conditions for employees and contractors.
- Maintain a global Health and Safety Management System designed to continuously improve our performance and actively minimize risk in our business.
- Comply with applicable legal, regulatory, industry and corporate requirements.
- Communicate openly with all stakeholders on relevant health and safety issues.
- Empower all employees and contractors to stop any unsafe work.

Date of Issue: 21st February 2020







25

Page 275 of 442



Ambuja Cement	we care	Ambuja Cement	we care
Health & Saf Rule 1 Lassess and control risks be Rule 2 Lonly perform activities for r Rule 3 Lonever ovenide or misu devices, and Lalways use 1 Rule 4 Lonot work under the in drugs. Rule 5 Lreport all incidents. Living by these rules employment.	efore starting any task. which I am authorized. se health and safety he required PPE.	स्वास्थ्य और स नियम 1 कोई भी कार्य शुरू करने से पह और नियंक्षण करता/कारता हूं। नियम 2 भी केवल उन गतिविधियों को व मी केवल उन गतिविधियों को व मी अधिकृत हूं। नियम 3 मी कभी भी स्वास्थ्य और स उल्लंधन या दुरुपयोग नहीं आवश्यक PPE (निजी सुरक्षा स करता/करती हूं। नियम 8 मी कभी भी शराब या मादक करता/करती हूं। नियम 5 मी सभी हादसों की रिपोर्ट करत इन नियमों का सक्रिय रूप से 1	े इसे में जोजिमों का आकलन करता/करती हूं जिनक लिए मुरक्षा संबंधी उपकरणों क करता/करती हूं, तथा सदैव बंधी उपकरण)का इस्तेमाल पदार्थों के नशे में कार्य नहीं प(करती हूं।

Cement

© Amisuja Coments Ltd. 2015







26

ANNEXURE – L

Anti Bribery & Corruption Directives (ABCD) of Ambuja Cements Limited

1. Prohibition of Corrupt Payments

First Party affirms that it has not and agrees that it will not (in connection with Services under this Contract or in connection with any other business involving Second Party) make, offer, promise, agree to make or authorize any payment or transfer of anything of value, directly or indirectly to:

(i) any Government Official (defined hereunder);

(ii) any political party, party official or candidate;

(iii) any person while knowing or having reason to know that all or a portion of the value will be offered, given or promised, directly or indirectly, to anyone described in items (i) or (ii) above;

(iv) any owner, director, employee, representative/agent of any actual/potential customer of Second Party;

(v) any director, employee, representative or agent of Company or any of its affiliates; or

(vi) any other person or entity if such payment or transfer would violate the laws of the country in which it is made or the FCPA or the laws of any other relevant jurisdiction as applicable.

It is the intent of the parties that no payments or transfers of value shall be made which have the purpose or effect of public or commercial bribery, acceptance of or acquiescence in extortion, kickbacks or other unlawful or improper means of obtaining business or any improper advantage.

2. Anti-Corruption Policy

First Party acknowledges that it has been provided with a copy of Second Party's Anti-Bribery and Corruption Directive, confirms its understanding of the directives established by that document, and agrees to comply with that policy in connection with its work for Company.

3. Audit Rights

Second Party shall be allowed reasonable access to First Party's books, records and other documentation related to this Contract or First Party's transaction with Company and shall have the right to audit First Party on a periodic basis.

4. Cooperation on Disputes

First Party shall cooperate with Company in regard to any inquiry, dispute or controversy related to a suspected or alleged violation of the Foreign Corruption Practices Act (FCPA), if applicable, Anti Bribery & Corruption Directive (ABCD) and all the applicable related statutory compliances in which Second Party may become involved and of which First Party may have knowledge. Such cooperation shall include disclosure of relevant documents and financial information, and interviews of First Party's personnel. Such obligation shall continue after the expiration or termination of this Contract.

5. Use of Third Parties (Sub-Contractor)

First Party shall not use any other party, individual or entity to provide any part of the Services that the First Party is required to provide under this Contract, without the express prior written approval of Second Party.

First Party hereby affirms that it shall obtain an assurance from each of such Sub Contractors that he/it will comply with all the applicable statutory compliances, FCPA, if applicable, Second Party's Code of Conduct and the ABCD, and will take no action-that might cause



27

Page 277 of 442

Second Party to be in violation of such laws and policies. All contracts/agreements between First Party and Third Parties will be subject to review by Second Party. Any subcontracting third party is subject to due diligence under Second Party's due diligence procedures before being approved.

Notwithstanding whatever is contained herein Second Party shall not have privity with such Sub-Contractor(s) and shall not in any way be responsible to such Sub Contractor(s) or their activities.

6. Termination in case of violation

Notwithstanding any other provision of this Contract, this Contract shall terminate immediately and without notice, for cause, and shall become null and void, without effect or further liability or obligation on the part of Second Party, upon the occurrence of any of the following circumstances:

1. Violation of Law: This Contract, the relationship created hereby or the performance of any service by First Party hereunder is determined by Second Party or by a competent authority of the United States or India to be in violation of or contrary to the FCPA, if applicable, or any law, decree, rule, order, regulation or prohibition of India;

2. Corrupt Payments: First Party's representations, warranties, and covenants in connection with the ABCD are inaccurate or misleading, or have been breached, or Second Party learns of circumstances that give it reason to believe that such representations, warranties and covenants are or may be inaccurate, misleading, or breached. In any such case no further amounts shall be due to First Party pursuant to this Contract; First Party shall not be entitled to receive, and hereby waives rights to, any termination payment or compensation of any kind because of termination or nonrenewal of this Contract, and First Party agrees that any enhancements in the value of First Party's goodwill as a result of its relationship with Second Party will inure to the benefit of Second Party.

7. Annual Certification and Agreement to Report Violations

First Party agrees that it will, at the request of Second Party, and at least annually, certify in the below provided format (Format Of Annual Certification As Per The Anti-Bribery And Corruption Directive of Ambuja Cements Limited) a that it has not, and to its knowledge no other person, including but not limited to every owner, director, employee, representative and agent of First Party has made, offered to make, agreed to make, or authorized any payment, loan, donation or gift of money or anything else of value, directly or indirectly, to or for the benefit of any Government Official, political party, party official or candidate, in order to obtain or retain business, or secure any improper advantage. First Party further agrees that, if it should learn of information regarding any such actual or suspected payment or offer in connection with Second Party's business, First Party will immediately contact us at email:acl@ethicalview.com or toll free helpline 1800 209 1005 or Online: www.integrity.lafargeholcim.comfax +91 (22) 66459796 or post box no. 25, HO Pune -411001 of such knowledge or suspicion.

8. Definition - Government Official

"Government Official" means any officer or employee of any government or any department, agency or instrumentality thereof, or of any government-owned or government-controlled corporation or any public international organization, or any person acting in an official capacity for or on behalf of any such government or department, agency, instrumentality, corporation or a public international organization.





28

Page 278 of 442

FORMAT OF ANNUAL CERTIFICATION AS PER THE ANTI-BRIBERY AND CORRUPTION DIRECTIVE OF AMBUJA CEMENTS LIMITED

The undersigned hereby acknowledges:

- Second Party has established and implemented the Anti-Bribery and Corruption Directive, together with internal controls reasonably designed to achieve compliance with the applicable laws;
- The undersigned has received, read, and understands Second Party's ABC Directive;
- The undersigned agrees, unconditionally, to comply with all the terms and conditions of Second Party's ABC Directive and with the laws and regulations of the country in which the undersigned operates; and
- The undersigned understands that violation of Second Party's ABC Directive may result in termination of the undersigned's business relationship with Second Party and potential criminal prosecution.

Signature

Printed Name





29

CERTIFICATE OF REGISTRATION



DISTROMED KUTCHH SERVICES PVT. LTD.

Common Bio Medical Waste Treatment Facility

Office : 3-Swaminarayan Vanijya Sankul, Nr. Divya Bhaskar Office, Hospital Road, Bhuj (Kutchh) - 370 001. Cell : 99251 26126 E-mail : distromedkth14@gmail.com

Facility : Survey No. 42/1/1, Village : Ratiya, Ta. & Dist.: Bhuj (Kutchh).

FACILITY PROVIDER FOR TREATMENT AND DISPOSAL OF BIO MEDICAL WASTE

Authorised by Gujarat Pollution Control Board

Is hereby Issued to :

Hosp./Dr. ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA DIST : KUTCH

Registration No. : KTH-356

Validity up to : 01/04/2020 TO 31/03/2021

Bio Medical Waste collection, transportation, treatment and disposal as per Notification No. : So-630 Dated : 20/07/1998 by Ministry of Forest & Environment - Govt. of India

Jehn Min Phine For, DISTROMED KUTCHH SERVICES PVT. LTD.

This is conditional certificate : On non payment of disposal charge, this certificate will be invalid Page 280 of 442

CERTIFICATE OF REGISTRATION



DISTROMED KUTCHH SERVICES PVT. LTD.

Common Bio Medical Waste Treatment Facility

Office : 3-Swaminarayan Vanijya Sankul, Nr. Divya Bhaskar Office, Hospital Road, Bhuj (Kutchh) - 370 001. Cell : 99251 26126 E-mail : distromedkth14@gmail.com

Facility : Survey No. 42/1/1, Village : Ratiya, Ta. & Dist.: Bhuj (Kutchh).

FACILITY PROVIDER FOR TREATMENT AND DISPOSAL OF BIO MEDICAL WASTE

Authorised by Gujarat Pollution Control Board

Is hereby Issued to :

Hosp./Dr. ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. WEST BASIN

MUNDRA DIST : KUTCH

Registration No. : KTH-390

Validity up to : 01/04/2020 TO 31/03/2021

Bio Medical Waste collection, transportation, treatment and disposal as per Notification No. : So-630 Dated : 20/07/1998 by Ministry of Forest & Environment - Govt. of India

Jehn 2 Min 2

This is conditional certificate : On non payment of disposal charge, this certificate will be invalid Page 281 of 442



Sr.	Activity		Cost incurred (INR in Lacs)	-	Budgeted Cost (INR in Lacs)
No.		20 18 – 19	2019 – 20	2020 – 21	2020 – 21
1.	Environmental Study / Audit and Consultancy	6.7	0.33	6.2	51.0
2.	Legal & Statutory Expenses	4.42	0.84	10 .58	11.0
3.	Environmental Monitoring Services	20.36	21.74	19.17	30.0
4.	Hazardous / Non Hazardous Waste Management & Disposal	95.72	108.43	83.55	119.8
5.	Environment Days Celebration and Advertisement / Business development	0.28	1.5	5.3	10.0
6.	Treatment and Disposal of Bio- Medical Waste	1.21	1.62	2.09	1.68
7.	Mangrove Plantation, Monitoring & Conservation	47.0	Nil	32.59	32.59
8.	Other Horticulture Expenses	579.32	734.18	689	733
9.	O&M of Sewage Treatment Plant and Effluent Treatment Plant (including STP, ETP of Port & SEZ & Common Effluent Treatment Plant)	144.29	110.18	148.49	160.08
10.	Expenditure of Environment Dept. (Apart from above head)	109.28	105.13	89.11	107.44
	Total	1008.58	1083.95	1086.08	1256.59

Cost of Environmental Protection Measures



ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ક

માટેશિક કચેરી : કચ્છ (પૂર્વ)

દિનદયાલ પોર્ટ ટ્રસ્ટનું વકીવટ મકાન રૂમ નં. ૨૧૫, ૨૧૬, ૨૧૭, બીજો માળ, સેક્ટર નં. ૮, ગોધીધામ-૩૭૦૨૦૧, કચ્છ, ફોન ± ૦૨૮૩૬-૨૩૦૮૨૮

તપાસ માટે દાખલ થવાની સૂચના (નોટીસ)

પાણી અધિનિયમ ૧૯૭૪ ની કલમ - ૨૩, દવા અધિનિયમ ૧૯૮૧ ની કલમ - ૨૪ અને પર્યાવરણ (સુરક્ષા) અધિનિયમ - ૧૯૮૬ની કલમ-૧૦ દેઠળ બાચો મેકીકલ વેસ્ટ નિયમ-૨૦૧૬ દેઠળ અમોને મળેલ સત્તાની રૂએ અમો નીચે સદી કરનાર અમોને જરૂરી લાગે તેની સહાય લઇને તમામ સમયે નીચેના દેતુઓ માટે આપની જગ્યામાં દાખલ થવાનો અને તપાસ કરવાનો અધિકાર ધરાવીએ છીએ.

- (૧) અમોને સોંપેલા રાજ્ય બોર્ક/કેન્દ્ર સરકારના કાર્ચ બજાવવાના હેતુ માટે
- (૨) આવા કોઇ કાર્યો બજવવાના છે કે કેમ અને તેમ દોચ તો કઇ રીતે બજાવવાના છે અથવા આ અધિનિયમ અથવા તે દેઠળ કરેલા નિયમોની અથવા આ અધિનિયમ દેઠળ બજાવેલી કોઇ નોટીસની, કરેલા કોઇ દુકમની, આદેશની અથવા આપેલા કોઇ અધિકાર પત્રની કોઇ જોગવાઇનું પાલન કરવામાં આવી રહ્યું છે કે પાલન કરવામાં આવ્યું છે કે કેમ તે નક્કી કરવાના દેતુ માટે.
- (3) કોઇ સાધન સામગ્રી, ઔદ્યોગિક પ્લાન્ટ રેકર્ડ, રજીસ્ટર, દસ્તાવેજ અથવા અન્ય કોઇ મહત્વની વસ્તુની તપાસ કરવા અને તેની કસોટી કરવાના હેતુ માટે અથવા જે જગ્યામાં તેને એમ માનવાને કારણ હોય કે આ કાયદા કે તે હેઠળ કરેલા નિયમો મુજબ કોઇ ગુનો કરવામાં આવ્યો છે, અથવા થવાની તૈયારીમાં છે, તેવી કોઇ જગ્યાની ઝડતી લેવા માટે અને તેને એમ માનવાને કારણ હોય કે આ કાયદા કે તે હેઠળ કરેલ નિયમો હેઠળ કરેલ શિક્ષાપાત્ર કોઇ ગુનો કર્યાનો પુરાવો, તેવા સાધન સામગ્રી ઔદ્યોગિક પ્લાન્ટ, રેકર્ડ, રજીસ્ટર, દસ્તાવેજ અથવા અન્ય મહત્વની વસ્તુ કબજે લેવા માટે અમે નીચે જણાવેલ સમચે દાખલ થઇએ છીએ. TAP 1 14 7 & 9

ધોગ/માં દાખલ થવાનો સમય : સન્ મમારી સાથે સહાય માટે નીચેની વ્યક્તિઓ પણ છે.	વારના / સાંજના <u>\</u> ્રિટ્ટાર્ટ્સાdl.[7 / ્રે./૨૦ ૨
2001 Adhikari 1	ARCO
r Adami Port Especial	
4 No. 1641 P	11/12/3
Novinal Fotoma Number	સઠી : <u>મિલ્ફાર</u> ફલાન્ટ) અધિકારીનું નામ : <u>મિલફાર</u> ને ફલાન્ટ)
ા મળેલ છે. મુચના (નોટીસ) મેળવનારની સક્ષિડ્રિ	हो हो : <u>A ह. ह</u> _
Bhergraf sharma	
Rhagvat sharma	

Nanoqueri

7th September 2020



То

Director (Environment) & Member Secretary Gujarat Coastal Zone Management Authority Sachivalaya Gandhinagar

Subject: Cumulative Impact Assessment (CIA) report for Mundra

Reference:

(1) APSEZ submission of final CIA report to GCZMA vide letter dtd 30.04.2018

(2) GCZMA Minutes of meeting of 45th GCZMA, held on 04.10.2019

Dear Sir

Inline to the ToR issued by GCZMA vide dtd. 19.12.2014, APSEZ had prepared CIA report, through NABET accredited consultant and submitted to GCZMA on 30.04.2018. Report was presented to GCZMA during 45th GCZMA meeting, held on 4th October 2019 and based on the discussion during the meeting and minutes of meeting published on GCZMA website, it was decided to constitute a subcommittee, who will further verify the report in detail.

In view of above, we are waiting for the further directives from GCZMA, to permit us to present the findings of the CIA report in detail, to the subcommittee, as appointed by GCZMA.

Thank you

Yours sincerely

Shalin Shah

Head - Environment

Adami Ports and Special Economic Zone Ltd Adami House, PO Box No. 1 Mundra, Kutch 370 421 Gujarat, India CIN: L630906J1998PLC034182 Tel +91 2038 25 5000 Fax +91 2838 25 51110 infc@adani.com www.adani.com

Registered Office: Adam Corporate House. Shantigram, Nr. Valshno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382421, Gujarat India



10th March 2021

То

Director (Environment) & Member Secretary Gujarat Coastal Zone Management Authority Sachivalaya Gandhinagar

Subject: Cumulative Impact Assessment (CIA) report for Mundra

Reference:

- (1) APSEZ submission of final CIA report to GCZMA vide letter dtd 30.04.2018
- (2) GCZMA Minutes of meeting of 45th GCZMA, held on 04.10.2019
- (3) APSEZ reminder letter vide dtd. 7th Sept 2020

Dear Sir

Inline to the ToR issued by GCZMA vide dtd. 19.12.2014, APSEZ had prepared CIA report, through NABET accredited consultant and submitted to GCZMA on 30.04.2018. Report was presented to GCZMA during 45th GCZMA meeting, held on 4th October 2019 and based on the discussion during the meeting and minutes of meeting published on GCZMA website, it was directed to constitute a subcommittee to verify the report in detail. A reminder letter for the same, has already been submitted vide dtd. 7th September 2020.

In view of above, we are waiting for the further directives from GCZMA, to permit us to present the findings of the CIA report in detail, to the GCZMA subcommittee.

Thank you

Yours sincerely

Shalin Shah

Head - Environment & Sustainability

Adani Ports and Special Economic Zone Ltd Adani House Shantigram, S G Highway Ahmedabad 382 421 Gujarat, India CIN: L630906J1998PLC034182 Tel: 19179 2656 5555 Fax: 19179 2555 5500 info@adani.com www.adaniports.com

d1, 82/3/202 Eà (2420) 25

44

Gless Forests & Environment Dapit Block No. 14, 8th Riccin New Sachivatory, Candhierer

Registered Office: Aconi House, Shantigram, S G Highway, Ahmedabad 382 421, Gujarat, India

Page 285 of 442



Compliance Report of CIA Study Environment Management Plan

S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
1	Land Use Cha	i nge Level - 1	APSEZ has developed		APSEZ	As and	APSEZ has developed two townships (Shantiyan and Samudra)
1.1	It is predicted that the built up land in the rural areas would increase by an order 50% from the baseline 2015. New settlements near the SEZ area might create slums. Unorganize d urban developme nt leading to poor sanitation and	Level - 1	APSEZ has developed two townships (Shantivan and Samudra) presently accommodating 1668 households. Necessary permissions from concerned authorities were already obtained for the development of townships and Associated infrastructure facilities.	The existing townships will be expanded to accommo date about 4 lakh people when the APSEZ is fully developed	APSEZ	As and when Required	APSEZ has developed two townships (Shantivan and Samudra) accommodating 2180 households and associated infrastructure facilities. Accommodation is made available for all interested employees working within Adani group & SEZ industries. Out of which 89% Occupancies are accommodated within the townships and rest are available for employees working within APSEZ. At present 45 nos. of industries (processing & non-processing) are operating within the SEZ. Township facilities are also made by some of SEZ industries within Mundra town for their employees with basic infrastructure facilities and requirements. Most of the employees working in SEZ industries are residing in Mundra township having all basic requirements and associated facilities. The existing social infrastructure facilities are adequate for present development at APSEZ. The existing townships with associated facilities will be expanded as per requirement. APSEZ has also been granted permission for receiving domestic sewage @ 2.5 MLD from Mundra village (which was earlier discharged in to open area within Mundra region) in to wastewater treatment plant for treatment and disposal. APSEZ has already started receiving of domestic sewage from Mundra, which will abate the poor sanitation and unhygienic condition



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030) proliferatio n of vectors	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance within Mundra region. Total project cost for laying domestic
	n of vectors and disease.						sewage underground pipeline with other associated facilities from Mundra to APSEZ is 362 Lacs .
1. 2	Once the project is fully developed , due to increase in built up land in the APSEZ area, there will be an increase in the storm water runoff from the facility.	Level-1	The study area experiences scanty rainfall less than 400 mm/year. Considering the natural gradient, ASPEZ have designed and implemented storm water drains in the existing facility to meet the peak daily rainfall of 440 mm/hr. Hence flooding of water in the neighboring areas is not envisaged.	Technical feasibility study can be carried out to explore the possibility of developin g storm water collection ponds to utilize maximum possible storm water runoff for dust suppressi on in the coal yard areas during non-rainy days.	APSEZ	Technical Study - one time, Implementat ion - Continual process	 Presently, 42% of the total SEZ area (Total Notified SEZ Area 8434.5890 Ha) is developed as per data submitted to the Govt. of India, however on ground level the actual development with infrastructure facilities is only 20% Based on technical studies, APSEZ has developed adequate storm water facilities that meets with daily demand as per recorded highest rainfall. At present all existing coal yards are designed with drain, for collection of water during water sprinkling and rainfall, which is carried away to dump pond. Supernatant water from dump pond is being collected and used for dust suppression activities or after sedimentation, discharged to sea. Photographs of showing the drain and dump pond has been submitted in along with EC compliance report (Oct 19 to March 20). Analysis of said water discharging in to sea during monsoon season is being carried out (twice in a year during monsoon) through NABL / MoEF&CC accredited laboratory. Analysis report is attached herewith as Annexure – A. During period April 2020 to Sept 2020, the maximum recorded rain fall was 46 mm/hr., however during this compliance period (Oct'20 to Mar'21) there was only 0.8 mm/hr. rainfall observed, which was much less than the design capacity of existing storm water management facility is adequate to handle the storm water runoff from the area. Hence flooding of water in the neighboring areas is not envisaged.
			As per the directions	The	APSEZ,	As and When	Presently there is no Desalination plant, sea water intake and



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
			given in the environmental clearance issued for the proposed Multi- Product SEZ and CRZ clearance for Desalination, sea water intake, outfall facility and pipeline project, the master plan of the project was designed and being implemented without disturbing the natural flow of rainwater in all the seasonal streams.	channel depth in all the natural streams shall be maintaine d to accommo date peak flood flow during the monsoon and periodical de-silting activities in the natural steams passing through the APSEZ area	District Administra tion* and Irrigation departmen t	Required	outfall facility developed as part of EC & CRZ clearance of Multiproduct SEZ. The project will be designed and implemented without disturbing the natural flow of rainwater in all the seasonal streams.
1. 3	Due to conservati on and	Positiv e Impac	In addition to conservation of the identified 1254 ha	APSEZ will continue mangrove	APSEZ	Short Term	APSEZ has carried out mangrove afforestation in 2890 ha. area across the coast of Gujarat till date.
	protectio n of mangrove s in the	t with ecolog ical benefi	mangrove areas around Mundra port and SEZ, APSEZ has taken up large scale	afforestat ion as per the commitm			No further mangrove afforestation is pending w.r.t. commitment made with concerned regulatory authority for APSEZ, Mundra project.
	designate d	ts	mangrove afforestation	ent made with			As per study conducted by NCSCM in 2017, mangrove cover in and around APSEZ, Mundra has increased from 2094 Ha to



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n		liance	
	conservati on area, it has been predicted that the current mangrove footprint		activities in an area of more than 2800 ha at various locations across the coast of Gujarat state in consultation with various organizations	concerne d regulatory authority			shown INR 3 As a	n an overall growth 15 Cr. part of GCZMA rec ervation action pl	etween 2011 to 2017). The analysis has of 246 ha. The cost for said study was commendations and NCSCM mangrove an, APSEZ has undertaken following Compliance
	area would marginally increase in next 15 years due to natural growth. This will enhance the overall biodiversi ty in the local coastal eco- system.						1.	Mangrove mapping and monitoring in and around APSEZ	 APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7%. This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. NCSCM Report of the same is attached as Annexure – 4.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Comp	liance		
							2.	Tidal observation in creeks in and around APSEZ Removal of Algal and Prosopis growth from mangrove areas	• • • •	The cost of the said study was INR 23.56 Lacs incurred by APSEZ. APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves. Report of the same is incorporated in NCSCM report attached as Annexure - 4 . The cost of the said activity was INR 1.0 Lacs. Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually.
							4.	Awareness of mangroves importance in surrounding communities	•	Report of the same is attached as Annexure – 5 . The cost of the said activity was INR 1.2 Lacs. Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves during the year 2020-21. Adani Foundation has also provided 6.7 lacs kg Dry Fodder and 11.6 lacs kg Green fodder in 20 villages of Mundra and Anjar Block to support the resource dependent villagers, to avoid their dependency on



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
							 mangroves. The expenditure for fodder supporting activities was approx. 120.86 Lacs during last FY 2020-21. Village Gauchar land development for the fodder cultivation to made fodder in scarcity phase. With the support of Gauchar Seva Samiti Grassland development in Siracha – 85 Acre & Zarpara – 25 Acre done which resulted in total production of 82 ton. The brief details of the said activities are incorporated in attached CSR Report for the FY 2020-21 attached as Annexure – 1. Other than this dedicated security guard with gate system deployed by APSEZ across the coastal area and no any unauthorized persons allowed within coastal as well as mangrove areas. The overall cost incurred by APSEZ is INR 146.62 Lacs as a part of mangrove conservation plan. Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha.
1. 4	Developm ent activities along the		Detailed hydro- dynamic modelling and shoreline change prediction	It is recomme nded to map the	APSEZ	Continual Process	Shoreline assessment study will be conducted in FY 2021-22. However, shore line change study was carried out by M/s. Chola MS, Chennai (NABET accredited consultant) as a part of Water



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 20 30)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	coast might cause certain changes in hydro- dynamic characteri stics along the shoreline. Shoreline of any area also can be influence d by storm surges and other natural processes		for a fully developed APSEZ facility has been studied. The study reveals that the erosion and accretion in the study area at the end of 15th year will be within the designated criteria of ± 0.5 m/year. which reconfirms that the waterfront development activities of APSEZ would pose insignificant impact on the Mundra shoreline.	coastal morpholo gy (Shoreline) at least once in three years			Front Development Project – Expansion EIA study. The summary of the said study are as below. To estimate the shoreline change due to the earlier approved waterfront development plan, a historical shoreline change assessment has been undertaken using the satellite imagery for a period of 2008 to 2018. In order to avoid any major errors in estimating the shoreline, the satellite data for similar tidal condition was considered for 2008, 2013 and 2018. AMBUR Methodology was used to study the historical analysis 10km radius stretch of shoreline on either side of the APSEZ project boundary has been considered for assessing the historical shoreline change scenario. The baseline shoreline change assessment depicts the influence of both natural causes and also possible changes in the shore due to various development activities in the study area during the designated period. For the purpose of this study, shoreline on left side of APSEZ is termed as West Side Shoreline and that of the right side as East Side Shoreline for ease of recognition. The maximum accretion and erosion rate of the west side shoreline over a period of 10 years during the year 2008 – 2018 are observed to be 4.78 m/yr and 1.93 m/yr respectively. The maximum accretion and erosion rate of the east side shoreline over a period of 10 years during the year 2008 – 2018 are observed to be 0.5 m/yr and 0.82 m/yr respectively.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
2	Regional Traf	fic Manage	ement Plan				
2. 1	Hegional TraiTheprojectedtrafficdataaspertheEIAReport ofMulti-ProductSpecialEconomicZone, thepeakvehiculartrafficfrom theport andSEZoperations(includingsupportingfacilitiesandcolony)could beintheorderof	Level-1	As per the master plan of APSEZ, eight artillery roads will be connected to either state highway or national highway for evacuating the goods from APSEZ. None of these roads are passing through settlements, thereby avoiding traffic Congestions in the respective villages. The carrying capacity of the eight artillery roads connecting APSEZ is estimated to be about 16,000 PCU/hr as against the envisaged peak traffic volume of 4,500 PCU/hr. Out of eight artillery roads considered in APSEZ master plan, seven roads were	Additional road as per master plan will be built in future based on the overall progress of the project. Currently about 25% of cargo from APSEZ is transporte d by Rail and the same will be enhanced to 40% when the facility is fully developed in future.	APSEZ	As and When Required	Presently, 42% of the total SEZ area (Total Notified SEZ Area 8434.5890 Ha) is developed as per data submitted to the Govt. of India, however on ground level the actual development with infrastructure facilities is only 20%. Existing road/rail/conveyer infrastructure facilities are adequate to evacuate the existing cargo. Further, APSEZ's cargo evacuation through rail / conveyer has increased to 56 %, thereby reducing the usage of road. Additional road facilities will be built as per master plan considering future development. The facilities for transportation of cargo other than road will be enhanced considering future development, which will reduce the traffic volumes on the regional road Network.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	18,300 and 10,400 vehicles per day respective ly. There		already developed and functional.	This will further reduce the traffic volumes on the regional road network.			
	could be a possible increase in traffic congestio ns on village- highway intersecti ons and road accidents.		APSEZ has been imparting Driver Training Programs to all their contractors to enhance awareness on road safety.	APSEZ can undertake technical feasibility of implemen ting Intelligent Transport System (ITS) for the freight carriers associate d with their developm ent activities.	APSEZ & GSRDC*	Long Term	 APSEZ is being imparting the regular in-house classroom and on-job training to the all drivers and employees on below topics: Basic induction Training for drivers ITV Driver Training ITV Driver Induction for Supervisor Defensive Driving for LMV & HMV Defensive Driving & BBS Traffic Management & Road Signage Driving safety training RORO Driver training Road Safety Defensive Driving & Emergency Action Plan Drivers Responsibilities & Safe driving Emergency Rescue (Vehicle) Training Approx. 3552 Participants (On roll and contractual manpower) were benefitted from above trainings in FY 2020-21. The same will be continued in future also. APSEZ has also implemented the Remote traffic management system (RTMS) to manage the traffic movements and capturing



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
							 the violations to further improve the system. Following steps were taken by APSEZ to reduce the accidents. ✓ Installation of approx. 100 Nos. of cameras which is being operated at ISCR (Integrated security control room) to monitor & manage the traffic system in APSEZ on real time basis. ✓ Installation of 05 Nos. RTMS - Remote traffic management system (having combination of Radar + OCR camera + LED display board - showing speed limit) to recognize the over speeded vehicles, so that timely capture the same and avoid any road accidents.
3		ces Manag	ement and sewage treatn			•	
3.	For a fully developed APSEZ facility, water demand will be in the order of 4,30,000 m3/day (430 MLD). APSEZ will be sourcing majority of the water	No- Impact	APSEZ is meeting the current water demand through Narmada water supply scheme and 47 MLD captive desalination plant at site. Necessary water allocation from concerned authorities was obtained and the same will be renewed from time to time as per the directions of state government.	As per the master plan and permissio ns granted under EC, APSEZ will be developin g progressiv ely 4,50,000 m3/day (450 MLD) of desalinati on plants	APSEZ	As and When Required	Currently there are two fresh water sources available with APSEZ. Desalination Plant – 47 MLD Narmada water through GWIL – 11 MLD (sanctioned capacity). Current water demand for APSEZ along with SEZ industries including Adani Power Plant is around 30 MLD. So presently, these sources are adequate to fulfill the current fresh water requirement of APSEZ. The desalination plant of additional capacities will be installed on modular basis considering future requirement of APSEZ.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	from the captive desalinati on plants, which will be developed in progressiv e manner.			to meet the future demand. Hence stress on regional water resources due to these developm ental projects will be less significan t.			
3. 2	Existing water demand in the Mundra taluk is estimated as 8500 m3/day (@55 lpcd) and the potable and sanitation water	Level-2	Adani Foundation has been contributing to various watershed development projects in the Mundra region to enhance ground water resources in the area. Adani Foundation has contributed about Rs. 300 Lakhs so far for the development of 18 check dams.	Adani Foundatio n is planning to implemen t the various water resource conservati on programs in next ten years under	APSEZ and CGWB*	Long Term	 Water needs of APSEZ is being met through existing Desalination Plant of APSEZ and Narmada canal supplied by the GWIL which may be further enhanced on modular basis, At present Ground water is not utilized for any activities of APSEZ. However various works are being carried out by Adani Foundation continuously under Water Conservation Work to achieve water security in Mundra region by Adani Foundation. Following works are carried out as a part of water conservation work since April – 2018. To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year Adani Foundation launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan.



S. e No. t i t c s	Identified environmen tal and social impacts for the fully developed scenario (year 20 30)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	needs would increase to 37,000 m3/day (@125 lpcd) in future when the area is fully grown into larger municipali ty due to induced economic growth. Water demand of the local communit ies is met through Narmada water supply system to some extent, but			various schemes.			 Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per Government Figures. Our water conservation work is as below. A large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers Roof Top Rain Water Harvesting 54 Nos. which is having 10,000 liter storage which is sufficient for one year drinking water purpose for 5 people family. Recharge Bore well 75 Nos which is best ever option to Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. AF has covered 295 farmers and 1422 acre drip irrigation area in last two years which is remarkable for water conservation in first phase-in this phase we have covered 66 farmers and 360 Acre land for the same. Total 968 Farmers and 5626 Acre Drip since 2011-12 to 2020-21.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	largely dependin g on the ground water in the study area. Mundra block is reported to be a safe ground block as on date. Due to influx of people and rapid urbanizati on due to the economic developm ent, there could be some stress on the ground water resources						



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
3.3	in future. It is estimated that about 60,000 m3/day (60 MLD) of sewage will be generated from the APSEZ facility when the project is fully developed	No Impac t	Seven sewage treatment plants with an aggregate capacity of 3.1 MLD have already built at APSEZ. Treated sewage is utilized for greenbelt development and sewage is not discharged into either seasonal natural streams or marine environment.	APSEZ is permitted to develop decentrali zed sewage treatment plants of total 62 MLD capacities . Existing sewage treatment facilities will be augmente d progressiv ely based on the developm ent at APSEZ in future. Similar to existing practices, treated sewage will be	APSEZ	As and When Required	Current installed capacity of wastewater treatment plants is 6.1 MLD (ETP, STPs & CETP) for treatment of effluent & sewage generated at various locations. Out of 45 only 4 industries within the SEZ are sending their partially treated industrial as well as domestic effluent to the CETP confirming to CETP inlet norms for further treatment and final disposal. Other SEZ industries have their own STPs / ETPs for treatment of wastewater generated from their industrial operation and discharging the treated water on land for horticulture purpose within their premises as per specific permission granted by SPCB. APSEZ also granted permission to treat 2.5 MLD of sewage generated from Mundra village through CETP and STP. Presently avg. 2.3 MLD of wastewater (in to ETP, STPs & CETP) is treated and being utilized on land for horticulture purpose within APSEZ premises during Oct'20 to Mar'21 Existing wastewater treatment plants are adequate to treat and handle the total effluent / sewage load considering current development. Existing wastewater treatment facilities will be augmented or new plants will be developed on modular basis considering future requirement.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance					
				for greenbelt developm ent.								
4 .1	Air quality ma Although all the regulated activities in the study area will be adopting promulgat ed emission norms, total air emission mass discharge from the study area would increase.	Level- 2	Plan APSEZ and other thermal power plants have obtained valid consent to operate and have been operating the facilities as per the emission norms stipulated in respective consent orders. APSEZ and other two power plants are monitoring the ambient air quality on regular intervals as per GPCB/CPCB guidelines and the data is analyzed and presented to GPCB on monthly basis. Both the thermal power plants located within the study area have installed continuous emission	All existing and new industrial establish ments will obtain requisite consents from GPCB and adhere to the stipulated emission norms regulation s and guidelines issued by authoritie s from time to time.	APSEZ And Other Industries	Continual Process	concerned au (flue gas as we Ambient Air C accredited ar Pollucon Labo Stack emission basis. Reports authorities on Adani power p quality monit submitting the outside APSEZ The AAQM sur as below.	thorities ell as amb Quality mo nd MoEF oratory Pv n monitor of the sar regular b plant has oring ins e reports Z area. mmary for Nos. (APS)	ant has installed continuous emission and air ing instruments as per CPCB Directive and reports also. Another power plant of CGPL is area. mary for last six months (Oct'20 to Mar'21) are os. (APSEZ – 12 + APL – 5 including 3 villages) ce in a week Unit Max Min Perm. Limit ^{\$} μ g/m ³ 96.75 24.36 100			



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
			and air quality monitoring instruments as per CPCB directive.				NO2μg/m³46.3611.7080\$ as per NAAQ standards, 2009 Values recorded confirms to the stipulated standards.Approx. INR 19.17 Lakh is spent by APSEZ for environmental monitoring activities during the FY 2020-21, which also includes ambient air quality monitoring for overall APSEZ, Mundra.Other industries located within the SEZ have obtained requisite permissions from the competent authorities for their respective plant and they also carried out environmental monitoring within their premises to comply with the permission granted. The same has been ensured by APSEZ as well as SPCB during their regular visits. APSEZ carries out regular visits/inspections of member industries within SEZ and last visit was conducted during Feb & Mar' 2021 for EMS & compliance verification. During compliance verification, it was verified that monitoring of air emission was well within the permissible standards based on analysis reports. Same will be continued in future also.The monitoring reports of industries within SEZ are also being submitted to the regulatory authorities as a part of half yearly
				A common air quality managem ent committe e may be framed under the guidance	APSEZ and Other Industries, Stakeholde rs, District Administra tion and GPCB*	Long Term And Continual	 Compliance report of EC for Multi-Product SEZ. APSEZ will co-operate and comply with the directions from concerned regulatory authorities for air quality management within APSEZ area. However at present, APSEZ has formed Internal Environment Monitoring Committee, involving officials from APSEZ, Adani Power Limited and other member units with following role and responsibilities:. Identification of sources of air & noise emission and its dispersion in surrounding villages



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				of the State Pollution Control Board and district administr ation to manage regional level emission inventory data that can help to manage regional level air quality managem ent goals.			 Remedial measures to eliminate, control, reduce or capture air & noise emission Identify available resource to abate the air and noise emission Required additional resources for control of air and noise emission Drinking water and its testing of all the available fresh water sources in surrounding villages Identify any surrounding villages affected by organization's improper waste disposal mechanism. Last committee meeting was conducted on dated 29th Sept 2020, and below were the point of discussion for way forward. Maintain the existing practice to control the emission in terms of Air, Water and Noise. Ensure for proper covering of trucks / vehicles carrying coal / cargo to reduce spillages on road Carry out study about impact on ground water quality due to continuous extraction or any other factors. Inclusion of Ambient Air Quality and Noise Monitoring station covering surrounding villages by APSEZ considering further development and statutory clearances. Details submitted along with last half yearly compliance report for the period Apr'20 to Sep'20. APSEZ and all the industries within SEZ are in compliance to NAAQS and same is being ensured by APSEZ. The monitoring reports of industries within SEZ are being submitted to the regulatory authorities as part of half yearly Compliance report of EC for Multi-Product SEZ.
	Release of particulat		APSEZ has been implementing the	All	APSEZ and		Following safeguard measures are taken by APSEZ for abatement of dust emissions.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance				
4 .2	e emissions from handling and storage of coal at the port and power plants would influence PM10 and PM2.5 concentra tion in the backgrou nd air. This could pose some health impacts such as asthma and COPD etc. among the local communit ies.	Health Impac t	following management plan to control emissions as per the applicable regulations and similar practices will be adopted in future: Entire bulk material handling facilities are mechanized. Regular water sprinkling on road and other open areas, regular cleaning of roads, dry fog dust suppression systems (DSS) in hoppers, transfer towers and conveyor belts, use of water mist canon, covered conveyor belts, regular sprinkling on coal heaps,	industries located in the APSEZ shall adhere to the emissions norms and minimum stack height guidelines issued by CPCB and consent to operate issued by Gujarat Pollution Control Board from time to time.	Other Industries	Continual Process	HWGs fo Using of Boilers, T Regular s Regular of Dry fog L towers al Use of w Closed ty Regular s Covering Installation Developm storage y Mechanic cargo Wagon lo	r proper dispe- liquid & Ga: hermic fluid l sprinkling on cleaning of ro Dust Suppres: nd conveyor k ater mist can ype conveyor other types of other types of other types of other types of other types of other types of other types of other types o	ersion of po seous fuel heaters an road and o bads sion Syste coll s coal heaps of dry bulk reaking wal enbelt alco o area system for uck loading ontrol mea late stack hermal pow	ollutants wit s instead of d hot water g ther open ar m (DSS) in h cargo heaps ng the per or coal and g through clo sures like ES k heights p rer plant.	solid fuels in generators. ea opper, transfer riphery of the other dry bulk



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	,						NO _x ppm 50 24.27 38.62
			covering of other				NOxppm3024.2730.02Values recorded confirms to the stipulated standards.Approx. INR 19.17 Lakh is spent by APSEZ or environmental monitoring activities during the FY 2020-21, which also includes stack monitoring.All other industries located within SEZ are adhere to provide adequate stack height and pollution control measures for proper dispersion of pollutants as per respective permissions granted by the board. The same is being inspected and ensured by APSEZ as well as SPCB officials on regular basis.As mentioned above, presently, APSEZ has formed Internal
			types of dry bulk cargo heaps by protective materials, installation of wind breaking wall, development of greenbelt along the periphery of the storage yards/back up area and mechanized handling system for coal and other dry bulk cargo and Wagon loading and truck loading through closed silo. Both thermal power plants in the study	An internal Coal Dust Managem ent Working Group shall be formed by APSEZ to effectivel y co- ordinate the approach to coal dust	APSEZ and Other Industries, Concerned Stake holders, District Administra tion*	Long Term	As mentioned above, presently, APSEZ has formed internal Environment Monitoring Committee, involving Officials of APSEZ, Adani Power Limited & other member units, with specific role and responsibilities as defined above. The dry cargo is being handled by mechanized system and transported by covered conveyer system, trucks and rail wagons. Wind breaking wall is provided around the coal storage yards of APSEZ as well as Adani Power Plant. Adequate air pollution control measures like ESPs, FGDs, Bag Filters, etc. and adequate stack heights provisions within the thermal power plant for proper dispersion of pollutants. Green belt / plantation is provided around the periphery of dry cargo storage area and regular water sprinkling is also being done to abate the dust emission from coal hips. Last committee meeting was conducted on dated 29 th Sept 2020, and below were the point of discussion for way forward.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
			area have installed electrostatic precipitators on the boilers and are meeting the emission norms as per the respective ECs granted. Due to installation of tall stacks as per CPCB guidelines and EC conditions, the relative air pollution impacts due to release of emissions from two power plants is insignificant.	managem ent and monitorin g			 Maintain the existing practice to control the emission in terms of Air, Water and Noise. Ensure for proper covering of trucks / vehicles carrying coal / cargo to reduce spillages on road Carry out study about impact on ground water quality due to continuous extraction or any other factors. Inclusion of Ambient Air Quality and Noise Monitoring station covering surrounding villages by APSEZ considering further development and statutory clearances. Details submitted along with half yearly compliance report for the period Apr'20 to Sep'20.
4 .3	Ships are one of the significan t sources of SO2 and NOX emissions in the study area. Marine diesel engines on the	Level- 2	A Standard Operating Procedure (SOP) has be developed to be included as a part of APSEZ environment management plan to verify that all ships anchored at the port are adopting the	The current global limit for Sulphur content of ships fuel oil is 3.5 % m/m (mass by mass). According to	APSEZ and Ship Owners	Long Term	The ships coming to the APSEZ is complying with MARPOL and other shipping rules and regulations. APSEZ has already started providing shore power supply to the tugs (11 Nos.), dredgers (2 Nos.) and barges (1 No.). The feasibility of shore power will be explored and implemented on large scale for the visiting vessels to reduce idling stage ship emissions.



S. No.	Identified environmen tal and social	Type of Impact & Magnitu	Environment management plans adopted or being adopted by APSEZ as	Additional Risk Mitigation Measures/E	Responsible agency	Timeframe for implementatio n	Compliance
	impacts for the fully developed scenario	de1	per permits, clearances, applicable regulations and guidelines etc.	SMP			
	(year 2030)						
	ships		MARPOL4	MARPOL,			
	often		regulations.	the new			
	utilize fuel		regulations.	global cap			
	oils that			on sulphur			
	might			in the			
	contain			marine			
	higher			vessel			
	sulphur			fuels will			
	content.			be 0.50%			
	As per the			m/m by			
	internatio			the 1st			
	nal best			January			
	practices,			2025.			
	these			APSEZ			
	marine			should			
	diesel			explore			
	engines			the			
	are			possibility			
	designed to meet			of			
	MARPOL			providing			
	regulation			shore			
	s with			power to the ships			
	NOX			at the port			
	emissions			to reduce			
	less than			idling			
	14.4			stage ship			
	gram/Kwh			emissions.			
	r of						
	engine.						
	Due to						
	lower						



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	stack heights of the marine diesel engine, ship emissions often gets dispersed in the local environm ent and might pose risk of fumigatio n during the early morning and evening hours due to atmosphe ric inversion break-up periods.						
				Due to implemen			Presently, cargo evacuation through rail & conveyer has increased to 56 % thereby reducing the usage of road.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
4.4	Road vehicle emissions will be other major contribut ors to the air pollution in the region when the facility is fully developed	Level- 2	Not Applicable	tation of Bharat VI fuels (MoEF&C C)6 in near future the vehicular and diesel engine emissions will be reduced by about 50% from the current national levels. APSEZ should develop a robust contracto r environme ntal policy to ensure that Bharat Stage VI emission	APSEZ and All Industries	Short Term	Vehicles having valid PUC certificate are only being allowed to enter within APSEZ area. In future, APSEZ will also explore the feasibility of using Electric Vehicles for internal cargo movement.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				norms are adopted by all their contracto rs and sub- contracto rs.			
5	Noise emissions						
5. 1	emissions Noise emissions are envisaged from port operation s, industrial operation s and power plants in the study area. Any increase in noise levels beyond three decibels	Level-1	Due to adoption of various mechanized operations at the waterfront development, the noise emissions from the port cargo handling will be minimal. An adequate greenbelt is being developed by APSEZ to further reduce any residual impacts due to noise emissions from the facility. Periodic noise level monitoring programs were adopted by APSEZ. Predicted noise levels were found to be well	APSEZ, all the tenant industries and facilities within APSEZ are required to undertake noise monitorin g at their facilities to demonstr ate the complianc e with the Noise level standards.	APSEZ	Continual Process	Below Safeguard measures are already taken for abatement of noise emissions. Development of greenbelt along the periphery of the operational area. D.G. Sets having Acoustic enclosures. Maintenance of plant machineries and equipments on regular frequency. Noise monitoring is being carried out by NABL accredited and MoEF&CC authorized agency namely M/s. Pollucon Laboratory Pvt. Ltd. as per permission granted and reports are being submitted to the concerned authorities on regular basis. The noise monitoring summary for last six months (Oct'20 to Mar'21) are as below. Locations: 12 Nos. Frequency: Once in a month (24 hourly) Noise Unit Leq Max Leq Min Limit ^{\$}



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance				
	from the backgrou		within the designated noise	Continuou s noise			Day Time	dB(A)	73.8	41.2	75
	nd levels		standards for	recording			Night Time	dB(A)	69.7	40.3	70
	would be perceived as noise nuisance (USEPA)7.		Industrial facilities.	units can be installed by APSEZ at facility boundary to address the communit y grievance s, when ever required. To assess the overall site wide complianc e and also to address any communit y grievance s related to noise issues due to operation			Approx. INR 1 monitoring ac noise monitorin All the results inferred that the All other indus and control the SPCB and same regular basis.	9.17 Lakh tivities du ng. are well w here no im stries locat e ambient e is being te APSEZ l	is spent by AF ring the FY 20 ithin the standa pacts on the sur ed in the APSE2 noise level as pe confirmed by AP has not received of the stakehold	^{\$} as per GPC PSEZ or env 20-21, whic rds. From th rounding co Z are adhere r permission SEZ as well any grievar	to monitor granted by as SPCB on



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				of APSEZ facilities.			
				In order to			As mentioned above, presently, APSEZ has formed Internal
6	Surface wate	r quality (T	errestrial and Marine)	address the public grievance s related to noise from the facility, an internal Noise Managem ent Committe e can be formed by APSEZ to investigat e the root cause and to develop and implemen t noise mitigation plans in the specific zones.	APSEZ	Continual Process	 Institutioned above, presently, Ar OL2 mas formed internat Environment Monitoring Committee, involving Officials of APSEZ, Adani Power Limited & other member units, having role and responsibilities as defined above. Last committee meeting was conducted on dated 29th Sept 2020, and below were the point of discussion for way forward. Maintain the existing practice to control the emission in terms of Air, Water and Noise. Ensure for proper covering of trucks / vehicles carrying coal / cargo to reduce spillages on road Carry out study about impact on ground water quality due to continuous extraction or any other factors. Inclusion of Ambient Air Quality and Noise Monitoring station covering surrounding villages by APSEZ considering further development and statutory clearances. No grievance received for noise related issues and it is observed that ambient noise level are well within the permissible standards.
6	Surface wate	r quality (T	errestrial and Marine)			1	
			As per the master	As per the			APSEZ has installed Common Effluent Treatment Plant (CETP)



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
6.1	In general, release of untreated wastewat er from industrial facilities would pose threat to water quality of streams, estuaries and marine water bodies.	Level - 1	plan of APSEZ, 67 MLD of wastewater is expected to be generated from the fully developed project scenario, for which necessary permissions to set up decentralized CETPs of various capacities are already obtained. Presently a CETP capacity of 2.5 MLD is in place. Presently member units treat their effluents to meet the CETP inlet norms and then send it to CETP. Treated wastewater from CETP meets the stipulated discharge norms for utilization for greenbelt development within the APSEZ areas.	master plan of APSEZ, the existing CETP shall be augmente d to 67 MLD in progressiv e manner based on the future demand. The facility should limit the marine discharge of treated industrial wastewat er to 16 MLD as per the permits. Remainin g treated wastewat er shall be	APSEZ	As and When Required	 having 2.5 MLD capacities for treatment of partially treated effluent and sewage generated from industries within SEZ. Currently, CETP receives 907 KLD hydraulic load and considering the current development scenario, existing CETP is adequate to treat and handle the total effluent load coming from industries within SEZ. Out of 45 only 4 industries within SEZ are sending their partially treated industrial as well as domestic effluent to the CETP confirming CETP inlet norms for further treatment and final disposal. Other industries within SEZ have their own STPs / ETPs for treatment of wastewater generated from their industrial operation and discharging the treated water on land for horticulture purpose within their premises as per permission granted by SPCB. The capacities of CETP will be enhanced on modular basis as per future requirement. Presently avg. 2.3 MLD (from CETP, ETP & STPs) of treated water is being utilized on land for horticulture purpose within APSEZ premises during period Oct'20 to Mar'21 and no discharge is made to any other source.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
			Opline wastewater	utilized for horticultu re purpose. Efforts		Based on	Online continuous offluent monitoring system installed at the
			Online wastewater quality monitoring systems are installed at CETP to ensure quality of treated effluent meets the requisite discharge norms. No wastewater from CETP is discharged into natural bodies as on date	Efforts shall be made to recycle complete treated wastewat er for port operation s and industrial operation s of APSEZ in future based on a detailed techno- economic feasibility study.	APSEZ	Based on outcome Techno- feasibility Study	Online continuous effluent monitoring system installed at the discharge point of CETP to track any deviation from discharge norms. Presently entire quantity of treated water from CETP is used for gardening / horticulture purpose within APSEZ premises.
			Runoff during monsoon from coal storage yards is collected in sedimentation ponds (dump pond) to	Storm water runoff from the facility during the	APSEZ	Continual	There are provision of drains around coal stack yard to carry to runoff water to dump ponds. This water is either used for dust suppression or after sedimentation (to remove residual dust), is allowed disposal to sea. Presently Marine monitoring is being carried out once in a month



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 20 30)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliar	ice				
	,		remove any residual	first rain								M/s. Pollucon
			dust particulates for	shall be								me are being
			further disposal into sea	sampled and			submitte	atothe	concerne	d authoritie	s on regular l	Dasis.
			564	analyzed			The mari	ne water	quality m	onitoring su	mmary for la	st six months
				for the			(Oct'20 t	o Mar'21) is as per	below.		
				presence of heavy			Location	s [.] 14 Nos	(APSEZ	– 9 + APL –	5)	
				metals or						h / Half Yea		
				other						-	_	
				criteria pollutants			Param eter	Unit	Su Max	urface Min	Bot Max	tom Min
				to adopt			pH		8.31	7.91	8.27	7.90
				corrective			TSS	mg/L	197	34	235	31
				and preventive			BOD (3 Days	mg/L	5.4	3.3	7.6	4.7
				actions to protect the			@27 °C)	mg/∟	0.4			4.7
				marine			DO	mg/L	6.1	5.2	5.9	5.1
				water			Salinit y	ppt	39.5	36.1	39.7	36.4
				quality. All red and			TDS	mg/L	38314	37294	38740	37708
				hazard category industry within APSEZ shall adopt spill preventio n and				ng activi	ities duri			nvironmental ich includes



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
			Detailed marine hydrodynamic modelling studies revealed that the current and proposed dredged soil disposal practices, sea water intake and outfall facilities and desalination plant outfall etc have shown insignificant impact on the marine eco-system. As part of the comprehensive environmental monitoring program, APSEZ has been adopting marine water and sediment	control program and no effluents shall be discharge d into storm water- drains. Good dredging practices shall be adopted by APSEZ: (i).Improvi ng the dredging accuracy (ii).Improv ing onboard automatio n and monitorin g, (iii). Reduce spill and loss, (iv). evaluating the need	APSEZ	Long Term	No capital dredging has been done, since Apr 2015. Dredged material generated during maintenance dredging is being disposed at designated locations within deep sea as identified by NIO. Dredging Management plan is adopted for carrying out dredging and management of dredge material. Presently there are 3 nos. (2 Nos. Cutter suction + 1 No. Trailer suction) of dredgers are in operation for dredging. Marine monitoring is being carried out once in a month by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratory Pvt. Ltd. The analysis reports of the same are being submitted to the concerned authorities on regular basis. Summary of marine water for the last six months is as mentioned above. The same practice will be continued in future also as per direction by MoEF&CC as well as GPCB. Monitoring will be focused near ecological sensitive area in case of need to carryout capital dragging near such areas.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
			quality monitoring on monthly basis.	for installing silt screens near mangrove areas during the dredging phase operation s, (v). Environm ent friendly dredging activities can be undertake n in such a way that the overall turbidity levels near the mangrove and ecological ly sensitive zones			
				shall not exceed			



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				100 NTU or 200 mg/l of TSS (10% lethal level of fish) Existing marine monitorin g program shall be continued as per the directions of MoEF&CC and GPCB.			
7		quality and	d salinity ingress			L	
7.	While Mundra block is enjoying safe ground water status as on date (based on the data published by CGWB),	Level- 2	APSEZ is not utilizing ground water for any type of use. APSEZ is meeting the current water demand through Narmada water supply scheme and 47 MLD captive desalination plant at site.	A dedicated desalinati on plant of capacity 4,50,000 m3/day (450 MLD) will be developed in	APSEZ	As and When Required	Present source of water for various project activities is desalination plant of APSEZ and/or Narmada water through Gujarat Water Infrastructure Limited and same is sufficient to meet the present water demand. APSEZ does not draw any ground water. The desalination plant of additional capacities will be installed on modular basis considering future development and requirement.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	due to induced economic and populatio n growth, use of ground water resources by the local people might increase in Mundra region. This might increase the TDS and chloride levels in the ground water in future.			progressiv e manner to meet the APSEZ requireme nts.			
7. 2	Due to induced growth in the region,	Level- 2	Ground water is not drawn by APSEZ for its operations. Natural streams (seasonal rivers)	The Govt. of Gujarat, Narmada, Water Resources	District Administra tion*	Long Term	APSEZ will co-operate and comply with the directions from concerned regulatory authorities. APSEZ does not draw any ground water for the fresh water requirement.



No. tal an socia impao the fu	ronmen Impac nd & al Magn ctsfor de1 ully loped ario	t management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
press on avail grou wate sour woul incre and coule pose some	issure the lable und er rce ild ease this d e e eat to nity	passing through the APSEZ area will not be disturbed, the micro-watershed in the area will not be disturbed. Due to the above reasons, the possibility of salinity ingress due to APSEZ development is not envisaged. Mundra and Anjar blocks fall under fresh water to medium salinity zones. It can be observed that little variation was observed in the ground water salinity levels from year 2013 to 2016 across the Mundra and Anjar blocks. This aspect confirms that the overall salinity ingress from the shore into the land due to existing APSEZ facilities and power plant outfalls are less significant.	, Water Supply & Kalpsar Dept.,(WR D)12 has been implemen ting various salinity ingress preventio n projects			 However, Adani Foundation – CSR arm of Adani Group has carried out rainwater harvesting activities in the nearby villages for benefit of the locals. Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up. Including this a big recharge operation by bunding was taken up for Zarpara village as rainfall was very good last FY 2020-21. To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year Adani Foundation launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan. Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per Government Figures. Our water conservation work is as below. A large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers Roof Top Rain Water Harvesting 54 Nos. which is having 10,000 liter storage which is sufficient for one year drinking water purpose for 5 people family.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
							 Recharge Bore well 75 Nos which is best ever option to Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. AF has covered 295 farmers and 1422 acre drip irrigation area in last two years which is remarkable for water conservation in first phase—in this phase we have covered 66 farmers and 360 Acre land for the same. Total 968 Farmers and 5626 Acre Drip since 2011-12 to 2020-21. With the objective of to preserve the rain water to reduce the impact of salinity and recharge the ground water (the main source of water) to facilitate the Agricultural activities as well as for drinking water.
							Narmada Water Resources, Water Supply & Kalpsar Dept.,(WRD)1 has been implementing various salinity ingress prevention projects. Under Sardar Sarovar canal project, Govt. of Gujarat has proposed to implement about 8200 Km stretch of water canal and the project is at various stages of implementation. Under this project about 112,000 ha of land in about 180 villages will be benefitted with irrigation needs. This will significantly reduce the pressure on the ground water resources in the region.
				While the individual industries in the study area will	All Concerned Stakeholde rs, District	Continual Process	APSEZ (7 Locations – half yearly) & Adani Power Ltd. (5 Locations – quarterly) is carrying out ground water sampling and reports of the same are being submitted to the regulatory authorities on regular basis. The summary of APSEZ ground water quality monitoring for last



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compl				
				continue	Administra			nths (Oct'20 to Mar	21) are as	s below.	
				to	tion and			f Location: 07			
				undertake	CGWB*		Sr. No.	Parameter	Unit	Min	Max
				ground water			1	рН		7.64	8.32
				quality			2	Salinity	ppt	1.44	28
				monitorin			3	Oil & Grease	mg/L	2.6	2.6
				g as per			4	Hydrocarbon	mg/L	ND*	ND*
				the			5	Lead as Pb	mg/L	0.037	0.28
				environme			6	Arsenic as As	mg/L	ND*	ND*
				ntal			7	Nickel as Ni	mg/L	ND*	ND*
				clearance			8	Total Chromium as Cr	mg/L	0.027	0.033
				s issued			9	Cadmium as Cd	mg/L	ND*	ND*
				for the			10	Mercury as Hg	mg/L	ND*	ND*
				respective			11	Zinc as Zn	mg/L	0.15	0.71
				projects, a			12	Copper as Cu	mg/L	ND*	ND*
				regional			13	Iron as Fe	mg/L	0.2	4.2
				level ground			14	Insecticides/Pestic ides	mg/L	ND*	ND*
				water conservati on action			15	Depth of Water Level from Ground Level	meter	1.65	2.3
				committe				•	. <u> </u>	* N	ID-Not Detectable
				e can be formed under the guidance of state ground water board and district			monito ground The fro being to more	k. INR 19.17 Lakh is pring activities duri d water monitoring. esh water requireme satisfied through AP nitor ground water o npetent authorities.	ng the F ent of all t SEZ. All th	Y 2020-21, w the industries the industries	which includes within SEZ are are encouraged



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				Administr ation.			As mentioned above, presently, APSEZ has formed Internal Environment Monitoring Committee, involving Officials of APSEZ, Adani Power Limited and other member units, having role and responsibilities as defined above. APSEZ will co-operate and comply with the directions from concerned regulatory authorities for ground water management.
8	Waste Manag	gement			•		
8.1	Solid waste will be generated from industrial activities of APSEZ and other permitted facilities in the study area including Mundra town. These wastes would contain recyclable material, constructi on debris,	Level- 2	APSEZ has been adopting Zero waste Initiatives and the entire waste generated from existing operations is segregated and disposed to recycling vendors, thereby APSEZ has achieved zero landfill status as on date.	APSEZ will continue to adopt Zero Waste Initiative and wastes will be segregate d at source and disposed to various recycling vendors, co- processin g in cement plants. This initiative	APSEZ	Continual Process	Presently APSEZ has implemented Zero waste Initiatives as per 5R (Reduce, Reuse, Recycle, Recover & Reprocess) principles of waste management. At present, APSEZ has developed material recovery facility for 6.0 TPD capacities. A well-established system for segregation of dry & wet waste is in place. All wet waste (Organic waste) is being segregated & utilized for compost manufacturing and/or biogas generation for cooking purpose. The compost is further used by in house horticulture team for greenbelt development. Whereas dry recyclable waste is being sorted in various categories. Presently manual sorting is being done for sorting of different types of solid waste. Segregated recyclable materials such as Paper, Plastic, Cardboard, PET Bottles, Glass etc. are then sent to respective recycling units, whereas remaining non-recyclable waste is bailed and sent to cement plants for Co-processing as RDF (Refused Derived Fuel). The same practice will be continued in future also. APSEZ has also been recognized for Zero Waste to Landfill certification from reputed organization. Copy of certificate has been submitted in earlier EC compliance report (Oct 19 to March 20). APSEZ will continue proper solid waste management in his operational area.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	organic waste, inert material and e- waste etc. In the absence of any organized source segregati on programs and material recycling strategies and infrastruc ture facilities, these wastes will enter into environm ent and would pose long term health			helps not only to reduce the waste to landfill significan tly, but also to recycle the materials there by avoiding ecological impacts.			



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030) impacts.	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
8.2	Consideri ng an average solid waste generatio n of 0.25 Kg/person /day, the estimated solid waste from facilities within APSEZ will be in the order of 100 TPD (36,500 TPA).	Level-2	APSEZ has made a provision for central waste management facilities within the existing site based on the future needs. As part of the Zero Waste Initiatives, no landfill facilities will be installed at APSEZ.	The existing waste segregati on and material recycling facilities will be augmente d to dispose safely the wastes generated from APSEZ areas. Solid Waste Managem ent Program shall be adopted and implemen ted as per Municipal Solid Waste	APSEZ	Continual Process	Industries located within the SEZ area are also complying with the waste management rules stipulated by statutory authorities and same is also being confirmed by APSEZ as well SPCB on regular basis.



	Identified		Environmont	Additional	Dooponsible	Timofromo for	Compliance
S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				Managem ent Rules 2016 and Constructi on Waste Managem ent Rules 2016			
8.3	About 35 TPD (13,000 TPA) of solid waste would be generated from the proposed industrial areas located outside the APSEZ area.	Level- 2	As per the MSW Rules 2016 all the industrial facilities and SEZs are required to adopt waste segregation facilities at the respective properties and non- recyclable waste shall be disposed to landfill sites.	Solid Waste Managem ent Program shall be adopted and implemen ted as per Municipal Solid Waste Managem ent Rules 2016 and Constructi on Waste Managem ent Rules 2016	All Industries	Continual Process	
9	Ecological as	pects (terro	estrial and marine)	10057	Γ	T	
				APSEZ has approach			Stage – 1 forest Clearance for about 1576.81 Ha Forest land has been obtained. Presently APSEZ is in the process of compliance



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 20 30)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
9.1	About 1576 ha of shrub forest land contiguou s to APSEZ area is applied for land diversion for various developm ental activities. This might have certain level of changes in the biodiversi ty in the study area.	Level - 1	It is noted that the designated forest land is free from any native vegetation and comprises of Prosopis juliflora. It is also noted that no endangered species are present at the shrub forests that are applied for land diversion. It is also noted that no forest produce is reported from this designated forest land parcel due to lack of economic importance of plant species reported in the shrub forest. It is also noted that no tribal lands are located in the designated forest land parcel. Hence there will not be any change in biodiversity due to the proposed diversion.	ed concerne d authoritie s for diversion of designate d forest land. Suitable compensa tory afforestat ion plan shall be adopted based on the recomme ndations and directions of the concerne d authoritie s. Due to adoption of compensa tory	APSEZ/St at e Forest Departmen t*	Long Term	to the stage - 1 Forest Clearance conditions, for further submitting to Govt. authorities for issuance of Stage-2 Forest Clearance.



S. e No. ta ir tl d se	environmen al and cocial	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
				afforestat ion program through a scientific manner, the overall ecological footprint in the district will be increased. Due to plantation of native tree species as part of greenbelt developm ent, the overall biodiversit y of the region will increase considera bly when the project is fully			



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
9 .2	Mangrove conservat ion areas are located adjacent to the APSEZ area. Accidenta I discharge s of industrial effluents into the marine environm ent would pose certain ecological risk.	Level - 1	No development activities will be undertaken within mangrove conservation areas. APSEZ has taken up large scale mangrove afforestation activities in an area of more than 2800 ha at various locations across the coast of Gujarat state in consultation with various organizations The Adani Foundation introduced 'Mangrove Nursery Development and Plantation' scheme in the area as an alternative income generating activity for the people of the region.	Mangrove footprint and health status shall be monitored annually	APSEZ	Continual Process	As per study conducted by NCSCM in 2017, mangrove cover in and around APSEZ, Mundra has increased from 2094 Ha to 2340 ha (as compared between 2011 to 2017). The analysis has shown an overall growth of 246 ha. The cost for said study was INR 3.15 Cr. As a part of GCZMA recommendations and NCSCM mangrove conservation action plan, APSEZ has undertaken following activities. Sr. Recommendation s and NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ 1. Mangrove mapping and monitoring in and around APSEZ around APSEZ • APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ was assessed comparing Gogle earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7% • This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Comp	liance	
							2.	Tidal observation in creeks in and around APSEZ	 which also shows that the growth of mangroves in a progressive direction. NCSCM Report of the same is attached as Annexure - 4. The cost of the said study was INR 23.56 Lacs incurred by APSEZ. APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves. Report of the same is incorporated in NCSCM report attached as Annexure - 4. The cost of the said activity was INR 1.0 Lacs.
							3.	Removal of Algal and Prosopis growth from mangrove areas	 Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually. Report of the same is attached as Annexure – 5. The cost of the said activity was INR 1.2 Lacs.
							4.	Awareness of mangroves importance in surrounding communities	 Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves during the year 2020-21.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
							 Adani Foundation has also provided 6.7 lacs kg Dry Fodder and 11.6 lacs kg Green fodder in 20 villages of Mundra and Anjar Block to support the resource dependency on mangroves. The expenditure for fodder supporting activities was approx. 120.86 Lacs during last FY 2020-21. Village Gauchar land development for the fodder cultivation to made fodder sustain village & Avail green fodder in scarcity phase. With the support of Gauchar Seva Samiti Grassland development in Siracha – 85 Acre & Zarpara – 25 Acre done which resulted in total production of 82 ton. The brief details of the said activities are incorporated in attached CSR Report for the FY 2020-21 attached as Annexure – 1. Other than this dedicated security guard with gate system deployed by APSEZ across the coastal area and no any unauthorized persons allowed within coastal as well as mangrove areas. The overall cost incurred by APSEZ is INR 146.62 Lacs as a part of mangrove conservation plan. Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	
9. 3	Outfall from the thermal power	Level-1	A detailed marine hydro-dynamic and dispersion modelling of the study area indicates that the background temperature and	All approved marine outfalls shall be monitored	APSEZ and Concer ned	Continual Process	ha and during Phase III (2020-2021) it is 01 ha. Mangrove plantation done at Luni sea coast with fisher folk community during World Environment Day Celebration. Web talk show was organized on the occasion of "World Mangrove days On Multi species Mangrove bio diversity with Joint effort of GUIDE and Adani Foundation, Mundra. 8th June is celebrated as world ocean day. Adani foundation had celebrated the world ocean day by coastal cleaning activity at Juna Bandar, Luni Bandar and Bavadi Bandar. Mangroves nursery is developed in a Khari creek behind IOCL & 50,000 Nos. of new saplings are planted in creek area by APSEZ. Presently marine monitoring is being carried out by the Adani power plant at the marine outfall locations and reports are being submitted to the concerned authorities on regular basis. APSEZ is carrying out Marine monitoring once in a month at 9 locations in deep sea by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratory Pvt. Ltd. The analysis reports of
	plants desalinati on and CETP would pose certain level of impact on the marine environm		salinity at mangrove conservation area will not increase from the prevailing background levels as the outfalls are located far away. APSEZ and respective power plants in the study area have been monitoring the	for salinity, temperatu re and other designate d parameter s as per consent to establish issued by	Industr y		 the same are being submitted to the concerned authorities on regular basis. Adani power plant is also doing marine water quality at 5 locations (2 locations at outfall location) in deep sea by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment & Research Labs Pvt. Ltd. The analysis reports of the same are being submitted to the concerned authorities on regular basis. The summary of marine water quality is shown above. The comparison of marine water results between CIA and current monitoring data are as below.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance					
	ent.		marine water quality	GPCB.								
			status on monthly	Existing			Parameter	Unit		Max		Min
			basis for the				Temp.	٥C	CIA 30.2	Present 30.4	CIA 28	Present 29
			stipulated environmental and	marine			Salinity	ppt	41.8	39.7	34.9	36.1
				monitorin g program shall be continued			deviation in th that impacts a	are insigr	hificant.			
9.4	Terrestrial Ecology: Study area doesn't have any notified national parks or ecological sanctuaries . Since the area falls under dry deciduous shrubs.	Level-1	APSEZhasdeveloped greenbeltin an area of 550 haasagainstthecommitted area of430 ha.Adedicatenurseryissetup to promoteplantation.APSEZhaveundertakenaplantation with about9.6 Lakhfully grown trees.	The compensa tory afforestat ion area to be monitored annually to check the survival rate of the plantation	APSEZ	Continual Process	APSEZ has de taking measu development. Plant has dev plantation mo including SEZ Dedicated h monitoring th basis to check Total expendit FY 2020-21 w	ures/ ste APSEZ, I eloped m ire than industric orticultu e terres the surv tures of t	eps for ndividual nore than 10 Lacs es & Adar ure dep trial gree vival rate	terrestrial SEZ Indust 700 Ha. ar saplings wi in Power Pla artment is on belt deve of plantatio	plantatio ries and a ea as gro thin the nt. maint elopment n.	on/greenbelt Adani Power eenbelt with APSEZ area aining and on regular



S. No.	Identified environmen tal and social impacts for the fully developed scenario	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	(year 2030)						
	Due to scanty rains in the area, the overall natural green- cover/veget ation in the area is very small.						
10	Socio- economic						
10.1	aspects Population growth in the Mundra region was reported to be in the order of 85% during the past decade (2001- 2011). Further expansion of the urban area could be possible due to	Level-1	Dedicated townships are developed within APSEZ area with necessary community infrastructures such as hospital, school, recreational facilities, sewage treatment and waste collection facilities. Adani Foundation has been undertaking various CSR programs under the principal themes such as education, community health, sustainable livelihood and rural infrastructure. About	The existing townships will be expanded to accommoda te about 4lakh people when the project activity is fully developed.	APSEZ	As and When Required	APSEZ has developed two townships (Shantivan and Samudra) accommodating 2180 households and associated infrastructure facilities. Accommodation is made available for all interested employees working within Adani group & SEZ industries. Out of which 89% Occupancies are accommodated within the townships and rest are available for employees working within APSEZ. At present 45 nos. of industries (processing & non-processing) are operating within the SEZ. Township facilities are also made by SEZ industries within Mundra town for their employees having basic infrastructure facilities and requirements. Most of the employees working in SEZ industries are residing in Mundra township having all basic requirements and associated facilities. The existing social infrastructure facilities are adequate to accommodate the people considering present APSEZ development. The existing townships with associated facilities



S. Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
induced economic growth in the region. Increase in population will have a additional need for public infrastructu re in the region.		Rs. 97 Cr has been spent on various CSR activities in the Mundra region since 20 10. Similar community development programs (based on need based assessment) will be continued in future as well with allocation of appropriate budget.				 will be expanded as per requirement. Other infrastructure facilities have been developed for people are as follows. Multi-Specialty Hospital School Commercial complex Religious place APSEZ is actively working with local community (including fishermen community) around the project area and provides required support for their livelihood and other concerns through the CSR arm – Adani Foundation in the main five persuasions is mentioned below. Community Health Sustainability Livelihood – Fisher Folk Education Rural Infrastructures Adani foundation has spent approx. INR 4554.45 lakhs from April – 20 18 to Sep – 2020 for CSR activities including cost of rural infrastructure projects development. Major works carried out since April 20 18 as a part of CSR activities are as below. Pond Deepening work at Vadala & Mota Bhadiya Artificial recharge borewell in Borana, Mangara & Dhrub village. Under Dignity of Drivers Project, Adani Foundation has constructed Resting Shed for Drivers entering in SEZ Premises. Total 50 beds are constructed, drinking water and sanitation plus recreational – TV Facilities. Construction of 45 Toilet block and proper bathing place for labours. RO Plant – Samaghogha, Siracha village & Vallabh Vidyalaya at Mundra



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
							 Basic sanitation facility (18 Nos) at Balvadi, medical centre and retiring places at labour settlements
							 Ground recharge activities (pond deepening work for more than 52 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers.
							 Roof Top Rain Water Harvesting 54 Nos. and Recharge Bore well 75 Nos.
							• Drip Irrigation 823 Farmers benefitted in coordination with Gujrat Green Revolution Company
							• Participatory Ground Water Management in ten villages with holistic approach for Kankavati Sandstone Aquifer Programme.
							 Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar.
							Development of Prisha Park at Mundra.
							 Pond Bund strengthening at Zarpara Village
							Approach Road Restoration at all Fisher folk vasahat.
							Garden Development at Primary School Rampar village
							Shed Development at Shukhpurvah Mundra
							 Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. Current year supported 117 home biogas in Dhrub, Zarpara and Navinal Villages.
							 Adani Foundation at Mundra-Kachchh has initiated multi-species plantation of mangroves in Kachchh in association with GUIDE. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha.
							 Sea Weed Culture - A pilot cultivation facility (5 KL tanks in 6 nos) for the farming of different economically important seaweeds in the tanks on the onshore has been established and commenced the cultivation trials with red sea weeds Kappaphycus alvarezii, Gracilaria dura and green sea weed Ulva. The initial trials have given



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
10.2	The overall sex ratio was found to reduce by 28% in the Mundra taluk (study area) during the period 2001- 2011. This could be attributed to increase in influx of working men in the region due to rapid economic developme nt. Similar	Level-2	Adani foundation is taking up several girl child education programs as part of CSR activities to create awareness about girl child protection.	Suitable regional level awareness programs on the girl child protection and encourage ment programs in line with state and national policies shall be adopted under Corporate Social Responsibili ty programs	APSEZ, Other development projects and District Administrati on*	Long Term	 very promising results and harvested 6-7 times the seeded material in a 40-45 days cultivation period. Similar community development programs (based on need based assessment) will be continued in future as well with allocation of appropriate budget. Major works carried out since April 2018 as a part of CSR activities to create awareness about girl child protection are as below. The Adani Foundation provided scholarship support to motivation and encouragement of fishermen boys and girls for higher education under this program. APSEZ provide 100% fees support to girls as a scholarship. This year total 59 students are being facilitated by Adani foundation. Separate sanitation facilities for girl child in schools. Total 8770 haemoglobin screenings of RPA woman and adolescent girls was carried out in year 2017-18. Which helps in controlling anaemia in women and indirectly malnutrition. Beti Vadhavo Programme was organized in 32 Villages in the presence of Village Sarpanch and other leaders in year 2017-18. We explained people about the various topics i.e. importance of girl child, Sex Ratio, Gender Equality and laws regarding Child abortion. This initiative was well accepted by community and we have observed a visible change in their mindset. We have facilitated 560 daughters with Kit (Small Bed sheet, Mosquito net, Soap and Cream with nutritional
	trend might continue in future due to induced economic			in association with district authorities.			 diet in fishermen community, various awareness programs have been organized. During the year various activity like, Covid-19 awareness in village & Slum Area, Menstrual Hygiene Day, Breastfeeding



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	growth in the region.						 Week, National Deworming Day, National Nutrition Month had been celebrated. Project Suposhan is initiated with the Motive Curb malnutrition amongst Children, Adolescent girls and Women in our CSR villages. 100 beneficiaries covered in Menstrual Hygiene Day - with slogan called "RED-ACHHA HAI" 204 beneficiaries covered in Breastfeeding Week 320 beneficiaries covered in National Deworming Day 20 villages covered in celebration of NATIONAL NUTRITION MONTH 42 FAMILY COUNSELLING To reduce malnutrition and anemia amongst Children 95 % & adolescent girls and pregnant & lactating women by 70 % in three years Reduction IMR and MMR Support Awareness & Cover 100 % Vaccination taken by Child & women. SuPoshan Thanksgiving program was organized. In this webinar DDO, CDPO Mundra and other dignitiaries remained present and appreciated the efforts to overcome malnourishment in Mundra and Bitta. The National girl child day was celebrated with ICDC Department with Vahli Dikri Yojna form filling, paediatric health camp and Baby health kit distribution at Mundra. Mrs. Ashaben-CDPO Mundra was remain present in this event. Total 61 forms has received approval letter from GOG and 15 forms filled upon the same day.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance			
10.4	Due to economic growth leading to rapid urbanizatio n, which prompts the need for healthcare facilities in the region. For an influx of 6 lakh people from APSEZ operations and additional 3 Lakh from induced growth by the year by 2030 (fully developed scenario), total hospitals facilities with about 540 beds	Level-2	Adani hospitals, Mundra is set up by Adani group near Samudra township with a goal to provide primary and secondary health care services to Adani group employees and the local populace of Mundra. The existing 100 bed Adani hospital at Mundra has been catering the services ranging from wellness and preventative care.	APSEZ will explore other possibilities to augment the primary and secondary healthcare facilities in future depending on the growth scenario at APSEZ developmen t.	APSEZ	Long Term	facility and s township. Primary health within the Mui Other than thi part of community He Community He Commu	same is setup b a center and comm ndra taluka. is Adani foundation is Adani foundation i	y Adani grou nunity health c on is doing var letails of last ye Project Patient De In-Direct Beneficiary 66476 63192 5040 2370 17508 58383 212979 & 3 from Anjar k ver 25 villages f general life sa ned where ther ani Foundatior dra block, 03 vill	tails No. of Villages 33 33 11 63 63 63 11 11



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 20 30)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	would be required.						health services with token charge of 10 /- rupees per patient daily by a doctor and a volunteer.
							• During the year 2020-21, total 5836 transactions were done by 8711 card holders of 68 villages of Mundra Taluka. They received cash less medical services under Health Card to Senior Citizen project.
							 In the year of 2020-21 total 97 people had been benefitted by various kind of speciality camp and needy and screened patients are treated in Adani Hospital.
							• Total 20959 patients benefited in year 2020-21 from 55 different villages in Adani Hospital, Mundra.
							• The TDO, THO, Flywing Foundation, Ayurved Dept. has support in UKADO and Vitamin-C tablets distribution activities. Total 18240 people had get benefits of UKADO and Vitamin-C tablets.
							Adani foundation has spent approx. INR 4554.45 lakhs from April – 2018 to Mar – 2021 for CSR activities cost including cost of community health.
							Present Hospital facilities are adequate to avail the medical treatment for Mundra region considering present development. Other Occupational Health centres, primary health centres and community health centres are also in place in Mundra to take care the people residing in Mundra. Adani group is also operating high quality health care services to the people of Kutch at G. K. General Hospital, Bhuj having 750 beds facilities on public private partnership (PPP) model, which is 60 km far from Mundra.
							APSEZ will explore other possibilities to augment the primary and secondary healthcare facilities in future depending on the future development at APSEZ.
	Due to rapid economic		APSEZ has been giving preferences to people from Gujarat				4830 Man-days work was provided over 236 Fishermen family during this six months by Adani Hospital. The Foundation has also supported Pagadiya fishermen as painting laborers by providing them with employment and job in various fields.



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
10. 5	developme nt in the region, several employmen t opportuniti es can be generated to the local people. When the area is fully developed by the end of 2030, the working population of the Mundra taluk would increase from current level of 55,000 to as high as 4,00,000, which will be 45% of the total envisaged population		for providing employment opportunities based on eligibility and skills. In Mundra, special programmes have been conducted by Adani Foundation to enhance the employability of youth from fisherfolk communities. Based on the need assessment results, several livelihood options have been introduced by the Adani Skill Development Centre, Mundra. In these centres, youth can join and get vocational training for a number of technical and non-technical skills. An industrial Training Institute is set up at APSEZ, Mundra, to enhance the skill levels of the local youth to maximum possible extent.	APSEZ is committed to provide support for fishermen livelihood activities and has submitted a detailed 5 years plan to MoEF&CC with a total budget of Rs.13.5 Cr.	APSEZ	Short Term	 Adani Skill Development Centre (ASDC) is playing a pivotal role in implementing sustainable development in the state. The objective of this Centre is to impart different kinds of training to the students of 10th, 12th, college or ITI from surrounding areas. During this year Total 606 (Soft Skill Training: 330 & Technical Training: 276) people trained in various trainings to enhance socio economic development. Till date we admitted 221 candidates in domain courses and 263 candidates in non- domain courses. Now we started offline training with following all Covid-19 related guidelines. Online mud work training has been organized by ASDC Mundra, after training 28 students became self-employed. Beneficiaries of fisherman communities till date a 444 Book Support b 733 Vehicle transportation from Bandar to AVMB c) 86 Cycle Support d 81 Scholarship Support e) 280 15 Potable water provision f) 370 Youth Employment g) 256 1 Fishing Net & Equipment Support h) 195 Linkages with Fisheries Scheme i) 3504 Ramaotsav Community Engagement j) 17 Fisherman Sea Weed Culture. APSEZ is carrying out various initiatives specific to the Fisherfolk community which includes: Vidya Deep Yojana Vidya Sahay Yojana – Scholarship Support Adani Vidya Mandir Fisherman Approach in SEZ Machhimar Arogya Yojana



S. No.	Identified environmen tal and social impacts for the fully developed scenario (year 20 30)	Type of Impact & Magnitu de1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/E SMP	Responsible agency	Timeframe for implementatio n	Compliance
	in Mundra Taluk by the end of 2030.						 Machhimar Kaushalya Vardhan Yojana Machhimar Sadhan Sahay Yojana Machhimar Awas Yojana Machhimar Shudhh Jal Yojana Sughad Yojana Machhimar Akshay kiran Yojana Machhimar Suraksha Yojana Machhimar Suraksha Yojana Machhimar Ajivika Uparjan Yojana Bandar Svachhata Yojana These initiatives are planned for the period 2016 – 2021 with a committed expense of INR 13.5 Cr as submitted earlier in detail in the report namely "Silent Transformation of Fisher folk at Mundra", . Till, Mar'21 approx. 9.42 Cr. INR, has already been spent in support for fishermen livelihood activities.



ANNEXURE – A



TEST REPORT FOR WATER SAMPLE

:/O. E A	DANI PORT AND SPECIAL NVIRONMENT CELL, 3 rd F IDANI HOUSE NAVINAL IS ALUKA-MUNDRA, DIST-K	LOOR, LAND, VILL	LAGE-MUNDRA,	Test Report No. : PL/AM 0451 Issue Date : 10/09/2020 Customer's Ref. : As Par W.O.		
Descri	ption of Sample : W.B.	Dump Pon	d Water			
Sampli	ing Date : 21/0	8/2020	Quantity/No.	of Samples : 05 Lit/One		
Sampli	ing By : Polloc	on Laboratori	es Pvt. Ud. Sampling Pro	cedure : Grab		
FOR SER	Service and Plant Provident	8/2020	Lab ID	: AM/2008/1370		
1.00	a/ Seal : Seal	2010 0 0 0	Test Paramet			
1000	1000 CONSTRUCTION 1020	A COLOR	Charles PEC 4 1999 March 19			
Date o	f Starting of Test : 22/0	8/2020	Date of Comp	sletion : 31/09/2020		
		1.1	RESULT TABLE			
SR	100000000000000000000000000000000000000		RESULT	and a second		
NO	TEST PARAMETERS	UNIT	W.B. Dump Pond Water	TEST METHOD		
1	Calour	Co-pt	5.0	15 3025 (Port - 4) 2017		
2	Odour	+	Agreeable	15 3025 (Part - 5) 2018		
3	Total Suspended Solids	mg/L	14	15 3025 (PART - 17) 2017		
4	pН		2.84	15 3025 (Part - 11) 2017 Electrometric Method		
5	Temperature	. v	30,2	25 3025 (PART-9) 2017		
6	Cil & Grease	mg/L	Not Detected	15 3025 (Part-39) 2019		
7	Total Residual Chlorine	mg/L	Not Detected	APHA(23 ⁻³ Edition 2017) 4500 CI G-DPD colorimetric method		
8	Ammonical Nitrogen	mg/L	1.65	35 3025 (Part-34) 2019 Nexterization Nethod		
9	BOD	mg/L	5.0	15 3025 (PAR1-44) 2019		
10	COD	mg/L	52	APTA (23ed Indition 2017) 5220 B Open Reflax Nethod		
11	Arsenic as As	mg/L	Not Detected	APHA (23 ⁴ Edition 2017) 3114 B		
11	Mercury as Hg	mg/L	Not Detected	APHA (23" Editor, 2017)3112 B		
12 Lead as Pb		mg/L	Not Detected	APHA (23"Edition 2017) 3111 B		
13 Cadmium es Cd				APHA (23*Edition 2017) 3111 8		

Mach

1----Dr. ArunBajpal

Lab Manager (Q)

Continue...

MackySuraliwala Sr. Scientist

Note: This report is subject to terms & conditions mentioned overleaf.

PSSAI Approval Lab.
 Beringstand by MoEX. New Della Under
 Sec. 51 of Environmental (Protection) Act-1806
 schedule II and/or

Pollucon House, Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Farsan Nart, Navjivan Circle,Udhana Magdata Roed, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07016605174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com



POLLUCON LABORATORIES PVT. LTD.

TEST REPORT FOR WATER SAMPLE

0. E	DANI PORT AND SPECIAL INVIRONMENT CELL, 3" FL IDANT HOUSE NAVINAL ISI FALUKA-MUNDRA, DIST-KU	Test Report No. : PL/AM 0451 Issue Date : 10/09/2020 Customer's Ref. : As Per W.O.		
			RESULT TABLE	
SR			RESULT	In the second second second second second
NO	TEST PARAMETERS	UNIT	W.B. DUMP Pond Water	TEST METHOD
14	Hexavalent Chromium as Gr ⁴⁶	mg/l.	Not Detected	APHA (23*Edition 2017) 3500 Cr B. Colorimetric method
15	Total Chromium	mg/L	Not Detected	APHA(22nd Fo)(250001 B Culture et al. method
16	Copper as Cu	mg/L	Not Detected	APHA (23" Edition 2017) 3111 B
17	Zinc as Zn	mg/L	Not Detected	APHA (23*Bdition 2017) 3111 B
18	Selenium as Se	mg/L	Not Detected	APHA (23 ⁴ Edition2117) 3111 B.
19	Nickel as Ni	mg/L	Not Detected	API(A (23cd Edition 2017) 3111-5
20	Cyanice as CN	mg/L	Not Detected	APHA (21 ⁴ Edition 2012) 4500 CN E Colorimetric Method
21	Fluorides as F	mg/L	0.55	APRA (23rd Edition 2017) 4500 F D SPANDS Method
22	Dissolved Phosphate as P	mg/L	0,015	15 3025 (Part-16) 2017
23	Sulphides as S	mg/L	Not Detected	APIIA (20rd Edition 2017) 4500 52 F todometrik method
24	Phenolic Compound as C ₆ H ₅ OH	mg/L	Not Detected	15 3125 (Part - 43) 2019 Amincantpyrine Method
25	Blo-assay Test	7%1	95%	OECD 203 B/IS: 6582 2001
26	Manganese as Mn	mg/L	0.06	15 3025 (Part - 46) 2019 EDTA Hethod
27	Iron as Fe	mg/L	0.11	APHA (23rd Edition 2017) 3111 8
28	Vanadium as V	mg/L	Not Detected	APHA (23bd Estion 2017) 31'11.5
29	Nitrate Nitrogen as N	mg/L	0.15	PS 3025 (Part 34) 2019 Spectrophotometry

Not beneficial Limit Odis Source (12) eq.5, total mechanical Chinese Limits). Series as to 110 and), Percentry is Host Stat (12), end as Percentry (1, Cohener 2), Cohener 2), Cohener 20, Cohener 20,

March MackySuraliwala Sr. Scientist

front and and

Dr. ArunBajpai Lab Manager (Q)

OE/7 8/19-9/T

Note: This report is subject to terms & conditions mentioned overleaf.

PISSAE Approved Lab:
 Recognized by KoRF. New Tethi Under
 Sec. 12 of Environmental (Protection) Act-1988
 Sec. 12 of Environmental (Protection) Act-1988
 Sec. 12 of Environmental (Protection) Act-1988
 Sec. 12 of Environmental (Protection) Act-1988

"Pollucon House", Plot No.515, Opp.Balaji industrial Society, Old Shantinath Silk Mill Lane. Near Gaytri Farsan Mart, Navjivan Circle.Udhana Magdalla Road, Surat-J95007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07016605174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, inlo@polluconlab.com

Page 343 of 442

Annexure – 13



OIL SPILL CONTINGENCY RESPONSE PLAN TIER 1

(To be used in conjuction with OSRA Vol-1 and Vol-2)

ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED POST BAG NO. 1 NAVINAL ISLAND MUNDRA 370 421 PH. : (02838) 289221 / 289371 FAX : (02838) 289170 / 289270

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On	:	01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page	e 1	of 98

Section 00: Document Control

This document is the property of Adani Ports and Special Economic Zone Ltd, hereinafter referred to as APSEZL, and shall not be removed from the Company's premises.

When the controlled copy holder ceases to be the authorized recipient of this document, the document should be returned to the HOD (Marine), Mundra Office.

This document is distributed as per Oil Spill Contingency Response plan. In addition, documents on a "need based" basis will be distributed.

All documents so distributed will be controlled documents & identified by a unique control number as per Oil Spill Contingency Response plan.

The holder of the control copy shall ensure that the persons working under him, who are responsible for any activity described in this document are made aware of such responsibility. These persons shall be given this document to read and as acknowledgment of having read shall sign the **OSCRP – Section 01 Record of Circulation** page of this document.

All persons to whom the documents have been circulated shall also be made aware of any revisions thereto by the holder of the controlled copy of the document. The person shall, after reading, sign in the **OSCRP – Section 01 Record of Circulation** page of this document as acknowledgment of having read and under stood the document.

	DISTRIBUTION LIST OF OIL SPILL CONTINGENCY RESPONSE PLAN									
SN.	Issued To	Copy No.	Date of Issue							
1.	Chief Operating Officer	01	01/01/2014							
2.	Management Representative	02	01/01/2014							
3.	Marine Control Room	03	01/01/2014							
4.	Sr. Manager (Fire Services)	04	01/01/2014							
5.	Auditor's Copy	05	01/01/2014							
6.	Systems Co-ordinator	Original Copy	01/01/2014							
7.	HOD (Marine)	06	01/01/2014							
8.	Coast Guard	07	01/01/2014							

The Unique no. of this copy is: _____

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 2 of 98

Section 01: Record of Circulation

RECORD OF CIRCULATION

The holder of the copy thereto shall circulate this document and any revisions to concerned persons. After reading, this document shall be signed and returned to the holder.

Name	Rank	Date read	Signature

Reviewed By : Capt. Divya Gup	a Issue No.	:	01	Issued On	: 01.10.2020
Approved By : Capt. Anubhav J	ain Revision No.	:	05	Pag	e 3 of 98

Section 02: Amendment Records

<u> </u>		<u> </u>			IENT RECO	ND SHEE	1	1
Sr. No.	Section	Sub- section	Page No.	Revision No.	Revision Date	Des	cription of Revision	Approved
1.	Annex 3		75				of Oil Spill ant mentioned	Approved
2.	Annex 15		91				cycler approved by	Approved
3.	10		96			Continge	ency Planning nce Checklist	Approved
4	Annex 16		92		29.08.2017	List of ag guidance rehabilita mangrov oil spill	gency for support & for rescue & ation of oiled bird & es management during	Approved
5	03	3.6	45		29.08.2017	Addition	al information added	Approved
6	02	2.6	26		01.10.2018	Shore 1	ine resources updated	Approved
7	Annex 3		75		01.10.2018		g details updated	Approved
8	Annex 4		78		01.10.2018		ct details of APSEZ	Approved
9	Annex 4		79		01.10.2019	Conta	ct details of APSEZ	Approved
10	Annex 3		75		01.10.2020		g details updated	Approved
11	Annex 4		78		01.10.2020		ct details of APSEZ pronnel updated	Approved
	ed By : ed By :	Capt. Div Capt. An			Issue No.	: 01	Issued On : 01.10.	2020

Section 03: Strategy

1 Introduction

- **1.1** Authorities and responsibilities
- **1.2** Coordinating committee
- **1.3** Statutory requirements
- **1.4** Mutual aid agreements
- **1.5** Geographical limits of plan
- **1.6** Interfaces with ROSDCP and NOSDCP

2 Risk assessment

- **2.1** Identification of activities and risks
- 2.2 Types of oil likely to be spilled
- **2.3** Probable fate of spilled oil
- 2.4 Development of oil spill scenarios including worst case discharge
- **2.5** Shoreline sensitivity mapping
- **2.6** Shoreline resources, priorities for protection
- 2.7 Special local considerations

3 Response strategy

- **3.1** Philosophy and objectives
- **3.2** Limiting and adverse conditions
- **3.3** Oil spill response in offshore zones
- **3.4** Oil spill response in coastal zones
- **3.5** Shoreline oil spill response
- **3.6** Storage and disposal of oil and oily waste

4 Equipment

- 4.1 Marine oil spill response equipment
- **4.2** Inspection, maintenance and testing
- **4.3** Shoreline equipment, supplies and services

5 Management

- 5.1 Crisis manager and financial authorities
- **5.2** Incident organization chart
- **5.3** Manpower availability (on-site, on call)
- **5.4** Availability of additional manpower
- 5.5 Advisors and experts spill response, wildlife and marine environment
- **5.6** Training / safety schedules and drill / exercise programme

6 Communications

- 6.1 Incident control room and facilities
- 6.2 Field communications equipment
- 6.3 Reports, manuals, maps, charts and incident logs

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 5 of 98

Action and operations

7 Initial procedures

- 7.1 Notification of oil spill to concerned authorities,
- 7.2 Preliminary estimate of response tier
- 7.3 Notifying key team members and authorities
- 7.4 Manning Control Room
- 7.5 Collecting information (oil type, sea / wind forecasts, aerial surveillance, beach reports)
- **7.6** Estimating fate of slick (24, 48, 72 hours)
- 7.7 Identifying resources immediately at risk, informing parties

8 Operations planning

- 8.1 Assembling full response team
- 8.2 Identifying immediate response priorities
- **8.3** Mobilizing immediate response
- 8.4 Media briefing
- 8.5 Planning medium-term operations (24, 48 and 72 hour)
- 8.6 Deciding to escalate response to higher tier
- 8.7 Mobilizing or placing on standby resources required
- **8.8** Establishing field command post communications

9 Control of operations

- 9.1 Establishing a Management team with experts and advisors
- **9.2** Updating information (sea, wind, weather forecasts, aerial surveillance, beach reports)
- **9.3** Reviewing and planning operations
- 9.4 Obtaining additional equipment, supplies, manpower
- 9.5 Preparing daily incident log and management reports
- **9.6** Preparing operations accounting and financial reports
- 9.7 Preparing releases for public and press conferences
- **9.8** Briefing local and government officials

10 Termination of operations

- **10.1** Deciding final and optimal levels of beach clean-up
- **10.2** Standing down equipment, cleaning, maintaining, replacing
- **10.3** Preparing formal detailed report
- **10.4** Reviewing plans and procedures from lessons learnt

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 6 of 98

Data Directory

Maps / Charts

- 1. Coastal facilities, access roads, telephones, hotels etc.
- 2. Coastal charts, currents, tidal information (ranges and streams), prevailing winds
- 3. Risk locations and probable fate of oil
- 4. Shoreline resources for priority protection
- 5. Shoreline types
- 6. Sea zones and response strategies
- 7. Coastal zones and response strategies
- 8. Shoreline zones and clean up strategies
- 9. Oil and waste storage / disposal sites
- 10. Sensitivity Maps/ Atlas

Lists

- 1. **Primary Oil spill Equipment:** booms, skimmers, spray equipment, dispersant, absorbents, oil storage, Radio communications etc. (Manufacturer, type, size, location, transport, contact, delivery time, cost and conditions)
- 2. Auxiliary Equipment: Tugs and work boats, aircraft, vacuum trucks, tanks and barges, loaders and graders, plastic bags, tools, protective clothing, communication equipment etc. (Manufacturer, type, size, location, transport, contact, delivery time, cost and conditions)
- 3. **Support Equipment:** Aircraft, communications, catering, housing, transport, field sanitation and shelter etc. (Availability, contact, cost and conditions)
- 4. **Sources of Manpower:** Contractors, local authorities, caterers, security firms (Availability, numbers, skills, contact, cost and conditions)
- 5. Experts and Advisors: Environment, safety, auditing (Availability, contact, cost and conditions)
- 6. Local and National Government contacts: Name, rank and responsibility, address, telephone, fax, telex.

Data

- 1. Specifications of oils commonly traded
- 2. Wind and weather
- 3. Information sources

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 7 of 98

Annexures

Annexure 1 Init	tial Oil Spill Report
-----------------	-----------------------

- Annexure 2 POLREP Report
- Annexure 3 List of resources available
- Annexure 4 List of Telephone numbers of Expert and advisors
- Annexure 5 Responsibilities: Marine Officer / SPM Officer
- Annexure 6 Responsibilities: Marine Manager / On Scene Commander
- Annexure 7 Responsibilities: SPM Pilot
- Annexure 8 Responsibilities: HOD Marine
- Annexure 9 Oil Spill Progress report
- Annexure 10 Emergency response Log
- Annexure 11 Classification of oils
- Annexure 12 Response Guidelines
- Annexure 13 Site Specific Health and Safety Plan.
- Annexure 14 Indian Chart 2079
- Annexure 15 List of recycler approved by state of Gujarat
- Annexure 16 List of agency for support & guidance for rescue & rehabilitation of oiled bird & mangroves management during oil spill

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 8 of 98

Strategy

1. Introduction

The movement of Petroleum/ Petroleum-products from the production centre in middle east to Adani Ports and SEZ Ltd and various other ports in Gulf of Kutch is handled through ships at sea and to refineries using pipe lines on ground. Like any other port, Adani Port is very much vulnerable to oil spill disaster arising due to collision, leakage or grounding of vessels in sea and damage to pipelines on ground.

This action plan prepared by Adani Ports and SEZ Ltd, Mundra is to combat the oil spill (LOS-DCP) is in accordance with the NOS-DCP, International Petroleum Industry Environmental Conservation Association (IPIECA).

1.1 Authorities and responsibilities

Adani Ports and SEZ Limited

APSEZL has responsibility for dealing with oil spillages which occur within port limit if the estimated quantity of product lost is 700 tons or less.

Should the spill migrate to other areas, the Coast Guard Monitor will assume the position of On Scene Commander and will direct the response effort. In both cases, APSEZL will act and deploy their resources as required by the relevant On Scene Commander.

This operational version of Oil Spill Contingency Response Plan for the Adani Ports and SEZ Ltd, Mundra is intended for use by all such personnel like Marine Personnel, Tug Masters and all others as indicated in the Spill Response Organization who may be involved in the response to oil spills which may occur within Adani Port Limits.

This plan has been prepared as per the stipulation of Ministry of Environment and Forest Clearance (MoEF) and Coast Guard Requirements.

Gujarat Maritime Board

While responsibility for oil spill contingency remains with conservator of the port – Gujarat Maritime Board Port Officer, this plan (Tier 1) demonstrates the readiness of Adani Port for mitigating oil spill incidents.

Port Conservator will monitor and provide the necessary assistance required for administering the oil spill operation within the port limit.

Indian Coast Guard

The Indian Coast Guard has a statutory duty to protect the maritime and other national interests of India in the Maritime Zones of India and to prevent and control marine pollution. Coast Guard is also the Central Co-coordinating Authority for marine pollution control in the country. The Indian Coast Guard is responsible for implementation and enforcement of the relevant marine pollution laws.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 9 of 98

The National Oil Spill Disaster Contingency Plan stipulates the organizational and operational details to effectively combat a national oil spill contingency. The plan promotes the development of Regional and Local Contingency Plans in the three Coast Guard Regions.

The Coast Guard Monitor will assume the role of On Scene Commander in the event that any oil spill involving PLL operations exceeds 700 tons.

Gujarat Pollution Control Board

The Gujarat Pollution Control Board is responsible for, and control, waters up to 5 km from the shoreline. They require to be advised of all pollution incidents.

Ministry of Environment, Gujarat

The Ministry requires to be informed of all pollution incidents.

Emergency Response Team


Emergency Response Team (ERT) is the nomenclature used to describe the command and control team established for an oil spill incident at the jetty or in the jetty approaches, with representatives of organizations attending as described in section 2.4.

The ERT will convene at the Terminal Control Room, under the chairmanship of the Terminal Manager, and will consist of a Management Team and a Support Team as noted in section 2.3.

It is a strategic plan to quickly call on additional resources in a systematic manner firstly from Adani port and subsequently from other ports.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 10 of 98

1.2 Coordinating Committee



1.3 Statutory requirements

The Indian Government is a signatory to the International Convention on Oil Pollution Preparedness, Response and Co-operation which came into force in May 94. Under the NOSDCP, it is obligatory for a port to have a Local Oil Spill Contingency Plan to combat oil spills within port limits.

This oil spill contingency response plan (Tier 1) is the response plan in accordance with the facilities available at Adani Port only.

This plan is prepared in accordance with:

- a) Marine Environmental Impact Assessment of SPMs, COTs and connecting pipelines of APSEZL at Mundra dated February 2001, prepared by National Institute of Oceanography, Mumbai.
- b) Report on Risk assessment study and On-site disaster management Plan for SPMs, COTs and connecting Pipelines of Adani Ports and Special Economic Zone Limited, by TATA AIG Risk Management Services Limited, dated February 2001.
- c) HAZOP study report of SPM Terminal pipeline project by Intec Engineering, dated 26/02/2004.
- d) IPIECA guide to Contingency planning for oil spills on water.
- e) Oil spill risk assessment and contingency plan study done by M/s Environ Software Pvt. Ltd. (Copy enclosed)

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 11 of 98

1.4 Mutual aid agreements

APSEZL signed MOU with HPCL Mittal Pipelines Limited, Mundra operating in the region of Gulf of Kutch to have mutual aid agreement for the purpose of assisting each other within stipulated time frame with best combination of resources to combat and overcome any large and worst spill with the intent of maximizing the availability of the private, public and government sector response resources during oil spills where assistance is requested by another member.

As per agreement, the member agencies of the affected member state or province may directly request cascadable response resources located in oil handling agencies operating in the region of Gulf of Kutch.

1.5 Geographical limits of plan

Adani Ports and SEZ Ltd, Mundra is situated at the North head of Gulf of Kutch which is at the west coast of India. Ships calling Adani Port therefore have to traverse across the GOK. This oil spill contingency response plan (Tier 1) is applicable for the following:

- 1) Loading and Unloading of liquid cargo at the Multi-purpose terminal jetty at the Adani Port.
- 2) Unloading of the crude oil the vessels at the single point mooring (SPM) to offload 70,000 to 3,00,000 DWT.
- 3) Bunkering operations carried out within the port limits.

4) Any spill that occurs from any source within port limit (including West Basin, South Basin and LNG Terminal) whether at berths, anchorages or in the channel.

APSEZL falls within the area jurisdiction of The Commander, No.1 Coast Guard District (Gujarat), located at Porbandar. Mundra has a full-fledged Indian Coast Guard Station. The Port limit of APSEZL, Mundra is shown in enclosed chart in annexure 14.

1.6 Interface with ROSDCP and NOSDCP

For responding to oil spill, the Indian Coast Guard has developed the National Oil Spill Disaster Contingency Plan NOSDCP which has the approval of the Committee of Secretaries and has been in operation since 1996. The NOSDCP brings together the combined resources of the various organizations and departments, Coast Guard, Ports and Oil handling Agencies, and related industries, to provide a level of preparedness to the threat posed to the marine environment by oil spills.

The NOSDCP sets out a clear definition of the responsibilities of the major participants, such as the Coast Guard, various ministries and departments, ports and oil industry.

The national oil spill contingency plan hierarchy outlined in Figure 1 consists of NOSDCP at the apex level to coordinate significant or disaster type spills, the Regional Oil Spill Disaster Contingency plan (ROSDCP) to coordinate spill in the Gulf of Kutch, utilizing the resources available within the region.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 12 of 98




Figure 1 - Contingency Plan hierarchy

The aim of Local Contingency Plan - for the Mundra Port, is to outline arrangements for responding to oil spills in the coastal and shoreline areas, with the aim of protecting against environmental pollution as a result of oil spill or, where this is not possible, minimize the effect and respond the oil spill in an environment friendly manner and dispose the collected oil/debris in according to the existing laws/regulations/orders in force. CONTINGENCY PLAN FOR SHORELINE PROTECTION ISTRICT OIL SPILL CONTINGN

2 Risk Assessment

The number of vessels calling annually at APSEZL is more than 3000 including Chemical, Gas and oil tankers. The threat of oil spill is much high in Gulf of Kutch and is very oil spill sensitive area. A marine national park is located in the Southern shore of GOK. There is a popular beach spot on the Northern shore namely Mandvi. Lastly, as GOK is a closed system, any oil spilled will arrive to the shores.

2.1 Identification of activities and risks

The scenario of the spill are classified under two categories :

- Oil Spill at Mundra Port Multi-Purpose Terminals
- Oil Spill at SPM

The oil spill could occur due to various reasons at any of the APSEZL's marine facilities (SPMs, Basins/ berths, anchorage or approach channel) within the new Mundra Port limit. The spills beyond these areas are not covered in this plan. Both the categories are discussed in detail

Accidental oil spill at Multipurpose terminals/ Basins/ berths, anchorage or approach channel is possible from overflow of slop tanks, bunker tanks, reception facility and road tankers (generally a low pressure operation).

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 13 of 98

Accidental oil spill at the SPM may be due to hose puncture while unloading, failure of swivel joint of SPM or Leakage of Crude Oil at PLEM or from the submarine pipeline.

Following risks are being addressed to mitigate incident of oil pollution:

- Connection of hoses with established work instructions for use of blank flanges, drip trays etc.
- Thorough understanding of use of OSD and limitations of vessel surging due to slack mooring ropes in given weather conditions.
- Monitoring of ships pump room atmosphere, display of fire notices and acknowledging accidental explosion through the use of IMO ship / shore check list.
- Spillage of F.O. during bunkering operations by using bunkering check list
- Ballast discharge contamination or malfunction of ship's sea side valves by prohibiting such operations without written permission of the port.
- Non use of reception facility of the port by ships on cost plus basis.

Operational leakage

Spill due to floating hose failure at SPM: (183 t, at pumping rate of 10000 m³/h of crude oil for 75 sec): (Spill points - S1 at HMEL SPM & S2 at Mundra SPM)

Crude oil pumping rate from the tanker to the shore tanks will be varying between 5000 m³/hr and 10000 m³/hr. In the present study, the maximum pumping rate of $10000m^3$ /hr has been considered to assess the risk on a higher side. The Safety Break Away Coupling in the crude oil transfer hose will be activated within a few seconds in the event of hose rupture or hose failure. Again for the sake of assessing higher risk, a response time of 60 sec – 75 sec (worst case scenario) is considered to estimate the amount of oil that would spill at the SPM. Thus the quantity of crude oil spill has been estimated to be a maximum of 183 tons in the event of hose failure.

Spill due to rupture of sub-sea crude oil pipeline from SPM to shore tanks: (384 tons of crude oil, at pumping rate of 10000 m³/hr for 60 sec): Spill point S3 taken at midpoint of the pipeline from HMEL SPM to LFP)

Crude oil pumping rate from the tanker will be in the range of $5000 \text{ m}^3/\text{hr}$ to $10000 \text{ m}^3/\text{hr}$. In the present study, to assess the maximum risk, pumping rate of $10000 \text{ m}^3/\text{hr}$ has been considered. The minimum wall thickness of sub-sea crude oil pipeline is 15.6 mm and the maximum thickness is 24 mm. Moreover all along, 5 inches concrete cladding (weight coating) is provided on the surface of the pipeline. Crude oil pipelines designed, constructed and laid as per the international norms are safe and leakages are extremely rare during their designed life. However, a rupture of size 1 cm x 12.7 cm has been assumed for assessing the quantum of oil spill through sub-sea pipeline.

The maximum manifold pressure will be 12 kg/cm^2 and crude oil will be pumped to the shore tanks without any boosting device in-between. As the level in the tanker depletes, discharge pressure would also be reduced. Moreover, with the flow distance the crude oil pressure inside the pipe drops. For the sake of assessing the amount of oil spill in case of rupture of sub-sea pipeline, an average pressure of 10 kg/cm^2 and a water column height of 35 m have been considered.

Accordingly the quantity of Crude oil spill has been estimated using the formula given by

$$Q = C_d A (2gH)^{1/2}$$

Where,

Q = quantity of spill (m^3/s)

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 14 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN C_d = coefficient of discharge (0.9) A = Area of rupture (m²) (1 cm x 12.7 cm)

A = Area of rupture (m^2) (1 cm x 12.7 cr H = Net head (m) (6.5 kg/cm² = 65 m)

This would give a value of 0.04 m^3 of crude oil per sec spilling out of the pipeline through the rupture as the pump will be in operation.

The availability of solenoid operated hydraulic shutoff valves in the sub-sea pipeline, which will get activated in less than 15 seconds time as soon as the pressure falls, will limit the amount of oil leaked in case of pipe rupture and consequent drop inside the pipeline. However 60 sec response time has been considered for quantification of oil spill. Accordingly the quantity of Crude oil spill has been estimated to be 2.4 m³ before the pump discharge valve closes. However, there will be high pressure inside the pipeline initially and the oil inside the pipeline will start leaking into the waters through the hole as the pressure inside the pipe line is higher than the outside pressure, even after the valve is closed and pumping is stopped. Even after the pipeline inside pressure equalises the outside static pressure acting on the rupture, oil continues to start leaking as the density difference between the oil and water; oil being lighter and LFP is higher in elevation compared to the pipeline elevation. Two factors need to be considered here; the specific gravity of the crude oil inside the pipeline is less than 1 whereas the sea water specific gravity is more than 1. Also depending on the location of the hole/leak, there will always be a static head of sea water acting on the leak when the oil tries to flow out and sea water trying to flow in to occupy the place vacated by the leaked oil. Hence all the oil in the pipeline will not leak and there would be an equilibrium point reached when there would be no more oil leaking from the hole as the sea water pressures effectively blocks the oil leak. Also, the leak would be attended to within the stipulated time as per the standard maintenance procedures followed by the organisation. For the purpose of this study and as a worst case scenario before the leak is repaired by the established maintenance procedures, it is assumed that a maximum of 5% of the pipeline oil volume would leak and though it would be a continuous leak, this total quantity is taken to be instantaneous for the purpose of the study.

The pipeline length is approximately 10 km (from SPM to LFP) and the pipeline size is 42" NB. The pipeline volume works out to be approximately 8662 m³ or 7622 t.

Hence the total oil leaked due to rupture in sub-sea pipeline will be 2.15 t + 5% of pipeline volume of oil in t (0.05 x 7622 = 381 t) which works out to be a maximum of 383.45 t, say 384 t of crude oil.

For the purpose of simulation studies, this spill on the pipeline is assumed to have taken place at the midway point from HMEL SPM to LFP (designated as spill point **S3** in the report) and is taken on the subsea pipeline from HMEL SPM to LFP. As the pipeline from HMEL SPM to LFP and the Mundra SPM to LFP run very close only one leak point in the pipeline is studied as it gives a representative oil spill study for the pipeline leakage scenario.

Spill due to collision at SPM: (Spill points S1 & S2)

Crude Oil is received at SPM by ocean tankers having capacity between 90,000-360,000 metric tons. Crude Oil is pumped to shore tanks through pipeline/s from the SPM. In the present scenario, collision of the vessel at the SPM or tanker route with another vessel enroute to other terminals can cause partial damage to the vessels cargo tanks (not more than 3 nos. of cargo tanks) leading to a maximum oil spill of about 700 tons to 25,000 tons of crude oil. In the present study, the probable quantity of crude oil spill due collision at SPM is considered as 700 tons at the minimum and as 25,000 tons at the maximum.

Reviewed By : Capt. Divya Gupta	Issue No.		01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 15 of 98

Spill due to collision or grounding in the tanker route: (Spill point S4)

Tankers are expected to call at the SPMs frequently depending upon the demand for the refineries for the crude oil. These tankers may meet accidents like collision with other vessels or grounding in the vicinity of the SPM. In case of such accidents, the spillage may vary depending on the size of the tanker and the extent of damage and number of cargo tanks ruptured etc. In the present study the probable quantity of spill in the tanker route considered for modelling is 25000 tons at a point which lies on the tanker route to SPM not exactly within Mundra port limit; but a spill point is taken along the tanker route in the Gulf but close to the Mundra port limit.

Spills at the berths (applicable to berths at West Basin, South Basin, East Basin, North Basin, LNG berth and existing cargo berths of Mundra port.)

Oil spills can take place at the berths in the basins during the loading / unloading as well as berthing and traversing operations. The likely spill scenarios are discussed below:

a) Spills during the navigation of the vessel along the approach channel: (Spill point S7 for West Basin)

The spill location can be anywhere in the path. One location along the approach path has been selected for carrying out for model runs.

b) Spills around the jetty (in the maneuvering basin / turning circle): (Spill point S6 for West **Basin and Spill point S10 for South Basin**)

This can occur due to tug boat impacting the vessel and grounding of the vessel. One location around the jetty at the turning circle has been considered for the computational runs

c) Spills at the berths: (Spill point S5 for West Basin, Spill point S9 for South Basin, Spill point S13 for East Basin, Spill point S14 for North Basin, Spill point S8 for LNG jetty, Spill point S11 for MMPT 1 and Spill point S12 for MICT / AMCT berth locations)

During the loading/unloading operations spills may take place due to one or more of the following: –

Hose/ loading arm leakage (liquid products handled at the liquid berth), overflow on the vessel deck, vessel grounding at the jetty, vessel colliding with jetty, fire and explosion on the vessel or at the jetty, during bunkering operations etc.

Spills along approach Channel / Route

Vessels to the port berths follow the Deep Water route in Gulf of Kutch and Pilot boards at Pilot Boarding Ground "A" or "B", subject to tide and the berth allotted to the tanker.

While the risk of grounding is low, it cannot be wholly eliminated; the most likely causes are steering or propulsion system failure or navigational error, any of which could result in grounding on the channel margins. Given that the bed of the Gulf is rocky at some places the likelihood of any significant hull damage cannot be ruled out. In a general case scenario, weld fractures in the forward bunker tanks could give rise to a release of approximately 10 Tons of diesel oil and in a worst case scenario extensive damage to the bunker tanks may occur which would cause a spill of 500 to 700 t of FO spill.

Collision

The risk of collision while transiting the channel is negligible given the reason that port authorities use sophisticated ship tracking and navigational systems as the Gulf traffic has increased. These systems would ensure that the chances of any collision are remote or non-existent when ships / marine craft traverses / transits through the channel. However, even if any collision occurs, it is beyond reasonable

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 16 of 98

doubt that such an incident would result in the fore part rather than the parallel mid-body of the vessel and the loss of integrity of hull plating of a cargo tank is most unlikely. A spill quantity of 700 t can be the maximum in such a scenario.

Berthing Incident

Oil and/ or liquid chemical spill can occur as a result of hull coming in contact with the corners of the jetty structure during ship berthing or un-berthing maneuvers. Such incidents are generally due to failure of a

vessel's main propulsion or steering systems, loss of control onboard on support tug in attendance or Master error or wrong judgment.

The potential spill quantities involved depend on the vessel type and the location and extent of the impact damage; hull damage to a 20000 DWT – 80000 DWT tanker / vessel in way of a forward or aft wing tank, for example, could give rise to a release of some 500 Tons of product. The potential spill quantity, should hull plating be ruptured in way of an aft wing diesel oil bunker tank can, historically, be up to 100 Tons.

Tug Impact

There are well-documented incidents where cargo or bunker oil has been released as a result of hull impact damage by tugs. This can occur when tugs are approaching a vessel underway prior to berthing, or when coming alongside a moored vessel prior to un-berthing. The potential spill quantities again depend on the location and extent of the impact damage but can be over 20 tons for Diesel oil and 100 Tons for cargo (FO) oil. Spills from this cause are considered to be of low likelihood but the risk is acknowledged.

Loading Arms / Flexible hoses

The operation of loading arms / flexible hoses can lead to minor releases of oil. Common sources are vent valves, swivel joints and hydraulic lines. Such spillage seldom exceeds 0.1 Tons.

Cargo Tank Overflow

Cargo tank overflows can occur on board loading vessels; spills of this nature can be due to instrumentation failure, tank valve mismanagement or operator error. The spill quantity is a function of the flow rate and also the number of tanks being loaded at the time of the incident. Some of the oil and/or chemical will be retained on deck but, in a worst case scenario, up to 3 tons could escape overboard.

Hull Failure

The incidence of oil pollution due to hull failure is low and some 84% of the incidents attributed to this cause by ITOPF involved spill quantities of less than 7 tons; these spills were caused mainly by minor hull fractures and weld failures. The potential for more serious incidents with spill quantities in excess of 700 tons must however is acknowledged.

Fire and Explosion

Fires and explosions on board ship represent a safety hazard with the risk of pollution as a secondary impact. Most tankers engaged for trading will be equipped with inert gas systems. Given the controls, which are imposed and enforced by APSEZL authorities in respect of the oxygen content of cargo tanks, the risk of fire and/or explosion in the cargo spaces must be regarded as minimal, insofar as cargo transfer operations are concerned.

Strict monitoring and control of the main cargo pump room atmosphere will minimize the fire and explosion risks associated with this space.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 17 of 98

Fires resulting from uncontrolled smoking in the accommodation, unauthorized hot work such as welding, and engine room fires can spread rapidly if not dealt with swiftly and can give rise to incidents of a very serious nature.

While the likelihood of fire or explosion occurring on board vessels berthed at the Mundra port berths is low, the risk is nevertheless acknowledged. Such an incident could give rise to a spillage of 700 tons or more.

Bunkering – spillage of fuel oil

Bunkering at the port may sometimes give rise to spills due to hose failure and / or bunker tank overflow etc. in spite of the strict regulatory supervision of the port operations. These spills could be as small as a few kgs to a maximum of 500 t of FO.

As can be seen from the spill scenarios mentioned above, the spills range from extremely negligible quantities to enormous quantities in rare catastrophic events. The simulation of oil spills does not vary significantly in various scenarios except for the magnitude of impact zone and the quantity involved in such impacts. Though the software is intended to be used for specific scenarios so as to get the trajectory and other weathering information; in this study, a few hypothetical scenarios have been simulated and computations carried out considering the worst-case scenarios of oil spills at the different likely locations in the domain.

Based on the above deliberations, the following scenarios for computations have been selected for carrying out modeling studies for the oil spill trajectory and weathering processes.

Spill Locations	Pre- monsoon (Jan)	Monsoon (July)	Post monsoon (Nov)
SPM			
Crude oil spill of 183 t at the pumping rate of 10000 m ³ /hr (for 75 sec release) at the SPMs (due to Hose failure) Spill points: S1 and S2 During spring and neap tide conditions (tide conditions : PF and PE)	•	•	•
Instantaneous crude oil spill of 700t at the SPMs Spill points: S1 and S2	•	•	•
Instantaneous crude oil spill of 25000t at the SPMs Spill points: S1 and S2	•	•	•
Pipeline Leakage			
Crude oil spill of 384 t at the pumping rate of 10000 m ³ /hr (for 60 sec release) along the pipeline corridor at a select (midway) point of subsea pipeline in the pipeline routes Spill point: S3	•	•	•
Tanker route			
Instantaneous crude oil spill of 25000t along the tanker route at select location. Spill point: S4		•	•

Computational Scenarios:

Reviewed By	:	Capt. Divya Gupta	Issue No.	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	05	Page 18 of 98

West Basin (berths)			
100 tons (due to Berthing incident/ collision) at the West Basin berths (FO) Spill point: S5	•	•	•
50 Tons (due to Berthing incident/ collision (diesel oil tanks) at the West Basin berths (HSD) Spill point: S5	•	•	•
700 Tons due to Hull Failure / Fire / Explosion (FO) at the berths Spill point: S5	-	•	•
In the maneuvering basin: o 20 Tons of HSD oil due to Tug Impact (HSD) o 100 Tons of FO due to Tug Impact Spill point: S6	•		•
Along the vessel route at one location: Instantaneous oil spill of 700t along the tanker route at a select location.(FO): Spill point: S7	•	•	•
LNG Berth			
100 tons (due to Berthing incident/ collision) at the LNG berth (FO) Spill point: S8	•		•
50 Tons (due to Berthing incident/ collision (diesel oil tanks)) at the LNG berth (HSD) – Spill point: S8	•	•	•
700 Tons due to Hull Failure / Fire / Explosion (FO) at the berth Spill point: S8	-	•	•
South Basin (Berths)			
100 tons (due to Berthing incident/ collision) at the South Basin berths (FO) Spill point: S9	•	•	•
50 Tons (due to Berthing incident/ collision (diesel oil tanks) at the South Basin berths(HSD) – Spill point: S9	•	•	•
700 Tons due to Hull Failure / Fire / Explosion (FO) at the berth Spill point: S9	•	•	•
At the turning circle: • 20 Tons of HSD oil due to Tug Impact • 100 Tons of FO due to Tug Impact Spill point: S10	•	-	•
At the existing MMPT 1 Berth: : Spill Point S11			
100 tons (due to Berthing incident/ collision) at the berth(FO) Spill point: S11	•	•	•
50 Tons (due to Berthing incident/ collision (diesel oil tanks)) at the berth (HSD) – Spill point: S11	•	•	•
700 Tons due to Hull Failure / Fire / Explosion (FO) at the berth	•		•

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 19 of 98

At the existing MICT / AMCT Berths:			
: Spill point S12			
100 tons (due to Berthing incident/ collision) at the (FO) -	-		
Spill point S12	-	-	•
700 Tons due to Hull Failure / Fire / Explosion (FO) at the	-	-	
berth - Spill point S12	-	-	•
At the East Basin:			
Spill point S13			
100 tons (due to Berthing incident/ collision) at the East			
Basin berth (FO) -	•	•	•
Spill point S13			
At the North Basin:			
Spill point S14			
100 tons (due to Berthing incident/ collision) at the North			
Basin berth (FO) -	•	•	•
Spill point S14			

2.2 Types of oil likely to be spilled

Mundra Port mainly deals with Vegetable oils, Furnace oil, Naphtha, Methanol, High Speed Diesel, Super Kerosene Oil and other light oils at its Multi-Purpose terminal. The vessels calling at the port (or the designated anchorage areas) may spill fuel, diesel or a minimal quantity of lubricating oils. The SPM is being used to discharge crude oils from tankers.

At Berths:

- Vegetable oils,
- Furnace oil,
- Naphtha,
- Methanol,
- High Speed Diesel,
- Super Kerosene Oil,
- Carbon Black Feed Stock (CBFS),
- Motor Spirit,
- Other light oils
- Other HNS Substances

At SPM:

• Crude oil

At anchorages or within port limits:

- Fuel oil,
- Diesel oil,
- Minimal quantity of lubricating oil.

2.3 Probable fate of spilled oil

APSEZL is all weather, commercial port with geographical and hydrological advantages on the West Coast of India, in the Gulf of Kutch. Tidal range is between +0.37 m during Neaps and + 6.40 m during springs. Tidal streams flow $070^{0} - 250^{0}$ at an average rate of 3 kts and 4-5 kts during spring tides.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 20 of 98

It has been observed from the modeling study that during pre-monsoon season, the spills occurring at the APSEZL marine facilities move towards the southern / southwestern part of the Gulf of Kutch nearer to the facilities depending on tide phase.

The spills taking place at the APSEZL marine facilities move towards northern coast of Gulf of Kutch during monsoon season and affect the coast near Mundra, Kandla etc.

During post - monsoon season, the spills taking place at the APSEZL marine facilities move towards south / southwest and affect the islands /coast on southern side of the Gulf of Kutch.

The surface or subsurface oil spill consists of slick floating on the water surface, which partially dissolves in the water and partially evaporates into the atmosphere. There is a continuous exchange between the suspended and surface oil (floating oil). The assumption made in deriving the governing equations is that the thickness of the oil layer is negligible in comparison with the water depth.

In addition to the location, size and physico-chemical properties of the spill, other major factors affect the fate of the oil slick are governed by complex interrelated transport (turbulence) and weathering processes (evaporation, emulsification and dissolution). The spilled oil spreads and moves by the forces of winds and currents. A small portion of hydrocarbons begin to go into solution in the underlying water column, but most of the oil is lost through evaporation into the atmosphere. In the present model, all these processes are considered in the transport of Oil Slick.

Out of the above mentioned oils the vegetable or light oils do not pose any significant threat to the environment.

The spilled 'persistent' crude oil (or fuel oil) undergoes a number of physical and chemical changes known as "weathering". The major weathering processes are spreading, evaporation, dispersion, emulsification, dissolution, oxidation sedimentation and biodegradation.

The term persistent is used to describe those oils which, because of their chemical composition, are usually slow to dissipate naturally when spilled into the marine environment and are therefore likely to spread and require cleaning up. Non-persistent oils tend to evaporate quickly when spilled and do not require cleaning up. Neither persistence nor non-persistence is defined in the Conventions. However, under guidelines developed by the 1971 Fund, an oil is considered non-persistent if at the time of shipment at least 50% of the hydrocarbon fractions, by volume, distill at a temperature of 340°C (645°F), and at least 95% of the hydrocarbon fractions, by volume, distill at a temperature of 370°C (700°F) when tested in accordance with the American Society for Testing and Materials Method D86/78 or any subsequent revision thereof."

- a) **Spreading**: is one of the most significant processes during early stages of a spill is initially due to gravity. The oil spreads as a coherent slick and the rate is influenced by its activity. After a few hours, the slick begins to break-up and after this stage, spreading is primarily due to turbulence. Wind and wave actions also tend to fragment the slick, breaking it up into islands and windrows.
- b) **Evaporation**: The rate and extent of evaporation depends primarily on the volatility of the oil. In general, oil components with a boiling point below 200 D C evaporate within 4 to 16 hours in tropical conditions. Spills of refined products such as kerosene and gasoline evaporate completely and light crude lose up to 40 % of its volume within a few hours. In contrast, heavy crude and fuel oils undergo little evaporation.
- c) **Dispersion**: Waves and turbulence act on the slick to produce droplets of oil of different sizes. Small droplets remain in suspension while the larges ones rise to the surface. The rate of dispersion mainly depends on the nature of the oil and the sea state. Oils which remain fluid can spread unhindered by other weathering processes can disperse completely in moderate sea conditions within a few days. Viscous oils tend to form thick lenses on the water surface with slow


Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 21 of 98

tendency to disperse, which can persist for several weeks.

- d) **Emulsification**: Several oils have tendency to absorb water to form water-in-oil emulsions thereby increasing the volumes of the emulsified mass by a factor of 3 to 4. The arte at which the oil is emulsified is largely a function of sea state though viscous oils absorb water slowly. In turbulent sea conditions, low viscosity oils can incorporate as high as 80 % water by volume within 2 to 3 hours.
- e) **Dissolution**: The heavy components of crude oil are virtually insoluble in sea water while lighter compounds are slightly soluble. Hence levels of dissolved PHc rarely exceed 1 mg/l following a spill. Therefore, dissolution, does not make a significant contribution to the removal of oil from the sea surface.
- f) **Sedimentation**: Very few oils are sufficiently heavy to sink in sea water. However, the weathered residue gets mixed up with the suspended substances in water and may sink. This process becomes significant when water-in-oil emulsions attain specific gravity near to one and therefore need very little suspended substances to exceed the specific gravity of sea water (1.025).
- g) **Oxidation:** Hydrocarbon molecules react with oxygen and either breaks down into soluble products or combine to form persistent tars. Many of these oxidation reactions are promoted by sunlight and their effect on overall dissipation is minor in relation to other weathering processes.
- h) Biodegradation : Sea water contains a range of marine bacteria, moulds and yeasts which can use oil as source of carbon and energy. The main factors affecting the rate of biodegradation are temperature and the availability of oxygen and nutrient, principally compounds of nitrogen and phosphorous. Each type of micro-organism tends to degrade a specific group of hydrocarbons and whilst a range of bacteria exists between them which are capable of degrading most of the wide variety of compounds in crude oil, some components are resistant to attack.

Because the micro-organisms live in sea water, biodegradation can only take place at an oil/water interface. At sea, the creation of oil droplets, either through natural or chemical dispersion, increases the interfacial area available for biological activity and so enhances degradation.

The processes of spreading, evaporation, dispersion, emulsification and dissolution are most important during the early stages of a spill whilst oxidation, sedimentation and biodegradation are long-term processes, which determine the ultimate fate of oil. Fig.3.1 shows schematic diagram of weathering processes with time.



Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 22 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN Schematic diagram of weathering processes with time

It should be appreciated that throughout the lifetime of an oil slick, it continues to drift on the sea surface, independent of these processes. The actual mechanism governing movement is complex but experience shows that oil drift can be predicted by taking into account wind-induced effects and surface water currents. These can be calculated using mathematical modeling to determine the oil spill trajectory. The wind-induced effect is normally taken as 1-3% of the wind velocity, and the current effect as 110% of the current velocity. Reliable prediction of slick movement is clearly dependent upon the availability of good wind, tide and current data.

An understanding of the way in which weathering processes interact is important in forecasting their combined effect in changing the characteristics of different oils and the lifetime of slicks at sea. In order to predict such interactions, numerical models have been developed, based on theoretical and empirical considerations.

Accidental oil spills as indicated in 'Oil Spill Scenario' in section 2.1 of this plan might occur in the area of SPM. On the basis of the data modeled, the results indicate that

- a) about 38 % of hydrocarbons are lost by evaporation, 2.8 % by emulsification and 0.75 % by dissolution within 5 hours;
- b) the quantum of dissolved oil increases up to initial 5 hours and thereafter decreases as lighter (more soluble) hydrocarbons evaporate;
- c) after 50 hour, no oil dissolves;
- d) the trend of emulsified oil is similar to that of evaporated oil but emulsification occurs at a slow rate;
- e) the radius of oil slicks increases to nearly 1400 m at the end of 148 hours; and
- f) the maximum PHc concentration in water is about $39 \ \mu g/l$.

The spill trajectories clearly reveal the dominance of wind in deciding the location of landfall of the weathered oil. Thus during June-August, the spill will be preferentially transported in the north east direction under the influence of south west winds while during October-November, and possible up-to February, the oil will be predominantly carried to the southern shore. It is also evident that under the influence of the southwest winds, the oil will be deposited on the northern shore within 60 hours, while it might take about 80 hours to reach the southern shore during north east winds.

2.4 Development of oil spill scenarios including worst case discharge

The scenario of the spill are classified under two categories:

- 1. Oil Spill at Mundra Port Multi-Purpose Terminals/ Basins
- 2. Oil Spill at SPM

Oil Spill at Mundra Port Multi-Purpose Terminals/ Basins

a) Leak during cargo transfer operations Minor (250 liters)

This can occur at the start of cargo operations, during operation due to leakage in pipes, expansion joints, and at the time of disconnection of hose at manifold. However, such instances are remote on implementation of International Safety Management by Ships and Quality Management systems by Port.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 23 of 98

b) Slop tank / bunker tank overflow at, Jetty / Ship Minor (250 - 1000 ltrs.)

This source of pollution is purely of an accidental nature. The ship is expected to be ship shape with good trained crew and this has been emphasized to the Master of the vessel at the time of cargo transfer / bunkering. Based on a rate of 20 cbm/hr. and reaction time of 1 min, and hose content of 150 ltrs., likely spill is only 250 litres. A ship shore check list for cargo operations and bunkering is employed. A joint declaration is made by Marine Staff and Chief Officer / Master and enforced by Marine Manager. This results in good ship / shore co-ordination.

c) Spill during berthing (tug impact) Moderate (3000 liters)

Accidental contact with tugs or another marine structure is a possibility but quantum is not going to be significant because of Fendering system employed and training given to tug crews. Also with concept of double hull tanker the entire cargo compartments are protected by another hull, thus cargo spillage due to impact of tug is remote.

d) Grounding / Hull Damage :

APSEZL operates dry cargo & liquid cargo berths. Tankers mainly carry Furnace oil, Naphtha, Methanol, High Speed Diesel, Super Kerosene Oil and Vegetable oil. Oil transfer operations at the jetty are supervised by Liquid terminal staff. Manifold area has receptacle facilities to prevent accidental spills at connection / disconnection time. Berthing is done under controlled conditions and spill due to contact damage to underwater oil tanks is very remote. Radio officer controls movement of vessels in and around the berth and traffic presently is insignificant to pose any collision damage risk. Under water sea bed characteristic is soft sand. The berth area of about 500² m is surveyed monthly for any changes and underwater obstructions; hence grounding resulting into oil spill is very remote.

Oil Spill at SPM

a) Hose Puncture while unloading:

In such an event, crude oil, about 10670 Kgs may spill onto water. On spillage the oil slick will be carried away at a distant location depending upon water current and wind direction. The trained crew of the maintenance vessel patrolling the area during unloading, would control the oil slick movement by using booms and subsequently, the oil will be collected by the skimmer.

b) Failure of Swivel joint of SPM:

In this event about 17780 Kgs of crude oil may spill onto water. In this case the leakage may be detected visually by the personnel monitoring the operation from the ship tanker or by the detectors provided on the SPM.

c) Leakage of Crude oil at PLEM or from the submarine pipeline:

This case will occur at least 20 m below the water surface, oil being lighter than water will travel upward and float on to water. By the time oil water reaches the sea water surface, the oil droplets may start undergoing "weathering process" and it may form emulsion along with water.

d) Ship Collision Frequency :

Based on the statistical data and its analysis carried out by National Institute of Oceanography, the probability of this type of accident is about one in every seven years for the traffic projection and hence, this case is ignored.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 24 of 98

e) Ship Grounding Frequency :

Based on the statistical data and its analysis carried out by National Institute of Oceanography, the probability of this type of accident is about one in eleven years for the traffic projection and hence, this case is also ignored. Also with concept of double hull tanker the entire cargo compartments are protected by another hull, thus cargo spillage due to grounding is remote.


2.5 Shoreline sensitivity mapping

Gulf of Kutch is a typical semi-enclosed basin where the tidal forces interact with the open ocean waters of the sea, across its western open boundary at Okha. The currents of the region are tidal-driven and the water column is vertically well mixed. These features make the numerical modeling task easier, as a 2-D hydrodynamic model is sufficient to accurately reproduce the tides and currents for the study region in the Gulf of Kutch at Mundra.

The model domain of longitudes of 68° 50' 56.7" E and 70° 27' 36.9" E and the latitudes of $22^{\circ}14'$ 58.8" N and 23° 01' 49.1" N is selected for carrying out sensitivity analysis and predicting the fate and transport of oil spill that may take place at APSEZL's SPMs, Basins, berths and tanker route near Mundra coast in Gulf of Kutch.

The bottom roughness in the Gulf of Kutch varies due to the variation of bed sediment grain sizes. The bed consists of various sizes of clay, sand, silt and rocky soils. In the present study a uniform Manning's roughness coefficient has been used for numerical runs of hydrodynamic processes. The filled contours of Chezy's roughness coefficient are shown in Fig. A.1.4. The same roughness coefficient has been used to predict tides and tidal velocities in the Mundra area for prediction of oil spill trajectory.

The interpolated Chezy's coefficient calculated based on Manning's roughness and total water depth is shown in Fig.A1.4. The sensitivity analysis has been carried out with various Manning's value, which is the combined effect of d_{50} sediment size and bed configuration, to calibrate the model with respect to the tide data of March and October 1994, at Sikka. The computational runs were continued with various sets of various bed roughness values till computed and measured tide levels are within the acceptable limit.



For Shoreline sensitivity mapping refer Volume 2 (Annexure-V, VI and VII) of Oil Spill Risk Assessment.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.202
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 25 of 98

2.6 Shoreline resources, priorities for protection


The SPMs and the Marine facilities (Existing Berths, South Basin, West Basin, North Basin, East Basin and LNG Berth etc.) are located in the Northern side of Gulf of Kutch at Mundra. VLCCs bring Crude oil and unload at the two SPMs which are connected to the Shore tanks by means of Submarine pipelines. The Crude unloaded at these SPMs is pumped through Submarine pipeline to Shore tank farm area.


Various Marine craft / solid cargo/ liquid cargo vessels traverse through the Gulf waters to berth at the various Terminals / Berths located in the new Mundra port limit. The general layout of the various facilities like SPMs, terminals etc. within the Mundra port limit area are shown in Fig.1.1 to Fig.1.4 in chapter 1. There is a probability of spillage at SPMs, along the sub-sea pipelines and tanker route during unloading operations and transportation. Apart from these operations at the SPMs, loading / unloading operations at the different berths of the Mundra port – South Basin, West Basin, North Basin, East Basin, LNG jetty and existing berths also may give raise to accidental spills at the berth locations. The spills at these locations may affect the shore and other facilities along the coast of Gulf of Kutch. The coast of Mundra has tidal flats, sand bars and not much in the way of mangroves. The mangroves, Marine Park / Marine Sanctuary etc. are on the Southern side of Gulf of Kutch. As it was observed that the spills occurring at the various locations of the APSEZL Marine facilities may reach the Coast on the Northern side as well as on the Southern side of the Gulf depending upon the season, there is a need to protect the environment in the event of an oil spill at any of the APSEZL Marine facilities.

<u>Shoreline Resources available with APSEZL, Mundra for deployment during shoreline cleanup/</u> <u>emergent situation:</u>


Item	Quantity
Oil Spill Dispersants	15000 liters
Sorbent pads	2000 nos.
Portable dispersant storage tank: 1000 ltr capacity	1 no.
Portable pumps	2 nos.
Oil discharge hose, 3", 2 x 10 m	1 set
Tanker Trucks	04 nos.
Mini Vacuum Pump (30 m3 / hr)	05 nos.
Sorbent Boom Pack(12.5cm x 4 M)	500 mtr
Slurry Pump (60 m3 / hr)	01 no.
Start Tank with capacity 10000 liter(10 m ³)	02 nos.
OSD Applicator- Oil Dispersant Spry Unit(20 ltr) for use on beach and inter tidal zones	02 nos.


Reviewed By	: Capt. Divya Gupta	Issue No. : 01	Issued On : 01.10.2020
Approved By	: Capt. Anubhav Jain	Revision No. : 05	Page 26 of 98





Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	•	Capt. Anubhav Jain	Revision No.	:	05	Page 27 of 98





Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 28 of 98

Marine resources in Gulf of Kutch

Phytoplankton

Phytoplanktons are vast array of minute and microscopic plants passively drifting in natural waters and mostly confined to the illuminated zone. In an ecosystem these organisms constitute primary producers forming the first link in the food chain. Phytoplankton long has been used as indicators of water quality. Some species flourish in highly eutrophic waters while others are very sensitive to organic and/or chemical wastes. Some species develop noxious blooms, sometimes creating offensive tastes and odours or anoxic or toxic conditions resulting in animal death or human illness. Because of their short life cycles, plankton responds quickly to environmental changes. Hence their standing crop in terms of biomass, cell counts and species composition are more likely to indicate the quality of the water mass in which they are found. Generally, phytoplankton standing crop is studied in terms of biomass by estimating chlorophyll and primary productivity, while in terms of population by counting total number of cells and their generic composition. When under stress or at the end of their life cycle, chlorophyll in phytoplankton decomposes to phaeophytin as one of the major products.

Phytopigments

During April 2010, the phytoplankton pigments viz. chlorophyll a (1.7 - 2.4 mg/m3; av 1.9 mg/m3) and phaeophytin (0.3 - 1.2 mg/m3; av 0.7 mg/m3) varied considerably. In October 2010, chlorophyll a ranged from 2.0 - 4.2 mg/m3 (av 3.1 mg/m3) and phaeophytin from 0.7 - 1.1 mg/m3 (av 0.7 mg/m3) (Tables 8.1 and 8.2). The average concentration (mg/m3) of chlorophyll a off Vadinar during different sampling events (2010) is listed in Table 8.1:

Area	Pathfinder	Nearshore	ESSAR DP	IOC SPM	ESSAR SPM	Salaya Creek	Gulf
April 2010	2.4	2.1	1.9	1.4	2.0	2.0	1.7
Oct 2010	2.1	4.2	2.8	4.1	2.0	-	3.7

 Table 8.1: Average chlorophyll a (mg/m3) off Vadinar (April 2010 to October 2010)

The values of phaeophytin during the present monitoring period are given in Tables 8.2, while, the average concentrations (mg/m3) between different sampling events (April 2010 and October 2010) are listed in Table 8.2.

Month	Pathfinder	Nearshore	ESSAR DP	IOC SPM	Essar SPM	Salaya Creek	Gulf
April 2010	1.2	0.6	0.8	0.3	0.6	0.8	0.6
Oct 2010	1.1	0.9	1.1	0.9	0.7	-	0.8

Table 8.2: Average phaeophytin (mg/m³) off Vadinar (April 2010 to October 2010)

Phytoplankton population

As is generally the case with Coastal waters, the phytoplankton population density $(68-332 \text{ nox} 10^3/\text{l})$; av 186 no x $10^3/\text{l}$) and generic diversity (11-30 no; av 18 no) varied over a wide range and in a random manner during April 2010 (Table 8.3). In October 2010 the phytoplankton population density ranged from 100-789.6 nox $10^3/\text{l}$ (av 329.4 no x $10^3/\text{l}$) and generic diversity ranged from 12-25 no (av 19 no) (Table 8.4) off Vadinar.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 29 of 98

Table 8.3: Average phytoplankton population density (no x $10^3/l$) and total genera (no) off Vadinar (April 2010 to October 2010)

	Pathfir	nder	Nears	nore	ESSAR		SAR DP IOC SPM	
Month	Cell count (nox10 ³ /l)	Total genera (no.)						
Apr-10	216.2	19	200.5	17	192.7	15	127.7	18
Oct								
2010	203.1	19	446.6	20	323.6	23	360.4	18

	Essar SP	M		Salaya Creek Gul		Gulf			
Month	Cell count (nox10 ³ /l)	Total gener	l ra (no.)	Cell coun (nox10 ³ /l)		Total genera	(no.)	Cell count (nox10 ³ /l)	Total genera (no.)
Apr-10	124	1	6	198.5	18	3	211		15
Oct									
2010	260	1	6	-	-		487.6		14

The above results indicated wide temporal and spatial fluctuations in the standing stock of phytoplankton between April 2010 and October 2010 off Vadinar. In general, the coastal waters revealed high average cell counts during October 2010 as compared to previous data. The generic diversity of phytoplankton during April 2010 widely varied with the dominance of genera such as Nitzschia (17.7%), Guinardia (16.7%), Skeletonema (9.1%), Thalassiosira (7.4%), Hemiaulus (7.2%), Navicula (6.1%), Rhizosolenia (4.5%), Biddulphia (3.4%) and Leptocylindrus (3.4%). In October 2010, the dominant phytoplankton genera were Leptocylindrus (57.6%), Guinardia (13.9%), Nitzschia (8.1%) and Chaetoceros (7.2%)

Mangroves

According to one estimate the dense mangrove cover of Narara Bet is spread over an area of 5.5 km². The mangrove area has increased in recent years due to extensive plantations made by the Forest Department. Mangrove cover and mudflat areas (km²) in Jamnagar, Lalpur, Khambalia and Kalyanpur Talukas estimated based on satellite data are given in Table 8.4 below:

Table 8.4: Mangrove areas (km²) along Jamnagar coast

Taluka	Mangroves (Dense)	Mangroves (Sparse)	Tidal mudflats
Jamnagar	12.03	23.91	83.53
Lalpur	1.96	3.95	50.50
Khambalia	3.86	11.48	101.94
Kalyanpur	0.04	0.01	0.78

*Singh H.S., 2000. Mangrove in Gujarat, GEER foundation

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 30 of 98

Mangroves at Vadinar

The intertidal expanse in the vicinity of Dargah ranged in 1 - 1.2 km. Lower intertidal zone was muddy with dense algal growth. The mid and upper intertidal zone sustained mangrove vegetation of ~ 500 m width. The zone around HTL was dominated by a sandy beach with ~ 5 m width and a narrow beam at the backshore. The distribution of mangroves at Vadinar during the present monitoring (April 2010) is given in Table 8.5 below:

	Location	Species	% FQ	Density	Height	DBH	Seedling
					(m)	(cm)	(no/m ²)
D1	22° 26'42.6''N	A. marina	100	Sep-67	0.5 - 3.5	<2.6 - 6	0 - 2
	69° 42' 07.8''E			-38			
D2	22º 26' 50.5''N	A. marina	40	0 - 5	0.5 - 1.5	<2.5 - 4	0 - 1
	69° 41' 52.9''E			-2			
Vadinar	· (Dargah - south side;	afforested an	rea)				
D3	22° 26' 30.8''N	A. marina	100	(20 - 75)	1.0 - 2.3	<1.5 - 5	0 - 15
	69° 42' 05.6''E			-50			

Table 8.5: Distribution of mangroves at Vadinar (Dargah - North side)

As evident from above data, the stand density of *A.marina* at two locations (D1 and D2) along North-east of Vadinar Dargah varied from nil to 67 plants/100 m² with higher density of plants noticed at location D1. Frequency of occurrence ranged from 40 - 100% in the mid and upper intertidal zones. The height varied from 0.5 to 3.5 m. Mostly the plants were dwarf (av 1 m) with occasional tall plants of 3.5 m. Diameter at Breadth Height (DBH) varied from <2.5 to 6 cm. The seedling density was poor and varied from 0 - 2 no/m². The mid intertidal segment was the popular feeding site for flocks of flamingos.

The upper intertidal expanse along South-west of Vadinar Dargah (D3) showed good growth of afforested mangroves (Table 8.5). The density of mangroves ranged from 20 - 75 plants/100 m² with an average of 50 plants/100 m². The plant height varied from 1.0 to 2.3 m and the DBH ranged from <1.5 to 5 cm. The seedling density was low (0-15 no/m²), however, better than that noticed along North-east of Vadinar - Dargah (D1 & D2). Present results are comparable with earlier monitoring studies (2007 - 2009).

Mangroves at Narara

The intertidal expanse along the IOCL pipeline corridor varied from 2000 - 2200 m. The mangroves vegetation from upper intertidal region was observed to be healthy, dominated by *A.marina* on both sides of the pipeline corridor. Four locations (N1 to N4) were selected for monitoring of mangroves at Narara as detailed in below given Table 7.6.

Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 31 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. **MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN** Table 8.6: Distribution of mangroves at Narara

	Location	Species	% FQ	Density	Height (m)	DBH (cm)	Seedling (no/m ²)
N1	22° 27' 56.8''N 69° 43' 43.2''E	A.marina	100	20-45 (38)	2-3	3-8	0-85
		C.tagal R.mucronata	10 5	0.7* 0.2*	-	-	-
N2	22° 27' 59.1''N 69° 43' 21.3''E	A.marina	100	60-90 (85)	2-4	25-12	0-7
N3	22° 28' 03.5''N 69° 43' 27.4''E	A.marina R mucronata	100 3	28-85 (50)	0.5-2.5	<15-7 -	0-55 -
N4	22° 28' 07.2''N 69° 43' 24.6''E	A.marina	100	30-130 (80)	0.5-3.5	<2.0- 3.5	0-10

 $* no/500 m^2$

As can be noticed in the above table, the plant density of A.marina varied from 20 - 130 plants/100 m^2 with a frequency of occurrence of 100% at Narara. The species like Ceriops tagal (7 plants/500 m²) and Rhizophora mucronata (2 plants/500 m² - 3 plants/100 m²) were rarely noticed. The locations N2 (85 plants/100 m²) and N4 (80 plants/100 m²) revealed better average density of A.marina as compared to the rest. The height of A.marina varied from 0.5 to 4 m with N2 and N4 locations indicating better plant height than the rest. The DBH varied from <1.5 to 12 cm at the monitoring locations. The seedling density ranged from 0 - 85 no/m² with N1 and N3 locations sustained better seedling density than the rest. Few new plants (30 - 45 cm in height) of C.tagal and R.mucronata were noticed at the EOL pipeline corridor during the present monitoring.

Sand dune vegetation

The narrow beach of ~ 5 m width around HTL along Narara Bet is marked with berm of $\sim 1.5-2$ m width, followed by back shore sandy zone. Occasional shrubs of Salicornia brachiata and Suaeda maritima are observed on the backshore sandy zone. The sand dune flora is more predominant on berm and immediate back shore zone of ~5 m width. Sand dune flora is represented by seven species viz; Crassa sp, Cyperus arenarius, Launea sp, Suaeda maritima, Salicornia brachiata, unidentified Poaceae member and unidentified Fabaceae member.

Seaweeds and Seagrasses

Seaweeds, which are known as a source of food, fodder and manure, are mostly found attached to various substrata like sandy, muddy and coralline sediments as well as rocky areas and play a significant role in enriching the sea by adding dissolved organic matter, nutrients and detritus besides serving as nursery areas for the larvae and juveniles of innumerable marine organisms. Some green Seaweeds are edible, red algae are the important source of agar and some of the brown algae are used for manufacturing algin and alginic acid. Seaweeds are also used to produce some bioactive compounds.

The algal zone of Narara Bet is confined to 1.2-2.5 km width. A total of 62 species of algae and 3 species of sea grasses are recorded from this region. Among them Lyngbya, Caulerpa, Cladophora, Ulva, Cystoceira, Dictyota, Hydroclathrus, Padina, Sargassum, Acanthopora, Amphiroa, Champia, Centraceros, Gracilaria, Hypnea and Polysiphonia were common with the dominance of Padina and Gracilaria at the lower reef flat. The open mudflats of Narara Bet are dominated by algae like Enteromorpha, Ulva, Lyngbya and Polysiphonia, while, the upper sandy shore and mangrove areas are associated with Enteromorpha and Ulva. Seagrasses such as Halophila ovata and Halodule uninervis are common in patches on sandy regions of the reef, while, Halophila beccarii occasionally occurred on mudflats along the tidal channels.

Reviewed By	:	Capt. Divya Gupta	Issue No.	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	05	Page 32 of 98

Open mudflats near Dargah and Narara pipeline corridor supported growth of twelve marine algae dominated by Enteromorpha spp (Table 8.7). The biomass of Enteromorpha estimated at ~ 4 kg/m2.

Sr. No.	Species	% FO*	ES*
1	Enteromorpha clathrata	100	D
2	Enteromorpha intestinalis	100	D
3	Caulerpa racemosa	50	С
4	Ulva fasciata	100	D
5	Ulva lactuta	100	D
6	Ulva reticulate	90	D
7	Codium elongatum	30	0
8	Sargassum ilicifolium	45	С
9	Sargassum tenerimmum	60	CD
10	Gracilaria corticata	55	С
11	Gracillaria verrucosa	85	С
12	Polysiphonia platycarpa	20	0

Table 8.7: Marine algal flora along Narara/Vadinar

*%FO: Percentage Frequency Occurrence, ES: Ecological Status, D: Dominant (% FO = 80-100), CD: Co-dominant (% FO = 60-79), C: Common (% FO = 40-59), O: Occasional (% FO = 20-39).

The intertidal zone of Kalubhar Tapu harbours 47 species of marine algae and three species of seagrasses. The reef areas of this island are dominated by *Dictyota*, *Gracilaria*, *Padina*, *Hydroclathrus*, *Ulva* and *Hypnea*. The open mudflats and sandy areas at the upper intertidal are preferred by *Enteromorpha*, *Ulva*, *Lyngbya* and *Polysiphonia*. The sandy region of the reef flat supported seagrasses like *Halophila* and *Halodule*.

Zooplankton

The zooplankton standing stock in terms of biomass and population density during April 2010 (Table 8.8) varied from 0.2 to 121.2 ml/100m³ (av 3.3 ml/100m³) and 2.2-722.7 x $10^3/100m^3$ (av 39 x $10^3/100m^3$), respectively while during October 2010 the zooplankton biomass and abundance ranged from 0.2 to 12.0 ml/100m³ (av 3.5 ml/100m³) and 2.5-157.8 x $10^3/100m^3$ (av 48.4 x $10^3/100m^3$) respectively suggesting normal secondary production off Vadinar during the monitoring period.

The average zooplankton biomass (ml/100m³), population density ($nox10^3/100m^3$) and total groups (no) off Vadinar during the monitoring period varied in accordance with the data presented in Table 8.8.

Table 8.8:	Average	values	of	zooplankton	(A)	biomass	$(ml/100m^{3)}$	(B)	Population	density
$(nox10^{3}/100)$	m ³) and (c) total gi	ou	ps (no) off Vad	linar	(April 201	10 – October	2010))	

Area		Pathfinder	Nearshore	ESSAR DP	IOC SPM	Essar SPM	Salaya Creek	Gulf
A	Α	8.3	1.1	1.1	0.9	1.4	2.5	3.5
April 2010	В	89.9	24.6	14.4	22.7	12.7	20.4	37.4
2010	С	17	15	12	16	13	16	17
Oct	Α	4	3.9	1.5	3	5.7	-	2.1
Oct 2010	В	57.4	55.9	23.5	30.5	83.1	-	32.8
2010	С	13	11	10	10	9	-	7

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 33 of 98

The overall zooplankton standing stock was low and highly variable off Vadinar which could be due to high patchiness and seasonal variability in their distribution apart from high grazing pressure at higher trophic levels.

During April 2010, 24 faunal groups were identified in the coastal waters off Vadinar during the monitoring period while 17 faunal groups were present in the samples of October 2010. The most common faunal groups were copepods (40.5%), decapod larvae (19%), gastropods (22.5%), lamellibranchs (10.7%), and foraminiferans (2.1%) in April 2010. In addition to the above, groups like chaetognaths, siphonophores, *Lucifer* sp, polychaetes, ctenophores, medusae, amphipods, ostracods, mysids, heteropods, isopods, stomatopod larvae, appendicularians and fish larvae were also frequently noticed but in less numbers during April 2010. During October 2010, the dominant groups were copepods (93.6%) and decapod larvae (4.8%). In general, the coastal waters off Vadinar revealed a moderate production of zooplankton associated with random fluctuations and seasonal changes.

Macro benthos

The organisms inhabiting the sediment are referred as benthos. Depending upon their size, benthic animals are divided into three categories, macrofauna, microfauna and meiofauna and macrofauna. Benthic community responses to environmental perturbations are useful in assessing the impact of anthropogenic perturbations on environmental quality. Macrobenthic organisms which are considered for the present study are animals with body size larger than 0.5 mm. The presence of benthic species in a given assemblage and its population density depend on numerous factors, both biotic and abiotic.

Intertidal macrofauna

During April 2010, Intertidal macrofauna was studied along 5 transects viz. 1 transect (Transect I) at Kalubhar Island and 4 transects at Narara Bet. Several locations were sampled along each transect between the HTL and the LTL viz; High Water (HW), Mid Water (MW) and Low Water (LW). The intertidal macrofaunal standing stock in terms of population density (50-7800 no/m², av 2292 no/m²) and biomass (0.1-37.2 g/m²; wet wt, av. 9.2 g/m²; wet wt) varied widely During the post monsoon, only the first three transects were sampled. In October 2010, the intertidal macrofaunal standing stock in terms of population density ranged from 0-3625 no/m² (av 1185 no/m²) and biomass from 0-67.8 g/m²; wet wt (av. 14.6 g/m²; wet wt). These results are compared with historical data in Table 8.9.

Table 8.9 Average of intertidal macro benthos off Vadinar during April 2010 to October 2010, (A)
Biomass (g/m ²) (B) Population density (no/m ²) and (C) Total groups

Transect		Ι	Π	III	IV	V
April	А	11.2	4.2	13.7	10.7	6.1
2010	В	3983	1172	1292	2401	2614
	С	5	3	6	6	3
Oct	Α	11.9	16.8	15.1	-	-
2010	В	1495	904	1156	-	-
	С	5	7	5	-	-

Overall, the intertidal region sustained good faunal standing stock and diversity and the contribution of major faunal components are comparable over the past many years at Narara Bet/Kalubhar.

Subtidal macrofauna

Subtidal macrofauna was studied at 13 stations in the coastal system off Vadinar during April 2010 and at 10 stations during October 2010. The distribution of subtidal faunal standing stock in terms of biomass (0.3 - 41.0 g/m²; av 8.0 g/m² wet wt) and population density (150-8925 no/m²; av 1902 no/m²) during April 2010. In October 2010 the biomass ranged from 0.3 - 23.9 g/m² (av 7.1 g/m²; wet wt) and population density ranged from 125-14975 no/m² (av 2282 no/m²) The current data is listed (April 2010 – Oct 2010) in Table 8.10.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 34 of 98

Table 8.10Average of subtidal macrobenthos off Vadinar during April 2010to October 2010, (A)Biomass (g/m²) (B) Population density (no/m²) and (C) Total groups

Area		Pathfinder	Nearshore	ESSAR DP	IOC SPM	ESSAR SPM	Salaya Creek	Gulf
	Α	11.2	2.9	2.0	6.1	1.3	15.5	6.4
April 2010	В	3833	338	388	694	2375	1553	1865.5
	С	7	3	4	6	5	6	4
	Α	12.1	7.7	1.9	4.9	1.8	-	10.6
Oct 2010	В	5019	2967	400	1169	181	-	1652
	С	8	5	4	4	2	-	7

The macrobenthic population was dominated by polychaetes (50.1%), amphipods (18.5%), pelecypods (8.2%), decapod larvae (7.4%), tanaids (3.6%) and foraminiferans (3.2%) during April and by polychaetes (76.3%), amphipods (12.3%) and pelecypods (5%) during October 2010.

Corals and associated biota

Live corals at the Narara and Kalubhar reefs are mainly confined to the lower littoral (reef flat) and shallow subtidal zones (< 8 m). They are absent at the upper reef flat probably because of high rate of sedimentation and long exposure during low tide.

Narara Bet

The eastern segment of Narara Bet represents a formation of vast mud flat, which resulted in significant negative influence on the live coral population. Many regions along the reef flat on the western side are exposed during low tide for prolonged periods because of which the distribution of live corals was poor. In all 30 and 22 Scleractinian species have been identified in the intertidal and subtidal zones respectively of Narara Bet with *Montipora, Goniopora, Porites, Favia, Favites, Goniastrea, Platygyra, Cyphastrea, Pseudosiderastrea, Turbinaria, Leptastrea* and *Symphyllia* as the dominant genera.

In general, the live coral density decreased with depth. The live corals were absent beyond 8 m (CD). However, the subtidal area at Narara sustained good coral populations within 5 m (CD). Distance-wise corals were rich within 250 m towards the sea from the LTL. The corals of the genera *Montipora, Porites, Favites, Goniastrea, Goniopora, Cyphastrea, Leptastrea, Favia* and *Turbinaria* dominated the subtidal area.

Kalubhar

In general, Kalubhar reef sustained relatively healthy live corals at the lower intertidal and subtidal (<7 m depth) zones as compared to the population at the Narara reef. The north and north-west regions of Kalubhar had better coral density and diversity as compared to the east and south-east regions because of high sedimentation of the reef flat and the subtidal zones. Overall, 30 and 7 species of Scleractinians in the intertidal and subtidal zones respectively at Kalubhar have been identified. The corals at Kalubhar were mainly represented by genera *Montipora, Favia, Favites, Porites, Goniastrea, Goniopora, Cyphastrea, Platygyra,* and *Symphyllia* and *Turbinaria.* The live corals were absent at the reef edge of 50 m width due to total exposure for longer period whereas their coverage increased (90 to 100%) at the reef slope below 1 m depth.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 35 of 98

A rich reef associated flora and fauna was noticed at Kalubhar. The common and dominant seaweed genera were *Sargassum*, *Gelidiella*, *Acanthophora*, *Ulva*, *Caulerpa*, *Codium*, *Dictyota*, *Padina*, *Halymenia*, *Enteromorpha*, and *Gracillaria*. Varieties of sponges were associated with coral boulders. The fauna consisted of coelenterates (*Zoanthus* sp., *Discosoma* sp., *Stoichactis*, *giganteum*, *Cerianthus* sp. and variety of corals), annelids (various polychaetes), echiuroid (*Ikedella misakiensis*), crustaceans (amphipods, isopods, *Acetes* sp., shrimps and crabs), molluscs (*Octopus* sp., *Sepia* sp., *Loligo* sp., gastropods, bivalves, nudibranchs etc.) echinoderms and variety of reef fishes.

Fishery

Gujarat ranks number one position in marine fish production in India. The Gulf contributes about 22% to the fish production of the state. The share of the Jamnagar District is between 5 and 14% (av 10%) to the State's total marine fish landings. The important fish landing centres in the vicinity of IOCL SPM area which falls under Khambalia zone are Vadinar, Bharana, Nana Amla and Salaya which together contributed about 6823 t, 8253 t and 5330 t of fish landings in 2006-07, 2007-08 and 2008-09 respectively to the total landings of the Jamnagar District. Similarly, the important fish landing centres in the vicinity of Sikka which falls under Jamnagar zone are Sachana, Baid, Sarmat, Bedi and Sikka which together contributed about 4768 t, 5122 t and 5848 t of fish landings in 2006-07, 2007-08 and 2008-09 respectively. Within the Jamnagar zone, the major landings (98%) were from Sachana (32%), Baid (27%), Sikka (19.7%) and Bedi (18.9%) during the last 3 years. Within the Khambalia zone (56.5%) contributed to about 13% higher fish landings than Jamnagar zone (43.5%) for the last 3 years. However, the landings at Sikka (1.3%) and Vadinar (0.5%) to the total landings of the district were negligible during the period 2006-2009.

Reptiles and mammals

The reptiles are mainly represented by marine turtles Chelonia mydas and Lepidochelys olivacea which breed and spawn on the sandy beach along the Sikka-Vadinar coast as well as on the islands.

Dolphin (*Dolphinus delphis*) and whale (*Balanoptera* sp) are common in the Gulf. Though occurrence of Dugong (*Dugong dugon*) in the Gulf particularly along the Jamnagar coast has been reported, there are no recent sightings.

The resources discussed above likely to be threatened are tidal flats, Phytoplankton, Phytopigments, Mangroves, seaweeds and seagrasses, Zooplankton, Macrobenthos, Corals and associated biota, salt works fishing activities and other vocational related to marine sensitive areas in the coast of Vadinar and Sikka.

It has been observed from the modeling study that during pre-monsoon season, the spills occurring at the APSEZL marine facilities move towards the southern / southwestern part of the Gulf of Kutch nearer to the facilities depending on tide phase.

The spills taking place at the APSEZL marine facilities move towards northern coast of Gulf of Kutch during monsoon season and affect the coast near Mundra, Kandla etc.

During post - monsoon season, the spills taking place at the APSEZL marine facilities move towards south / southwest and affect the islands /coast on southern side of the Gulf of Kutch.

2.7 Special local considerations

Considering the distant proximity of various other installations with the port of Mundra, in case of a tier 1 spill, no other special considerations are deemed to be required apart from an active spill response close to the port facility itself.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 36 of 98

3 Response strategy

3.1 Philosophy and objectives

This plan is intended to assist APSEZL in dealing with an accidental release or discharge of oil. Its primary purpose is to set in motion the necessary actions to stop or minimize the discharge and to mitigate its effects. Effective planning ensures that the necessary actions are taken in a structured, logical and timely manner.

This plan guides the HOD– Marine and his Duty Staff through the decisions which will be required in an incident response. The tables, figures and checklists provide a visible form of information, thus reducing the chance of oversight or error during the early stages of dealing with an emergency situation.

For this plan to be effective, it must be:

- familiar to those APSEZL staff with key response functions;
- regularly exercised; and,
- Reviewed and updated on a regular basis.

This plan uses a tiered response to oil and chemical pollution incidents. The plan is designed to deal with Tier One spillage. The products handled are likely to pose a greater fire and safety, rather than an environmental risk; there may thus be additional factors involving the safety of personnel, which will take precedence over the pollution response. In this case, reference must be made to the APSEZL Emergency Procedures Manual. The salvage and casualty management of any vessel that poses a threat of pollution is priority considerations.

During oil spill response activities, account must be taken of the following:

- site hazard information
- adherence to permit procedures
- spill site pre-entry briefing
- boat safety
- APSEZL safety manual and material safety data sheets
- Personal protective equipment needs
- heat stress
- decontamination

3.2 Limiting and adverse conditions

APSEZL is situated in natural protected Gulf of Kutch and there are less incidences of heavy wind or any other factor affecting operation.

3.3 Oil spill response in offshore zones


SPM handles (unloading) crude oil and pumps it to shore tank farm area through sub-sea pipeline. The impact of such spills on marine environment is on the higher side. Hence, oil spill equipments are required for combating oil in case of such spills at the marine facilities at Mundra.

Based on the oil spill modeling study, it has been observed that crude oil spill of 700 tons (Tier-I) will spread over an area having radius of around 400 m within 4hr. APSEZL has already having facilities for combating a Tier-1 spill.

Reviewed By : Capt. I	Divya Gupta Iss	sue No. :	01	Issued On :	01.10.2020
Approved By : Capt. A	Anubhav Jain Re	evision No. :	05	Page 37	' of 98

3.4 Oil spill response in coastal zones

Contingency Chart to deal with Oil Spill



On-site Crisis Management Group – Action Group

In an emergency, the personnel available at or near the incident site play vital role. This concept is made use of in nominating the Key Persons. It is necessary to nominate a functionary as the Incident Controller who is invariably a shift-in-charge of the facility. The Incident Controller tackling the emergency in real times requires the support from various other services i.e. Fire & Safety, Medical Services covering communication, transport and personal functions etc. A key person for each of these services therefore, is nominated.

Overall in charge of these activities is **Chief Operating Officer** – **Mundra Port.** The different functional coordinators, designated, will co-ordinate with Chief Controller in their respective functional areas. It is suggested that key personal chart be developed, giving the names, designation, telephone nos. of top level personnel who will act as coordinators in different disciplines/services. The duties and the responsibilities of various Key Persons and Coordinators need to be written down on a chart and should be made available across the organization at the site / location.

Reviewed By :	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By :	Capt. Anubhav Jain	Revision No.		05	Page 38 of 98

Roles & Responsibilities

Incident Control Officer – (HOS – Marine / Duty Port Captain)

- Directs and co-ordinates all field operations at the scene of the accident
- Assess incident/crisis at site, nature, location, severity, casualties, resource requirement
- Classifies incident Advises Exe. Controller, Civil Defence, Dy. Conservator, Traffic Manager regarding crisis severity status and emergency level, wind direction, temperature, casualties and resource requirements.
- Conducts initial briefing to Chairman
- Activates elements of the terminal emergency plan/ site response actions
- Protect port personnel and the public
- Directs security/fire fighting/oil spillage/gas leakage/vessel accidents/natural calamities, cargo operations shutdown
- Search for casualties and arrange first aid and hospitalization
- Brief or designate a person to brief, personnel at the incident scene
- Determine information needs and inform Crisis Management Group
- Coordinates all functional heads in field operations group to take action
- Manages incident operations to mitigate for re-entry and recovery
- Coordinate search and rescue operations
- Arrange evacuation of non-essential workers to assembly points -outside port
- Arranges tugs, mooring boats and pilot(s) for sailing vessel(s)
- Co-ordinates actions, requests for additional resources and periodic tactical and logistical briefings with Site Emergency Coordinator
- Coordinate incident termination and cleanup activities
- Instructs various emergency squads as necessary

Site Emergency Coordinator – (Senior Pilot and Duty Radio Officer)

- Direct operations from the emergency control center with assistance from Crisis Management Group
- Take over central responsibility from the Site incident controller (SIC)
- Decide level of crisis and whether to activate off site emergency plan
- Instruct SIC to sound appropriate alarm
- Direct the shutting down, evacuation and other operations at the port
- Monitor on site and off site personal protection, safety and accountability
- Monitor that causalities if any are given medical aid and relatives informed
- Exercise direct operational control of the works outside the affected works
- Monitor control of traffic movements within the port
- Coordinate with the senior operating staff of the fire, police and statutory authorities
- Issue authorized statements to the news media
- Review and assess possible developments to determine the most probable course of events
- Authorize the termination of the emergency situation by sounding the all clear siren-continuous long single tone siren for one minute
- Control rehabilitation of affected areas after emergency
- Arrange for a log of the emergency

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 39 of 98

Fire Coordinator – (HOS - Fire / HOS - Safety)

(Under the direction of the Incident Control Officer)

- Announces fire incident point over the public address system and evacuates workers to the assembly points
- Informs fire station immediately and leads fire fighting team to the incident location
- Informs SIC if external fire tender / fire-fighting equipment / materials/mutual aid is required
- If necessary, arranges and activates other fire-fighting equipment
- Arranges safety equipment e.g. fire suits, protective gloves and goggles, breathing apparatus
- In liaison with Civil Engineering Department, ensures that adequate water pressure is maintained in the fire hydrant system/at the area supply
- Maintains adequate records

HOS - Security / Duty Security Officer

- Directs, gate security and facilitates evacuation, transport, first aid, rescue
- Controls the entry of unauthorized persons and vehicles-disperses crowd
- Permits the entry of authorized personnel and outside agencies for rescues operations without delay. Liaises with State police
- Allows the entry of emergency vehicles such as ambulances without hindrances
- Ensures that residents within port area are notified about disaster and instructs to evacuate if necessary
- Ensure that all people are aware of the assembly points, where the transportation vehicles are available
- Ensure that the people are as per the head count available with the assembly point section of that area
- Liaise with the Chief Medical Officer to ensure first aid is available at the assembly points
- Carry out a reconnaissance of the evacuated area before declaring the same as evacuated and report to SIC.

Medical Superintendent

- Direct medical team
- Set up casualty collection centre arrange first aid posts
- Arrange for adequate medicine, antidotes, oxygen, stretchers etc
- Contact and cooperate with local hospitals and ensure that the most likely injuries can be adequately treated at these facilities e.g. burns
- Advise Chief Emergency Controller on industrial hygiene and make sure that the facility personnel are not exposed to unacceptable levels of toxic compounds
- Make arrangements for transporting and treating the injured
- Inform the hospitals of the situation in case of a toxic release and appraise them of the antidotes necessary for the treatment
- Maintain a list of blood groups of each employee with special reference to rare blood groups
- Liaise with Govt. Hospitals/Red Cross

Marine Pollution Coordinator – Manager (Marine / pollution control)

- Minimizes the impact of an accident on the environment for which it would develop methodologies to control hazardous spills
- Monitors cooperation with emergency response squads to conduct the actual cleanup work during and after the emergency.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 40 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA

OIL SPILL CONTINGENCY RESPONSE PLAN

- In case of fire and specially if the fire involves toxic/flammable materials, to ensure responsible actions for containing the run off fire water and other water from the damaged units
- Determines the level of contamination of the site as a result of the accident
- During cyclones/floods arranges sand bags and transfers important plans and documents to higher levels

Traffic Coordinator – Duty Port Captain

- Directs operation staff
- Prepares vessels to vacate from berth
- Arranges to protect cargo in vicinity from damage
- Arranges to segregate and shift cargo in sheds
- Submits consolidated list of dangerous goods in port including tankers in port and tank farms in port area
- Coordinates with ship owners / agents/C & F agents/stevedores

Communications Officer – (Duty Port Captain / Duty Marine Control officer)

- Ensure telephone operator/signal room advises entire emergency team
- On receipt of instructions from the chief Incident controller, notifies the fire brigade/police/hospitals/district collector/mutual aid partners
- Keep the switchboard open for emergency calls and transmit the same to the concerned personnel effectively
- Refrain from exchanging any information with authorized persons unless authorized to do so by the Chief Incident Controller
- Maintains contact with other vessels through VTMS

Chief Emergency Controller – (Head - HSE)

- Inform district emergency authorities-District Collector, Medical officer-Coast Guard Pollution control -Inspector of factories-Inspector of Dock Safety & Health,
- Activate the off site plan if necessary
- Liaise with Jt. Secy./Director MOST (Ministry of Shipping) or relevant Govt. authority
- Inform the media

Civil Coordinator - (HOS - Environment cell / HOS - Estate)

- Inform Gujarat Pollution Control Board and other environmental agencies about the incident for getting necessary guidance
- Instruct the contractors to carry out urgent civil works if required
- Hire the barges for collecting the spilled oil, if required

Marine Engineering Coordinator – (HOS – SPM / Diving Team in-charge)

- Organise the tugs for combating the pollution
- Start the rigging of pollution combating equipment on tugs/launches
- Hire additional crafts if required

Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	•	05	Page 41 of 98

HOD- Corporate affairs:

- Collect detailed information periodically and liaise with press about the incident
- Arrange transport facilities, if required
- Inform local authorities/District Collector about the incident (as per EAP)

HOS - Legal & HOD - Estate:

- Issue notice under Major Port Trusts Act, Indian Ports Act(Prevention & Control of Pollution) Rules, etc; to the defaulting master/owner/agent
- Arrange for settlement of claims related to the pollution(as per EAP)

3.5 Shoreline oil spill response

Most oil spills reach the shorelines and cause visible oil pollution which is particularly sensitive to public opinion. The selection and correct application of clean up techniques are therefore essential. When an oil spill occurs on open water the optimal solution is to intercept and recover the oil before it reaches the shoreline. This is because:-

- The environmental damage is normally less critical in the open water environment
- The logistics of oil removal becomes more complex in the varied natural environment of coastlines compared with the open sea.
- The costs of oil recovery increases dramatically when oil reaches sensitive shorelines compared with open water operations.

Experience has shown that it is very difficult to avoid some oil reaching the shorelines. Mechanical equipment and chemical treatment at sea are often insufficient to recover all oil spilled at sea. When the oil reaches the shoreline, a number of different parameters specific for this particular situation have to be taken into consideration:-

- Quantity of oil
- Characteristics of the oil (for instance, toxicity and viscosity)
- Prevailing on-site conditions (weather, season, tides, temperature)
- Shoreline type or combination of types (cliffs, pebble, sand, marsh)
- Special Considerations

The four main steps in a shoreline clean-up operation are:

Step 1: Assessment

- Determine the need to clean, setting priorities in line with this contingency plan
- Determine required degree of clean-up for each area in accordance with priorities
- Attain agreement between clean-up team, ecological experts, government authorities

Step 2: Select Clean-up Method

- Choose method appropriate to type of shoreline, access, degree of oiling
- Minimize damage caused by choice of clean-up technique, degree of clean-up
- Address conflicts of interest (e.g. needs of amenity use versus environment or response speed versus aggressiveness)

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 42 of 98

Step 3: Clean-up Operations

- Monitor clean-up, confirm choices made above, re-evaluate if necessary
- Minimize disturbance of shoreline features
- Minimize collection of un-oiled debris, sediments

Step 4: Termination / Monitoring

- Ongoing assessment of clean-up operations
- Determine when clean-up objectives have been met
- Post-spill monitoring to confirm recovery of shoreline features, biota

The four main methods for shoreline clean-up are as follows:-

A. Pumping and Skimming Techniques

- Applicable to shorelines that are heavily oiled.
- Often the first step in cleaning a heavily contaminated shoreline.
- Preferred option because it results in fluid wastes that are relatively free of sediments and debris, which are more easily dealt with in disposal.
- Pumping and skimming techniques can also be used in conjunction with flushing techniques.

B. Flushing Techniques

- Use water or steam to flush oil from the beach, and direct it to a recovery location.
- Applicable to heavily contaminated beaches, and substrates that are relatively impermeable (e.g., mud and saturated beaches, boulders, and man-made structures) that will not allow the flushed oil to penetrate the beach surface.
- Typically carried out in conjunction with a skimming operation. The flushed oil is directed downslope to skimmers positioned at the water's edge, with booms deployed around the skimmers to prevent any loss of the water.
- Options of using low or high pressure water, and of using ambient temperature water versus warm water or steam.
- Low pressure, cold water is generally the least effective, particularly with sticky oils and emulsions, but is least harmful on the environment.
- High pressure water and heated water and steam are more effective, but may remove and/or kill beach-dwelling organisms.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 43 of 98

C. Sediment Removal Techniques

- Applicable to a variety of shoreline types, and in particular, when the shoreline is heavily contaminated, though likely to cause the greatest environmental impact
- The requirements are access for the heavy equipment required for transporting away oily debris and sediments for disposal and a surface which is able to support heavy equipment
- An important factor to consider is the depth of oil penetration
- Important to limit the depth of material removed in order to minimise disturbance to the beach, and to minimise disposal requirements
- The best option is to use manual labour to pick up the oily sediment and mechanical means to transport it away

D. Biodegradation Techniques

- Generally refers to "active" bioremediation, where nutrients and/or microorganisms are applied to enhance natural degradation
- Generally suitable for areas that are lightly oiled, especially lightly oiled salt marshes and tidal flats where the use of equipment could increase the environmental effects by forcing oil into the substrate
- It can also be used as a final clean-up step following more active efforts

The shoreline clean-up operation is normally not an emergency operation as is the case with an oil spill on open water. A clean-up project can last many weeks or months depending on the amount of oil spilled. Many wrong decisions can be made in planning and carrying out a shoreline clean-up operation. The contingency plan must be used in combination with consulting experts with experience of shoreline clean up. The agencies such as NIO, NEERI, Ports and Oil companies have experts with experience which is relevant for the specific oil spill situation and they should be consulted prior undertaking shoreline clean-up.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 44 of 98

3.6 Storage and disposal of oil and oily waste

After the natural degradation by coagulation and evaporation of oil on water, residual oil and waste material collected during a Tier 1 response will be disposed off by in-situ or terrestrial burning.

	Type of material	Separation methods	Disposal methods
LIQUIDS	Non-emulsified oils	Gravity separation of free	Use of recovered oil as fuel
LIQUIDS	Non-emuisified ons	water	or refinery feedstock
		Emulsion broken to	Use of recovered oil as fuel or
		release water by ;	refinery feedstock.
	Emulsified oils	- Heat treatment	Burning
	Linuisined ons	- Emulsion breaking	Return of separated sand to
		chemicals	source.
		- Mixing with sand	
		Collection of liquid oil	Use of recovered oil as fuel or
		leaching from sand during	refinery feedstock.
		temporary storage	Direct disposal
SOLIDS	Oil mixed with sand	Extraction of oil from sand	Stabilization with inorganic
SOLIDO	on mixed with band	by washing with water or	material.
		solvent	Degradation through land
		Removal of solid oil by	farming or composting.
		sieving	Burning
		Collection of liquid oil	Direct disposal.
		leaching from beach	Burning
	Oil mixed with cobbles,	material during temporary	
	pebbles or shingle	storage	
		Extraction of oil from	
		beach material by washing	
		with water or solvents	Direct diseased
		Collection of liquids	Direct disposal.
	Oil mixed with wood,	leaching from debris	Burning.
	plastics, sea weeds,	during temporary storage	Degradation through land
	sorbents	Flushing of oil from debris with water	farming or composting for oil mixed with sea weeds or
		with water	mixed with sea weeds or natural sorbents.
		Conception from our 1 1	
	Tar balls	Separation from sand by	Direct disposal
		sieving	Burning

Location for Dug Pond for temporary storage of oily water:

To store the contaminated oily water, temporary dug pond will be excavated for storage of oily water. It is expected that 20 times volume of oil & water mixture will be generated if oil spill happen in the sea. Storage capacity of dug pond of volume 14000 m3 considering spill of level 1 (Tier-1) is required.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 45 of 98

Location Identified for Dug Pond behind Maruti Yard (Lat. 22° 45.252'N, Long. 69° 41.093'E) is roposed.



Size of Dug Pond to be provided : 100 mtr X 100mtr X 1.5mtr

Total storage capacity (m3) : considering 20 times oily water @ 700 m3 = 14000 m3

Once the contaminated mixture of oil and water is stored, the same will be transferred via tanker to following location. Following are the steps require to be followed.

1. Oil Water Separator: Capacity 25 m3/hr.

2. Effluent Treatment Plant: Capacity 120 KLD

3. Parallely oil recyclers will be approached for the collection and transportation of the oily water.

4. Contaminated Soil / Sediments will be directly sent to the Treatment Storage and Disposal Facility (TSDF) site. List of Oil recyclers and TSDF sites are shown in Annexure – 15

5. Different types of equipment & manpower require for creating dug pond:

Reviewed By : Capt. Divya Gupta	Issue No.	: 0	1	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 0	5	Page 46 of 98

Name of Equipment	Quantity	Primary Responsibility of Equipment & Material	Secondary Responsibility
Excavator	10 Nos.	Marine Dept.	MHS section (Dry Cargo) / Asset Department / Procurement
JCB Machines	10 Nos.	Marine Dept.	ES Civil / Asset Department / Procurement
Material			
HDPE Liners for dug pond	10600 Sq. mtr.	Marine Dept.	Stores & Procurement

In phase wise manner stored oily water will be treated at both the above facility to separate oil from water to the possible extent. Whereas, after recovery of oil from water, water confirming to the effluent discharge limit of oil (< 10 ppm) will be discharged in to sea.

Whereas in case oily water will not capable of treat at OWS & ETP will be dispose through sending it to registered recyclers, for which APSEZL have already done tie up with the registered recyclers as mentioned in **Annexure – 15**.

APSEZL have also done necessary tie up with various institutes/agency/NGO as mentioned in **Annexure – 16** for providing service for rescue & rehabilitation of oil socked birds as well as restoration of mangroves, when oil reaches to the sea shore and mangrove areas during oil spill. Mobile van / vehicle require for rescue of oil socked birds to transfer from affected area to treatment facility center.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 47 of 98

4 Equipment

4.1 Marine oil spill response equipment

Detailed in Annexure 3

4.2 Inspection, maintenance and testing

The equipments are being kept in working condition. Routine inspection, maintenance and testing performed as per the stipulated requirements.

4.3 Shoreline equipment, supplies and services

The shoreline clean-up equipment which are essential for the oil removal operations at beaches are as follows:-

- Protective clothing for everybody (including boots and gloves), spare clothing.
- Cleaning material, rags, soap, detergents, and brushes.
- Equipment to clean clothes, machinery, etc., with jets of hot water.
- Plastic bags (heavy duty) for collecting oily debris.
- Heavy duty plastic sheets for storage areas especially for the lining of temporary storage pits.
- Spades, shovels, scrapers, buckets, rakes
- Ropes and lines
- Anchors, buoys
- Lamps and portable generators
- Whistles
- First Aid material.


Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 48 of 98

5 Management

5.1 Crisis manager and financial authorities

The COO of APSEZL is the final authority of the oil spill response in case of a Tier 1 scenario. He is responsible for raising the level of the response if required and summoning additional help. The authority of all financial decisions rest with him.

5.2 Incident organization chart



Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 49 of 98

5.3 Manpower availability (on-site, on call)

In an event of incident Kandla Port Trust, Gujarat Maritime Board, Gulf of Kutch Ports, District and Regional plans are deemed to have been implemented. Adani Ports and Special Economic Zone Limited (APSEZL) manpower and resources will be put at the disposal and will be deployed as required, provided APSEZL is the polluter and spill is within the Port Limits.

In the event of APSEZL not being the polluter and any event outside the port limit of Adani Port, APSEZL equipment will be subject to mutual assistance plan and it will be the responsibility of the above forum.

5.4 Availability of additional manpower

Similarly in the event of APSEZL being the polluter, additional manpower and supplies can be requested from the resources which are part of this forum.

A numbers of private parties have their labor force working round the clock in the port and on call these can be available.

5.5 Advisors and experts - spill response, wildlife and marine environment

APSEZL, being the nodal agency in this LOS-DCP, will function as the main agency. In the event of the emergency getting raised to higher tier, i.e. in case the incidence becomes a national disaster, the help and advice of Indian Coast Guard will be taken.

5.6 Training / safety schedules and drill / exercise programme

Training of all APSEZL staff who may get involved in implementing this plan is acknowledged. In house and external facilities (of ICG) are used periodically to impart training as per matrix below. Marine Manager has been appointed as training coordinator and custodian of oil pollution equipment. He shall organize training, drills and inspection of equipment as per the plan in force.

Training Module	Duration	Frequency	Participants	Remarks
IMO Model Course	2-5 days	Once	Key persons	By Maritime Training
				Institute
Oil Spill	1-5 days	Once every 5	Key persons	Coast Guard
		years		
Oil spill equipment	1-5 days	Once every Year	Managers	In house
Oil spill	1 day	Once every year	Managers &	In house for in-depth
Management course	-		junior staff	knowledge
Notification	1-2 hours	6 months	Operational	Check systems &
exercise			staff	communication
Table top	2-6 hours	12 months	Managers	Interactive discussions
Incident	6-8 hours	12 months with	All	Mock drill
		others		

Number of IMO Level-1 and IMO Level-2 qualified staff available with Adani Ports and SEZ Ltd, Mundra:

IMO Level-1 - 28 **IMO Level-2** - 04

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 50 of 98

6 Communications

6.1 Incident control room facilities

Detailed in Annexure 3

6.2 Field communication equipment

Detailed in Annexure 3

6.3 Reports, manuals, maps, charts and incident logs

A copy of the relevant manual is kept with HOD – Marine. Maps/ Charts of APSEZL are kept in Marine Control Tower and attached in Annexures

Action and operations

7 Initial procedures

7.1 Notification of oil spill to concerned authorities

The emergency (due to spill) should be initiated by the first person noticing it by activating the fire alarm from the nearest call-point or by contacting the fire control room immediately on the internal telephone or through mobile phone or through VHF Channel.

The SPM Pilot or On Scene Commander will report the spill to the Marine Control Room.

7.2 Preliminary estimate of response tier

The first few minutes after the incident / accident are invariably the most critical period in prevention of escalation. Therefore the person available at or near the incident site (and often responsible for carrying out that particular activity) on round the clock basis play a vital role in an emergency. The SPM Pilot or On Scene Commander will report the spill to the control room along with his estimate of the response tier.

7.3 Notifying key team members and authorities

Statutory First Information Report (FIR - given in annexure 1) is to be communicated by fastest means possible to President, GMB port and CG at Porbandar followed by full Pollution Report (POLREP – given in annexure 2). The report is to be updated, should the oil spill not be contained and likely to increase to Tier 2

7.4 Manning Control Room

Auxiliary control center is located at Port Operation Centre. Escalation of emergency if any is monitored here. Statutory reporting procedures of FIR and POLREP of developing situation and action taken are also sent from this center. The detail of the contacts to whom the information is to be given is placed at Annexure 4.

7.5 Collecting information (oil type, sea / wind forecasts, aerial surveillance, beach reports)

Marine Manager has the responsibility of arranging the collection of the relevant information which will help in mitigating the emergency

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 51 of 98

7.6 Estimating fate of slick (24, 48, 72 hours)

Considering the prevalent tidal stream, wind and weather conditions, section 8.3 is to be used in estimating the fate of the slick

7.7 Identifying resources immediately at risk, informing parties

Depending on the quantity of fluid spilled and the prevalent wind & weather conditions, the resources / facilities immediately at risk have to be identified by the On scene commander and the concerned parties informed.

8 Operations planning

8.1 Assembling full response team

On being appraised of the spill, the duty marine officer will inform the marine manager, who will, in turn initiate the assembly of the complete response team which essentially involves relaying information to all relevant personnel, parties and authorities and informing them of the initial response requirements.

8.2 Identifying immediate response priorities

Depending on the initial estimated response tier and the prevalent weather conditions, the marine manager, in consultation with the on scene SPM pilot / marine officer will identify the immediate resources at risk and the response priorities.

8.3 Mobilizing immediate response

The Manager - Marine will initiate the mobilization procedure of the spill equipment, resources and personnel depending on the scale of emergency at hand.

8.4 Media briefing

No other person is authorized to communicate with any external party by any means whatsoever unless expressly permitted by the HOD – Marine or COO, APSEZL.

8.5 Planning medium-term operations (24, 48 and 72 hour)

The HOD – Marine will plan the subsequent action to be taken in response to the tier 1 spill after the initial response is well under way and its consequences / effectiveness are duly evaluated.

8.6 Deciding to escalate response to higher tier

After carefully assessing the scenario and appraising the efficiency of the initial response in the prevalent conditions, the HOD – Marine will decide whether or not to escalate the response.

8.7 Mobilizing or placing on standby resources required

It is recommended that in case of a doubt (as the exact estimate of the quantity of oil spilled is quite difficult and the boundaries between the tiers will inevitably be blurred) it is important to be prepared to involve the next higher tier from the earliest moments. It is easier to stand down an alerted system than to try to escalate a response by calling up unprepared reserves at a late stage.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 52 of 98

8.8 Establishing field command post communications

Communications between the Emergency Response Center/ Marine Control room and marine personnel during the response to any oil spillage will be primarily by VHF marine band radio on Channel 73 or 77

Communications between the Marine Control Room and other vessels will be established on VHF radio Channel 16 and will thereafter be conducted on Channel 73 / 77.

Use of cellular telephones will be minimized.

Communications between the Emergency Response Center/ Marine Control Room and external authorities and organizations will be undertaken by telephone and facsimile.

9 **Control of operations**

9.1 Establishing a Management team with experts and advisors

Detailed in Annexure 4

9.2 Updating information (sea, wind, weather forecasts, aerial surveillance, beach reports)

The Marine Control Room is well equipped in assimilating data on weather and its forecasts. In case of a Tier 1 response, aerial surveillance and beach reports are not deemed to be essential

9.3 Reviewing and planning operations

Ongoing response and its influence in mitigating the situation will have to be constantly under review in order to contain the spill at the earliest.

9.4 Obtaining additional equipment, supplies, manpower

While deciding not to elevate the tier of the response the HOD- marine may still request additional resources from nearby port facilities which are essentially members of the common forum and are obliged to assist.

9.5 Preparing daily incident log and management reports

A complete report will be submitted by the Marine Manager to the HOD (Marine) every morning (in case the response extends to more than 1 day).

Format for the above report in Annexure 9

9.6 Preparing operations accounting and financial reports

The Port's accounting department will assess the expenditure incurred in the ongoing operation and submit a report to the President's office.

9.7 Preparing releases for public and press conferences

The COO's office, HOD - Marine and the Corporate communications cell will formulate the requisite press releases from time to time and hold press conferences.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 53 of 98

9.8 Briefing local and government officials

The COO's office, HOD – Marine and the Corporate communications cell will formulate the requisite reports to brief local and government officials..

10 Termination of operations

10.1 Deciding final and optimal levels of beach clean-up

If at all a distant beach is affected, the COO APSEZL office will decide the optimal levels of cleanup in consultation with the conservator of the port – Gujarat Maritime Board Port Officer.

10.2 Standing down equipment, cleaning, maintaining, replacing

Considering the natural disintegration of the residual oil on water after the cleanup of the bulk amount, The HOD – Marine will decide when to stand down the response. The resources which have been used will have to be re-instated to the original condition by elaborate cleanup or replacement.

10.3 Preparing formal detailed report

The COO's office, HOD – Marine and the Corporate communications cell will formulate the requisite reports to brief local and government officials and media.

10.4 Reviewing plans and procedures from lessons learnt

A complete spill response report will be produced by the Marine manager providing comprehensive and all-inclusive details of the circumstances leading to the spill, initial response and consequent affect of the same, subsequent follow up, effect of prevailing weather, adverse situations, safety issues, difficulties faced and lessons learnt.

Requisite changes will be affected to this plan on basis of such report.


Such a report will also be prepared by the marine manager after each drill or training session and requisite modification(s) incorporated to the plan in order to enhance the overall efficacy of the same.

Reviewed By : Capt. Divya Gupta	Issue No.	: (01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 0	05	Page 54 of 98

Data Directory

Maps / Charts

1. Coastal facilities, access roads, hotels etc.




Telephones: Detailed in Annexure 4


Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 55 of 98

2. Coastal charts, currents, tidal information (ranges and streams), prevailing winds

Currents, tidal information (ranges and streams) : Detailed in Annexure- II, Annexure- III and Annexure- IV (Volume 2) of Oil Spill Risk Assessment




Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 56 of 98




Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 57 of 98

3. Risk locations and probable fate of oil





Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 58 of 98



for West Basin


Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 59 of 98





Oil Spill trajectory due to instantaneous crude oil leakage of 700 t (due to collision) at spill point S1 (HMEL SPM) after 50 hours during flood condition of the neap tide


Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 60 of 98



Oil Spill trajectory due to instantaneous FO leakage of 700 t (due to hull failure/ fire / explosion) at typical berth location in the West Basin

For Risk locations and probable fate of oil refer Annexure- V (Volume 2) of Oil Spill Risk Assessment.

Shoreline resources for priority protection



Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 61 of 98

Oil and Waste Storage / Disposal sites

Oil and Waste storage / Disposal tank No. 46, 109 and 110 are available within Liquid Tank farm.



Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.202
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 62 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN Sensitivity Maps/ Atlas




Fig.A1.1 Terrain features of study domain.






Fig.A1.2 Computational grid

Reviewed By	: Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By	: Capt. Anubhav Jain	Revision No.	: 05	Page 63 of 98








Fig.A1.4 Chezy's coefficient

Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 64 of 98

Lists

1. **Primary Oil spill Equipment:** booms, skimmers, spray equipment, dispersant, absorbents, oil storage, Radio communications etc.

Detailed in Annexure 3

2. Auxiliary Equipment: Tugs and work boats, aircraft, vacuum trucks, tanks and barges, loaders and graders, plastic bags, tools, protective clothing, communication equipment etc.

Detailed in Annexure 3

3. Support Equipment: Aircraft, communications, catering, housing, transport, field sanitation and shelter etc. (Availability, contact, cost and conditions)

Not applicable

4. Sources of Manpower: Contractors, local authorities, caterers, security firms (Availability, numbers, skills, contact, cost and conditions)

Refer Para 5.3

5. Experts and Advisors: Environment, safety, auditing (Availability, contact, cost and conditions)

Detailed in Annexure 4

6. Local and National Government contacts: Name, rank and responsibility, address, telephone, fax, telex.

Detailed in Annexure 4

Data

1. Specification of Oils commonly traded

At the liquid berth, the representative products that would be handled are petroleum products like FO/ HSD / SKO / MS / CBFS / CPO / Naphtha etc. Vessels calling at the port will be having FO and HSD for their propulsion requirements.. The products like MS, Naphtha etc are oils of non – persistent nature; they tend to evaporate fast and will not stay long on the surface of the sea waters. Hence spill studies have been carried out for FO and HSD spills at the berths.

At the SPMs, Crude oil unloading takes place.

Physical and Chemical Properties of products handled at the SPMs, Berths and of the propulsion fuels of the ships / tankers

Data on the properties for the hydrocarbons / products handled at the jetty is required for quantitative hazard identification and consequence calculations. The properties of the FO and HSD, the petroleum hydrocarbons likely to be spilled due to the operations at the jetty are given in Table-3.1.

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 65 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN Table-3.1: Properties of Crude Oil, FO and Diesel

Sl. No	Chemical	Boiling Range (° C)	Specific Heat of Liquid (J/Kg ° K)	Heat of Evaporation (x 10 ⁵ J/Kg)	Heat of Combustion (x 10 ⁵ J/Kg)
1	Crude Oil	IBP - 700+	2385	3.4	425
2	HSD	200 - 350	2889	4.65	448
3	Fuel Oil	180 - 450	2500	3.4	452

The following characteristics of oil are used for modelling study:

(a) Crude Oil

Sp. Gr = 0.82 to 0.88Surface Tension = 3.0 e-03Molar Volume = 0.002Viscosity: 275 CST at 37.8 deg C Wax content: 12 - 19 %Pour point of untreated crude: 30 deg C Pour point of treated crude: 18 deg C

(b) FO

Sp. Gr = 0.92Boiling point = > 260° C Vapor pressure = < 0.1 psia at 21° C

(c) HSD

Sp. Gr = 0.86Pour point = 6° C - 18° C Vapor pressure = 2.12 to 26 mm Hg at 21° C

2. Wind and weather

Meteorological and Oceanographic Conditions

The met-ocean conditions have been previously ascertained at several stages in the course of various studies conducted in past in respect of Mundra port projects. Flow modeling for the Mundra port location has been covered in the model developed by Environ, India, who have developed the model for whole of Gulf as relevant to Mundra region. It has been observed during model studies that flow regime does not have significant changes due to the proposed developments. The following are the main hydo-meteorological parameters for planning and designing of the marine facilities described below.

Rainfall and Temperature

The Kutch is a semi-arid region with weak and erratic rainfall confined largely to June-October period. With a few rainfall days, the climate is hot and humid from April till October and pleasant during brief winter from December to February. Although the monthly mean maximum temperature recorded is 37°C during 2005, it occasionally exceeds 40°C. Rainfall alone forms the ultimate source of freshwater resource to the region. The average rainfall at Mundra is about 400 mm/year.


Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 66 of 98

Cyclones


Cyclonic disturbances strike North-Gujarat, particularly the Kachchh and Saurashtra regions, periodically. These disturbances generally originate over the Arabian Sea and sometimes the Bay of Bengal. Generally during June, the storms are confined to the area North of 15°N and East of 65°E. In August, the initial stages, they move along the northwest course and show a large latitudinal scatter. West of 80°E, the tracks tend to curve towards North. During October the direction of movement of a storm is to the West in the Arabian Sea. However, East of 70E some of the storms move North-Northwest and later recurves North East to strike Gujarat-North Mekran coast.


Wind

There are strong winds at times at Mundra Port. The month wise wind rose diagrams for the year 2012 and for the months of January and February of the year 2013 are given below. In the period lasting over months March to May the wind direction is generally SWW (225° - 250°) and velocity varies from 20 to 25 Knots. From June through August, the wind direction is predominantly SW and velocity varies from 25 to 30 Knots with short gusts going up to 35 to 40 Knots. Towards end of September and through October wind direction changes to NE with velocities ranging from 7 to 10 Knots. Direction remaining same the velocity varies 10 knots to 25 Knots in the period November to January. February is the calm period when wind direction is Southerly with velocity in the range of 7 Knots. Stormy weather may generate winds having velocity up to 100 Knots which should be taken as the worst case scenario for design of tall structures and heavy duty cranes.





Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 67 of 98







Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 68 of 98





Reviewed By : Capt. Divya	Gupta Issue No.	01	Issued On	:	01.10.2020
Approved By : Capt. Anubha	av Jain Revision No.	05	Page	e 69	of 98





Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 70 of 98

Tides

The tidal planes were assessed in 1998 and are as shown in Table below.

The Highest Astronomical Tide (HAT) is estimated to be about +6.4 m above chart datum (CD), and the Lowest Astronomical Tide (LAT) to be at 0.0 m CD.

Tide	Height (m) above CD
Mean High Water Springs	5.8
Mean High Water Neaps	4.6
Mean Low Water Neaps	2.1
Mean Low Water Springs	1.0

Currents

Currents in the approaches to the port are dominated by the tidal flows, with predictable variations over diurnal, monthly and annual time scales. Currents in this part of the Gulf flow parallel to the natural sea-bed contours. Currents can be relatively strong, with speeds in excess of 3.0 Knots reported at sometimes of the year. The Admiralty Chart shows currents off Navinal point to be 3.0 Knots East & West bound. It is observed that the currents are usually aligned with the bed contours and are stronger in deeper waters off the coast. The impact of future development over the existing coast-line can be determined by the change in current speed resulting from the proposed developments.

Waves

In past HR Wallingford (HRW) has studied the wave climate considering wave energy from locally generated waves and swell propagating in to the Gulf of Kutch from the Arabian Sea. The results of the study carried out by HRW are presented in the Table below.

Direction Sector (°N)	Return Period (years)	Inshore Direction (°N)	Hs (m)	T2 (sec)
	1	222	1.2	5.0
	5	222	1.4	5.3
210	20	221	1.6	5.8
	100	221	1.8	6.1
	1	226	1.5	5.4
	5	226	1.7	5.8
240	20	225	1.8	6.1
-	100	225	2.0	6.5
	1	239	1.4	5.5
-	5	236	1.7	6.3
270	20	236	1.8	6.7
	100	235	2.0	7.4
	1	240	0.8	5.2
-	5	240	0.9	5.6
300	20	239	1.0	6.2
	100	238	1.2	6.7

Design Waves at Mundra

Atmospheric stability is an important factor for predicting the dispersion characteristics of gases/vapours into the surrounding environment. Change in atmospheric stability is a direct consequence of the vertical

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 71 of 98

temperature structure. The stability effects are mathematically represented through Pasqual parameters. The following stability classification is employed:

Stability Class	Atmospheric Condition
А	Very Unstable
В	Unstable
С	Slightly Unstable
D	Neutral
E	Stable
F	Very Stable

Condition of atmospheric stability is estimated by a suitable method that uses dispersion parameters viz., vertical temperature gradient, profile of the winds and roughness factor. The roughness factor for the Mundra area is small since it mainly comprises of plain land.

The following meteorological information has been taken in the calculations for the Mundra area (GMB-2010):

Average ambient temperature	: 30°C
Average wind speed	: Wind data for the whole year 2012 is available and is used
Stability condition	: F (Very Stable)

3 Information sources

This plan is prepared in accordance with:

- a) Marine Environmental Impact Assessment of SPMs, COTs and connecting pipelines of APSEZL at Mundra dated February 2001, prepared by National Institute of Oceanography, Mumbai.
- b) Report on Risk assessment study and On-site disaster management Plan for SPMs, COTs and connecting Pipelines of Adani Ports and Special Economic Zone Limited, by TATA AIG Risk Management Services Limited, dated February 2001.
- c) HAZOP study report of SPM Terminal pipeline project by Intec Engineering, dated 26/02/2004.
- d) IPIECA guide to Contingency planning for oil spills on water.
- e) Oil spill risk assessment and contingency plan study done by M/s Environ Software Pvt. Ltd. (Copy enclosed)

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 72 of 98

ANNEXURES

INI	FIAL OIL SPILL REPOR	Γ ANNEXURE 1
Particulars of person, office reporting		
Tel No.		
Date & time of incident		
Spill location		
Likely cause of spill		Witness
Initial response action		Ву
Any other information		
This FIR is to be sent to Marine Marine Marine field offence not to report oil pollution in This FIR is to be followed by compared Following POLREP report to the Go	cident. any's incident report also.	
required: Identity of informant		
Time of FIR		
Source of spill		
Cause of spill		
Type of spill		
Colour code information (from CG)		
Radius of slick		
Tail		
Volume		
Quantity		
Weather		
Tide / current		
Density		
Layer thickness		
Air / Sea temp.		
Predicted slick movement		
Size of spill classification (Tier 1, 2	or 3)	

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On	:	01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.		05	Page	73	of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA

OIL SPILL CONTINGENCY RESPONSE PLAN

POLREP

ANNEXURE 2

In case of an oil spill, APSEZ will provide information to Commandant Coast Guard District 1 Porbandar COMDIS 1 and Coast Guard Station Mundra in the following format:

SN.	Parameter	Data
1.	Identity of the informant	
2.	Time of information receipt	
3.	Source of Spill	
4.	Cause of Spill	
5.	Type of oil	
6.	Colour code information	
7.	Configuration	
8.	Radius	
9.	Tail	
10.	Volume	
11.	Quantity	
12.	Weathered or Fresh	
13.	Density	
14.	Viscosity	
15.	Wind	
16.	Wave Height	
17.	Current	
18.	Layer Thickness	
19.	Ambient air temperature	
20.	Ambient sea temperature	
21.	Predicted slick movement	
22.	Confirm Classification of spill size	

Reviewed By : Capt. Div	ya Gupta Issue No.	:	01	Issued On	•	01.10.2020
Approved By : Capt. An	ubhav Jain Revision No	:	05	Page	- 74	of 98

LIST OF RESOURCES AVAILABLE							
Tugs Available for	Oil Spill Containr	ment					
Name of Tug	Туре	BHP	OSD	AFFF	Capacity (cubm/Hr)	BP	
Dolphin No. 4	ASD	2200 X 2	3000 Itr	2000 Itr	1200	55	
Dolphin No. 29	ASD	2200 X 2	3000 Itr	2000 Itr	1200	55	
Dolphin No. 10	ASD	3000 X 2	3000 Itr	-	-	70	
Dolphin No. 11	ASD (DSV)	2200 X 2	3000 Itr	2000 Itr	1200	55	
Dolphin No. 14	ASD	3000 X 2	3000 ltr	2000 Itr	1200	70	
Dolphin No. 15	ASD	3000 X 2	3000 Itr	2000 Itr	1200	70	
Dolphin No. 16	ASD	3000 X 2	3000 ltr	2000 Itr	1200	70	
Dolphin No. 17	ASD	3000 X 2	3000 ltr	-	-	70	
Dolphin No. 18	ASD	3000 X 2	3000 ltr	2000 ltr	1200	70	
Brahmini	ASD	2000 x 2	3000 ltr	2000 ltr	1200	65	
Baitarni	ASD	2000 x 2	3000 ltr	2000 ltr	1200	65	
Khushboo	Fixed screw	401 X 2	-	-	-	10	

Dolphin No. 4, 29, 10, 11, 14, 15, 16, 17, 18, Brahmini and Baitarni are fitted with Oil Spill Dispersant boom and proportionate pump to mix OSD and Sea water as required. The tugs are also fitted with a fire curtain and remote controlled fire monitors.

All above eleven Tugs have class notation as Harbour Tugs and are certified to work within the Harbour limits only.

Reception Facility : 12" pipe line, connected to a slop tank at chemical tank farm.

Dolphin 11 has fire fighting system of 1200 m3/hr along with 20 ton lifting "A" frame and diving support facility.

Location of Oil Spill Equipment: The Oil Spill Equipment stored in SPM Store.

Resources / Equipment Available with APSEZL, Mundra

Reviewed By	: Capt. Divya Gu	pta Issue No.		01	Issued On	:	01.10.2020
Approved By	Capt. Anubhav	Jain Revision No.	:	05	Page	e 75	5 of 98

Item	Quantity
Canadyne Fence Boom (Reel model 7296/8496 with Power Pack, Towing bridles and Tow lines - 235 meter	1 no
Power pack with boom reel with hydraulic hoses	2 nos.
Power pack - 20 KV with boom reel with hydraulic hoses	2 nos.
Lamor Side Collector system (Recovery Capacity 123 m ³ / hr) (Side collector LSC-3C/2300(01CO2-P536). Oil transfer pump OT A 50 with oil transfer hose set	2 nos. 2 sets
Lamor Minimax 12 m ³ skimmer	2 sets
Power pack for skimmers with hydraulic hoses	4 nos.
Power pack - 20 KV for skimmers with hydraulic hoses	1 no.
Floating tank (25 m ³)	1 nos.
Foot pumps for floating tank	6 nos
Oil Spill Dispersants	5000 ltr
Portable dispersant storage tank: 1000 ltr capacity	1 no.
Portable pumps	2 nos.
Two – way hydraulic maneuvering panel	2 nos
Oil Containment Boom-Length 2000 metres, Height -1500 mm, Draft-900mm, Free Board-600mm	2000 mtr
Current Buster Boom-Fasflo -75 (for response in fast current)	2 Nos
Skimmer-KOMARA 15 Duplex Skimmer System with floating IMP 6 Pump.	4 Nos
12.5T Flexible Floating Storage Tank (PUA).	3 Nos
Diesel Driven Transfer Pump for Flex Barge	2 Nos
Site Hose Kit for the transfer Pump for the Flex Barge	2 Nos
3" & 2"Hose Adaptor for Transfer Pump and Hose	2 Nos
Shoreline Cleanup Equipment	
Mini Vac System	5 Nos
OSD Applicator- Oil Dispersant Spry Unit(20 Ltr) for use on Beach and Inter Tidal Zones	2 Nos
Startank with Capacity 10000 liter(10m ³)	2 Nos
Sorbent Boom Pack(12.5cm x4 M)	500 mtr
Sorbent pad	2000 Nos

Facilities in the Marine Control room:

- 1. Tidal stream gauge: This can accurately read the prevalent rate of flow and direction of current.
- 2. Tide gauge: For accurately calculating the height of tide at any given time.
- 3. Wind gauge: For direction and speed of wind.
- 4. VHF sets (fixed and portable) with complete range of marine frequencies to be used for field operations.

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 76 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA

OIL SPILL CONTINGENCY RESPONSE PLAN

LIST OF TELEPHONE NUMBERS OF EXPERT ADVISORS ANNEXURE 4

List of Important Telephone Numbers of Govt. Officials and other neighboring Organisations

(Expert and Advisors) related to Spill Combating Plan

SN.	Company	Name and Designation	Telephone Numbers
1.	APSEZL, Mundra	Chief Operating Officer	02838-6272602838-255727
		Head Marine	02838-255727
		Pollution Response Officer	02838-255761 / 289170 (Fax)
		Port Control	02838-255739
2.	Kandla Port Trust	Chairman	02836-233001 / 234601
		Dy. Conservator	02836-223585 / 220235
		Harbor Master	02836-270201
		Signal Station	02836-270194 / 549
3	Indian Oil Corporation,	CM (Ops)	02838-222194
	Mundra	Manager (Ops)	02838- 222197
		Control Room	02838-224444
4	Indian Oil Corporation,	DGM (Ops)	02833-256527
	Vadinar	Manager Tech Services	02833-256464
		Port Control	02833-256555
5	Reliance Petroleum Ltd	Marine Chief	0288-4013607
	Jamnagar	Senior Port Captain	0288-4013750
		Port Control	0288-4012600 / 4012610
6	The Commanding Officer	ICGS, Mundra	02838 - 271402 & 03 (Tel)
	Indian Coast Guard Station,	Station Ops Officer	02838 – 271404 (Fax)
	Mundra		
7	The Commander	COMCG (NW)	079-23243241 (Tel)
	Coast Guard Region (North	Regional Ops & Plans Officer	079-23243283 (Fax)
	West), Gandhinagar		
8	The Commander	COMDIS-1	0286-2214422 (Tel)
	No.1 Coast Guard District	District Ops & Plans Officer	0286-2210559 (Fax)
	(Guj), Porbandar		
9	The Commander	COMCG (W)	022-24376133 (Tel)
	Coast Guard Region (West)	Regional Ops & Plans Officer	022-24333727 (Fax)
	Mumbai		
10	The Officer-in-Charge	PRT (W)	022-23722438 (Tel)
	Coast Guard Pollution	Officer-in-Charge	022-23728867 (Fax)
	Response Team (West), Mumbai		
11	Gujarat Maritime Board	Vice Chairman & CEO	079-23238346 / 23238363
	5	Chief Nautical Officer	079-23234716

Reviewed By : Ca	apt. Divya Gupta	Issue No.	:	01	Issued On :	01.10.2020
Approved By : Ca	apt. Anubhav Jain	Revision No.	:	05	Page 7	'7 of 98

12	Ministry of Environment Govt. of Gujarat	Director (Environment)	079-23252154 / 23251062 079-23252156 (Fax)
13	Gujarat Pollution Control Board	Environmental Engineer	079-232 22756 079-232 22784 (Fax)

List Of Important Telephone Numbers Of Adani Group Personnel

S.No.	Description / contact person / designation	Telepho	ne Nos.
5.110.	Description / contact person / designation	Landline	Mobile
01	Capt. Anubhav Jain, Head – Marine & Head CT-4	02838 - 255727	91 9925223674
02	Mr.–Jagdish Patel Head CT-3	91-2838 - 255998	91 9979855979
03	Capt. Aditya Gaur, HOS-Marine	02838 - 255730	91 6359981603
04	Capt. Divya Gupta. , HOS-Marine	02838- 255947	91 6359631088
05	Mr. Sanjay Kewalramani, Head-Marine Technical	02838- 255844	91 9925150056
06	Mr. Yogesh Nandaniya, Manager-SPM	02838- 2562379	91 6359775168
07	Mr. Hari Govindan V	91-2838 - 285072	91 9879104805
08	Marine control, APSEZL	02838 – 255333 / 255761	91 9825228673
09	Port Operation center, APSEZL	02838 - 255762	91 9825000949
10	Port security Control, APSEZL	02838 - 289322	91 9825000933
11	Head - Security, APSEZL	02838 – 255999	91 9099991093
12	Head - Health, safety & Environment, APSEZL	02838 - 255777	91 7574894383
13	Head - Fire Dept. APSEZL	02838 - 255857	91 7069083035
14	Occupational Health Centre	02838 - 255710	91 8980015070

Reviewed By	: Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	: Capt. Anubhav Jain	Revision No.	:	05	Page 78 of 98

		Marine Officer/ SPM Mooring m	naster ANNEXURE 5			
Responsibilities		 Observe or receive report of oil or chemical spill incident Initiate measures to prevent/ reduce further spillage Maintain communication with other all vessels 				
Step		Actions	Additional Information			
Alert	SPM I	ne Manager / On Scene Commander / Pilot and other support/ response craft	VHF Channel 73 / 77			
Initial Actions	 Ensure Verify Advise Mana Initiat 	ll cargo operations e all safety precautions taken/observed y incident details e all relevant information to (Marine ger / On Scene Commander / or SPM Pilot e personal log tugs/other response craft on stand-by	Liaise with Terminal Shift Engineer			
Further Actions	 / SPM Mobil by (M Maint events Act as 	(Marine Manager / On Scene Commander Pilot as necessary ize response equipment/ personnel as directed farine Manager / On Scene Commander / ain personal log of communications and instructed by (Marine Manager / On Scene nander / SPM Pilot				
Final Actions		it personal log to HOD – Marine I debrief				

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 79 of 98

	MARINE MANAGER / On Scene Co	mmander ANNEXURE 6
Responsibilit	 Initially assess situation Verify classification Verify fate of spill Verify resources immediately at risk, infor Provide accurate situation reports to Radio Collect evidence and/ or statements Liaise with HOD-Health, Safety, Environn Liaise with incident vessel regarding statu 	Room/ HOD – Marine
Step	Actions	Additional Information
Alert	HOD – Marine	
Initial Actions	 Proceed to incident location, assume role of On-Scene Coordinator Ensure all safety precautions have been taken Initiate response / Investigate cause/ source of spill Communicate all information to HOD – Marine Ensure samples of spilled oil taken Initiate personal log Take photographic evidence Collect evidence and take statements 	Stopped or ongoing
Further Actions	 Ensure resources are being deployed as required Provide co-ordination at-sea response Provide detailed situation reports to HOD- Marine Liaise with -Health, Safety Environment & Fire Department. 	
Final Actions	 Submit personal log to HOD – Marine Attend debrief 	

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 80 of 98

	SPM Pilot	ANNEXURE 7
Responsibili	 Initially assess situation Verify classification Provide accurate situation reports to Radio Collect evidence and/ or statements Liaise with incident vessel regarding statu 	
Step	Actions	Additional Information
Alert	 Marine Control Room OSC Tugs and other support / response crafts 	VHF Channel 73 / 77
Initial Actions	 Assume role of On-Scene Coordinator Investigate cause/ source of spill Communicate all information to Marine Control Room Ensure samples of spilled oil taken Initiate personal log Take photographic evidence Collect evidence and take statements 	Stopped or ongoing
Further Actions	 Ensure resources are being deployed as required Provide co-ordination of the at-sea response Provide detailed situation reports to HOD – Marine 	
Final Actions	 Submit personal log to HOD – Marine Attend debrief 	

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 81 of 98

	HOD – Marine	ANNEXURE 8
Responsibilit	 Confirm/ amend initial classification Manage the APSEZL response Authorize expenditure after consultation w Brief COO, APSEZL Liaise with Coast Guard Approve press statements for release 	vith COO APSEZL
Step	Actions	Additional Information
Alert	Coast GuardExternal organizations	
Initial Actions	 Verify/ amend spill classification Ensure all safety precaution have been taken Confirm external organizations have been alerted Convene Emergency Response Team Predict slick movement Liaise with vessel Agents/ Owners as appropriate 	
Further Actions	 Chair the Emergency Response Team meetings Constantly review the strategy being employed and advise of changes where necessary Approve all expenditure commitments Brief President APSEZ Agree press statements with Corporate Relations Chief Confirm formal samples have been taken Advise Coast Guard if oil migrates outside of Local Area 	
Final Actions Final	 Terminate the clean-up Collate personal logs. Prepare the incident report. Hold full de-brief involving all members. 	

Reviewed By : Capt. Divya Gupt	a Issue No.	:	01	Issued On	: 01.10.2020
Approved By : Capt. Anubhav Ja	in Revision No.	:	05	Page	e 82 of 98

Actions□Ame(contd.)□Gene

 $\hfill\square$ Amend contingency plan as required.

□ General Report to President

	OIL SPIL	L PROGRE	SS RE	PORT		ANNEXURE 9
Incident Name:						
Updated by:						
Date:		Time (lo	ocal):			
Summary of Incident Ro	esponse Operations:					
Summary of Incident Re	esponse Resource Ut	ilization:				
Number of Aircraft:			Numl	ber of V	essels:	
Dispersant Used:		Liters	Leng	th of Bo	oms in Use:	n
Number of Recovery Dev	vices:		Numl	ber of S	torage Device	s:
Sorbent Used:		kg	Bio-r	emediat	ion Used:	k
Number of Personnel:			Num	ber of V	ehicles:	
Specialist Equipment	:					
Oil Spill Balance Sheet:						
Total amount of oil spille						Ton
Total amount of oil recov						Ton
Outstanding amount of sp	nlled oil:					Ton
Mass balance:						T
Estimated Natural Weather						Ton
Mechanically agitated:						Ton
Chemically dispersed:						Ton
Skimmer recovered:						Ton
Manually recovered:						Ton
Bio-remediated:						Ton
Other:						Ton
Guidt.						101
Reviewed By : Capt	. Divya Gupta	Issue No.		: 01	Issued On	: 01.10.2020

Revision No.

Approved By : Capt. Anubhav Jain

: 05

Page 83 of 98

	Emergency Response Log	ANNEXURE 10
Page Numbe	r:	Date:
Name:		Position:
Contact Num	ber	Signature:
Time	Activity Completed:	


Reviewed By	: Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	: Capt. Anubhav Jain	Revision No.	:	05	Page 84 of 98

Control Room Officer


HOD – Marine

Classification of Oil					ANNEXURE 11							
Group 1 oi	ils		w.	1			Group 2	oils				
A: 'API > 45 (Specifi B: Pour point *C C: Viscosity @ 10-2 D: % boiling below 3 E: % boiling above 3	ic gravity < 10°C: less th 200°C: grea	an 3 CSt iter than 5					A: "API 35-45 (B: Pour point "C C: Viscosity @ 1 D: % boiling bel E: % boiling abo	0-20°C	: betwe	en 4 Cst ar ween 20 an	d 50%	soli
	A B	c	D	ε			Low pour point <6	c				
Aasgard	49 -28	2 8 100		14				A	В	с	D	
A CONTRACTOR AND A CONT	51 -39	2 @ 2010					Arabian Extra Light	38	-30	3@15°C	26	
	48 -18	2 @ 20'0		18			Azeri	37	-3	8@20°C	29	
Curlew	47 .13	2 @ 20'0		17			Brent	38	-3	7 @ 10 C	37	
	54 4-63	1 @ 10'0		0			Draugen	40	-15	4 @ 20°C	37	
	52 -13	1.5 @ 20		8			Dukhan	41	-49	9@15'C	36	
	52 -62	25810		11			Liverpool Bay	45	-21	4 @ 20°C	42	
Terengganu condensate		05@20	S	0			Sokol (Sakhalin)	37	-27	4@20°C	45	
The second s	49 -53	28 20 0	C. (CS)	4			Rio Negro	35	-5	23 @ 10°C	29	
	58	0.5 @ 15		0			Umm Shaif	37	-24	10 @ 10°C	34	
Kerosene		28150		0			Zakum	40	-24	68 10°C	36	
Naptha	55	0.5 @ 15%		0			Marine Gas oil (MGC		-3	5@15°C	-	
B: Pour point 'C	(Specifi		2		misc	and a	High pour point >5 Amna Beatrice Bintulu Escravos Sarir	36 38 37 34	19 18 19 10 24	Semi-solid 32 @ 15°C Semi-solid 9 @ 15°C Semi-solid	25 25 24 35 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov	(Specifi 0-20°C: ow 200° ve 370°C	betwe C: betw	en 8 CSt veen 10 :	and se and 35	8	əlid	Amna Beatrice Bintulu Escravos	36 38 37 34 38 40	18 19 10 24 6	32 @ 15°C Semi-solid	25 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 10 D: % boiling belo E: % boiling abov	(Specifi 0-20°C: ow 200° ve 370°C	betwe C: betw C: betw	en 8 CSt veen 10 : reen 30 a	and se and 351 ind 659	6		Amna Beatrice Bintulu Escravos Sarir Statfjord	36 38 37 34 38 40	18 19 10 24 6	32 @ 15'C Semi-solid 9 @ 15'C Semi-solid	25 24 35 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov	(Specifi 0-20°C: ow 200° ve 370°C	betwe C: betw	en 8 CSt veen 10 : reen 30 a C 32 @ 15	and se and 35 ind 659	8	E	Amna Beatrice Bintulu Escravos Sarir Statfjord	36 38 37 34 38 40	18 19 10 24 6	32 @ 15'C Semi-solid 9 @ 15'C Semi-solid	25 24 35 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope	(Specifi 0-20°C: ow 200° ve 370°C *C A	betwe C: betw D: betw B	en 8 CSt veen 10 : reen 30 a C 32 @ 15	and se and 35 ind 659	6 D		Amna Beatrice Bintulu Escravos Sarir Statfjord	36 38 37 34 38 40	18 19 10 24 6	32 @ 15'C Semi-solid 9 @ 15'C Semi-solid	25 24 35 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium	(Specifi 0-20°C: ow 200° ve 370°C °C A 28	betwe C: betw C: betw B -18 -40	en 8 CSt veen 10 a reen 30 a C	and se and 35 ind 659	ж 6 D 12	E 41	Amna Beatrice Bintulu Escravos Sarir Statfjord	36 38 37 34 38 40 5	18 19 10 24 6	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium	(Specifi 0-20°C: bw 200° we 370°C *C A 28 28 30 33	betwe C: betw C: betw B -18 -40	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15	and se and 35 ind 659 ind 659	6 6 9 92 21	E 41 56	Amna Beatrice Bintulu Escravos Sarir Statfjord	36 38 37 34 38 40 5	18 19 10 24 6	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light	(Specifi 0-20°C: 0w 200° ve 370°C *C 	betwe C: betw D: betw B -18 -18 -40 -21	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15 25 @ 15	and se and 351 ind 659 PC	6 5 12 21 22	E 41 56 51	Amna Beatrice Bintulu Escravos Sarir Statfjord Conception Group 4 oi A: "API <17.5 (Speci B: Pour point >30'C C: Viscosity @ 10-20	36 38 37 34 38 40 5 ic gravit	18 19 10 24 6 y >0.95) sen 1500	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy	(Specifi 0-20°C: 0w 200° ve 370°C °C A 28 28 30 33 35 31	betwe C: betw D: betw B -18 -40 -21 -40	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 25 @ 15	and se and 35 ind 659 ind 659	6 7 12 12 12 15	E 41 56 51 45	Amna Beatrice Bintulu Escravos Sarir Statfjord Croup 4 oi A: "API <12.5 (Speci B: Pour point >30'C C: Viscosity @ 10-20 D: % boiling below 2	36 38 37 34 38 40 5 ic gravit C: betwo 00°C: les	18 19 10 24 6 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light	(Specifi 0-20°C: bw 200° we 370°C *C A 28 28 30 33 35 31 34	betwe C: betw C: betw C: betw B -18 -40 -21 -40 -11 -36 -32	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 25 @ 15 15 @ 15	and se and 35 ind 659 ind 659	6 5 12 21 22 25 26	E 41 56 51 45 30 48 43	Amna Beatrice Bintulu Escravos Sarir Statfjord Conception Group 4 oi A: "API <17.5 (Speci B: Pour point >30'C C: Viscosity @ 10-20	36 38 37 34 38 40 5 ic gravit C: betwo 00°C: les	18 19 10 24 6 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling bek E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light Khafji	(Specifi 0-20°C: bw 200° we 370°C °C A 28 28 30 33 35 31 34 28	betwe C: betw C: betw C: betw B -18 -40 -21 -40 -11 -36 -32 -57	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 15 @ 15 80 @ 15	and se and 35 ind 659 ind 659	6 5 12 12 15 15 16 11	E 41 56 51 45 30 48 43 55	Amna Beatrice Bintulu Escravos Sarir Statfjord Content of the second A: "API <17.5 (Spect B: Pour point >30°C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 30	36 38 37 34 38 40 5 5 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	18 19 10 24 6 y >0.95) ten 1500 s than 2 ater than	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light Khafji Sirri	(Specifi 0-20°C: bw 200° we 370°C °C A 28 28 30 33 35 31 34 28 33	betwe C: betw C: betw C: betw B -18 -40 -21 -40 -11 -36 -32 -57 -12	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 15 @ 15 80 @ 15 18 @ 10	and se and 351 ind 659 ind 659	6 5 12 12 15 15 15 16 11 12	E 41 56 51 45 30 48 43 55 38	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30'C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 3	36 38 37 34 38 40 S ic gravit C: betwo 00°C: les 00°C: gre A B	18 19 10 24 6 7 9 >0.95) seen 1500 s than 2 stater than	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Heavy Iranian Light Khafji Sitri Thunder Horse	(Specifi 0-20°C: bw 200° we 370°C 7C A 28 28 30 33 35 31 34 28 33 35 31 34 28 33 35	betwe C: betw C: C C: C C: C C: C C: C C: C C: C C:	en 8 CSt veen 10 : reen 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 15 @ 15 80 @ 15 18 @ 10 10 @ 10	and se and 35 ind 659 ind 659	6 52 52 55 56 54 72 55 56 56 51 12 22 22	E 41 56 51 45 30 48 43 55 38 39	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30'C C: Viscosity @10-20 D: % boiling below 2 E: % boiling above 37 Bachaquero 17	36 38 37 34 38 40 S ic gravit C: betwo 00°C: les 70°C: gre A B 6 - 29	18 19 10 24 6 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light Khafji Sirri Thunder Horse Tia Juana Light	(Specifi 0-20°C: bw 200° we 370°C 7C A 28 28 30 33 35 31 34 28 33 35 31 34 28 33 35 32	betwe C: betw C: betw B -18 -40 -21 -40 -11 -36 -32 -57 -12 -27 -42	en 8 CSt veen 10 : een 30 a c 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 25 @ 15 14 @ 15 25 @ 15 15 @ 15 80 @ 15 18 @ 10 10 @ 10 500 @ 12	and se and 35' ind 659 ind 659	6 52 52 55 56 54 56 51 12 22 52 54 52 54 52 54 52 54 52 54 52 54 52 54 52 54 52 54 54 54 54 54 55 55 55 56 55 56 56 56 56 56 57 57 55 55 55 55 55 55 55 55 55 55 55	E 41 56 51 45 30 48 43 55 38 39 45	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Specified B: Pour point >30°C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling below 2 E: % boiling above 3 Bachaquero 17	36 38 37 34 38 40 5 5 6 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	18 19 10 24 6 y >0.95) seen 1500 s than 2 sater than (5,000 f Semi-	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid E 60 80	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light Khafji Sirri Thunder Horse Tia Juana Light Troll	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 32 33	betwe C: betw C: betw C: betw B -18 -40 -21 -11 -36 -32 -57 -12 -27 -42 -9	en 8 CSt veen 10 : een 30 a c 32 @ 13 55 @ 15 25 @ 15 25 @ 15 25 @ 15 25 @ 15 14 @ 15 25 @ 15 15 @ 15 80 @ 15 18 @ 10 10 @ 10 500 @ 11 14 @ 10	and se and 35' ind 659 ind 659	6 5 32 21 22 25 26 24 22 24 24 44	E 41 56 51 45 30 48 43 55 38 39	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Specif B: Pour point >30°C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 3 Bachaquero 17	36 38 37 34 38 40 5 5 6 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	18 19 10 24 6 y >0.95) cen 1500 s than 2 sater than (5,000 d Semi- Semi- Semi-	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid E 60 80 54	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 1 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light Khafji Sirri Thunder Horse Tia Juana Light Troll	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 32 33	betwe C: betw C: betw C: betw B -18 -40 -21 -11 -36 -32 -57 -12 -27 -42 -9	en 8 CSt veen 10 : een 30 a c 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 25 @ 15 14 @ 15 25 @ 15 15 @ 15 80 @ 15 18 @ 10 10 @ 10 500 @ 12	and se and 35' ind 659 ind 659	6 5 32 21 22 25 26 24 22 24 24 44	E 41 56 51 45 30 48 43 55 38 39 45	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci- B: Pour point >30'C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 3 Bachaquero 17 Boscan 1 Cinta 3 Handil 3 Merey 1	36 38 37 34 38 40 5 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	18 19 10 24 6 x > 0.95) cen 1500 s than 2 sater than (5,000 s smi Semi Semi Semi 7,000	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid E 60 80 54 33 70	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 10 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Heavy Iranian Heavy Iranian Heavy Iranian Heavy Iranian Heavy Iranian Light Khafji Sirri Thunder Horse Tia Juana Light Troll FO 180	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 32 33 35 32 33 18-20	betwe C: betw C: betw C: betw B -18 -40 -21 -11 -36 -32 -57 -12 -27 -42 -9	en 8 CSt veen 10 : een 30 a c 32 @ 13 55 @ 15 25 @ 15 25 @ 15 25 @ 15 25 @ 15 14 @ 15 25 @ 15 15 @ 15 80 @ 15 18 @ 10 10 @ 10 500 @ 11 14 @ 10	and se and 35' ind 659 ind 659	6 5 32 21 22 25 26 24 22 24 24 44	E 41 56 51 45 30 48 43 55 38 39 45 35	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30'C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 30 Bachaquero 17 Boscan 1 Cinta 3 Handil 3 Merey 1 Nile Blend 3	36 38 37 34 38 40 5 5 6 7 7 7 7 7 8 8 8 6 9 9 7 7 9 7 3 3 3 3 5 7 9 7 1 4 3 3	18 19 10 24 6 2 2 4 6 2 2 4 6 2 4 6 2 4 6 2 4 6 2 4 6 2 4 6 2 4 6 2 4 6 2 4 6 7 2 4 6 7 2 4 6 7 7 9 10 24 6 7 7 9 10 24 6 7 7 9 10 24 6 7 7 9 10 24 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid E 60 80 54 33 70 59	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 10 D % boiling belo E: % boiling aboy Low pour point <6 Alaska North Slope Arabian Heavy Arabian Heavy Arabian Light Bonny Light Iranian Heavy Iranian Heavy Iranian Heavy Iranian Light Khafji Sirri Thunder Horse Tia Juana Light Troll FO 180 High pour point >5	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 32 33 35 32 33 18-20 °C	betwe C: betw C: betw C: betw B -18 -40 -21 -14 -40 -11 -36 -32 -57 -12 -27 -42 -9 10-30	en 8 CSt veen 10 : een 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 16 @ 15 18 @ 10 10 @ 10 500 @ 15 14 @ 10 10 @ 10 500 @ 15	and se and 351 ind 659 ind 659	6 52 52 55 56 56 56 56 56 56 56 56 56 56 56 56	E 41 56 51 45 30 48 43 55 38 39 45 35 -	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30"C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 30 Bachaquero 17 Bachaquero 17 Cinta Bachaquero 17 Cinta Bachaquero 17 Bachaquero 17 Cinta Bachaquero 17 Cinta Cinta Bachaquero 17 Cinta Cina	36 38 37 34 38 40 5 5 6 50°C: gre 8 6 50°C: gre 8 6 5 3 4 3 3 3 5 7 -21 4 3 3 4 -3	18 19 10 24 6 24 6 24 6 24 6 24 6 24 6 24 6 24	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid E 60 80 54 33 70 59 92	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 10 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Heavy Iranian Heavy Iranian Light Slirri Thunder Horse Tia Juana Light Troll FO 180 High pour point >5 Cabinda	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 32 33 35 32 33 18-20 °C 33	betwe C: betw C: betw C: betw C: betw B -18 -40 -21 -18 -40 -21 -36 -32 -57 -12 -27 -42 -9 10-30 -12	en 8 CSt veen 10 : een 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 16 @ 15 18 @ 10 10 @ 10 500 @ 15 14 @ 10 500 @ 15 14 @ 10 500 @ 15 14 @ 10 500 @ 15 14 @ 10 500 @ 15 50	and se and 351 ind 659 ind 659	6 52 52 55 56 56 56 56 56 56 56 56 56 56 56 56	E 41 56 51 45 30 48 43 55 38 39 45 55 38 39 45 55 - 56	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30°C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 30 Bachaquero 17 Bachaquero 17 Cinta Bachaquero 17 Cinta Bachaquero 17 Cinta Bachaquero 17 Shengli 2 Cinta Bachaquero 17 Cinta Bachaquero 17 Cinta Bachaquero 17 Cinta Bachaquero 17 Cinta Cinta Bachaquero 17 Cinta Cinta Bachaquero 17 Cinta Ci	36 38 37 34 38 40 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	18 19 10 24 6 24 6 24 6 24 6 24 6 24 6 24 6 24	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C 0 0 1 1 0 0 1 0 0 0 0	25 24 35 24 38 i-solid E 60 80 54 33 70 59 92 70	
A: "API 17.5-35 B: Pour point "C C: Viscosity @ 10 D: % boiling belo E: % boiling abov Low pour point <6' Alaska North Slope Arabian Heavy Arabian Heavy Arabian Light Bonny Light Iranian Heavy Iranian Heavy Iranian Light Khafji Thunder Horse Tia Juana Light Troll FO 180 High pour point >5' Cabinda Coco	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 31 34 28 33 35 32 33 18-20 °C 33 32	betwe C: betw C: betw C: betw C: betw B -18 -40 -21 -40 -11 -36 -32 -57 -12 -27 -42 -9 10-30 -12 21	en 8 CSt veen 10 : een 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 14 @ 15 25 @ 15 18 @ 10 10 @ 10 500 @ 11 14 @ 10 1,500-3,0 Semi-so Semi-so	and se and 351 ind 659 ind 659	6 52 52 55 56 56 56 56 56 56 56 56 56 56 56 56	E 41 56 51 45 30 48 43 55 83 9 45 55 83 9 45 55 46	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30°C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 3 Bachaquero 17 Boscan 1 Cinta 3 Handil 3 Merey 1 Nile Blend 3 Pilon 1 Shengli 2 Taching 3	36 38 37 34 38 40 5 6 5 7 6 5 7 6 5 8 4 3 3 3 5 7 7 21 4 3 3 4 21 1 3 5	18 19 10 24 6 24 6 24 6 24 6 24 6 24 6 24 6 24	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C 0 CSt and sem 5% n 30% C D 8 15°C 10 -solid 4 -solid 23 8 15°C 7 solid 13 -solid 2 solid 9 -solid 9 -solid 9 -solid 12	25 24 35 24 38 i-solid E 60 80 54 33 70 59 92 70 49	
Group 3 A: "API 17.5~35 B: Pour point *C C: Viscosity @ 10 D: % boiling belo E: % boiling abov Low pour point <6 Alaska North Slope Arabian Heavy Arabian Medium Arabian Light Bonny Light Iranian Heavy Iranian Light Khafji Sirri Thunder Horse Tia Juana Light Troll (FO 180 High pour point >5 Cabinda Coco Gamba Mandji	(Specifi 0-20°C: ow 200° ve 370°C A 28 28 30 33 35 31 34 28 33 35 32 33 35 32 33 18-20 °C 33	betwe C: betw C: betw C: betw C: betw B -18 -40 -21 -18 -40 -21 -36 -32 -57 -12 -27 -42 -9 10-30 -12	en 8 CSt veen 10 : een 30 a C 32 @ 15 55 @ 15 25 @ 15 25 @ 15 25 @ 15 16 @ 15 18 @ 10 10 @ 10 500 @ 15 14 @ 10 500 @ 15 14 @ 10 500 @ 15 14 @ 10 500 @ 15 14 @ 10 500 @ 15 50	and se and 351 ind 659 ind 659	6 D 12 12 15 16 11 12 12 14 14 16 11 12 12 14 14 11 11 11 11 11 11 11 11	E 41 56 51 45 30 48 43 55 38 39 45 55 38 39 45 55 - 56	Amna Beatrice Bintulu Escravos Sarir Statfjord A: "API <17.5 (Speci B: Pour point >30'C C: Viscosity @ 10-20 D: % boiling below 2 E: % boiling above 30 Bachaquero 17 Boscan 1 Cinta 3 Handil 3 Merey 1 Nile Blend 3 Pilon 1 Shengli 2 Taching 3 Tia Juana Pesado 1	36 38 37 34 38 40 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	18 19 10 24 6 24 6 24 6 24 6 24 6 24 6 24 6 24	32 @ 15°C Semi-solid 9 @ 15°C Semi-solid 7 @ 10°C	25 24 35 24 38 i-solid E 60 80 54 33 70 59 92 70	

Reviewed By :	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	Capt. Anubhav Jain	Revision No.	:	05	Page 85 of 98



Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 86 of 98




Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 87 of 98

Site Specific Healt					th a	nd S	Safet	y Plan			AN	NEXU	J RE 13		
					Ass	essment	t Foi	rm							
1. APPLII	ES TO SIT	Е:													
2. DATE :					3. TIM	IE :				4. INC	IDEN	т:			
5. PRODU	J CT(S) :											(Att	ach MSDS)	
6. Site Cha	aracterizat	tion													
6a. Area			Open wate	er	🗆 Ins	hore water			iver / C	Creek		Salt m	arsh	Π Μι	udflats
			Shoreline		🗆 Sai	nd			hingle			Intake	Channel		
6b. Use			Commerc		□ Ind			Π Pι	ublic			Gover	nment	□ Re	creational
		ΠF	Residentia	ıl	□ Otl	her									
7. Site Haz	zards														
	□ Boat	safety	r			□ Fire,	explo	osion, i	in-situ	burn			ips, trips ar		
			nazards			□ Heat							eam and ho	ot water	
	Drun		-				_	opera	tions				des		
			operation	15		□ Liftir	-						enches, exe	cavations	;
			nazards			□ Moto		icles				Visibility			
	□ Fatig				□ Noise				U Weather						
	□ Other	ſS			Overhead/buried utilities				ΟW	ork near w	ater				
					Pumps and hoses										
0 1 1	•, •														
8. Air Mo	-			LEI							I G			24	
0 Domoono	\Box O ₂	. Far		LEL		D B	enzer	ie		ΠH	125			Other	
9. Persona		e Equ	urpment						Cove	ralle					
□ Head F								_	CoverallsImpervious suits						
□ Eye Pr					Personal Float										
□ Ear Pro									Respirators						
10. Site Fa				l											
□ Sanitat						□ First	Aid				[De	contaminat	ion	
11. Conta	ct details :														
Doctor	•							Pho	one						
🛛 Hospit	al							Pho	one						
□ Fire								Pho	one						
□ Police								Pho	one						
□ Other								Pho	one						
12. Date P	lan Comp	leted													
13. Plan C	Completed	by													


Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 88 of 98

Indian Chart 2079

ANNEXURE 14



Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	:	05	Page 89 of 98



Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 90 of 98

List of recycler approved by state of Gujarat

ANNEXURE 15

LIST OF APPROVED VENDOR FOR COLLECTION & DISPOSAL OF OIL SPILL WASTE WATER

Sr No.	Name of the party & Contact Detail	Date of Issue of Passbook alongwith validity	Capacity
1	M/s Jawrawala Petroleum, Plot No: 200/33, B/H Kashiram Textile Mill, Narol, Ahmedabad		1. 4800 KLPA - Used Oil
	– 382405 Contact Detail - (079) - 25358099 (M) +91 9824045726		2. 9000 KLPA – Waste Oil
2	M/s Reliance Barrel Supply co., 200/34, B/H- Kashiram Mill, Narol, Ahmedabad-382405	03/09/2014 to 02/09/2019	1. 8280 KLA - Used Oil
	Contact Detail - (079) - 25356629 (M) +91 9824090021		2. 9000 KLA – Waste Oil
3	M/s Western India Petrochem Industry, Plot No-50, 51, GIDC Estate, Village Gozaria, Dist- Mehsana. Contact Detail - Tel:+91- 278- 420941 Fax:+91- 278- 429503		1. 3660 KLPA – Used oil 2. 11100 KLPA – waste oil
4	Ltd.(SEPPL)	TSDF Site	3,95,000 MT (Landfilling) +
	3rd Floor,K.G.Chambers, Udhana Darwaja, Ring Road, Surat, Gujarat, India-395002 Contact Detail - +91 261 2351248		7.50 Million Kcal/Hr. (Incineration)
5	M/s Bharuch Enviro Infrastructure Ltd, Ankleshwar	TSDF Site	23,00,000 MT (Landfilling) +
	Contact Detail -Phone91-2646-253135Fax91-2646-222849		120 MT/Day (Incineration)
6	M/s Nandesari Environment Control Ltd. Nandesari, Vadodara,	TSDF Site	3,00,000 MT (Landfilling) +
	Contact Detail – Phone 265 – 2840818 Fax 265 – 2841017		700 Kg/Hr. (Incineration)

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 91 of 98

LIST OF AGENCY FOR SUPPORT & GUIDANCE FOR RESCUE & ANNEXURE 16 REHABILITATION OF OILED BIRD & MANGROVES MANAGEMENT DURING OIL SPILL

Sr No.	Name of the party & Contact Detail	Contact Person	Contact Detail	Activity	
1	Gujarat Institute of Desert Ecology P.O Box No. #83, Opp. Changleshwar Temple, Mundra Road Bhuj - 370001 Gujarat – India.	.O Box No. #83, pp. Changleshwar emple, Nundra Road Bhuj 370001			
2	Kalapoornasuri Karunadham Karunadham Hospital, At – Shedata, Bhuj, Kucth	(M) 9925020776	Rescue of oil socked birds / animals and medical treatment facility		
3	Anchorwala Ahinshadham Bhagwan Mahavir Pashu Raksha Kendra Pragpar, Mundra, Kutch.		Phone (02838) 22352	Rescue of oil socked birds / animals and medical treatment facility	
4	ASHA Foundation C/182, Ashoknagar, Opposite ISRO Satellite, Ahmedabad – 380015, Gujrat, India.	Lalubhai	Phone: 09824037521 ,09879877281 Email: ashahmedabad@yahoo.co.in Website: www.ashafoundationindia.org	Rescue of oil socked birds / animals and medical treatment facility	

Reviewed By : Capt. Divya Gupta	Issue No.	: 0)1	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 0)5	Page 92 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN as and abbreviations used in this plan

Terms, definitions and abbreviations used in this plan

APSEZL	Adani Ports and Special Economic Zone Ltd.			
COO	Chief Operating Officer			
DGM	Deputy General Manager			
DGS	Directorate General of Shipping			
ENGR.	Engineer			
ESD	Emergency Shut Down			
FIR	First Information Report			
FO	Furnace Oil			
GMB	Gujarat Maritime Board			
GPCB	Gujarat Pollution Control Board			
HOD	Head Of Department			
HQ	Head Quarters			
HSD	High Speed Diesel			
ICG	Indian Coast Guard			
IMO	International Maritime Organization			
IPMS	Integrated Port Management System			
КРТ	Kandla Port Trust			
LWS	Low Water State			
MCLS	Maximum Credible loss scenario			
MMD	Mercantile Maritime Deptt.			
MOEF	Ministry of Environment & Forest			
MSDS	Material Safety Data Sheets			
NOS DCP	National Oil Spill Disaster Contingency Plan			
OSC	On Scene Commander			
PLEM	Pipe line end manifold			
POLREP	Pollution Report			
PPE	Personal Protective Equipment			
PR	Public Relations Officer			
R/O	Radio Officer			
SKO	Super Kerosene Oil			

Reviewed By : Capt. Divya Gupta	Issue No.	: 01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.	: 05	Page 93 of 98

ADANI PORTS AND SPECIAL ECONOMIC ZONE LTD. MUNDRA OIL SPILL CONTINGENCY RESPONSE PLAN Certificate of Endorsement

(To be certified personally by an officer not below the post of Deputy Conservator of a port facility or the Installation Manager of an oil installation, or offshore installation, or equivalent legally responsible authority)

I hereby certify that:

1 The oil spill contingency plan for the facility under my charge has been prepared with due regard to the relevant international best practices, international conventions, and domestic legislation.

2. The nature and size of the possible threat including the worst case scenario, and the resources consequently at risk have been realistically assessed bearing in mind the probable movement of any oil spill and clearly stated.

3. The priorities for protection have been agreed, taking into account the viability of the various protection and clean-up options and clearly spelt out.

4. The strategy for protecting and cleaning the various areas have been agreed and clearly explained.

5. The necessary organization has been outlined, the responsibilities of all those involved have been clearly stated, and all those who have a task to perform are aware of what is expected of them.

6. The levels of equipment, materials and manpower are sufficient to deal with the anticipated size of spill. If not, back-up resources been identified and, where necessary, mechanisms for obtaining their release and entry to the country have been established.

7. Temporary storage sites and final disposal routes for collected oil and debris have been identified.

8. The alerting and initial evaluation procedures are fully explained as well as arrangement for continual review of the progress and effectiveness of the clean-up operation.

9. The arrangements for ensuring effective communication between shore, sea and air have been described.

10. All aspects of plan have been tested and nothing significant found lacking.

11. The plan is compatible with plans for adjacent areas and other activities.

12. The above is true to the best of my knowledge and belief.

13. I undertake to keep the plan updated at all times and keep the Indian Coast Guard informed of any changes through submission of a fresh certificate of endorsement.

Anubhev J - Marine & P Idani Ports 8 SEZ Ltd Nundra - Kutch - Gularat

Seal:

Name: Capt. Anubhav Jain

Signature:

Designation: Head - Marine

Organization: Adani Ports and SEZ Ltd, Mundra Date: 01 Oct 2020

Place: Mundra

Reviewed By : 0	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : 0	Capt. Anubhav Jain	Revision No.	:	05	Page 94 of 98

Appendix E5 to NOS DCP 2015

(Para 4.5 refers)

Contingency Planning Compliance Checklist

Name of the Port/ Oil Handling Agency Adani Ports and SEZ Limited, Mundra

	DESCRIPTION	Complied Yes/No	Remarks
Risk	Assessment		·
1.	Whether the facility produces / handles / uses /	Maa	
	imports / stores any type of petroleum product.	Yes	(Ref. OSCRP 2.2)
2,	Whether risk assessment is done	Yes	(Ref. OSCRP 2.0)
3.	Who did the risk assessment	Yes	Environ Software (P) Ltd. & APSEZ
4.	Whether maximum volume of oil spill that can occur in the worst case scenario is considered.	Yes	(Ref. OSCRP 2.4)
5.	Whether relative measures of the probability and consequences of various oil spills including worst case scenario are taken into account.	Yes	(Ref. OSCRP 2.4)
6.	Whether all types of spills possible in the facility are considered including grounding, collision, fire, explosion, Rupture of hoses.	Yes	(Ref. OSCRP 2.3 & 2.4)
7	Please specify the list of oils considered for risk assessment	Yes	(Ref. OSCRP 2.2)
8	Whether the vulnerable areas are estimated by considering maximum loss scenario and weather condition	Yes	(Ref OSCRP 2.1 Computational Scenarios)
9	Whether impacts on the vulnerable areas are made after considering the marine protected areas ,population ,fishermen ,saltpans ,mangroves ,corals, and other resources within that area	Yes	(Ref. OSCRP 2.6)
10	Whether measures for reduction of identified high risk are included by reducing the consequences through spill mitigation measures		(Ref. OSCRP 1.4, 2.3, 2.6. 3 & 5)
11	Whether steps have been considered to reduce risks to the exposed population by increasing safe distances by acquiring property around the facility ,if possible	NA	All facilities developed within SEZ keeping safe distances from the exposed population.
12	Whether risk levels are established for each month after considering the probability with tide and current and consequences of each such spill		(Ref. OSCRP 2.1 computational scenarios & 2.3)
13	Whether prevention and mitigation measures are included in the plan		(Ref. OSCRP 4.0, 7.0, 8.0 8 9.0)
14	Whether the spill may affect the shoreline (length of the shoreline with coordinated)		Ref. OSCRP 2.3 & 2.6)
15	Whether time taken the oil spill to reach ashore in each quantity of spill in various month are mentioned in the plan	Yes	(Ref. OSCRP 2.3)
16	Whether sensitivity mapping has been carried out	Yes	(Ref. OSCRP 2.5)
17	Does the sensitivity mapping clearly identify the vulnerable areas along with MPAs, corals fishermen community, saltpans, mangroves and other socio-economic elements in the area	Yes	(Ref. OSCRP 2.5 & 2.6)

Reviewed By : Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By : Capt. Anubhav Jain	Revision No.		05	Page 95 of 98

	OIL SPILL CONTINGENCY F	KESPUI	NSE PLAN
18	Do the sensitivity maps indicate area to be protected on priority	Yes	(Ref. OSCRP 2.6)
19	Does the maps indicate boom deployment locations	NA	Booms not deployed permanently
20	Whether any marine protected area will be affected	YES	(Ref. OSCRP 2.5 & 2.6)
21	Whether total number of fishermen likely to affected is mentioned in the plan	Yes	(Ref. OSCRP 2.6)
22	Whether any saltpan in the area is going to be affected	Yes	(Ref. OSCRP 2.6)
23	Whether any mangroves in the area will be affected by a spill	Yes	(Ref. OSCRP 2.6)
Ргер	paredness		
24	whether any containment equipment is available	Yes	(Ref. OSCRP Annex 3)
25	Whether any recovery equipment is available	Yes	(Ref. OSCRP Annex 3)
26	Whether the facility is having any temporary storage capacity	Yes	(Ref. OSCRP Annex 3)
27	Whether location of the oil spill response equipment is mentioned in the plan	Yes	Has been included in Annex 3
28	Whether suitable vessels available for deploying the boom skimmer etc.	Yes	(Ref. OSCRP Annex 3)
29	Whether OSD held with facility	Yes	(Ref. OSCRP Annex 3)
30	Whether the OSD held with the facility is approved for use in Indian waters	Yes	
31	Whether the facility has MoU with other operator for tier -1 preparedness	Yes	(Ref. OSCRP 1.4)
32	Whether the list of oil spill response equipment available with each agency in deliberation	Yes	MoU document
33	Whether the facility has any MoU with private OSRO	NA	Port itself is equipped to deal with oil spill emergencies
34	Whether the procedure for evoking the mutual aid is clearly described in the plan	Yes	(Ref. OSCRP 1.4)
35	Whether additional manpower is available	Yes	(Ref. OSCRP 5.4)
36	Whether list of approved recyclers is mentioned in the plan	Yes	List of recycler approved by state of Gujarat is included in Annexure 15.
37	Whether NEBA (net environmental Benefit Analysis) has been undertaken	Yes	Before commissioning of any new project, various environmental aspects with their positive or adverse impact is considered under EIA Environment Impact Assessment stage.
38	Whether the areas from priority protection have identify in the plan	YES	(Ref. OSCRP 2.5 & 2.6)
39	Whether relevant authorities and stakeholder were consulted for NEBA and during the areas for property protection	Yes	BeforecommissioningofanynewprojectEnvironmentImpactAssessment& Publicconsultationis carriedout,

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 96 of 98

				were consulted.
40	Whether district administration appraised of the risk impact of oil sp		Yes	District Level Disaster Management Plan is prepared and regularly updated at district level by District Collector of Kutchh. Under DMP Oil spillage contingency is identified as risk. During preparation & updating of disaster management plan, District Level Authority organises & compiles information from various industries of kutchh. APSEZL is regularly participating in the same & providing necessary information to district level administration.
Actio	on Plan			
41	Whether the plan outlines procedure reporting of oil spill to coast guard	e for	Yes	(Ref. OSCRP 7.3)
42	Whether the oil spill response action mentioned	is clearly	Yes	(Ref .OSCRP 3.1 to 3.6)
43	Whether the action plan include all of attended in connection with an oil s		Yes	(Ref. OSCRP 3.4)
44	Whether the action plan includes ke by their name and designation viz. C	y personnel	Yes	Ref. OSCRP Annexure-4
45	Whether alternate coverage is plann care of the absence of a particular p cases where action plan is develope names]	Yes	(Ref. OSCRP 5)	
46				(Ref. OSCRP 3.4)
47	Whether contact directory containing numbers of key response and management personnel is intimated in the plan		Yes	Ref. OSCRP Annexture-4
48	Whether approved recyclers are processing recovered oil and oily del			List of approved recycler of Gujarat state is included in annexure 15.
			Yes	Membership of common disposal facility for disposal of oily debris is also attached annexure 16.
49	Whether the shoreline likely to be affected is identified		Yes	(Ref. OSCRP 2.5 & 2.6)
50	to CGHQ as per NOS-DCP 2014		NA	No incident
51	Whether the spill incident and its co	nsequences	NA	No incident
	viewed By : Capt. Divya Gupta Issue No.			
	ed By : Capt. Divya Gupta ed By : Capt. Anubhav Jain	Issue No. Revision No.	: 01 : 05	Issued On : 01.10.202 Page 97 of 98

	OIL SPILL CONTINGENCY F	RESPO	NSE PLAN
	are informed to fishermen and other NGOs for environment protection through media		
	Training and exercises		
52	Whether mock fire /emergency response drills are specified in the plan	Yes	(Ref. OSCRP 5.6)
53	Whether the mock drills cover all types of probable oil spill	Yes	
54	Whether the plan mentions list of trained manpower	Yes	(Ref. OSCRP 5.6)
55	Whether record for periodic mock drill are maintained in a well-defined format	Yes	
56	Whether the plan updated according to the finding in mock-drills and exercises DESCRIPTION	Yes	
57	What is the frequency of updation /review of contingency plan?	Yes	As Per NOSDCP 2015
58	Periodicity of joint exercises with mutual aid partner	Yes	
59	Frequency of mock-drills for practice	Yes	(Ref. OSCRP 5.6)
60	Whether the records for periodic mock drills are maintained in a well-defined format	Yes	(Ref. OSCRP 5.6)
61	Whether the plan is updated according to the finding of mock-drills and exercises	Yes	
62	Frequency of updation /review of contingency plan	Yes	As Per NOSDCP 2015
knov	Vledge of belier Capt. Anuther Jain AQM - Marine & PFSO Adami Ports & SE2 Ltd. Mundre - Kutch - Gulerat		Agang
Date	e: 01 Oct 2020 Chief	conserv	ator /Installation manager
	VERIFIED		
Date	e: (District commander I or his representativ		
Date		ICG)	

Reviewed By	:	Capt. Divya Gupta	Issue No.	:	01	Issued On : 01.10.2020
Approved By	:	Capt. Anubhav Jain	Revision No.	:	05	Page 98 of 98

Annexure – 14



Organogram of Environment Management Cell, APSEZ, Mundra

