

Bhagwat Swaroop Sharma

From: Bhagwat Swaroop Sharma
Sent: Wednesday, May 31, 2023 9:17 PM
To: eccompliance-guj@gov.in; iro.gandhingr-mefcc@gov.in
Cc: ec-rdw.cpcb@gov.in; ro-gpcb-kute@gujarat.gov.in; ms-gpcb@gujarat.gov.in; mefcc.ia3@gmail.com; monitoring-ec@nic.in; direnv@gujarat.gov.in; Snehal Jariwala
Subject: Half Yearly EC Compliance Report Submission -MSEZ 1840 Ha. for Period Oct.'22 to March'23 -Part-1
Attachments: EC Compliance Report_MSEZ-2020_Oct'22 to Mar'23_Part1.pdf



Ports and
Logistics

APSEZL/EnvCell/2023-24/014

Date: 25.05.20

To
The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.
E-mail: eccompliance-guj@gov.in, iro.gandhingr-mefcc@gov.in

Sub : Half Yearly Compliance for Environment and CRZ clearance for 'Expansion of notified Multi-prod SEZ by adding 1840 Ha notified SEZ with existing approved area of 6641.2784 ha to make 8481.2784 ha at Mundra' by M/s Adani Ports and Special Economic Zone Ltd.

Ref : Environmental Clearance granted by Ministry of Environment, Forest and Climate Change, F. No. 138/2008-IA.III dated 12th February, 2020.

Dear Sir,


Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that copy of the compliance report for the Environmental and CRZ Clearance for the period of October 2022 to May 2023 is being submitted through soft copy (e-mail communication).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, M/s Adani Ports and Special Economic Zone Limited


Bhagwat Swaroop Sharma
Head - Environment
Mundra & Tuna Port

Encl: As Above

Copy to:

- 1) The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Bagh Road, New Delhi-110003.
- 2) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. Subhanpura, Vadodara – 390023.
- 3) The Member Secretary, GPCB – Head Office, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar – 382010.
- 4) The Director, Forests & Environment Department, Block – 14, 8th floor, Sachivalaya, Gandhi Nagar – 38201
- 5) The Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham – 370201.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1,
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 5110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 38242

Thanks & Regards,

Bhagwat Swaroop Sharma
Sr. Manager - Environment
Mundra & Tuna port

Adani Ports & Special Economic Zone Ltd.

Environment Cell | 1st floor | Adani House | Mundra Kutch | 370421 | Gujarat | India
Mob +91 6357231713 | Ext. 52474 | www.adani.com



Bhagwat Swaroop Sharma

From: Bhagwat Swaroop Sharma
Sent: Wednesday, May 31, 2023 9:23 PM
To: 'ecompliance-guj@gov.in'; 'iro.gandhingr-mefcc@gov.in'
Cc: 'ec-rdw.cpcb@gov.in'; 'ro-gpcb-kute@gujarat.gov.in'; 'ms-gpcb@gujarat.gov.in'; 'mefcc.ia3@gmail.com'; 'monitoring-ec@nic.in'; 'direnv@gujarat.gov.in'; Snehal Jariwala
Subject: Half Yearly EC Compliance Report Submission -MSEZ 1840 Ha. for Period Oct.'22 to March'23- Part-II
Attachments: EC Compliance Report_MSEZ-2020_Oct'22 to Mar'23_Part2.pdf



Ports and
Logistics

APSEZL/EnvCell/2023-24/014

Date: 25.05.2023

To
The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.
E-mail: ecompliance-guj@gov.in, iro.gandhingr-mefcc@gov.in

Sub : Half Yearly Compliance for Environment and CRZ clearance for 'Expansion of notified Multi-proc SEZ by adding 1840 Ha notified SEZ with existing approved area of 6641.2784 ha to make 8481.2784 ha at Mundra' by M/s Adani Ports and Special Economic Zone Ltd.

Ref : Environmental Clearance granted by Ministry of Environment, Forest and Climate Change, F. No. 138/2008-IA.III dated 12th February, 2020.

Dear Sir,


Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that a copy of the compliance report for the Environmental and CRZ Clearance for the period of October 2022 to March 2023 is being submitted through soft copy (e-mail communication).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, M/s Adani Ports and Special Economic Zone Limited


Bhagwat Swaroop Sharma
Head - Environment
Mundra & Tuna Port

Encl: As Above

Copy to:

- 1) The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Bagh Road, New Delhi-110003.
- 2) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. Subhanpura, Vadodara – 390023.
- 3) The Member Secretary, GPCB – Head Office, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar – 382010.
- 4) The Director, Forests & Environment Department, Block – 14, 8th floor, Sachivalaya, Gandhi Nagar – 382010.
- 5) The Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham – 370201.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382415

Thanks & Regards,

Bhagwat Swaroop Sharma
Sr. Manager - Environment
Mundra & Tuna port

Adani Ports & Special Economic Zone Ltd.

Environment Cell | 1st floor | Adani House | Mundra Kutch | 370421 | Gujarat | India
Mob +91 6357231713 | Ext. 52474 | www.adani.com





Ports and
Logistics

APSEZL/EnvCell/2023-24/014

Date: 25.05.2023

To
The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.
E-mail: ecompliance-gui@gov.in, iro.gandhinagr-mefcc@gov.in

Sub : Half Yearly Compliance for Environment and CRZ clearance for 'Expansion of notified Multi-product SEZ by adding 1840 Ha notified SEZ with existing approved area of 6641.2784 ha to make it 8481.2784 ha at Mundra' by M/s Adani Ports and Special Economic Zone Ltd.

Ref : Environmental Clearance granted by Ministry of Environment, Forest and Climate Change, F. No. 10-138/2008-IA.III dated 12th February, 2020.

Dear Sir,


Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that copy of the compliance report for the Environmental and CRZ Clearance for the period of October 2022 to March 2023 is being submitted through soft copy (e-mail communication).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, M/s Adani Ports and Special Economic Zone Limited


Bhagwat Swaroop Sharma
Head - Environment
Mundra & Tuna Port

Encl: As Above

Copy to:

- 1) The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003.
- 2) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390023.
- 3) The Member Secretary, GPCB – Head Office, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar – 382010.
- 4) The Director, Forests & Environment Department, Block – 14, 8th floor, Sachivalaya, Gandhi Nagar – 382010.
- 5) The Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham – 370201.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad – 382421, Gujarat, India

Environmental Clearance Compliance Report



Expansion of notified Multi-product
SEZ by adding 1840 Ha,
Mundra, Dist. Kutch, Gujarat

Adani Ports and SEZ Limited

For the period of
October-2022 to March-2023

	Adani Ports and Special Economic Zone Limited, Mundra.	From : Oct'22 To : Mar'23
Status of the conditions stipulated in Environment and CRZ Clearance		

Index

Sr. No.	Particulars	Page Nos.
1	EC and CRZ Clearance Compliance Report	01-20
2	Annexures	
	Annexure - 1 Algal Removal Report	21-21
	Annexure - 2 Adani Foundation – CSR Report for the FY 2022-23	22-108
	Annexure - 3 Greenbelt Development & Mangrove Afforestation Details	109-110
	Annexure - 4 Compliance Report of CIA Study Environment Management Plan	111-188
	Annexure - 5 Half Yearly Environment Monitoring Summary Report	189-389
	Annexure - 6 Environment Protection Expenditure	390-390
	Annexure - 7 Shoreline Change Assessment Study Report	391-424
	Annexure - 8 Fisherfolk Livelihood Expenditure	425-425

	Adani Ports and Special Economic Zone Limited, Mundra.	From : Oct'22 To : Mar'23
Status of the Conditions Stipulated in Environment and CRZ Clearance		

M/s. Adani Ports and SEZ Limited has been granted Environmental / CRZ clearance vide letter no. 10-138/2008-IA.III, dated 12th February, 2020 for "Expansion of notified Multi-product SEZ by adding 1840 Ha notified SEZ with existing approved area of 6641.2784 ha to make it 8481.2784 ha at Mundra, Dist. Kutch (Gujarat)".

Activities / Facilities approved are as below:

Facilities / Components Approved	Total Approved Area (Ha)	Area (Ha) developed till 31.03.2023	Area (Ha) to be developed so far
Port Back-up and related industrial developments (Requiring Waterfront)	187.22	--	187.22
Industrial Zone (Chemical, Textile & Apparel, Heavy/Light Engineering, Plastic, Cement)	978.64	--	978.64
Warehousing & Container Freight Station (CFS) Zone	88.33	9.6	78.73
Green / Renewable Energy	24.15	6.68	17.47
Open/Green Spaces	607 ^s	3.0	604 ^s
Facilities / Amenities & Utilities / Transportation	256.2	143.95	112.25
TOTAL AREA	1840	163	1677

^sProposed greenbelt by APSEZ = 305 ha (16.6%) and by industrial units = 302 ha (16.4%)

Note:

Boundary wall is constructed along the project periphery. In some of areas level raising and area development of SEZ area, wherever required is also under progress.

*Inline to the APSEZ's request, Ministry of Commerce & Industry (MoCI) vide Gazette order dtd. 4th July 2019 has de-notified 46.6894 ha from total area of 8481.2784 Ha, thereby making resultant area of notified Multiproduct SEZ as 8434.5890 Ha.

**After that Inline to the APSEZ's request, Ministry of Commerce & Industry (MoCI) vide Gazette order dtd. 29th November, 2021 and 21st September, 2022 has de-notified 200.405 Ha from total area of 8434.5890 Ha, thereby making resultant area of notified Multiproduct SEZ as 8234.184 Ha. Copy of MoCI Gazette Notification dated 21st September, 2022 submitted during the last compliance period Apr'22 to Sep'22.

Compliance Report of Environmental and CRZ Clearance

	Adani Ports and Special Economic Zone Limited, Mundra.	From : Oct'22 To : Mar'23
Status of the Conditions Stipulated in Environment and CRZ Clearance		

Half yearly Compliance report of Environment and CRZ Clearance for "Expansion of notified Multi-product SEZ by adding 1840 Ha notified SEZ with existing approved area of 6641.2784 ha to make it 8481.2784 ha at Mundra, Dist. Kutch (Gujarat)" by M/s Adani Ports and Special Economic Zone Ltd. issued vide letter no. 10-138/2008-IA.III, dated 12th February, 2020.

Sr. No	Conditions	Compliance Status as on 31.03.2023
(i)	This Environmental and CRZ Clearance for the said expansion shall be subject to the outcome of ongoing court cases.	<p>Point noted and will be complied</p> <ul style="list-style-type: none"> • SLP (Civil) no. 1526 of 2014 • Vide order dated 14.07.2014, the Hon'ble Supreme Court directed MoEF&CC to complete the process of environmental clearance to the MSEZ project of APSEZ within eight weeks. MoEF&CC issued EC and CRZ clearance to the proposed project vide letter dated 15.07.2014. Hence, the SLP (Civil) no. 1526/2014 is deemed closed. Details of the same was submitted during the half yearly EC compliance report submission for the period Oct'21 to Mar'22. • SLP (Civil) no. 28788 of 2016 • In view of the affidavits filed by MOEF, and Govt of Gujarat the High Court dismissed the petition on 18.02.2015. • The petitioner filed a special leave to appeal before the Supreme Court of India, challenging the order dated 18.02.2015 of Gujarat High Court and the same is pending. Sunita Narayan committee was appointed to study the area. Report was prepared by committee and submitted to Hon'ble Supreme Court. • Matter pending at Supreme court. Details were submitted during the compliance period Oct'21 to Mar'22. <p><u>APSEZ has taken/proposed following action:</u></p> <ul style="list-style-type: none"> • APSEZ has submitted as part of their submission to the Committee that there are no presence of "Sand dunes", in APSEZ area, inline to the authenticated maps & report available for this area. • The Committee visited Mundra on January 3 & 4, 2018 and the core issues to be examined by the Committee were (i) whether sand dunes are allotted in the forest land and whether APSEZL has destroyed/disturbed them and (ii) whether measurement of land was wrongly done?

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
		<p>The Sunita Narain committee filed its report in the Hon'ble Supreme Court of India on 14.9.2018.</p> <ul style="list-style-type: none"> The Committee heard representations from both the parties and concluded that the term "Dhuva" is not synonymous with shifting sand dune. The Committee concluded that there is no incontrovertible evidence that Mor Dhuva was a sand dune and it cannot be said that M/s. APSEZL violated any conditions of the Environmental Clearance. With regards to the issue of measurement of land, the Committee stated that there was no credible evidence to show that Mor Dhuva was not part of the allotment to APSEZ and all measurements were done appropriately.
(ii)	Total area of Multi-product SEZ run by APSEZ Limited will be 8481.2784 ha after this expansion. The geo-coordinates of the additional piece of land (1840 ha) are 22°47'35.41" - 22°47'57.67"N and 69°40'6.15" - 69°32'46.58"E.	Point noted and complied with
(iii)	The proponent shall obtain, wherever applicable, separate Environmental Clearance including Risk Assessment for the Isolated Storage and Handling of Hazardous Chemicals under schedule 6(b) of the EIA Notification, 2006 and subsequent	<p>Not Applicable</p> <p>As per MoEF&CC Notification dated 13th June, 2019, Item 6(b) and the entries relating thereto has been omitted from EIA Notification – 2006. Hence Project under Category – 6(b) Isolated Storage and Handling of Hazardous Chemicals not attracts EIA Notification – 2006 and subsequent amendments thereafter.</p> <p>However, individual unit will obtain requisite permissions from regulatory authorities in line to EIA Notification, 2006 and subsequent amendments thereto if applicable.</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023						
	amendments thereto.							
(iv)	The proponent shall prepare and implement the Mangrove Conservation and Management Plan in consultation with the State Forest Department. This Plan shall be subject to monitoring by the third party. The implementation report and third-party audit report be submitted to the Regional Office, MoEF&CC and the State Forest Department.	<p>Complied.</p> <p><u>Conservation of Mangroves:</u></p> <ul style="list-style-type: none"> • In and around APSEZ, approx. 1800 ha. mangrove area was identified by NIO in an EIA report prepared the year 1998. • Out of this 1800 ha area, 1254 ha area was further demarcated as potential mangrove conservation by NIO in the year 2008 (as part of the EIA report of WFDP). • It may be noted that the entire area of 1254 ha is not covered with mangroves. • Entire area is being conserved and there is no disturbance to the mangroves in this area. Measures such as restricted entry and regular surveillance have resulted in overall growth of mangroves within this area. • As per MoEF&CC directives, APSEZ entrusted NCSCM to demarcate mangroves in and around APSEZ area. As per their study, presently, mangrove cover in and around APSEZ was over 2340 ha. The analysis of the comparison between 2011 and 2016-17 has shown an overall growth of 246 ha. • NCSCM final report on comprehensive and integrated plan for preservation and conservation of mangroves and associated creeks in and around APSEZ, Mundra was submitted to GCZMA and MoEF&CC for their examination and recommendation vide (with a copy to MoEF&CC vide letter dated 04.06.2018 & reminder letter vide dated 4th Jan, 2019). • Presentation on the findings of the report was made to GCZMA committee on 4th October 2019 and the recommendation for the same has been received vide email dtd. 22nd Sept, 2020. <p>As a part of mangrove conservation action plan and GCZMA recommendations, APSEZ has undertaken following activities.</p> <table border="1"> <tr> <th>Sr. No.</th><th>Recommendations</th><th>Compliance</th></tr> <tr> <td></td><td></td><td></td></tr> </table>	Sr. No.	Recommendations	Compliance			
Sr. No.	Recommendations	Compliance						

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023	
		1.	<p>Mangrove mapping and monitoring in and around APSEZ</p> <ul style="list-style-type: none"> • APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. • As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7%. • This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. • Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019. • The cost of the said study was INR 23.56 Lacs incurred by APSEZ.
		2.	<p>Tidal observation in creeks in and around APSEZ</p> <ul style="list-style-type: none"> • APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. • The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves. • The cost of the said activity was INR 1.0 Lacs.
		3.	<p>Removal of Algal and Prosopis growth from mangrove areas</p> <ul style="list-style-type: none"> • Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually. • The cost of the said activity was INR 2.35 Lacs during the FY 2022-23. The details of Removal of Algal and Prosopis growth from mangrove areas is attached as Annexure -1.

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023	
		4.	<p data-bbox="670 386 906 520">Awareness of mangroves importance in surrounding communities</p> <ul style="list-style-type: none"> Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves. Adani Foundation provides good Quality dry and green fodder to 24 Villages. Project is covering total 14116 Cattels / 3008 farmers and hence enhancing cattle productivity during last FY 2022-23. Awareness of mangroves importance in surrounding communities & Fodder support - The expenditure for fodder supporting activities was approx. 200.89 Lacs during FY 2022-23 which was incurred by APSEZ. Individual Fodder Cultivation: Farmers were Aware, Convince and trained to cultivate super Napier Grass as on farm projects to reduce their Fodder Dependency and expense. With that effort 192 farmers have Adopted and Cultivated Super NAPIER Grass in 190-acre area and produce 3800 Fodder Tons Yield annually, lead to save Approx Rs 52 Lacs of farmers. Grass Land development: AF converted 205 acres of denuded village common pastureland gauchar into fertile and productive grassland in Zarpara and siracha village to transform into Fodder Sustain village with Community participation and responsibility for maintain and Monitoring. Among that 18 Acre of Guchar land is fenced and sowed with Multispecies Green Fodder with Having Good nutritive value More than 2250 Cattle will sustain with Improving quality and Quantity Of Milk.. Other than this dedicated security guard with gate system deployed by APSEZ across the coastal area and no unauthorized persons allowed within coastal as well as mangrove areas. APSEZ has celebrated the International Day for the Conservation of the Mangrove Ecosystem on July 26th to raise awareness of the importance of

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023	
			<p>mangrove ecosystems as "a unique, special and vulnerable ecosystem". The photographs of celebration were submitted in previous compliance period Apr'22 to Sep'22.</p> <ul style="list-style-type: none"> Refer CSR report attached as Annexure - 2. <p>To comply with the GCZMA recommendations regarding mangrove monitoring at every 2 years, APSEZ earlier awarded work order to NCSCM, Chennai vide order no. 4802018994, dated 29/07/2022 with cost 23.77 Lacs for mangrove mapping in and around APSEZ, but due to some financial disputes and no proper response from NCSCM side regarding resolution, the work order has been revoked.</p> <p>After that as suggested by Joint Review Committee in its report that mangrove related studies may be undertaken by different agencies on a rotation basis for a better review of the mangroves, APSEZ issued work order to the Gujarat Institute of Desert Ecology (GUIDE), Bhuj vide order no. 4802027981, dated 10/04/2023 for mangrove mapping in and around APSEZ, Mundra. The cost of said work is 23.60 Lacs (Including Taxes), which will be paid by APSEZ.</p> <p>Inline to the compliance of MoEF&CC Order dated 18th September, 2015 including Mangrove conservation plan & its implementation, Joint Review Committee (JRC) comprising officials from various competent authorities visited the APSEZ, Mundra from 1st to 3rd September, 2021 to monitor the progress of implementation of the conditions stipulated in the order. APSEZ provided all requisite information and documents required by the JRC. As per the report received by MoEF&CC vide dated 01.12.2021, there was no non-compliance observed.</p> <p>To enhance the marine biodiversity, till date APSEZ has carried out mangrove afforestation in 3890 ha. area across the coast of Gujarat. Total expenditure for the same till date is INR 1070.8 lakh.</p> <p>Details on Mangroves afforestation & Green belt development carried out by APSEZ till date is annexed as Annexure - 3.</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
		<p>Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. During FY 2021-22, 03 ha area coastal stretches have been planted with species. During current FY 2022-23, 04 Hecter plantation has been planted with various species. Total 20 Ha. multi-species mangrove plantation has been carried out till March-23 association with M/s. GUIDE, Gujarat.</p> <p>Multi-species mangrove plantation has been carried out till March-23 association with M/s. GUIDE, Gujarat.</p>
(v)	All the recommendations and mitigation measures as proposed in the Cumulative Impact Assessment report of Waterfront, SEZ and ancillary Developments along Mundra, Kutch District, Gujarat shall be complied in letter and spirit. Proper record of monitoring should be placed along with six monthly compliance report.	<p>Complied.</p> <p>APSEZ is already complying, as per Environment Management Plan and further recommendations, applicable to APSEZ as mentioned in the EMP of Cumulative Impact Assessment Study Report, w.r.t. Traffic Management Plan, Ground water quality management, Salinity ingress programme, Air and Noise quality Management, Surface and Marine water quality management, Ecology and Biodiversity Management, Solid & Hazardous waste management, Socio-economic Management and Shoreline Management as per the progress of development within the boundary limits of APSEZ.</p> <p>The detailed compliance, applicable to APSEZ is attached as Annexure – 4.</p>
(vi)	This environmental clearance is only for the Multi-product SEZ. Any other activity within the Multi-product SEZ would require separate	<p>Point Noted and Complied with</p> <p>Separate environment clearance will be obtained by APSEZ or individual unit from regulatory authorities in line to EIA Notification, 2006 and subsequent amendments thereto if applicable.</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
	environmental clearance, as applicable under EIA Notification, 2006 and subsequent amendments. For all individual units, environmental clearances, as applicable, shall be obtained from the respective regulatory authorities.	
(vii)	An Emergency Response Centre to be established to take care for prevention of and management of accidents, chemical spills etc. including that during transportation of chemicals with the arrangement of antidotes and necessary equipment.	<p>Complied.</p> <p>Disaster Management Plan for APSEZ, Mundra is in place and updated regularly. The updated DMP was submitted during the half yearly EC compliance report submission for the period Oct'21 to Mar'22.</p> <p>On Site Emergency Response Plan and Crisis Management Plan for APSEZ, Mundra is in place and implemented. The updated Onsite emergency plan was submitted during the half yearly EC compliance report for the period Oct'21 to Mar'22.</p> <p>Oil spill contingency response plan (OSCRP) is in place to handle Tier 1 level oil spills considering different accident scenarios, and the vulnerable areas are identified and mitigation plan is prepared. Oil spill contingency response plan is being updated on regular basis and the same was last updated on 30.07.2022 is in place and implemented. The updated OSCRPs were submitted in last compliance period Apr'22 to Sep'22.</p>
(viii)	All the provisions of the CRZ Notification, 2011 and subsequent amendments shall be strictly complied with, and in case of any change in scope	<p>Point noted and will be complied with.</p> <p>CRZ Recommendations vide Letter No. ENV-10-2010-1601-E dated 27th March, 2012 obtained from GCZMA for Multi-Product SEZ for construction of Intake, Outfall pipeline and Desalination plant.</p> <p>Construction with respect to Desalination Plant, sea water</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
	of work, necessary recommendations from the concerned CZMA shall be obtained for further consideration by the concerned regulatory authority.	intake and outfall system has not been started yet.
(ix)	The project proponent shall ensure that the project is in consonance with the new Coastal Zone Management Plan prepared by the State Government under the provisions of CRZ Notification, 2011 and subsequent amendments.	Point Noted and Complied with APSEZ ensures that the project is in consonance with the new Coastal Zone Management Plan prepared by the State Government under the provisions of CRZ Notification, 2011 and subsequent amendments.
(x)	On the project site physical HTL demarcation has to be compulsorily made with the help of Government of India organizations/Institutions.	Point noted and will be complied with NCSCM has prepared authorized CRZ maps with HTL and CRZ Boundary as per the approved CZMP of Gujarat state under the provisions of CRZ Notification, 2011 and subsequent amendments. The same maps were submitted during the half yearly EC compliance report submission for the period Oct'21 to Mar'22. Survey work is under process to check the feasibility and site selection for physical demarcation of HTL.
(xi)	No construction works other than those permitted in CRZ Notification shall be carried out in CRZ area.	Point Noted and Will be complied with No construction works other than those permitted in CRZ Notification – 2011 will be carried out in CRZ area.
(xii)	Non-vegetated mudflats must be clearly demarcated	Point Noted and Will be complied with CZMP of Gujarat state under the provisions of CRZ

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
	on the map and no artificial plantation to be undertaken on non-vegetated mudflats.	Notification, 2011 and subsequent amendments is finalized and published on website. No work other than those permitted in CRZ Notification – 2011 will be carried out in CRZ area.
(xiii)	The temperature at the discharge point has to be monitored regularly and also the physico-chemical and biological parameters including benthic fauna and flora, primary and secondary productions as well as fishery populations has to be monitored regularly during the construction and operation phase by employing qualified persons.	Point Noted and Will be complied with Construction with respect to Desalination Plant, sea water intake and outfall system has not been started yet.
(xiv)	The project proponent shall report to the State Pollution Control Board about the compliance of the prescribed standards for all discharges from the Industrial Area into the sea	Point Noted and Will be complied with Construction with respect to Desalination Plant, sea water intake and outfall system has not been started yet.
(xv)	No New CETP shall be permitted in SEZ area.	Point noted. CETPs of 67 MLD capacities has been approved as part of EC & CRZ Clearance dated 15 th July, 2014. And same will serve the purpose of entire SEZ of 8481.2784 Ha area. No new CETP has been proposed as a part of said clearance.

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
(xvi)	Periodic monitoring of coastal water shall be carried out at outfall location by the project proponent by establishing minimum 3 monitoring stations. Proper record of monitoring should be placed along with six monthly compliance report.	Point noted and will be complied Construction with respect to Desalination Plant, sea water intake and outfall system has not been started yet.
(xvii)	Fund allocation of Rs. 12.50 Crore for Corporate Environment Responsibility (CER) shall be made as per Ministry's O.M. No. 22-65/2017-IA.III dated 1 st May, 2018 for various activities therein. The report having activity wise detail along with the time frame shall be submitted to this Ministry and its concerned regional office within 3 months.	Point noted and will be Complied with The report having activity wise detail along with the time frame was submitted to the MoEF&CC along with EIA / EMP Report. Fund will be allocated and spent on yearly basis in line with the actual cost spent for respective years on development of common infrastructure facilities within 1840 Ha MSEZ area. However, Adani Foundation – CSR arm of Adani Group is doing various Environment Sustainability Projects in surrounding villages and communities. Details of activities carried out by Adani Foundation during compliance period are as below. <u>ENVIRONMENT SUSTAINABILITY PROJECTS</u> <ul style="list-style-type: none"> • Miyawaki Forest Development, Nana Kapaya - Plantation of 5880 saplings of different 42 species is completed which will result in dense forest within 2 years • Smruti Van – Plantation more than 47,000 sapling with more than 115 species through Miyawaki methodology. • Ecosystem Restoration, Guneri – Grassland ecosystem restoration and mangrove conservation in 40 Ha area over a period of 4 years. The site visit and soil samplings conducted by GES team. Regular bimonthly meeting conducted to assess the annual phase wise growth of ongoing activities. • Multi-Species Mangrove Park - Adani Foundation at Mundra's initiated multi-species plantation of mangroves in Kutch association with GUIDE. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. During FY 2021-22, 03 ha area coastal stretches have been planted with species. During current FY 2022-23, 04 Hectar plantation has been planted with various species. Total 20 Ha. multi-species mangrove plantation has been carried out till March-23 association with M/s. GUIDE,

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
		<ul style="list-style-type: none"> Mangroves Biodiversity Park within one year Home biogas - Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. Total 325 farmers are supported with Biogas as sustainable environment protection. As per SORI use of biogas each farmer can save Rs.23400/year. <p>Water Conservation Projects –</p> <ul style="list-style-type: none"> Large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) and Augmentation of 3 check dams. Ground recharge activities (pond deepening work for 61 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers. New Pond Deepening Under Ajadi ka Amrut Mahotsav done in Goyarsama village Approx Deepening Capacity is 12000 Cum. Roof Top Rainwater Harvesting 145 Nos. (40 Nos. current FY 2022-23) which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family. Recharge Borewell 208 Nos (19 Nos. current FY 2022-23) which is best ever option to direct recharge the soil. Drip Irrigation approx. 1505 Farmers benefitted in coordination with Gujrat Green Revolution Company till date. Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which borewell depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. Pond Pipeline work at Prasla Vistar Zarpara which increase recharge capacity more than 25% in 100 hector area. ✓ Check dam gate valve construction at Bhujpur which controlled more than 350 MCFT water to go into sea and get recharged current year. <p>Please refer Annexure – 2 for full details of CSR activities carried out by Adani Foundation in the Mundra region. Budget for CSR Activity for the FY 2022-23 is to the tune of INR 1894.42 lakh. Out of which, Approx. INR 1527.49 lakh are spent during the current FY 2022-23. Out of total expenditure, INR 280.27 lakh spent under environmental sustainability projects.</p>
xviii)	No groundwater extraction is permitted. The project proponent shall obtain the necessary permission from the competent authority for use of surface water for the project.	<p>Complied.</p> <p>No ground water is used during construction & operation stage of the project. Current sources of water are through GWIL and desalination plant of APSEZ. Average, water consumption for entire APSEZ area is 4.52 MLD during the compliance period Oct'22 to Mar'23.</p>
(xix)	The project proponent shall obtain authorization under the	Complied.

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023																														
	Hazardous and other Waste Management Rules, 2016 as amended from time to time.	<p>Consolidated Consent & Authorization (CC&A) obtained from SPCB for development of 8481.27 Ha notified SEZ area @ Mundra. The present in-force CtOs are mentioned below.</p> <table><tr><th>S. No.</th><th>Permission</th><th>Project</th><th>Ref. No. / Order No.</th><th>Valid till</th></tr><tr><td>1</td><td>CTE-Amendment for Validity Extension</td><td>Multi-Product SEZ</td><td>CTE 122249 -</td><td>15.07.2025</td></tr><tr><td>2</td><td>(CC&A) – Renewal Cum Amendment renewal</td><td>Multi-Product SEZ</td><td>AWH 122250 -</td><td>21.08.2027</td></tr></table> <p>GPCB has granted CTE-Amendment for Validity Extension vide CTE No.-122249 Valid upto: 15/07/2025. Consolidated Consent & Authorization (CC&A) – Renewal Cum Amendment renewal order granted vide Consent No. AWH-122250 Valid upto: 21/08/2027. Copy of CTE-Amendment & Consolidated Consent & Authorization (CC&A) – Renewal Cum Amendment were submitted during the last compliance period Apr'22 to Sep'22.</p> <p>All the hazardous wastes generated from project is being managed in line with Hazardous and other Waste Management Rules, 2016.</p>	S. No.	Permission	Project	Ref. No. / Order No.	Valid till	1	CTE-Amendment for Validity Extension	Multi-Product SEZ	CTE 122249 -	15.07.2025	2	(CC&A) – Renewal Cum Amendment renewal	Multi-Product SEZ	AWH 122250 -	21.08.2027															
S. No.	Permission	Project	Ref. No. / Order No.	Valid till																												
1	CTE-Amendment for Validity Extension	Multi-Product SEZ	CTE 122249 -	15.07.2025																												
2	(CC&A) – Renewal Cum Amendment renewal	Multi-Product SEZ	AWH 122250 -	21.08.2027																												
(xx)	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the Industrial area at least at four locations (one within and three	<p>Complied.</p> <p>Ambient Air Quality (considering one location within the project site and outside project site @ an angle of 120°) covering upwind and downwind directions are being carried out through NABL accredited and MoEF&CC authorized agency namely M/s Unistar Environment and Research Labs Pvt. Ltd., Vapi. Summary of the same for duration from Oct'22 to Mar'23 is mentioned below.</p> <p>Air sampling locations & frequency: 9 nos. (twice a week)</p> <table><tr><th>Parameter</th><th>Unit</th><th>Min.</th><th>Max.</th><th>Avg.</th><th>Perm. Limit\$</th></tr><tr><td>PM₁₀</td><td>µg/m³</td><td>41.79</td><td>89.61</td><td>68.69</td><td>100</td></tr><tr><td>PM_{2.5}</td><td>µg/m³</td><td>14.19</td><td>45.66</td><td>28.86</td><td>60</td></tr><tr><td>SO₂</td><td>µg/m³</td><td>6.89</td><td>33.62</td><td>17.61</td><td>80</td></tr><tr><td>NO₂</td><td>µg/m³</td><td>11.3</td><td>43.27</td><td>23.86</td><td>80</td></tr></table> <p style="text-align: right;">\$ as per NAAQ standards, 2009 Values recorded confirms to the stipulated standards.</p> <p>Please refer Annexure – 5 for detailed analysis reports. Approx. INR 15.32 Lakh is spent for all environmental monitoring activities including ambient air quality</p>	Parameter	Unit	Min.	Max.	Avg.	Perm. Limit\$	PM ₁₀	µg/m ³	41.79	89.61	68.69	100	PM _{2.5}	µg/m ³	14.19	45.66	28.86	60	SO ₂	µg/m ³	6.89	33.62	17.61	80	NO ₂	µg/m ³	11.3	43.27	23.86	80
Parameter	Unit	Min.	Max.	Avg.	Perm. Limit\$																											
PM ₁₀	µg/m ³	41.79	89.61	68.69	100																											
PM _{2.5}	µg/m ³	14.19	45.66	28.86	60																											
SO ₂	µg/m ³	6.89	33.62	17.61	80																											
NO ₂	µg/m ³	11.3	43.27	23.86	80																											

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
	outside the plant area at an angle of 120° each), covering upwind and downwind directions.	monitoring during the FY 2022-23 for overall APSEZ, Mundra. Please refer Annexure – 6 Environmental Expenditure details for FY 2022-23.
(xxi)	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured/recorded to ensure the water balance as projected by the project proponent. The record shall be submitted to the concerned Regional Office of the Ministry along with six monthly monitoring reports.	<p>Complied.</p> <p>The quantity of fresh water, water recycling and rainwater harvesting is being recorded and maintained.</p> <p>The data of water consumption, wastewater generation and treated water recycling is also being submitted to SPCB on monthly basis as part of the online submission – Monthly Patrak as well as yearly environmental statement (Form-V).</p> <p>Rain water within project area is managed through storm water drainage.</p> <p>However, Adani Foundation – CSR arm of Adani Group has carried out rainwater harvesting activities in the nearby villages for benefit of the locals.</p> <p>Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up. Including this a big recharge operation by bunding was taken up for Zarpara village as rainfall was very good during FY 2021-22 & 2022-23.</p> <p>To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year Adani Foundation launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan.</p> <p>Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per increased in coastal belt of Mundra as per Government Figures.</p> <p>Adani Foundation water conservation work is as below.</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
		<ul style="list-style-type: none"> ✓ Large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) and Augmentation of 3 check dams. ✓ Ground recharge activities (pond deepening work for 61 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers. ✓ New Pond Deepening Under Ajadi ka Amrut Mahotsav done in Goyarsama village Approx Deepening Capacity is 12000 Cum. ✓ Roof Top Rainwater Harvesting 145 Nos. (40 Nos. current FY 2022-23) which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family. ✓ Recharge Borewell 208 Nos (19 Nos. current FY 2022-23) which is best ever option to direct recharge the soil. ✓ Drip Irrigation approx. 1505 Farmers benefitted in coordination with Gujrat Green Revolution Company till date. ✓ Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which borewell depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. ✓ Pond Pipeline work at Prasla Vistar Zarpara which increase recharge capacity more than 25% in 100 hector area. ✓ Check dam gate valve construction at Bhujpur which controlled more than 350 MCFT water to go into sea and get recharged current year.. <p>With the objective of to preserve the rainwater to reduce the impact of salinity and recharge the ground water (the main source of water) to facilitate the Agricultural activities as well as for drinking water. Please refer Annexure – 2 for full details of CSR activities carried out by Adani Foundation in the Mundra region.</p> <p>It may be noted that the individual industrial units will also be encouraged for taking various initiatives for rainwater harvesting within their premises / in the villages around the SEZ area.</p>
xxii)	Provide LED lights in their offices and residential areas.	<p>Complied.</p> <p>LED lighting are being used at various common areas of SEZ as well office buildings and residential townships.</p> <p>It may be noted that the individual industrial units will also be encouraged for provision of LED lights in their offices and other areas.</p>
xxiii)	Used LEDs shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory	<p>Complied.</p> <p>Used LEDs are collected and sent for recycling through authorized e-waste collection agency.</p> <p>APSEZ has installed & commissioned 8.8 MW roof top solar plants within APSEZ and Township premises. APSEZ has also installed and commissioned 12 MW windmill and whatever</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
	<p>authority to avoid mercury contamination. Use of solar panels may be done to the extent possible. Energy conservation measures should be as per Bureau of Energy Efficiency (BEE) standards.</p>	<p>electricity generated is being supplied to grid.</p> <p>Energy audit of port user buildings of MSEZ (including the details about building materials and technology etc.) is being carried out on regular basis. Last energy audit was done during Jan-2022. Report of the same is submitted to Chief Electrical officer, Gandhinagar. Report was submitted during the half yearly EC compliance report submission for the period Oct'21 to Mar'22.</p> <p>Energy Conservation through Installation of Motion Sensor (Occu switch) & AC Temp. controls in few of the buildings are provided.</p> <p>Measures for energy conservation are incorporated at design stage. Few of the buildings in MSTPL are designed as green building. Some features of the same are as below.</p> <ul style="list-style-type: none"> • Used fly ash based cement and bricks • Special types of glasses were used which gives maximum sunlight and less heat • VOC free paint used certified by CII (Certificate of Indian Industries) • Water flow reducer installed in the entire building <p>It may be noted that the individual industrial units will also be encouraged for taking various initiatives with respect to energy conservation (such as LED lightings, installation of renewable energy sources, utilization of energy efficient fixtures etc.).</p>
xxiv)	<p>The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for Standard Operating Procedures (SOP) to have proper checks and balances and to bring into focus any</p>	<p>Complied.</p> <p>Environment Policy duly approved by the Board of Directors is in place and copy was submitted during the half yearly EC compliance report submission for the period Oct'21 to Mar'22.</p>

Status of the Conditions Stipulated in Environment and CRZ Clearance

Sr. No	Conditions	Compliance Status as on 31.03.2023
	infringements/ deviation/violation of the environmental/ forest/ wildlife norms/conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms /conditions and/ or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	
(xxv)	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Complied. M/s APSEZL has a well-structured Environment Management Cell, staffed with qualified manpower for implementation of the Environment Management Plan at site. Site team report to Sr. Manager (Environment) at Corporate, who heads the Environment Management Cell who directly reports to the top management. Environment Management Cell Organogram was submitted during the half yearly EC compliance report submission for the period Oct'21 to Mar'22. And there is no further change.
(xxvi)	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Will be complied. Self-Environment audit will be carried out by internal audit team on annually basis. Third party environmental audit will be carried out by recognized agency within three years from the date of

	Adani Ports and Special Economic Zone Limited, Mundra.	From : Oct'22 To : Mar'23
Status of the Conditions Stipulated in Environment and CRZ Clearance		

Sr. No	Conditions	Compliance Status as on 31.03.2023
		commencement of construction activity and report of the same will be submitted to the ministry along with half yearly compliance report. The same will be continued on every three years thereafter.

Annexure – 1


ALGAL REMOVAL WORK FROM MANGROVE AREAS

Creek area is regularly observed for checking algal encrustations. On the mangrove recruits & where the algal encrustation is found to be substantial, it is removed manually by deployment of required manpower. This operation is performed during the low tide conditions. The main object is to provide better growing condition for the growth of mangroves. Periodically, spread of *Prosopis* sp towards the mangrove areas is also observed as this species will compete with mangrove plants for growth.

Mangroves nursery is developed in a creek behind IOCL & 125,000 nos of new saplings are planted in creek area.

Reference photographs of activities undertaken as per given guidelines,

A) Plantation of Mangroves & removal of algal encrustations:



Annexure – 2

Annual Report 2022-23

CSR Kutch

Adani Foundation
Adani House, Port Road, Mundra – Kutch 370 421
[info@adanifoundation.com] [www.adanifoundation.com]



Our Journey by Mr. Rakshit Shah Executive Director APSEZ

The year 2022-23 has passed off with motivation through recognition by ASSOCHAM for health care awards which shows courage to work for the commitment given to the community. It is necessary that sustained growth is achieved at rural level along with the industrial development. This can be made possible by involving more and more people in the rural development programme.

Since beginning, The Adani Foundation Mundra is committed to the cause of the deprived and underprivileged. It has been working relentlessly across 6 Talukas, covering 92 villages, to uplift the lives of more than 60,000 families with a multi-faceted approach.

This year conceded with more streamline and scalable project of Education i.e. Utthan – to enhance primary education of 70 schools of Mundra including 8 High Schools, milestone achievement in Fisherman amenities project by Providing skill and livelihood to 34 fisherfolk youth, 225 Homebiogas with partnership approach with objective to reduce chemical fertilizer usage in seven villages of Mundra , considerable impact created by Mangroves Biodiversity projects and new era defined in agriculture projects i.e. Super Napier, dates offshoots and Dragon Fruit Cultivation

Gram Bharti has proved a benchmark platform for Self help groups at PAN India which is true support with promoting skill & sustainability. Massavie Tree plantation drive “Vriksh Se Vikas” initiated with aim of plantation 1 Lac Trees in Mundra Taluka in upcoming year.

Jyoti ben Tank – one of the best women farmer of Mundra awarded by “Amazing Indian Award by Vice President of India”. District Animal Welfare Department recognized Adani Foundation for best contribution during Lumpy outbreak.

The people of Kutch have generously supported the activities carried out by the Adani Group or else this wouldn't have been possible. Their determination, understanding and commitment have strengthened the development even more.

Our Achievement would not be possible without the ultimate support by Mr. Gowda (COO, AF), Mr. V S Gadhvi, Executive Director – AF, Ms. Shilin R Adani (Managing Trustee) **and generous faith and passionate support by Dr. (Mrs.) Priti G Adani, Chairperson- Adani Foundation**

index

CSR Kutch	
Environment Sustainability	5
Education	14
Sustainable Livelihood Projects	25
Community health Project	41
Community Infrastructure Development	45
Community Resource Center-CRC	48
Adani Skill Development –Bhuj	51
Dignity of Work Force Program – EVP	55
CSR Tuna	59
CSR Abdasa	61
Community Speaks	62
Events and Day Celebration	71
Awards and Accolades	81
Beneficiaries Count	83
Budget Utilization	84
Media Coverage	85

CSR KUTCH

Demographic Details

Block	Villages	No. of HHs	Population
Mundra	61 Village and 9 Fishermen Vasahat	35192	153179
Anjar	3 Villages	4350	18500
Nakhtrana	8 Villages	4093	16373
Bite – Abdasa	12 Villages	2415	9660

1. Adani Ports and SEZ Limited
2. Adani Power Mundra Limited
3. Adani Wilmar Limited
4. Adani Wilmar – Caster Limited
5. Kutchh Copper Limited
6. Mundra Solar Panel Making Unit
7. Green to PVC Mundra Limited
8. Adani Kandla Bulk Terminal Port Pvt Limited
9. Adani Solar Limited – Bitta, Abdasa
10. Adani Green Energy Limited – Nakhatrana
11. Adani Cementation Limited – Lakhpat
12. Adani Transmission Limited – Mandvi

ENVIRONMENT SUSTAINABILITY PROJECTS



ENVIRONMENT SUSTAINABILITY

Environmental sustainability is the responsibility to conserve natural resources and protect global ecosystems to support health and wellbeing for present and future. These components are closely interrelated and mutually re-enforcing Under Corporate Environmental responsibility.

To make connections between human actions Environment & biological diversity found within a habitat and/or ecosystem, Adani Foundation executing various Project i.e. massive tree plantation drive, Mangroves, biogas provision, forest development and drip irrigation

Biodiversity conservation: to preserve biodiversity and Natural Resources.

Regenerative capacity: Protect the depletion of natural resources and keep the harvest rate of renewable resources within the capacity of regeneration.

Environment Sustainability Projects : Ensuring ecological balance, protection of flora and fauna, terrestrial and coastal species conservation, welfare, agro forestry, conservation of natural resources and maintaining quality of soil, air and water



REDUCING CARBON FOOTPRINT

1. Miyawaki – Nana Kapaya

Miyawaki- Dense Plantation is developed in year 2021-22 at Nana Kapaya Village in 2.0 acre land. Miyawaki plot is very close to sewage water tank so watering to plantation by the same. From current year GP has taken ownership for monitoring and watering.

Plantation of 5880 saplings of different 42 species is completed which will result in dense forest due to good rain this year.

2. Smritivan Memorial park– Bhuj

The memorial will occupy around 406 acres of space of the Bhujia Dungar near Bhuj, Kutch that will show people's oppressive response to a natural disaster.

Adani Foundation has supported for 47000 saplings in Smriti van @ 100 Lacs INR.



REDUCING CARBON FOOTPRINT

With a vision to Enhance the diversity of mangrove and its associated species in suitable coastal region of Kachchh, which in turn would enhance the faunal diversity and fishery resources of the area by providing suitable habitats and breeding ground. The ultimate aim of the project is to improve overall coastal biodiversity of the region which in turn assist in improving the livelihood of the coastal populace

Total five mangrove species, such as *Ceriops*, *Aegiceras* and *Rhizophora* were selected which in turn enhanced the dependent faunal diversity of the area. Thereby, there will be an increase considerable biodiversity of the area. **The initial pilot trails were undertaken in an area of approximately 16 hector during the period between 2019 and 2023 with the active participation of local communities.** Current year 4 Hector plantation is in progress which will be resulted in 20 Hector Mangroves Biodiversity Park within one year

S. NO	Mangrove Associate	Life form
1	<i>Suaeda</i> Spp.	Herb
2	<i>Porteresia coarctata</i>	Herb
3	<i>Opuntia elatior</i>	Shrub
4	<i>Sesuvium portulacastrum</i>	Herb
5	<i>Ipomoea biloba</i>	Climber
6	<i>Salvadora persica</i> L.	Shrub
7	<i>Urochondra setulosa</i>	Herb



REDUCING CARBON FOOTPRINT

Home biogas is the Israel based company was founded in 2012 manufactures dynamic biogas unit not only for farm waste but for kitchen waste too. Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers periphery Villages.

Promotion of Natural Farming–Home biogas And Improving the health and living conditions for the millions of families that are still cooking on charcoal and wood. Adani Foundation is not only supporting but creating awareness to save environment and health of the community who regularly cooking on Chula. **It is proven that one hour cooking on Chula is as dangerous as smoking 40 cigrates.**

Till date 225 farmers are utilizing it with satisfaction and considerable outcome by saving Average Rs. 23,400 for gas and fertilizer as well – with Economic benefit of Rs. 52.65 Lacs.

100 Farmers are linked up with Gobardhan Yojana in which DRDA is providing Biogas with Rs. 5000 Contribution. Adani Foundation has worked as a facilitator between DRDA and Beneficiaries farmers in filling and submission of forms. Total 325 farmers are supported with Biogas as sustainable environment protection



4,176 TONS OF ANIMAL MANURE TREATED

359,687 HOURS OF CLEAN COOKING;

9.3 TONS OF BIOGAS CREATED

325 TONS OF FIREWOOD REPLACED;

47,375 HOURS SAVED ON REDUCTION OF
FIREWOOD & COLLECTION

1225 TONS CO2 EMISSION REDUCTION



Reducing organic waste + Transitioning to renewable energy + Motivation for reduction in use for fertilizer

REDUCING CARBON FOOTPRINT

5. Water Conservation Project - CSR

Since 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased in coastal belt of Mundra as per Government Figures. Our water conservation work is as Below.

- Large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) and Augmentation of 3 check dams
- Ground recharge activities (pond deepening work for 61 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers
- New Pond Deepening Under Ajadi ka Amrut Mahotsav done in Goyarsama village. Approx Deepening Capacity is 12000 Cum.
- Roof Top Rain Water Harvesting 145 Nos. **(40 Nos current year)** which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family.
- Recharge Bore well 208 Nos which is best ever option to direct recharge the soil
- Drip Irrigation approx. 1505 Farmers benefitted in coordination with Gujrat Green Revolution Company till date
- Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar.
- **Check dam gate valve construction at Bhujpur which controlled more than 350 MCFT water to go into sea and get recharged current year.**
- **Pond Pipe line work at Prasla Vistar Zarpara which increase recharge capacity more than 25% in 100 hector area.**



REDUCING CARBON FOOTPRINT

- **Impact**

- 218500 men, women, children, and elderly impacted by this initiative.
- Total Dissolved Solids (TDS) in the ground water down by 16.7%.
- Ground water table up by 4.2 ft. over the last 5 years.
- In four villages water levels have increased by 15-20 ft. through bore-well recharging facility
- Storage capacities of check dams and ponds increased by 106.44 MCFT. Total area benefited 2857 hectares.
- Annually 10000 Liters of water saved and up to INR 10000 saved per family.
- 80% reduction in money spent on labour.
- Up to 20% less money spent on electricity bills.
- 50% less water used as compared to conventional methods.
- Potable water available at doorstep. Earlier on an average women used to walk 1.3 kms to fetch water.
- On an average there has been up to 25% decrease in expenses on healthcare.
- Water availability has also ensured safety, security and overall well-being of women and children in the area.
- Initiatives and efforts made under water projects by Adani Foundation continues to provides sustainable solutions for community for their improved farming and ease of living.



Water conservation and Management

Process Flow for Rooftop Rain Water Harvesting System



Social Survey & TDS mapping



Community Contribution



RRWHS



Impact

- Portable water at door step
- Cost saving for portable water
- Improved water quality with
- Creates water conservation awareness in rural community
- Improves standard of living of rural community

Total RRWHS :- 145

RRWHS Constructed in 2022-23 :- 40

Population Impacted :- 500+

Savings per household :- 10000+

TDS difference between Ground water and RRWHS water



REDUCING CARBON FOOTPRINT

6. Tree Plantation

Till the date 70,540 Tree have been planted at various Public places , Schools, GP and crematorium with their responsibility to nurture and maintain regularly.

For this passionate work our team Member Mr. Karshan Gadhvi was Felicitated with Van Mitra Award by Forest department and GOG.

Adani Foundation has planted 1100+ fruit bearing trees at Bhujpur and 2100+ neem, pipal and native spices at Dhrub in coordination with District Forest Department and community with partnership approach



EDUCATION

EDUCATION



PROJECT UTTHAN



PROJECT UTTHAN

The Adani Foundation set out an innovative intervention in year 2018–19 through project Utthan to improve students' learning capabilities, provide facilities to schools to improve environment and achieve better learning outcomes at the grassroots level with the help of Utthan sahayak. This extensive intervention involves adopting government primary schools, tutoring Priya Vidyarthi's (progressive learners), introducing English as a Third Language, with various academic activities as well co-curriculum activities to end the dropout rates, and working together for staff capacity building. In order to improve children' basic literacy and numeracy skills, it has also engaged the help of educators and parents, especially mothers.

Key Aspect of Project Utthan


- ✓ Adopting government primary schools.
- ✓ Main streaming Progressive learners
- ✓ Enhancing Learning Outcomes
- ✓ Arresting dropout rates
- ✓ Introducing English as a Third Language
- ✓ Enabling Joyful Learning Spaces
- ✓ Collaborating for teachers' capacity building

Gunotsav is a quality enhancement initiative of the Government of Gujarat for bringing about improvement in learning levels of students at Elementary level


Assessment is based on four core areas :

- ✓ Teaching learning outcomes
- ✓ School management
- ✓ Co-Scholastic activities
- ✓ Usage of resources.


Utthan Schools in Kutch



Gunotsav 2021-22 (Kutch) : An Affirmation on Utthan Schools



No's of Students in Kutch



PROJECT UTTHAN



Conduct baseline assessment of 7034 Students, 3364 Students were progressive learner, 1403 Students mainstreamed.

Location	Total Strength	Baseline Assessment	Progressive learner	Mainstream Students
Mundra	10799	6047	3029	1247
Nakhatrana	1267	987	335	156

Facilitating English from Classes 1-4 : 7500 + are taking the advantage of this intervention.

Cultivating Reading Culture

Introduced DEAR (Drop Everything and Read) period on every first and third Saturdays for an hour; Library activities on every Second & fourth Saturdays.



Year 2020-21

22890 books

Year 2021-22

60780 books

Year 2022-23

110205 books

PROJECT UTTHAN



IT on Wheels : 2 Dedicative Van, 55 Laptops Empowering 2620 Students of 5-8 Std. In Gujarat

IT on wheel program is run to teach them basic emphasizes elementary school digital literacy. In early schooling is the first step to addressing access disparities in this evolving digital environment which is not feasible for rural students. Customize basic syllabus impede their development.

Day Celebration every Month : Summer Camp & Diwali Mela in Vacation

Every month Utthan sahayak celebrates day in which encourage students to

participate in co-curriculum Activity which create opportunity to learn and experience new things. Also planned 15 days Summer camp & 10 days Diwali mela during vacation. 2800+ students participated with more than 4000 handmade traditional products, 3500+ footfalls during exhibition cum sale. Diwali mela attracted 7363 students. That included 12 Activities, 28529 Total Expenses & 37529 earn students. Sarpanch, SMC members, Mothers, and Parents all take part enthusiastically.

Competitive exam Preparation

Location	JNV	NMMS	PSE
Mundra	227	324	347
Nakhatrana	23	48	48

500+ Mothers meet with 11000+ Mothers

Every month, on the Fourth Saturday, Utthan Sahayaks conduct Mothers meets. A child grows a most during the first few years of school, when both the mother and the teacher are crucial in developing their character and personality. Many of the kids are first-generation learners with uneducated parents; in these circumstances, Mother's Meet encourages mothers and teachers in working together to support the education of the child. Also, mothers get a sense of empowerment and value and regularly updates on school activities. Recreational activities during the meeting add an element of surprise and rejuvenation among the Mothers.



PROJECT UTTHAN

International School Library Month (ISLM)

ISLM (International School Library Month) was celebrated by 69 Utthan schools. And school from Russia joined with us in zoom to engage under the virtual connection around the world.

Students from Samaghogha School No.1 performed Garba, while students from Vandh school gave information about library activities. Bookmarks' & Digital bookmarks were distributed with partner schools. This is continuing, 3rd time Utthan schools participated in ISLM.

Signed MoU with 18 more Government Primary Schools at Mundra

Signed MoU with 8 Government High Schools : 8 Village 8 High Schools, 2 Adani Education Evening Center

To overcome challenges of High schools and improve the quality of education, Utthan appointed 2 Utthan sahayak at High schools. 1 for Science/Math's & 1 for English as most of the students facing problems in this subjects. Utthan organized a Parents Teachers Meeting at 8 schools in 8 villages, there were over 450 parents gathered.

After school, children get the opportunity to study at three levels at the Adani Education Evening Center. (AEEC) Remedialcoaching.



Project Title	Participation of Utthan School	Partner Schools	Partner Countries
Bookmark	51	63	08
Digital Bookmark	37	78	10
Virtual Connection Around the World	10	10	09
Total	98	151	27

PROJECT UTTHAN

Utthan's outreach strategies to Increase children's learning

- ✓ Project Utthan has been studied and selected as 'University Practice Connect' by Azim Premji University, Bengaluru.
- ✓ Project is in alignment with NIPUN Bharat (National Initiative for Proficiency in Reading with Understanding and Numeracy Bharat Program) & FLN (Foundational Literacy & Numeracy)
- ✓ Navneet e-Sense software updated in all schools.
- ✓ 100 hours capacity building programs for Utthan sahayak and school Teachers. specially focusing on Foundational Literacy and Numeracy. Utthan sahayak attend CBP (Capacity building program) once in every month.
- ✓ 100% participation in 100 days reading campaign.
- ✓ Google Map : All Utthan schools added in Google map. Utthan sahayak upload photos continuously. that's uploaded Photos got 200k+ views.
- ✓ Utthan sahayak create content for Reading, Writing & Numeracy.
- ✓ Utthan sahayak create 150 Worksheets on Yoga In the run-up to India's 75th Independence day celebrated across India's Azadi Ka Amrit Mahotsav. The tour covers 75 heritage, tourist and archaeological sites and landmark architectural sites across Gujarat.
- ✓ Utthan Sahayak, Hetalba Vaghela encouraged students from Mokha Primary School to write the story. Saptahik Phulwadi, Ahemdabad published the story written by student.
- ✓ TLM, Sports, Music & Science kit distributed to create joyful environment.
- ✓ Inter school competition organized to encourage physical activity & develop talent.
- ✓ Utthan sahayak encouraged & trained students in various competition organized by GoG.



EDUCATION PROJECT

Adani Vidya Mandir, Bhadreswar



EDUCATION: FREE AND COMPULSORY - vision of Adani Foundation to provide cost-free education, food, uniform, books to the children of economically challenged families of Mundra Bock. Adani Vidya Mandir, Bhadreswar was established in June 2012, with aim of uplifting the communities through education. The school is equipped with excellent infrastructure and resources required for all-round development of the student. The child is given admission in class 1 and is molded to be an educated and a good human being by experienced and compassionate teachers. The school follows a curriculum designed by GSEB. **507 underprivileged students of Fisherman & Maldhari communities from 8 villages benefitted costfree education at the school**

Teachers Day Celebration with facilitation of all teachers and awarded 5 best teachers in academics. District Education Officer Mr. Prajapati graced the occasion and motivated the staff.


ADANI VIDYA MANDIR, BHADRESHWAR



milestone achievement of Adani Vidya Mandir Bhadreshwar Gujrat Board Standard 10th Examination Result is 100%.

- The grand celebration of the year 2022-23 at AVMB was Shri Gautam Adani sir's Birthday.
- Promoting the harmony across all communities, Special Assemblies are conducted on a regular basis where all the Festivals irrespective of the religion & following are fondly celebrated.
- Periodical assessments and evaluations are conducted for the students and their progress are informed to the parents frequently.

Total Strength



Adani Vidya Mandir Bhadreshwar		
2021-22 (10 th Board)		
NO	GRADE	STUDENTS
1	Above 80 %	3
2	60-80%	18
3	40-60%	10
	TOTAL	31
	Result	100%

PROJECT UDAAN

Vision : To create a pool of inspired young mind

Mission : To motivate young students to dream big



Udaan is a special project inspired by the life changing story of Mr. Gautam Adani. As a child, he had visited the Kandla port in Gujarat, and after looking at the expanse of the port, he dreamt of having his own port one day. The rest is history. Under this project exposure tours are organized where school students are given a chance to visit the Adani Group facilities such as Adani Port, Adani Power and Adani Wilmar refinery at Mundra to get an insight into the large-scale business operations and thus get inspired to dream big in life. The exercise stimulates the young minds to dream big and help them become entrepreneurs, innovators and achievers of tomorrow, and thus play an active role in the process of nation building


Adani Foundation, Udaan Project invited the members of self-finance School Association, Gujarat for an exposure visit. 90 participants were facilitated with extraordinary experience of Port, Power, Wilmar and Solar plants visit.

Under Project Udaan total revenue generation is Rs.218.77 lacs.



PROJECT UDAAN

Dashboard Sustainable project revenue generated



SUSTAINABLE LIVELIHOOD DEVELOPMENT



SUSTAINABLE LIVELIHOOD DEVELOPMENT

The Pashudhan & Preventive Health care management

Program is a revolutionary initiative by Adani Foundation to provide support and aid to farmers in managing their cattle's health and nutrition needs. The program aims to bring about a positive change in the lives of farmers of Mundra ,who heavily rely on their livestock for income and sustenance.

One of the key components of the Pashudhan Program is providing fodder support to farmers, especially during periods of drought or crop failure. Adani Foundation provides good Quality of dry and green fodder which covered 14116 Cattle of 24 Villages / 3008 farmers. This Program help them to feed their cattle with good quality of fodder that meets all nutritional requirements which increase the productivity of livestock and improve their overall health. In turn, this has resulted in increased income for farmers and improved food security for families.

In addition to this, we also focuses on farmers training for effective cattle health management techniques and Vaccination Drive as prevention measures.



SUSTAINABLE LIVELIHOOD DEVELOPMENT

Grass Land development

AF converted 205 acres of denuded village common pastureland (gauchar) into fertile and productive grassland in Zarpara and siracha village to transform into Fodder Sustain village with Community participation and responsibility for maintain and Monitoring.

Among that 18 Acre of Guchar land is fenced and sowed with Multispecies Green Fodder with Having Good nutritive value. More than 2250 Cattle will sustain with Improving quality and Quantity Of Milk.

Average 2450 cattle get benefitted by green fodder for 72 days –which increase 0.5 litre milk quantity of 50% cattle.

$(1225 \text{ cattle} \times 0.5\text{-liter milk quantity Increase} \times 40 \text{ INR per liter} = \text{Rs.}1592000).$

Apart that Open grazing Benefit save farmer cost to purchase Fodder . $(2450 \text{ cattle} \times 7\text{kg} / \text{Day} \times 72 \text{ Days} = \text{Rs. } 37,04,400 \text{ (Rs. } 3 \text{ per kg)})$

This Intervention could save Rs.52,96,400.00

It would be highlighted as best Demonstration and replicate in the other villages as sustainable fodder development project.

Individual Fodder Cultivation

Farmers were Aware ,Convince and trained to cultivate super Napier Grass- as on farm projects to reduce their Fodder Dependency and expense. its update Variety of grass and Can be harvested three time in year with Good growth and Nutritive Value. With that effort 192 farmers have Adopted and Cultivated Super NAPIER Grass in **190-acre area and produce 3800 Fodder Tonnes Yield annually, lead to save Approx. Rs.52 Lacs of farmers.**

SUSTAINABLE LIVELIHOOD DEVELOPMENT

Cattle health camp

Adani Foundation and Animal Husbandry department Veterinary Jointly organizing cattle health Awareness and vaccination programs in 24 Villages of our periphery villages. A cattle health camp typically involves a team of Government veterinary Doctor who provide check-ups and treatments for common ailments and remaining Medicines and Vaccine was provided by AF

Program is very effective to maintaining the optimal health of livestock and help to protect the cattle from deadly diseases such as Foot-and-Mouth Disease (FMD) and Clostridial infections. The vaccines used in these programs are specifically designed to provide long-lasting immunity against specific diseases, ensuring that the animals remain healthy even in harsh environmental conditions.

Total 17299 cattle of 19 Villages had benefitted With different kind of medicines and vaccines.

Apart that 973 camels kharai camels were vaccinated with fitodas and Antisaras in the Phulai-Chhari Dhandh area of Nakhtrana taluka.



Lumpy Disease Vaccination Drive.

An effective and Immediate step was taken to Mitigate lumpy Skin disease outbreak in the Kutch In co-ordination of District Animal Husbandry department through Vaccination and awareness drive at grass Root level. Total 40,000+ cattle were covered through therapeutic and ayurvedic treatment and Nutritive Cattle feed Support.

SUSTAINABLE LIVELIHOOD DEVELOPMENT

Bovine brucellosis is a chronic infectious disease of cattle that causes abortion, the birth of weak or dead calves, infertility and, as a consequence, reduced milk production. Cattle and buffaloes of all ages are susceptible, and infection can persist for many years.

This disease is also zoonotic (a disease that can be transmitted from animals to people)
Hence to protect Cattles against Bovine Brucellosis AF Started Awareness and vaccination program with Kutch fodder fruit & Forest development trust (KFFT) in our 11 Villages.

Under this project following activities were carried out,

- Meeting with Gram Panchayat, Farmers and Livestock Owners
- Development and Distribution of the Awareness Materials among the stakeholders
- Mass Level awareness by pasting the poster and meetings with Village Gram Panchayat's
- Primary Survey and Sample Collections i.e. , Milk Ring Test, Blood Collection and testing
- Brucella Vaccination and Ear Tagging etc. Brucellosis Control Project 2020 Cumulative Progress of various important

No	Name of Activity	2020-21	2021-22	2022-23	Total
1	Awareness Meetings	19	23	18	60
2	Milk Ring Test	48	11	34	93
3	Blood Sample Collection	29	23	18	70
4	Vaccination	2132	2951	2970	8053
5	Family Covered (Direct)	287	379	484	1150
6	Total Benefited (in Direct) Families	1435	1895	2420	5750



Promotion of Natural Farming

Natural farming is a method of agriculture that prioritizes soil health and sustainability. Instead of relying on synthetic fertilizers and pesticides, one key aspect of natural farming is the use of cow-based preparation like Jivamrut, Gau Krupa, Amrutam, and wormy Compost Fertilizers.

Adani Foundation Promote Farmers to adopt Cow based farming with end to End Program from Awareness to Market Linkage. 1392 farmers benefitted by training from which 60% farmers chemical usage is reduced to half extent in 500 Acres approximately.

Impact


- I. Production Cost- 20% Reduced
- II. Chemical & pesticide exposure- 30 to 40% Reduced
- III. Premium product price-5% increase
- IV. Crop Yield & Taste - Better taste and quality-



SUSTAINABLE LIVELIHOOD DEVELOPMENT



Implementation Process of Projects



SUSTAINABLE LIVELIHOOD DEVELOPMENT



Prakrutik Sahkari Mandli

Formation of Shree Raj Shakti Prakrutik Kheti sahkari Mandali Limited Mangara and register Under Gujarat Co-operative Society act-1961 with 60 Members which is the First Organic Company of Registered across Kutch.

AF Started an Initiatives **"Green carnival"** an initiatives to Provide Marketing Platform to farmers to sell Natural Farming Vegetable & Agri Produce at Shantivan and Samdudra town Ship ,Mundra on Weekly base.

We provides resources, and technical assistance to help farmers to market their products successfully.

Farmer's Producer Organization

Kutch Kutch Kalpaturu Producer Entity (KKPC) was established in the year 2020 to address the interests of farmers, particularly to provide an entrance for outputs and inputs. The company was founded with 237 farmers

KKPC served for Date Packaging box, Milk Supply to Colonies, NB 21 Off suits Supply, Vegetable Seed ,Mineral Mixtureand Cattle feed supply and plan to extend more service.

KKPC Current Year turnover is. Rs.28.89 lacs by started Different Kind of Initiatives



SUSTAINABLE LIVELIHOOD – FISHERFOLK COMMUNITY



Access of Pre-primary
education.to 3 Vashat –
125 Students



Transportation Facilities to Govt.
& AVMB School- 33 Students



Free AVMB –School Education -
147 Students



Book Support -43 High School
Students



Scholarship Support -43
Students of SMJ School Luni



Coaching for 10th Exam OF 8th
.9th Failed Students -28
Students

**Fisherfolk education has
had a significant impact on
communities to shaping
individuals' lives By
providing Access of quality
education for Pre- primary
to Higher Education.
More than 500+ Fisherfolk
children are getting
Education**


Impact

1. Access Of Quality Education
2. Promoting Girl Child Education.
3. Increase Economic Productivity
4. Creating Employment Opportunity
5. Social Development & Networking

SUSTAINABLE LIVELIHOOD DEVELOPMENT

- ❖ 194 fishermen and women are engaged through Contract adani Group Company on regular base.
- ❖ 23 Youth have been Placed in Different company after Completion of Technical training.

Total 217 Fisherfolk are Employed and earning on Monthly Base.
Average Monthly Income Rs.14500/ Individual



SUSTAINABLE LIVELIHOOD DEVELOPMENT

Fisherfolk Livelihood

Mangrove plantation and Nursery development work has created a two facet impact by providing Livelihood to Fisherfolk during two months Fishing during Off season and developing 162 hector dense mangrove afforestation. **5200 Men days** work provide to **285 Fisherfolk** of Luni ,Sekhdiya and Bhadreshwar Villages in coordination with Horticulture Det.

Formed **Sagar Saheli SHG of** Navinal Fisherfolk Women and Linked With DRDA after completion of Stitching Training ,received first order of Rs.80,000 to prepare Cotton Bags. Total 12 Women are engaged and planning to expand with more Women and Order. Liaising with Fisheries department to Facilitate Fishermen welfare Scheme and Form Filling Process. Pagdiya Fisherfolk Kit, Boat Licence renewal, Boat Token Process.



WOMEN EMPOWERMENT PROJECT

Women are essential to the entire development process, whether in a single household, a village, a state, or a nation. Adani Foundation provides a platform for Community women to overcome the social barriers by becoming change - makers in their communities and societies while maintaining their traditions. Mundra has witnessed a significant shift in the development of women beneficiaries in various fields of occupation including such agriculture, self-employment, horticulture, and so on. The Adani Foundation has a strong emphasis on strengthening rural women and betterment through sustainable livelihood support, resulting to socioeconomic shifts in the rural population.



WOMEN EMPOWERMENT PROJECT

Strategy & Process of Empowering Women by SHG Group

Identification of target Group

Mobilization and formation

Capacity building & Training

Saving & Credit Activity

Income generating Activities

Connect with Government & other organization

Monitoring & Evaluation

Adani Foundation has been working towards empowering women through various programs and initiatives. Here is a brief overview of our work in women empowerment :

- ✓ **Self Help Groups (SHGs) :** We have established 82 self-help groups in various rural and urban areas to provide financial and social support to women. We provided training and capacity building workshops to members of these SHGs to help them develop income-generating activities and improve their livelihoods. Through this initiative, we have empowered over 850 women to become self-reliant with Savings of Rs. 30.42 Lacs
- ✓ **Training & Skill Development :** We conducted skill development programs for women in various fields such as tailoring, handicrafts, and food processing. These training programs helped women develop their skills and start their own businesses. We have trained over 320 women in various skills, and many of them have started their own businesses.
- ✓ **Women's Health :** We organized several health camps and awareness programs for women, with a special focus on menstrual Hygiene. These programs aimed to educate women about their health and empower them to make informed decisions. We provided health services to over 1150 women through these camps.
- ✓ **Assistance in Job & Government scheme :** We empower 256 women by help them to seek Job, they all earn average 9288/- Monthly. Also Gave awareness about government scheme which directly benefit to woman & helped them in the process to apply.
- ✓ **Advocacy and Awareness :** We conduct awareness campaigns and advocacy programs to promote gender equality and women's rights. We aim to challenge the social norms and cultural practices that prevent women from achieving their full potential.

WOMEN EMPOWERMENT PROJECT

1. 56+ women by Gram Bharati Platform

2. 102 + Menstrual Hygiene workshops

3. 12+ Advocacy and Domestic violence sessions

4. 82 SHG - Saving & Credit Activity

5. 220 + Job Placement



WOMEN EMPOWERMENT PROJECT

SHG Name	Our Intervention	No. of Woman	Get Order from	Order of	Total Order (lac)	Grambharati (lac)	Till today Turnover
Jyot Saheli Swa Sahay Juth	Collaboration with RSETI & trained woman by Rural Self Employment Training institute	10	Mundra Navratri Celebration	Moti work, Bead work neckless as well as Panjo	0.42	0.75	1.17
Saheli Swa Sahay Juth	Help them for tender process	10	Jilla Mahila ane Bal Adhikari Kutch,Bhuj	Sanitary Pad	1.20	0.00	2.50
Tejashvi Saheli Swa Sahay juth	Help them to increase variety in stitching related work, Wall Hangings, folder bag, Uniform	15	AVMB – Bhadreshwar	Uniform, Folder bag,Jatt bag	9.12	1.10	20.25
Food Sister Saheli group	Help them to start the Canteen at Rangoli Gate	10	APSEZ + Rangoli Driver Shed	Food	3.00	0.00	3.50
Shradhha Saheli	Tender from ATMA + Various ordered of Food + Snacks provided to various Balvadi	10	ATMA, Adani Public school & Balavadi	Lunch + snacks	8.63	0.20	15.00
Meghadhanush Saheli	organized an exhibition of Eco-friendly Ganpati	11	Utthan Project	Mud frames	1.39	0.60	12.00
Radhe Saheli Swa Sahay Juth	Exhibition cum sale & Inspire them to participate in Grambharti	16	Gram bharati order	various type of Dhadaki	0.40	0.20	2.00
Sonal Saheli Groups	Training them for Making Phynial & Washing Powder	10	Port & Wilmar	Sale washing powder	3.60	0.00	12.00
Karimbhai Mansuri	Namda Craft				1.80	0.00	9.80
Over All Corporate	Marketing & Gift packing Training	35	corporate order	Various order from all SHG	9.76		9.76
Total	-	127	-	-	39.32	2.85	87.98

WOMEN EMPOWERMENT PROJECT

Training, Awareness programs, Exhibition and Certificate courses can play a critical role in the development of women by providing them with the skills, knowledge, and resources they need to succeed in their personal and professional lives. Adani foundation is providing that opportunity to rural women by

exposure. This initiative more than 500 woman trained in subject like how to run business, Personal hygiene, Woman rights, social media marketing etc. 30 Women got the Artisan card though the RSETI (Rural self Employment Training Institutes) Adani foundation celebrated International women's by

motivating 150 Woman from different 82 SHG's. Current year theme was **Digital ALL : Innovation & technology for gender equality.**



Community Health

Access to quality healthcare is a fundamental right of every individual

Health plays a crucial role in transforming people's lives. We all realized importance of health after facing challenging situation during Pandemic. Access to quality health care gives a fair chance to lead healthy, productive lives. Healthy people can utilize opportunities available to them.




Community Health

Sr. No.	Project	Beneficiaries	
1	Medical Mobile van	11879	32 village
2	Rural Clinic	13209	9 village
3	Medical Supports	2460	63 village
4	Dialysis Supports	216	63 village
5	Specialty health camp	1527	
6	General Health Camp	3379	
7	TB screening & Awareness session	1795	
8	Blood Donation camp	1710	
Total		36175	

“Healthy mind remain in healthy body which create health community to make healthy Nation.”

Adani Foundation is relentlessly working to Provide access of quality health facilities at Doorstep level to create health Society for healthy nation development through various kind of health Projects



Community Health

Rural Clinic & Mobile Health Care unit

Adani Foundation focuses on ensuring good health for better contribution to growth and progress. During this pandemic situation health is the basic need for development of community. Their objective is to live healthier lives by promoting healthcare seeking behavior.

Mobile Health Care Units and Rural Clinic Services are deployed with the objective of providing basic healthcare facilities to remote rural areas as well as poor peoples. The service is being executed by Adani foundation is to reduce travel time, hardships and expenses.

The mobile health care unit covers 25 villages and 07 fishermen settlements. Around 90 types of general life saving medicines are available in these units. This service becomes a boon for women, elderly and children as the service is available at their doorstep.

Rural Dispensaries are established where there is a gap in the healthcare services. The Adani Foundation operates Rural Dispensaries in 6 villages of Mundra block, 02 villages of Anjar block and 1 clinic in Mandvi Block. Mobile dispensary and rural clinics provide health services with token charge of 20/- rupees per patient daily by a doctor and a volunteer.

During this year total 11879 beneficiaries were benefitted by Mobile van and total 13209 beneficiaries were benefitted by Rural clinics where female ratio is 65%.



Community Health

Medical Support Detail

Adani Foundation provides primary health care and financial assistance to needy poor people for ailments such as kidney related problems, paralysis, cancerous and tumor surgeries, neurological and heart problems, blood pressure, diabetes etc.

Partial Medical Support had been given to 2000+ beneficiaries of Mundra, Mandvi and Anjar Block at Adani hospital, Mundra. where as in the Critical cases after stable them we refer them to GKGH, BHUJ for further treatment.

Dialysis Support

The drinking water of Mundra contains high TDS (Total Dissolved Solids). Hence, the proportion of patients with urinary stones and kidney failure is more. Patients suffering from kidney-related diseases require regular dialysis which is costly and adds to the financial burden of the family.

Hence, the Foundation has undertaken a programme to providing dialysis treatment to help the extremely needy patients to live a healthy life. During this

year, 4 patients were supported for regular dialysis (twice a week) with partial support.

NCD Awareness and Prevention

MHCU and Rural Clinic Doctors are working parallelly for creating awareness and prevention measures for Non Communicable diseases, Awareness sessions scheduled in 8 High Schools and 2 community places. More than 110+ patients were supported and counselled for Hypertension and Diabetes. Due to early intervention their life span increased and quality of life became better

Machhimar Shudhh Jal Yojana

To reduce water born disease and women drudgery to get water, Potable water is provided to the fishermen communities at different vasahat through water tanker since 9 years. Coordination done with Gujrat Water Infrastructure Limited For Juna Bandar, Kutadi Bandar, Veera Bandar and Ghavar Bandar. Adani foundation is supporting to 3 fisherfolk settlements.



COMMUNITY INFRASTRUCTURE DEVELOPMENT

The Adani Foundation's Community Infrastructure Development (CID) program is the keystone initiative focus on improving infrastructure facilities of rural and urban area with proper designing and implementation to built robust infrastructure, This project impacted Thousand of life toward health care, education, agriculture, water and sanitation and other basic facilities for sustainable rural development



COMMUNITY INFRASTRUCTURE DEVELOPMENT



40
Construction
Of RRWHS

19 Bore
Recharge

2 Pond
Deepening
under SSJY

Pond
Beatification -
Bund
Strengthenin
g at Bhujpur

2 Percolation
Bore
Recharge

3 Re-
strengthening
of Approach
Road

Cricket
Ground at
Hatdi

Construction
of house for
needy
fisherman

3
Construction
of Water Tank
at Luni
Bandar

Construction
Common
gathering
open shed

Renovation
Approach
Road

4 Common
gathering
Open Shed

Construction & Development, Repairing & Maintenance and Support Work covered during the year

Community
Training
center
Shekadiya

Vegetable
Market at
Mundra

Development
of Gate Valve
at Checkdam

School
Compound
wall at Rampar

Fisherman
approach
Road
restoration

Bund Strengt-
hening at
Bhujpur

2 Pond
Deepening -
Azadi ka
Amrut
Mahotsav

Renovation
Training
center Mundra

Renovation
Blood storage
Lab CHC
Mundra

2 Disable
Widow Toilet
Block

2 CC Road of
700 mtr.

R.O. Plant
Mokha 1000ltr
/HR

JCB & Hitachi
Support for
Pre-Monsoon
Activity

Check dam Re
-
strengthening
Bharudiya

Pond Pipeline
work 800 Mtr

Flood Water
Control Sluice
Gate at
Zarpara

Construction & Development, Repairing & Maintenance and Support Work covered during the year

CRC MUNDRA

Community Resource Center

Community resource Center is the bridge between Government Schemes and real Beneficiaries. It is situated at Adani Field Office, Baroi with the motive to be **Single window point solution (Online Application & Documentation) to Facilitate Government Schemes leveraged to needy and Eligible people.**



**Key Achievements of
Community Resource
Center
Monthly Base**

Government Scheme Facilitation				
Sr. No	Gove Scheme	Gov. Support Rs/Month.	Total Beneficiaries	Total Amount/ year
1	Widow Pension	1250	641	18496350
2	Bal seva Ayog	2000	49	2254000
3	Divyang pension	1000	19	323000
4	Divang Bus pass	300	439	
5	Niradhar Pension	750	126	2808750
6	Palak Mata Pita	3000	5	516000
	Total		840	2,43,98,100

CRC MUNDRA

Widow Pension Yojna

Objective of this Yojana is to provide Financial support Rs.1250/Month to widow to made Them Financial independent. Parallely, we are conducting Motivation Session with them to raise their Value and Positivity to create healthy family Environment.

Till The date Total 641 Widow have been Linked with Government Widow pension Scheme.

Monthly Pension and other allied Scheme

Under This Program disabled Person are supported with Monthly Pension @ Rs.1000 As well allied facilities like Bus pass, Railway pass to made them Self sustain and Confident.

Till the date total 458 Divayang are linked with Different Government Scheme.

Bal Sakha Yojna

Aim Of the Yojna is to Provide Financial support Rs.2000/Month for Education Purpose to below 18 year Students who lost their Parents due to Life threatening Disease Including Covid. Total 49 Students are getting benefit of the scheme.

Palak Mata Pita Yojna:-

Motive of this scheme is to promote parents who is taking care and Nurture the child who is Below 18 year and lost their parents.@ Rs.3000/Month. Total 5 children are being supported under the scheme.

Niradhar Pension Scheme

Under this Scheme Financial Assistance 750/Month is provide to Senior citizen who don't have Surviving Children (Son) or Below 21 year son.

Till The date 126 senior Citizen availing schematic benefit.



CRC MUNDRA

Some Glimpse of Cow Nutrition Support scheme Biogas Under Gobardhan scheme



Key Achievements of Community Resource Center One time

Sr. No	Gove Scheme one Time	Gov. Support	Total Beneficiaries	Total Amount/Year
1	Covid Support One Time	50000	12	6,00,000
2	Vahali Dikri @ 18 Year	110000	113	1,24,30,000
3	Divayang Sadhan Sahay one time	5000	176	8,80,000
4	Manrega (NB21)	22000	32	7,04,000
5	Pagadiya Sadhan Sahay Yojana	9000	9	81,000
6	Gau Dattak Yojana	10800	857	92,55,600
7	Gobardhan Yojana	42000	100	42,00,000
8	Fishermen Shram Yogi Yojna		163	
			1487	2,81,50,600



ADANI SKILL DEVELOPMENT CENTRE

**Total Centre
Admissions
FY 22 - 23**

Mundra

Courses	Female	Male	Total	Revenue Generated
Pedicurist and Manicurist	68	0	68	68000
Beauty Therapist	18	0	18	36000
Self Employed Tailor	31	0	31	38850
Assistant Electrician	0	50	50	188800
Bar Bender and Steel Fixer	0	29	29	0
Meson General	0	29	29	0
Domestic Data Entry Operator	47	11	58	239000
Junior Crane Operator	0	23	23	642000
Interview Skills	14	18	32	0
Mudwork	71	0	71	61600
Solar PV Manufacturing Technician	0	25	25	109500
Basic Functional English	562	670	1232	707300
Digital Literacy	391	461	852	454290
Total	1202	1316	2518	2545340

Bhuj

Courses	Female	Male	Total	Revenue Generated
Interview Skills	21	9	30	0
General Duty Assistant	45	8	53	3,09,734
Disaster Management	0	2	2	4000
Basic Functional English	1077	352	1429	8,57,400
Beauty Therapist	2	0	2	4000
Assistant Beauty Therapist	1	0	1	1500
Self Employed Tailor	8	0	8	8000
Digital Literacy	231	270	501	3,00,400
Domestic Data Entry Operator	0	1	1	4,720
Non Domain Employability Skills	21	11	32	0
Diet & Nutrition	02	00	02	9440
GST with Tally	16	01	17	98000
Understanding Operating System	21	7	28	0
Entrepreneurship	23	7	30	20,800
Financial Literacy	51	1	52	3600
Total	1519	669	2188	16,21,594

ADANI SKILL DEVELOPMENT CENTRE BHUJ

Soft Launching of Self-Employed Tailor – Outreach Batch at Meghpar

Soft Launched Self-Employed Tailor Batch at Meghpar (Out-reach). Total 25 candidates are enrolled.

Soft Launch of Entrepreneurship Development Program

Soft Launch of Entrepreneurship Development Program Training at Centre under CED with 30 candidates.

Soft Launch of General Duty Assistant Batch

Soft launched General Duty Assistant Batch with 30 candidates under DDU-GKY scheme as per instruction by GLPC.

Soft Launch of FL Training under Special Project

Launching Special Project Jointly with KMVS NGO for FSW (Female Sex Worker) Financial Literacy training Inaugurated on 22-07-2022
Total 46 women participant



ADANI SKILL DEVELOPMENT CENTRE MUNDRA

Mud Work Training– Outreach Batch at Samundra township

Total 45 candidates are enrolled.

Soft Launch of Data Entry Operator Batch

Soft launched Data Entry Operator Batch with 50 candidates under Thermax Foundation Tie-up

Soft Launch of Solar Panel Manufacturing Technician Training of Solar Panel Manufacturing Technician Training at Bhuj, ITI with 25 candidates.

Soft Launch of DL Training under DEO Project

Soft Launch of DL Training at AVMB School with 61 Students

Tie Ups with (Thermax Foundation, Empazer, Navin Group and DEO Kutch @ Rs.24.25 lacs.



ADANI SKILL DEVELOPMENT CENTRE MUNDRA

DEO Project

MOU with Kachchh District Education Office. In this MOU ASDC has provided training of Digital Literacy and Basic Functional English in Kachchh District Schools. As per MOU Kachchh District Education Office has provided 4000 candidates to us for training (Adani Skill Development Centre). Funding from Thermax, CFS and DEO made it possible



Courses	Total Students Trained
Basic Functional English	2659
Digital Literacy	1341
Total	4000



Dignity of Work Force Programme - EVP

India's National TB Elimination Programme (NTEP) aims to meet the ambitious goal, announced by the **Honorable Prime Minister Shri. Narendra Modi**, of **ending the TB epidemic by 2025**, five years ahead of the UN Sustainable Development Goals (SDG) of 2030. In response to this call, the Government of India and USAID jointly launched the Corporate TB pledge (CTP), in April 2019 to galvanized corporate support to end TB.

To continue the momentum and efforts, the USAID-supported iDEFEAT TB project, which is working towards institutional strengthening to accelerate actions for Tuberculosis (TB) and drug resistant TB (DR-TB) in India; was launched as USAID/India's flagship TB project. The project works in collaboration with the Central TB Division (CTD), Ministry of Health and Family Welfare (Mo HFW) of the Government of India across a network of diagnostic, treatment, and program management institutions.



Dignity of Work Force Programme - EVP

The CTP secretariat, hosted at The Union under the iDEFEAT TB project, provides technical assistance to government and corporates to adapt, implement TB interventions, and guide corporate resources for TB and DR-TB care.

Early diagnostics and treatment initiation are key to saving lives and minimizing disease transmission. In 2019, India reached a milestone of 24 lakh notified cases in India, an increase of 12% compared with 2018. Even then, an estimated 5.4 lakh were 'missing' across India, a serious drawback to our TB elimination efforts as what is not measured is unlikely to be improved. Diagnostic delays are also prevalent in India, with studies indicating that these can be attributed to patients as well as health systems.

Adani foundation with APSEZ, APML, AWL and MSPVL HR department in coordination of FOKIA has launched cluster based screening program to eliminate TB in labors under Dignity of workforce program. Adani Ports and SEZ Limited has completed screening with 8000+ work force.

USAID/India team including Director – Health Office has visited Adani Foundation CSR Activities related to community health. He visited Adani Hospital, GKGH Hospital and related activities.



Dignity of Work Force Programme - EVP



Central TB Division | #TBMuk...
@TbDivision

TB-Free Workplace models were showcased in Multisectoral Corporate Engagement towards TB elimination in India conference. @Adaniports through @AdaniFoundation covered a population of over 8000 people comprising employees, family members & contractual workers at Mundra port.



Health Camp for workforce and Green Carinal Celebration



It is true that we cannot achieve our goal of development unless and until we support to bring up the lives of this community. Basic needs of this work force need to be considered. In labour Vasahats they were not getting even the facility of pure drinking water, proper living condition, sanitation which Adani Foundation has addressed one by one within last years five years span.

With the objective to build up trust and transparency in labour community, union Labours and Smooth business operations, Adani Foundation had organized 45+ labour camps for 2000+ workforce beneficiaries in coordination with Adani Wilmar Limited

18 Green carnivals

17472 Kg Fruits and Vegetable

436000 INR



Started the great initiative from world Soil Day - Biggest Employee volunteering program of Adani Ports and SEZ Limited with more than 56 employees as supporter of event organizer and 225 employees with family as a supporter of Farmers n SHGs.

Children used to enjoyed Games and Dance ! Lucky Draw surprise gift was organic ghee..

HR department, IT department and Admin department has supported a lot and will support every fortnight for this sale every sunday

ADANI KANDLA BULK TERMINAL PVT LTD - TUNA

Water at Fisherfolk settlement

Potable water (18 KL per Day)
Distribution to Vira and Dhavlvaro
Bandar through Water tanker Regularly
which improve Hygiene and Health
standard and reduce Women drudgery
,Cost and Time to get water by
**Linkages through AKBTPL and GWIL
daily bases.**

Fodder Support

Support of Dry & Green Fodder to Tuna
and Rampar Village Gaushala Cattles
during Scarcity which impacted on
Cattle health and Milk Productivity
ultimately Farmers Income as well. Total
643825 Kg green Fodder Supported for
900 Cattles of Tuna & Rampar.

Tree -Plantation

Total 200 Tree was planted and ensure
responsibility for watering and caring.
This initiative involved Community and
School students and sensitized to plant
more trees and nurture. After our
plantation, Gram Panchayat also
planted 55 Neem trees in same
premises.



ADANI KANDLA BULK TERMINAL PVT LTD - TUNA

School Renovation work Rampar

More than 800 students are studying in Rampar near Tuna port. School did great coordination to approve 3 new rooms from Sarv Shiksha Abhiyan. Other part was required renovation which was taken care by Adani Foundation. Due to this Total 6 Rooms are now in full utilization.

CC Road Wandi

Wandi is 1 km away from Adani Kandla Bulk Terminal Port Limited and 100 % Population of Fisherfolk. 1 Km Drainage line is done by WASMO – CC road request received in year 2021. Adani Foundation guided for CC road work after drainage work.

Common Gathering Flooring work, Tuna

Tuna Village is 2 Kms away from AKBTPL. In Tuna Village, community gathering shed was constructed from MLA Grant. Flooring work was not included in the same, which was taken up by Adani Foundation. Shed is well utilized in SHG meetings, Farmer meetings and Gram Sabha



ADANI GREEN ENERGY LTD - ABDASA

Adani Solar Plant Bitta is under Adani Green Energy Limited. Adani Foundation is doing regular support of JCB during monsoon or any accident cases as and when required.

Apart from it Celebrated Chairperson's Birthday by distribution of school bags to the children taking admission in class 1 along with necessary books and Education Material. Which includes Bitta School, Nani Dhufi School and Moti Dhufi School.

Deputy Collector of Abdasa taluka place, called for a meeting to all major industries of taluka area. Agenda of the meeting is to develop 7no's "Amrut Sarovar" in Abdasa taluka area under government proposal at every district level.

As per the proposed identified locations by Deputy collector, one of the location he has asked to develop by Adani Power Limited. He has proposed, "Amrut Sarovar" is developed nearby our plant area with amount Rs 20 lacs as per pond size All such proposed "Amrut Sarovar" are new only, not to develop available old pond in nearby area.



Impact Story



Ratanbhai Keshavbhai Gadhave is a farmer of Moti Khakhar. On 17th May 2022, he purchased NB Super Grass Stalk to cultivate it in 1 acre of his land. After maintaining, nurturing and hard work the grass thrived lush green with a tremendous height that's when he performed his first mowing of it.

Ratanbhai had to feed fodder to his 35 cattle regularly. While interacting, we came to know that he used to require 16kg of dry grass during summer and winter at an estimated cost of ₹1,60,000 but after planting NB Super Grass, he has saved 80-90,000rs which is approximately 50-55%. Apart from this, Ratan bhai also mentioned that during this period, he usually had a demand for 2 to 3 farm trucks of fodder which he used to order from the market but after cultivation of NB Super, not a single farm truck loaded with fodder is demanded from him.

Moreover, due to the cultivation of NB Super Grass fuel and fare expenses on farm trucks have nearly come to end. Also, Ratan bhai has already mowed the grass twice and 3rd mowing is going on having the height of grass 12-14 ft.

Lastly, Ratan bhai stated that his cattle relishes and is habituated with NB Super Grass more than any distinct fodder.

Impact Story



Amrutaben desired to ask God for one thing, a new pushcart! -

Jiluben is an elderly woman with physical limitations and a terrible economic state. She's been widowed for thirty years. Jiluben's son is 50 years old, unmarried, and almost face continuously ill. while her daughter Amrutaben is divorced (she got married 20 years ago). Jiluben, who is 70 years old only has her daughter Amrutaben is working. Amrutaben used to use her old pushcart, but it was heavy and too old for her to carry around everywhere, plus she didn't have enough money to buy a new one. Amrutaben only desired to ask God for one thing, a new pushcart! because everything else she could take care of on her own despite such bad situation.

An employee of the Adani foundation has spoken with Sarpanch Hawaben about the work being done by the Foundation on support of people with disabilities. As soon as she informed & requested that to make visit at Jiluben house. Their pushcart needs were discussed by representative from the visited, verified all the necessary paperwork, and spoke with Jiluben and her family about government programs for widows and people with disabilities. And a week later the entire process was completed, and the new pushcart was provided to them. She is now able to work promptly and help their family in overcoming this difficulty.

Impact Story



Hiruben Karsan Tharu lives with her parents in Nani Bhujpur village. She fell very ill when she was three years old. After treatment, she recovered, but her both legs were affected by the paralysis in both legs. At such a young age, she started coping up with her disability. Adani Foundation provided platform to women of Nani Bhujpur village by providing them with Sewing Machine and enrolling her in sewing machine training. Moreover, she was provided with Wheelchair and Calipers to help Hiruben move comfortably and attend class regularly.

Presently, she earns Rs. 5,000 to Rs. 6,000 a month from stitching work which is much appreciated and admired by her neighbors and relative.

Impact Story



Empowered Women, empowered nation!

India is a land of culture and traditions. These traditions are kept alive in rural locations. One such tradition is gifting daughter during her marriage for her happy married life. Sonalben too received a cow from her maternal family during her wedding. This was given with a purpose of livelihood generation at the time of crises. For sonalben, this gift was priceless, she decided to utilize income received from one cow to buy more cows. She continued to sell milk, buttermilk, Ghee, and other cow-based products and retain income to buy more cows. Gradually she increased her livestock to 66 cows which provides 165 liters of milk per month. Within 7 years of her marriage her livestock increased from 1 cow to 66 cows.

Looking at her zeal and passion towards animal husbandry, Adani Foundation provided her with Biogas kit so that she can save cooking fuel cost and fertilizer cost as waste slurry from biogas acts as a natural fertilizer.

Recently, On Kisan Divas she was felicitated by Adani Foundation for doing exceptional work in Animal Husbandry. She has now become a guide for all those women who wish to make living out of limited means.

Impact Story



"Agriculture is our wisest pursuit, because it will in the end contribute most to read wealth, good morals, and happiness." – Thomas Jefferson

It is said that one can do everything if he or she has direction and clarity towards the goal. Geetaben, a loving wife, responsible mother of 3 daughters and a son and an amazing farmer has always supported her husband in his farming occupation. Her life took a transformational turn when her husband passed away in 2018 due to severe heart attack leaving all responsibilities on her shoulder. Of course, she was working on farm keeping shoulder to shoulder with her husband before he passed away but managing farming single handedly was a tough business for her. Moreover, raising 4 daughters and a son for a widow is a somber task too. It took couple of months for her to hold herself up for the sake of her children and to make her husband's dream true. Her husband Late. Bharat Bhai Jethva hold recognition to be a first farmer in Mundra district who has initiated to cultivate Kamalam (Dragon fruit) in his farm. He had a dream to cultivate best of organic Kamalam and sell his organic fruit to a larger market. He was on cloud nine when his first harvested kamalam blossomed beautifully. But unfortunately, his heart attack pushed him to changed realm. It was her determination to continue his husband's dream and take kamalam cultivation to the next level.

As Geetaben started inclining towards chemical-free farming, she started getting higher value for her crops resulting more income. With foundation's support and guidance, she understood which crops/vegetable to sow for high returns.

Impact Story

Jethva family holds 4 acres of land and Geetaben took charge of cultivating seasonal fruits and vegetables in that farm. Being a female farmer, the use of chemical-based farming impacted her health a bit but still she used to cope up with daily chores until she had an encounter with Adani Foundation in her village Mangra. Team members Mavji Baraiya, SLD Head and Kalyan Gadhavi, Community Mobiliser from Adani Foundation organized Natural Farming training at Mangra village of Mundra district. All farmers of Mangra village participated in that training. she also attended the training in which she got insights of all techniques of natural farming and proposed support from Adani Foundation. She approached foundation team and expressed her willingness to learn more on natural farming techniques for crops, vegetables, and fruits. Before that Jethva family used to cultivate only Kamalam organically but after the intervention and continuous trainings by foundation, she decided to turn her complete farming through natural techniques by gradually taking baby steps toward this new endeavor.

Looking at her zeal and dedication for 0 chemical farming, Foundation provided her with Biogas Kit, Drip Irrigation system, Development of Vermicompost and Jivaamrut. Presently she has 6 to 7 livestock. With the installation of biogas, the slurry produced by biogas digesters makes excellent fertilizer when applied to farms. Moreover, Geetaben learnt how to make Jivaamrut from Adani Foundation's natural farming trainings, which she then applied to her farm where she noticed significant improvements, including a reduction in nutrient deficiencies, an increase in crop size without the use of chemical fertilizers and the presence of lush green, healthy crops. In addition, the Adani foundation brought knowledge of vermicompost to her farm, which she says has already made a big difference in the soil's fertility. Also, setup of drip irrigation system was done in order to save water, nutrients loss, and to provide the water direct to the soil root zone of the plant.

Prosperity knocked her door, and she provided best education to her children. Her daughters completed Engineering and Son is presently studying in Anand Agriculture University. On asking him about his future, Hariom (Son of Geetaben) shares *"My father is recognized as first farmer of Kamalam in Kutch and my mother is epitome of strength and a proud farmer. My mother has achieved lot dignity and respect in our society since she received foundation's guidance for practicing natural farming and I will follow her footsteps in same direction by establishing natural farming agriculture business to provide best quality crops to the society."* Geetaben continues to strive excellence in learning farming training regularly and become a promoter of same to encourage other farmers to adopt Natural Farming for better cultivation and higher returns.

Impact Story



At Ratadia Ganesh wala village in Mundra taluka, Rabari Megha Vanka lives with 60 percent of his legs divyang.

Meghabhai was working in a garment shop in Mundra two years ago. Bhabhi Ben used to help in running the house by making several pedas. Meghabhai lost his job during Corona time. Then Meghabhai started selling pedas in nearby villages. With the help of Adani Foundation, he was given small help for home based industry and also helped him in the process for obtaining medical certificate and bus pass. Now, Meghabhai with the help of his wife Pabi Ben started home industry 'Pena Home Udyog' and made it as the main means of livelihood. They sell 300 kilos of pedas every month. On an average they earns 18000/- per month.

When the bus pass will come he can save more money by traveling by bus for orders from Gandhidham, Bhuj, Mandvi and nearby areas.

Impact Story



Only a teacher can turn the disability into a talent ! - Mundra

Challenges are what make life interesting. Overcoming them is what makes life meaningful". Halepotra sadiya studying in class 4 of Dhrub primary school is the SEN - special education needed .she is not able to see clearly through her eyes that is having the problem of vision by birth , she underwent 4 operations but have a great IQ level which never stopped her from learning new things. sadiya's parents never stopped her coming to school. she had a problem in basic maths ,gujarati reading and writing but within an year she worked continuously during her free time and now is able to read write and perform basic calculation. Her favourite hobby is learning new things , colouring and listening new rhymes from YouTube. she can now stand up in morning assembly and give her introduction in English . "only a teacher can turn the disability into a talent through hard work and self confidence". Her dream is to become a teacher.

Impact Story



Health care service is to save the lives !

Mohammad Sadik Turk, 16, of Dhrub arrived in critical condition because of pain in the area of his kidneys. The condition was treated as an intestinal problem by doctors. The specialists tried their best to treat him & offering variety of medications. Support him for his routine dialysis for six to eight months while paying attention to his condition. He no longer needs dialysis after complete therapy, but he still needs to regularly administer injections three times every month.

Many young children pass away each year from insufficient medical care and inability to pay for necessary treatments. As long as there is only one source of income for the family and everyone depends on him, it is hard to provide costs for those who are living below the poverty line. Although India has more than 50,000 patients who receive long term dialysis, it has only a thousand kidney specialists in the entire country. Furthermore, treatment can be expensive. In situation like this Foundation pays for the child's injections in light of his financial situation and wishes him a quick recovery and a long and healthy life. The main goal of the Adani Foundation's community health care service is to save the lives of children like Sadik.

EVENTS



World water day was celebrated on 22nd March in coordination by Adani Foundation at Bhuj.

Program was designed on District level awareness on participatory ground water management on the theme of accelerating the change to solve the water and sanitation crises with exhibition of water saving tool, equipment and IEC material.

On this Occasion Mr Dilip Rana (collector Kutch) was the chief guest and guiding force. He emphasized on RRWHS with assurance to provide 50% Support from government to developed single village as model drinking water sustain village with having 100% RRWHS facilities.

Shri Dobariya Sir administrative officer of Atal Bhujal Yojana and Mr.Nimish Padke Director - Fokia also shared about sustainable management of fresh water sources for future generation. Mr.Mahendra Gadhvi (Pramukh, Jilla panchayat) also shared his views. More than 200 farmers + Women and Sarpanch of Mundra.



Project Pragati :- Success of completion of Project Pragati 1st batch was celebrated on 29th April at Adani House, Mundra in esteemed presence of Mr Vikram Tandon, Chief Human Resource Officer, Adani Group, Shri Vasant Gadhavi ,Executive Director, Adani Foundation and Mr Rakshit Shah, Executive Director, APSEZ. Other dignitaries who graced the occasion were Mr AnilKumar Kalaga, , Mr. Charles Douglas, CEO, Mundra and Tuna Ports, Jatin Trivedi, COO, Adani Skill Development Centre and all HR and Department heads of APSEZ, Power, Solar and Wilmar.

The event celebrated by distributing skill training certificate to 52 fisherfolk students, who were trained under Mason and Assistant Electrician job roles under Adani Saksham. All training along with their community leaders shared heartwarming testimonials and expressed emotion of gratitude towards Adani Foundation for providing them skill training opportunities.

EVENTS



Adani Foundation ,Mundra celebrated **World Earth Day on 22nd April 2022** by distributing 'HomeBio-Gas Kits' to 100 farmers Program intense is to gather 'ધરતી પુત્રો' who share similar mindset and have determined to use Home Bio-Gas to witness social, economical and environmental impact.

Program was graced by Rakshit Shah, Executive Director, APSEZ along with below mentioned esteemed Guests.

1. Manojbhai Solanki, Trustee, Shree Ram krushna Trust, KUKMA
2. Prof. Mrugesh Trivedi , Scientist, Kutch University
3. Kalpesh Maheshwari, Project Officer, Atma, Bhuj
4. Dr. U.N Tank, KVK, Mundra
5. Ms. Riddhi Patel, Officer, kutch
6. Shaileshbhai Vyas, Satvik Sanstha, Kutch
7. Shantilal Patel, Officer, Mundra



Adani Foundation Mundra has celebrated the **International Disability day on 3rd Dec** since 2011 with lots of enthusiasm and Zeal in coordination with District Social Welfare office by planning various support to divyang people.

Current year in line of the international Disable day Theme "Transformative solutions for inclusive development: the role of innovation in fueling an accessible and equitable world." Adani Foundation has organized "Divyang Job Fair" in coordination with 11 SEZ Industries at Mundra on 2nd December 2022. More than 50 Divyang had applied for interview out of them 06 were selected For Job.

Apart that Divayand Aid and equipment (Limb, Chair was Supported In the Esteem Presence of Respected Rakshit sir-EDM, APSEZ, Mundra.

EVENTS



World Environment Day was celebrated on 5th June in association with Ayi Shree Vishrimata Seva Trust and Gram Panchayat, Moti Bhujpur at Vishri mata Temple and pledged to plant 51000 for which Gram Panchayat will take responsibility to nurture trees throughout this year.

program was organized at Vishrimata mandir with tree planation activity on this occasion Shree P T Prajapati - Sub Divisional Magistrate remain present and address Public to Nurture environment for Future.



Adani foundation Mundra has celebrated **International women day** on 8th march at different location of Mundra and Bhuj in coordination with District Animal health department and Sarhad Dairy the day was celebrated at Mundra with Appreciation of best 10 cattle owner women of Mundra who did remarkable work with Sarhad dairy. On this Occasion Dr Thakkar (DAHO) and Dr Lalani (cheif Sarhad dairy) appreciated efforts of Adani foundation in animal vaccination and Animal health care in Mundra. More than 210 cattle owner women remained present.

District Level celebration was done at Bhuj GKGH with Lunching OF Punya sloka book (Stories of 37 empowered women), A Book Written By Adani foundation employee Mrs. Purvi Goswami on The successful women of Kutch. More than 300 Women had participated.

EVENTS



National Farmer day on 22 dec with Honoring Women Farmers.



Animal Husbandry Awareness Program



International wet land ay Celebration Through Poster presentation Competition



Teacher Day & Youth Day Celebration



No Tobacco day celebrated by creating awareness to take preventive measures for workforce



International Yoga Day celebration in coordination with sub divisional Magistrate Mundra.

EVENTS



International coastal Day celebration
at Mandavi with Cleanliness Drive



Adani foundation and Agri
Department jointly organized
district level workshop on Natural
Farming Practice with Gram Seval



The International Mangrove Day for
the Conservation of the Mangrove
Ecosystem is celebrated

AWARDS

ASSOCHAM AWARD FOR HEALTH CARE

Adani Foundation's Community Health project received runner-up position in 'Best CSR excellence award in Healthcare' Associated Chamber of Commerce and Industry of India (ASSOCHAM) in Award ceremony organized at Delhi on 12th October 2022. Community Health project has participated in the grand event to accept the Award on behalf of Adani Foundation, Mundra site.

The award was presented by Chief Guest - Ms Roli Singh, Additional Secretary & Mission Director (NHM), Ministry of Health and Family Welfare, Govt. of India and Dr. Upasana Arora, Co-Chairperson, ASSOCHAM Healthcare Council and Chairperson, Yashoda Super Specialty Hospital.



Awards and Recognition



Adani Foundation participated in QCFl awards on 4th Feb 2023.

Presented Women Empowerment initiatives and received Diamond award for exemplary work done by Adani Foundation for empowering rural women.



our services were appreciated by representative of Ministry of Health Government India, WHO, Union and more than 52 corporate companies present in the National conference on Multisectoral corporate engagement towards TB elimination.

Awards and Recognition



Received appreciation letter from District
Animal Welfare Departent for
commendable work for Cattles affected
by Lumpy Virus



Jyoti ben tank received Awaard from Vice Precident in Amazing Indians Awards who is member of Prakrutik Sahkari Mandali supported by Adani Foundation.

Support to children lost their parents in Morbi bridge collapsed incidence



Adani Foundation supported 25 Lacs each for 20 children who lost their single/both the parents. Adani foundation was honored by IAS G T Pandya Collector and District magistrate of Morbi district for helping children who lost their parents in Morbi bridge accident.

One step forward towards growth with goodness...

Children residing at Morbi, Kutch, Ahmedabad, Rajkot and Dwarka who lost their single or both parents in Morbi Julta Bridge collapse incidence received support of 25 lacs each from Adani Foundation.

Representatives from Adani Foundation, Karsanbhai and Jagrutiben visited above districts to check on the affected children and also met with SBI bank officials, collectors regarding disbursal of amount. 10 Children received amount in their respective bank accounts. For others, work is under process.



Capacity Building Training




Adani foundation team visited Lakhond and Chandrani plant of sarhad Dairy. These three plant out of which two plant milk processing and packing and another plant cattle feed plant were Mr.Nilesh Jalankar, General Manager provided information about how cooperatives work in the field and about their supply chain management.



Adani Foundation team attended Capacity Building Training Program on 3rd and 4th of October on Adani Competency building and mapping. The training session was conducted by expert trainer Mr Kamal Dabbawala. Two days sessions were filled with theory sessions, Activity based learning and discussion-based learning.

Awards and Recognition



શ્રી પ્રસ્પરા ચામ પંચાયત

ગામ : અપરા, તા. મુંદરા-જિલ્લો.

11 પંચ દર્શી પરચેપટ 11

11 યોગી કાલગી 11

11 કલકલિય પાટો 11

રેક નં.

પત્રી બી,

બી એમ્સ અપર ડેડ,

અમરોલી કમિટેશન,

જુલો - ડા. ૯૭.

૦૨/૦૪ - ૫૪

→ X

તારીખ : ૦૬/૦૩/૨૦૨૩.

પ્રમાણ - અપરા ગામે પાણી બહાવવાની કામગીરી બાબતે

અમારો-૫૫,

તેજ તાલુકા મારો તાલુકાવાળું કે મુંદરા તાલુકાનાં અપરા ગામે અમરોલી કમિટેશન દ્વારા વર્ષ ૨૦૨૨-૨૦૨૩માં પાણી બહાવવા કોલે કામગીરી કરવાનાં અમલી છે. વર્ષ દરમિયાન અપરા ગામે વરસાદી પાણી જગતો જમીનમાં વધતો થાય તો રેકુલી બાજુ અને બોરોલેસ બેસાઈ કરવાનાં અમલી અને મારો મારો બસાઈ પાણીનો ઉપયોગો થીવા મારે થાય એ મારે પ્રવૃત્તિ પાણીનો ટાડા બસાઈ અમલીનાં અમલી છે. અમલી વર્ષ પાણી અમલી પાણી બહાવવાની અને જગતો તરે મારે કામ કરવાનાં અમલી અને અમરોલી મારે આ કામગીરી બસાઈ અમલીનો યુગ અમલી ૦૨/૦૪ મારીને લેશે.

અમારો અમારો,

(Signature)

શ્રી અપરા ગામ પંચાયત

તા. મુંદરા-જિલ્લો.

[illegible][illegible][illegible]

Beneficiaries List

Sr. No	Program	Direct	Indirect	Remarks
1	Education	3505	14020	UT than Mundra
2	AVMB-Vidhya mandir	568	2840	AVMB -Students
3	Community Health-Mundra	35832	141130	Rural clinic, MHCU,Health camp, AHMUPL
5	AHMUPL	42455	127365	OPD & IPD Patients
6	SLD-Women	1359	6795	SHG Group & Individual Income Generation
7	SLD-Agri & Animal Husbandry	7718	30768	Fooder,Home biogas, Farmers training, Cow based farming -20,Cattle camp Etc.
8	SLD -Fisherfolk	5957	4476	Education, Mangrove, Potable -Water and Livelihood
9	CRC-Gov Schemes	1106	5530	Government Schemes
10	CID	11767	47054	Fishermen Amenities & Other Rural Infra Work
11	Nakhtrana	1209	4836	UT than
12	AKBTPL,Tuna	10071	16373	Rural clinic, MHCU,Health camp, Drinking Water,Fooder Support, Infra Work
13	Bite	2500		Pond deepening Dhrubhi and Bitu
15	ASDC,Bhuj	2188	10940	soft skill and DL .GDA & Online Training
16	ASDC,Mundra	2518	32590	Technical & Non-Tech DL .GDA Training
17	Uddan	27377		Students
Total		156130	444417	

Financial overview – Adani Foundation Mundrta

Executive Summary – Budget Utiliaztion FY 2022-23

Sr No	Particulars	Approved Budget F.Y. 2022-23			Utilization 2022-23	% of utilization
		CAPEX	OPEX	Total		
A	General Management and Administration	1.80	92.35	94.15	98.45	104.56%
B	Education	0.40	141.93	142.33	124.36	87.37%
C	Community Health	-	294.97	294.97	242.16	82.10%
D	Sustainable Livelihood Development	-	466.40	466.40	359.85	77.15%
E	Community Infrastructure Development	-	219.51	219.51	133.88	60.99%
F	EDM Recommended Projects	-	100.00	100.00	98.83	98.83%
	Total AF CSR Budget :	2.20	1,315.16	1,317.36	1,057.53	80.28%
[I]	Adani Vidya Mandir-Bhadreshwar	6.88	255.44	262.32	221.76	84.54%
[II]	Project Udaan-Mundra	-	314.74	314.74	248.20	78.86%
	TOTAL Budget with AVMB & UDAAN F.Y. 2022-23 :	9.08	1,885.34	1,894.42	1,527.49	80.63%



THANK YOU

Annexure – 3

Details of Greenbelt Development at APSEZ, Mundra

	Total Green Zone Detail till Up to March 2023				
LOCATION	Area (In Ha.)	Trees (Nos.)	Palm (Nos.)	Shrubs (SQM)	Lawn (SQM)
SV COLONY	72.29	34920.00	7962.00	69696.00	100646.00
PORT & NON SEZ	81.61	149359.00	19220.00	75061.78	62966.38
SEZ	115.70	226120.00	20489.00	220583.60	28162.03
MITAP	2.47	8113.00	33.00	3340.00	4036.00
WEST PORT	104.29	248074.00	66816.00	24112.00	16369.00
AGRI PARK	8.94	17244.00	1332.00	5400.00	2121.44
SOUTH PORT	14.45	27530.00	3470.00	3882.00	3327.26
Samundra Township	58.26	63722.00	11834.00	23908.89	47520.07
Productive Farming (Vadala Farm)	0.00	0.00	0.00	0.00	0.00
TOTAL (APSEZL)	457.99	775082.00	131156.00	425984.27	265148.18
		906238.00			

Details of Mangrove Afforestation done by APSEZ

Sl. no.	Location	District	Area (Ha)	Duration	Species	Implementation agency
1	Mundra Port	Kutch	24	-	Avicennia marina	Dr. Maity, Mangrove consultant of India
2	Mundra Port	Kutch	25	-	Avicennia marina	Dr. Maity, Mangrove consultant of India
3	Luni/Hamirmora (Mundra)	Kutch	160.8	2007 - 2015	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GUIDE, Bhuj
4	Kukadsar (Mundra)	Kutch	66.5	2012 - 2014	Avicennia marina	GUIDE, Bhuj
5	Forest Area (Mundra)	Kutch	298	2011 - 2013	Avicennia marina	Forest Dept, Bhuj
6	Jangi Village (Bhachau)	Kutch	50	2012 - 2014	Avicennia marina	GUIDE, Bhuj
7	Jakhau Village (Abdasa)	Kutch	310.6	2007-08 & 2011-13	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GUIDE, Bhuj
8	Sat Saida Bet	Kutch	255	2014-15 & 2016-17	Avicennia marina & Biodiversity	GUIDE, Bhuj
9	Dandi Village	Navsari	800	2006 - 2011	Avicennia marina, Rhizophora mucronata, Ceriops tagal	GEC, Gandhinagar
10	Talaja Village	Bhavnagar	50	2011-12	Avicennia marina	Forest Dept, Talaja
11	Narmada Village	Bhavnagar	250	2014 - 2015	Avicennia marina	GEC, Gandhinagar
12	Malpur Village	Bharuch	200	2012-14	Avicennia marina	SAVE, Ahmedabad
13	Kantiyajal Village	Bharuch	50	2014-15	Avicennia marina	SAVE, Ahmedabad
14	Devla Village	Bharuch	150	210-16	Avicennia marina	SAVE, Ahmedabad
15	Village Tala Talav (Khambhat)	Anand	100	2015 - 2016	Avicennia marina	SAVE, Ahmedabad
16	Village Tala Talav (Khambhat)	Anand	38	2015 - 2016	Avicennia marina	GEC, Gandhinagar
17	Aliya Bet, Village Katpor (Hansot)	Bharuch	62	2017-18	Avicennia marina & Rhizophora spp.	GEC, Gandhinagar
18	Kukadsar- (Bhadeswar- Mundra)	Kutch	250	2021-22	Avicennia marina	Shreeji Enterprise, Amreli
19	Kukadsar- (Bhadeswar- Mundra)	Kutch	750	2022-23	Avicennia marina	Shreeji Enterprise, Amreli
Total			3890			

Annexure – 4

Compliance Report of CIA Study Environment Management Plan

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude ¹	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
1	Land Use Change						
1.1	<p>It is predicted that the built up land in the rural areas would increase by an order 50% from the baseline 2015.</p> <p>New settlements near the SEZ area might create slums.</p> <p>Unorganized urban development leading to poor sanitation and proliferation</p>	Level - 1	<p>APSEZ has developed two townships (Shantivan and Samudra) presently accommodating 1668 households. Necessary permissions from concerned authorities were already obtained for the development of townships and Associated infrastructure facilities.</p>	<p>The existing townships will be expanded to accommodate about 4 lakh people when the APSEZ is fully developed.</p>	APSEZ	As and when Required	<p>APSEZ has developed two townships (Shantivan and Samudra) accommodating 2045 households and associated infrastructure facilities. Accommodation is made available for all interested employees working within Adani group & SEZ industries. Out of which 96.87% Occupancies are accommodated within the townships and rest are available for employees working within APSEZ.</p> <p>At present 71 nos. of industries (processing & non-processing) are present within the SEZ (54 nos. are in operation). Township facilities are also made by some of SEZ industries within Mundra town for their employees with basic infrastructure facilities and requirements.</p> <p>Most of the employees working in SEZ industries are residing in Mundra township having all basic requirements and associated facilities.</p> <p>The existing social infrastructure facilities are adequate for present development at APSEZ. The existing townships with associated facilities will be</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	of vectors and disease.						<p>expanded as per requirement.</p> <p>APSEZ has also been granted permission for receiving domestic sewage @ 2.5 MLD from Mundra village (which was earlier discharged into open area within Mundra region) into wastewater treatment plant for treatment and disposal. APSEZ has already started receiving of domestic sewage from Mundra, which abates the poor sanitation and unhygienic condition within Mundra region. Total project cost for laying domestic sewage underground pipeline with other associated facilities from Mundra to APSEZ is 362 Lacs.</p>
1.2	Once the project is fully developed, due to increase in built up land in the APSEZ area, there will be an increase in the storm water runoff from the facility.	Level-1	The study area experiences scanty rainfall less than 400 mm/year. Considering the natural gradient, ASPEZ have designed and implemented storm water	Technical feasibility study can be carried out to explore the possibility of developing storm water collection ponds to utilize maximum possible storm water runoff for dust suppression in the coal yard areas during non-rainy days.	APSEZ	Technical Study - one time, Implementation - Continual process	<p>Presently, ~ 51.7 % of the total SEZ is developed. Based on technical studies,</p> <p>At present all existing coal yards are designed with drain, for collection of water during water sprinkling and rainfall, which is carried away to dump pond. Supernatant water from dump pond is being collected and used for dust suppression activities or after sedimentation, discharged to sea. Details of drain and dump pond has been submitted in along with EC compliance report (Oct 19 to March 20). Analysis of said water discharging into sea during monsoon season is being carried out (twice in a year during monsoon) through NABL / MoEF&CC accredited laboratory. Analysis report of the same shows there is</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			drains in the existing facility to meet the peak daily rainfall of 440 mm/hr. Hence flooding of water in the neighboring areas is not envisaged.				no any contamination. The report was submitted in the last compliance period Apr'22 to Sep'22. During compliance period FY 2022-23, total recorded rain fall was 1025 mm observed, which was much less than the design capacity of existing storm water drainage system. So our existing storm water management facility is adequate to handle the storm water runoff from the area. Hence flooding of water in the neighboring areas is not envisaged.
			As per the directions given in the environmental clearance issued for the proposed Multi-Product SEZ and CRZ clearance for Desalination, sea water intake, outfall	The channel depth in all the natural streams shall be maintained to accommodate peak flood flow during the monsoon and periodical de-silting activities in the natural streams passing through the APSEZ area	APSEZ, District Administration* and Irrigation department	As and When Required	Presently there is no Desalination plant, sea water intake and outfall facility developed as part of EC & CRZ clearance of Multiproduct SEZ. The project will be designed and implemented as per requirement without disturbing the natural flow of rainwater in all the seasonal streams.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			facility and pipeline project, the master plan of the project was designed and being implemented without disturbing the natural flow of rainwater in all the seasonal streams.				
1.3	Due to conservation and protection of mangroves in the designated conservation area, it has been predicted	Positive Impact with ecological benefits	In addition to conservation of the identified 1254 ha mangrove areas around Mundra port and SEZ, APSEZ has taken up large scale	APSEZ will continue mangrove afforestation as per the commitment made with concerned regulatory authority	APSEZ	Short Term	<p>APSEZ has carried out mangrove afforestation in 3890 ha. area across the coast of Gujarat till date. Total expenditure for the same till date is INR 1070.8 lakh.</p> <p>No further mangrove afforestation is pending w.r.t. commitment made with concerned regulatory authority for APSEZ, Mundra project.</p> <p>As per study conducted by NCSCM, Chennai in 2017, mangrove cover in and around APSEZ, Mundra has increased from 2094 Ha to 2340 ha (as compared between 2011 to 2017). The analysis has shown an</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance			
	that the current mangrove footprint area would marginally increase in next 15 years due to natural growth. This will enhance the overall biodiversity in the local coastal ecosystem.		mangrove afforestation activities in an area of more than 2800 ha at various locations across the coast of Gujarat state in consultation with various organizations				<p>overall growth of 246 ha. The cost for said study was INR 3.15 Cr.</p> <p>Recently study was carried out in the year 2019 and based on that there is an increase of mangrove cover between March 2017 (Total 2340) and September 2019 with an extent of 256 Ha (Total 2596 Ha Area) which is about 10.94% rise in growth rate, also It reveals that the mangrove and the tidal system in the creeks remained undisturbed over this period.</p> <p>Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019.</p> <p>Analysis of data between categories indicated that there was an increase in dense mangroves along with the conversion of scattered into sparse, that shows the growth of mangroves in a progressive direction.</p> <p>As a part of GCZMA recommendations and NCSCM mangrove conservation action plan, APSEZ has undertaken following activities.</p> <table><tr><th>Sr. No.</th><th>Recommendations</th><th>Compliance</th></tr></table>	Sr. No.	Recommendations	Compliance
Sr. No.	Recommendations	Compliance								

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
							0		
							1	Mangrove mapping and monitoring in and around APSEZ	<ul style="list-style-type: none"> APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island. As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September 2019 to the extent of 256 Ha, which is about 10.7%. This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction.</p> <ul style="list-style-type: none"> Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019. The cost of the said study was INR 23.56 Lacs incurred by APSEZ.
							2	Tidal observation in creeks in and around APSEZ	<ul style="list-style-type: none"> APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<ul style="list-style-type: none"> The cost of the said activity was INR 1.0 Lacs.
							3	Removal of Algal and Prosopis growth from mangrove areas	<ul style="list-style-type: none"> Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually. The cost of the said activity was INR 2.35 Lacs during the FY 2022-23. The details of Removal of Algal and Prosopis growth from mangrove areas is attached as Annexure -1.
							4	Awareness of mangroves importance in surrounding communities	<ul style="list-style-type: none"> Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves. Adani Foundation provides good Quality dry and green fodder to 24 Villages. Project is covering total 14116

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>Cattels / 3008 farmers and hence enhancing cattle productivity during last FY 2022-23.</p> <ul style="list-style-type: none"> Awareness of mangroves importance in surrounding communities & Fodder support - The expenditure for fodder supporting activities was approx. 200.89 Lacs during FY 2022-23 which was incurred by APSEZ. Individual Fodder Cultivation: Farmers were Aware, Convince and trained to cultivate super Napier Grass as on farm projects to reduce their Fodder Dependency and expense. With that effort 192 farmers have Adopted and Cultivated Super NAPIER Grass in 190-acre area and produce 3800 Fodder Tons Yield annually,

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>lead to save Approx Rs 52 Lacs of farmers.</p> <ul style="list-style-type: none"> • Grass Land development: AF converted 205 acres of denuded village common pastureland gauchar into fertile and productive grassland in Zarpara and siracha village to transform into Fodder Sustain village with Community participation and responsibility for maintain and Monitoring. • Among that 18 Acre of Guchar land is fenced and sowed with Multispecies Green Fodder with Having Good nutritive value More than 2250 Cattle will sustain with Improving quality and Quantity of Milk. • Other than this dedicated security guard with gate system deployed by APSEZ

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>across the coastal area and no unauthorized persons allowed within coastal as well as mangrove areas.</p> <ul style="list-style-type: none"> APSEZ has celebrated the International Day for the Conservation of the Mangrove Ecosystem on July 26th to raise awareness of the importance of mangrove ecosystems as "a unique, special and vulnerable ecosystem". The photographs of celebration were submitted in previous compliance period Apr'22 to Sep'22. Refer CSR report attached as Annexure – 2. <p>To comply with the GCZMA recommendations regarding mangrove monitoring at every 2 years, APSEZ earlier awarded work order to NCSCM, Chennai vide order no. 4802018994, dated 29/07/2022 with cost 23.77 Lacs for mangrove mapping in and around APSEZ, but due to some financial disputes and no</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>proper response from NCSCM side regarding resolution, the work order has been revoked.</p> <p>After that as suggested by Joint Review Committee in its report that mangrove related studies may be undertaken by different agencies on a rotation basis for a better review of the mangroves, APSEZ issued work order to the Gujarat Institute of Desert Ecology (GUIDE), Bhuj vide order no. 4802027981, dated 10/04/2023 for mangrove mapping in and around APSEZ, Mundra. The cost of said work is 23.60 Lacs (Including Taxes), which will be paid by APSEZ..</p> <p>Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. During FY 2021-22, 03 ha area coastal stretches have been planted with species. During current FY 2022-23, 04 Hecter plantation has been planted with various species. Total 20 Ha. multi-species mangrove plantation has been carried out till March-23 association with M/s. GUIDE,</p>
1.4	Development activities along the coast might cause		Detailed hydro-dynamic modelling and	It is recommended to map the coastal morphology (Shoreline) at	APSEZ	Continual Process	Shore line change study was carried out by M/s. Chola MS, Chennai (NABET accredited consultant) as a part of Waterfront Development Project – Expansion EIA study. The summary of the said study is as below.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	certain changes in hydro-dynamic characteristics along the shoreline. Shoreline of any area also can be influenced by storm surges and other natural processes.		shoreline change prediction for a fully developed APSEZ facility has been studied. The study reveals that the erosion and accretion in the study area at the end of 15th year will be within the designated criteria of ± 0.5 m/year, which reconfirms that the waterfront development activities of APSEZ would	least once in three years			<p>To estimate the shoreline change due to the earlier approved waterfront development plan, a historical shoreline change assessment has been undertaken using the satellite imagery for a period of 2008 to 2018. In order to avoid any major errors in estimating the shoreline, the satellite data for similar tidal condition was considered for 2008, 2013 and 2018. AMBUR Methodology was used to study the historical analysis</p> <p>10km radius stretch of shoreline on either side of the APSEZ project boundary has been considered for assessing the historical shoreline change scenario. The baseline shoreline change assessment depicts the influence of both natural causes and also possible changes in the shore due to various development activities in the study area during the designated period. For the purpose of this study, shoreline on left side of APSEZ is termed as West Side Shoreline and that of the right side as East Side Shoreline for ease of recognition.</p> <p>The maximum accretion and erosion rate of the west side shoreline over a period of 10 years during the year 2008 – 2018 are observed to be 4.78 m/yr and 1.93 m/yr respectively.</p> <p>The maximum accretion and erosion rate of the east side shoreline over a period of 10 years during the year 2008 – 2018 are observed to be 05 m/yr and 0.82 m/yr respectively.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			pose insignificant impact on the Mundra shoreline.				<p>APSEZ had also awarded work to the agency namely M/s. Gujarat Institute of Desert Ecology, Bhuj for carrying out Shoreline Change Assessment Study for Mundra region vide P.O. No. 4802013270 dated 30.03.2022. The cost of said study is INR 17.39 Lacs.</p> <p>Shore line change study was carried out by M/s. Gujarat Institute of Desert Ecology, Bhuj as a part of the Environmental Management Plan (EMP) compliance with the CIA study.</p> <p>In the present study, the rate of shoreline changes statistics on a time series of multiple shoreline positions of a totally 43 km coastline stretches (16 km on the west side and 27 km on the east side of Adani main port) on either side of Adani Ports and Special Economic Zone Ltd (APSEZL) has been taken into account for the calculation by using satellite images.</p> <p>As a part of the NGT direction, the shoreline change analysis has been carried out for the years 2015-2022 to study the immediate changes after the commissioning of the port and initiation of the activities (September 2015) for short-term variation for the year 2015-2022 using EPR method has been carried out.</p> <p>The details of the rate of shoreline changes (Short interval time) recorded from 2015 to 2022 are</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude1	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																			
							<div>summarized in below table.</div> <table><tr><th>Period</th><th>Name of the block</th><th>Average Shoreline Change(M /Year)</th><th colspan="2">Shoreline Change(M)</th></tr><tr><td></td><td></td><td></td><th>Maximum Accretion</th><th>Maximum Erosion</th></tr><tr><td rowspan="2">2015-2022</td><td>West Port</td><td>-11.43</td><td>39.86</td><td>-78.68</td></tr><tr><td>Eastern side</td><td>-26.60</td><td>191.32</td><td>-165.19</td></tr></table> <div>The Shoreline Change Assessment Study report of GUIDE is attached as Annexure- 7.</div>	Period	Name of the block	Average Shoreline Change(M /Year)	Shoreline Change(M)					Maximum Accretion	Maximum Erosion	2015-2022	West Port	-11.43	39.86	-78.68	Eastern side	-26.60	191.32	-165.19
Period	Name of the block	Average Shoreline Change(M /Year)	Shoreline Change(M)																							
			Maximum Accretion	Maximum Erosion																						
2015-2022	West Port	-11.43	39.86	-78.68																						
	Eastern side	-26.60	191.32	-165.19																						
2	Regional Traffic Management Plan																									
2.1	The projected traffic data as per the EIA Report of Multi-Product Special Economic Zone, the peak vehicular traffic from the port and SEZ	Level-1	As per the master plan of APSEZ, eight artillery roads will be connected to either state highway or national highway for evacuating the goods from APSEZ. None of these roads	Additional road as per master plan will be built in future based on the overall progress of the project. Currently about 25% of cargo from APSEZ is transported by Rail and the same will be enhanced to 40% when the facility	APSEZ	As and When Required	<div>Presently, ~ 51.7 % of the total SEZ is developed. Based on technical studies,</div> <div>Existing road/rail/conveyer infrastructure facilities are adequate to evacuate the existing cargo. Further, APSEZ's cargo evacuation through rail / conveyer / pipeline has increased to ~34.28%, thereby reducing the usage of road.</div> <div>Additional road facilities will be built as per master plan considering future development.</div> <div>The facilities for transportation of cargo other than road will be enhanced considering future development, which will reduce the traffic volumes on the regional road Network.</div>																			

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	<p>operations (including supporting facilities and colony) could be in the order of 18,300 and 10,400 vehicles per day respectively .</p> <p>There could be a possible increase in traffic congestions on village-highway intersections and road accidents.</p>		<p>are passing through settlements, thereby avoiding traffic Congestions in the respective villages. The carrying capacity of the eight artillery roads connecting APSEZ is estimated to be about 16,000 PCU/hr as against the envisaged peak traffic volume of 4,500 PCU/hr.</p>	<p>is fully developed in future. This will further reduce the traffic volumes on the regional road network.</p>			

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			Out of eight artillery roads considered in APSEZ master plan, seven roads were already developed and functional.				
			APSEZ has been imparting Driver Training Programs to all their contractors to enhance awareness on road safety.	APSEZ can undertake technical feasibility of implementing Intelligent Transport System (ITS) for the freight carriers associated with their development activities.	APSEZ & GSRDC*	Long Term	APSEZ is being imparting the regular in-house training awareness program in different mode i.e., classroom, on-job training, virtual platform & Assessment by internal & external trainer to all drivers and employees on below topics: <ul style="list-style-type: none"> ✓ ✓ Basic induction Training for drivers ✓ ITV Driver Training ✓ ITV Driver Induction for Supervisor ✓ Defensive Driving for LMV & HMT ✓ Defensive Driving & BBS ✓ Driver Assessment ✓ Road accident & rescue ✓ Traffic Management & Road Signage ✓ Driving safety training ✓ RORO Driver training ✓ Road Safety

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<ul style="list-style-type: none"> ✓ Defensive Driving & Emergency Action Plan ✓ Drivers Responsibilities & Safe driving ✓ Emergency Rescue (Vehicle) Training <p>Approx. 9307 Participants (On roll and contractual manpower) were benefitted from above trainings in compliance period Oct'22 to Mar'22. The same will be continued in future also.</p> <p>APSEZ has also implemented the Remote traffic management system (RTMS) to manage the traffic movements and capturing the violations to further improve the system.</p> <p>Following steps were taken by APSEZ to reduce the accidents.</p> <ul style="list-style-type: none"> ✓ Handling and escorting of the ODC for ensuring the smooth movement on the roads. ✓ Traffic Awareness programs for the drivers and regular briefing of the drivers in the parking areas. ✓ Incident handling and root cause analysis for taking necessary action in order to avoid such incidents. ✓ BAC checks for the drivers in order to identify the intoxicated drivers and necessary action is being taken against them. ✓ Water spray drive at gates are being conducted on regular basis during night hours to avoid dozing by the driver while driving.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<ul style="list-style-type: none"> ✓ RTMS devices are being installed at 08 critical locations in order to capture speed violations and enforcing road safety regulations. ✓ Display of traffic signages and lane markings on road in coordination with the Civil team for ensuring road safety rules are being followed by the road users. ✓ We have approx. 100+ cameras which are being utilized for monitoring of traffic movement through CCTV and timely response in order to avoid any congestion and during traffic incidents. ✓ Regular traffic checks by Traffic Marshalls in order to ensure road safety rules (Wearing seat belt/Wearing helmet/Carrying driving license/Speed checks/Documents) is being followed by the drivers. ✓ Installation of Road furniture's (Cones/Water filled barriers/Cats eye/Spring Posts/Jersey Barriers) for lane segregation, Channelizing the traffic, at Junctions and indicating Caution for the road users.
3	Water resources Management and sewage treatment & disposal Plan						
3.1	For a fully developed APSEZ facility, water demand will be in the	No-Impact	APSEZ is meeting the current water demand through Narmada	As per the master plan and permissions granted under EC, APSEZ will be developing progressively	APSEZ	As and When Required	<p>Presently there are two fresh water sources available with APSEZ.</p> <p>Desalination Plant – 47 MLD</p> <p>Narmada water through GWIL – 9 MLD (sanctioned capacity).</p> <p>Current water demand for APSEZ along with SEZ</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	order of 4,30,000 m ³ /day (430 MLD). APSEZ will be sourcing majority of the water from the captive desalination plants, which will be developed in progressive manner.		water supply scheme and 47 MLD captive desalination plant at site. Necessary water allocation from concerned authorities was obtained and the same will be renewed from time to time as per the directions of state government.	4,50,000 m ³ /day (450 MLD) of desalination plants to meet the future demand. Hence stress on regional water resources due to these developmental projects will be less significant.			industries including Adani Power Plant is an avg. of 23.86MLD. So presently, these sources are adequate to fulfill the current freshwater requirement of entire APSEZ including member units. The desalination plant of additional capacities will be installed on modular basis considering future requirement of APSEZ.
3.2	Existing water demand in the Mundra taluk is estimated	Level-2	Adani Foundation has been contributing to various watershed	Adani Foundation is planning to implement the various water resource	APSEZ and CGWB*	Long Term	Water needs of APSEZ is being met through existing Desalination Plant of APSEZ and GWIL which may be further enhanced on modular basis. At present Ground water is not utilized for any activities within APSEZ. However various works are being carried out by Adani

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	as 8500 m ³ /day (@55 lpcd) and the potable and sanitation water needs would increase to 37,000 m ³ /day (@125 lpcd) in future when the area is fully grown into larger municipality due to induced economic growth. Water demand of the local communities is met through		development projects in the Mundra region to enhance ground water resources in the area. Adani Foundation has contributed about Rs. 300 Lakhs so far for the development of 18 check dams.	conservation programs in next ten years under various schemes.			<p>Foundation continuously under Water Conservation Work to achieve water security in Mundra region by Adani Foundation. Following works are carried out as a part of water conservation work since April – 2018. Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up.</p> <p>To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year Adani Foundation launch project "Sanrakshan" in coordination with GUIDE and Sahjeevan.</p> <p>Since, 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per increased in coastal belt of Mundra as per Government Figures.</p> <p>Our water conservation work is as below.</p> <ul style="list-style-type: none"> • Large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) and Augmentation of 3 check dams • Ground recharge activities (pond deepening work for 61 ponds) individually and 26 ponds under

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	Narmada water supply system to some extent, but largely depending on the ground water in the study area. Mundra block is reported to be a safe ground block as on date. Due to influx of people and rapid urbanization due to the economic development, there could be						<p>Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers</p> <ul style="list-style-type: none"> • New Pond Deepening Under Ajadi ka Amrut Mahotsav done in Goyarsama village Approx Deepening Capacity is 12000 Cum. • Roof Top Rain Water Harvesting 145 Nos. (40 Nos current year) which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family. • Recharge Bore well 208 Nos which is best ever option to direct recharge the soil. • Drip Irrigation approx. 1506 Farmers benefitted in coordination with Gujrat Green Revolution Company till date • Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. • Check dam gate valve construction at Bhujpur which controlled more than 350 MCFT water to go into sea and get recharged current year. • Pond Pipe line work at Prasla Vistar Zarpara which increase recharge capacity more than 25% in 100 hector area. <p>With the objective of to preserve the rainwater to reduce the impact of salinity and recharge the ground</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	some stress on the ground water resources in future.						<p>water (the main source of water) to facilitate the Agricultural activities as well as for drinking water.</p> <p>Adani foundation has spent approx. INR 7574.54 lakhs from April – 2018 to Mar– 2023 for CSR activities which also includes water conservation projects as mentioned above.</p>
3.3	It is estimated that about 60,000 m ³ /day (60 MLD) of sewage will be generated from the APSEZ facility when the project is fully developed.	No Impact	Seven sewage treatment plants with an aggregate capacity of 3.1 MLD have already built at APSEZ. Treated sewage is utilized for greenbelt development and sewage is not discharged into either seasonal natural streams or	APSEZ is permitted to develop decentralized sewage treatment plants of total 62 MLD capacities. Existing sewage treatment facilities will be augmented progressively based on the development at APSEZ in future. Similar to existing practices, treated sewage will be utilized	APSEZ	As and When Required	<p>Current installed capacity of wastewater treatment plants is 6.255 MLD (ETP, STPs & CETP) for treatment of effluent & sewage generated at various locations of APSEZ excluding wastewater treatment plants installed within industrial member units.</p> <p>Out of 54, only 4 operational industries within the SEZ are sending their partially treated industrial as well as domestic effluent to the CETP conforming to CETP inlet norms for further treatment and final disposal. Other SEZ industries have their own STPs / ETPs for treatment of wastewater generated from their industrial operation and discharging the treated water on land for horticulture purpose within their premises as per specific permission granted by SPCB.</p> <p>APSEZ also granted permission to treat 2.5 MLD of sewage generated from Mundra village through CETP and STP.</p> <p>Presently avg. 2.13 MLD of wastewater (in to ETP, STPs & CETP) is treated and being utilized on land for</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			marine environment.	for greenbelt development.			horticulture purpose within APSEZ premises during Oct'22 to Mar'23. Existing wastewater treatment plants are adequate to treat and handle the total effluent / sewage load considering current development. Existing wastewater treatment facilities will be augmented, or new plants will be developed on modular basis considering future requirement.
4	Air quality management Plan						
4.1	Although all the regulated activities in the study area will be adopting promulgated emission norms, total air emission mass discharge from the study area would increase.	Level-2	APSEZ and other thermal power plants have obtained valid consent to operate and have been operating the facilities as per the emission norms stipulated in respective consent	All existing and new industrial establishments will obtain requisite consents from GPCB and adhere to the stipulated emission norms regulations and guidelines issued by authorities from time to time.	APSEZ And Other Industries	Continual Process	APSEZ has been granted requisite permissions from the concerned authorities with stipulated norms for air emission (flue gas as well as ambient air). Ambient Air Quality monitoring is being carried out by NABL accredited and MoEF&CC authorized agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi for APL as per NAAQ standards, 2009. Stack emission monitoring is also being carried out on regular basis. Reports of the same are being submitted to the concerned authorities on regular basis. Adani power plant has installed continuous emission and air quality monitoring instruments as per CPCB Directive and submitting the reports also. Another power plant of CGPL is outside APSEZ area. The AAQM summary for last six months (Oct'22 to

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude ¹	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																														
			orders. APSEZ and other two power plants are monitoring the ambient air quality on regular intervals as per GPCB/CPCB guidelines and the data is analyzed and presented to GPCB on monthly basis. Both the thermal power plants located within the study area have installed continuous				<p>Mar'23) are as below.</p> <p>Locations: 16 Nos. (APSEZ – 13 + APL – 3 including 4 villages)</p> <p>Frequency: Twice in a week</p> <table><tr><th>Parameter</th><th>Unit</th><th>Min</th><th>Max</th><th>Average</th><th>Perm. Limit⁵</th></tr><tr><td>PM₁₀</td><td>µg/m³</td><td>41.79</td><td>89.86</td><td>75.53</td><td>100</td></tr><tr><td>PM_{2.5}</td><td>µg/m³</td><td>14.19</td><td>49.12</td><td>33.05</td><td>60</td></tr><tr><td>SO₂</td><td>µg/m³</td><td>8.80</td><td>36.63</td><td>22.40</td><td>80</td></tr><tr><td>NO₂</td><td>µg/m³</td><td>11.30</td><td>43.65</td><td>29.48</td><td>80</td></tr></table> <p>⁵ as per NAAQ standards, 2009</p> <p>Values recorded confirms to the stipulated standards.</p> <p>Approx. INR 15.32 Lakhs is spent by APSEZ for environmental monitoring activities during the FY 2022-23, which also includes ambient air quality monitoring for overall APSEZ, Mundra.</p> <p>Other industries located within the SEZ have obtained requisite permissions from the competent authorities for their respective plant and they also carried out environmental monitoring within their premises to comply with the permission granted. The same has been ensured by APSEZ as well as SPCB during their regular visits. APSEZ carries out regular</p>	Parameter	Unit	Min	Max	Average	Perm. Limit ⁵	PM ₁₀	µg/m ³	41.79	89.86	75.53	100	PM _{2.5}	µg/m ³	14.19	49.12	33.05	60	SO ₂	µg/m ³	8.80	36.63	22.40	80	NO ₂	µg/m ³	11.30	43.65	29.48	80
Parameter	Unit	Min	Max	Average	Perm. Limit ⁵																																
PM ₁₀	µg/m ³	41.79	89.86	75.53	100																																
PM _{2.5}	µg/m ³	14.19	49.12	33.05	60																																
SO ₂	µg/m ³	8.80	36.63	22.40	80																																
NO ₂	µg/m ³	11.30	43.65	29.48	80																																

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			emission and air quality monitoring instruments as per CPCB directive.				<p>visits/inspections of member industries within SEZ and last visit was conducted during February to March, 20223 for EMS & compliance verification. During compliance verification, it was verified that monitoring of air emission was well within the permissible standards based on analysis reports. Same will be continued in future also.</p> <p>The monitoring reports of industries within SEZ are also being submitted to the regulatory authorities as a part of half yearly Compliance report of EC for Multi-Product SEZ.</p>
				A common air quality management committee may be framed under the guidance of the State Pollution Control Board and district administration to manage regional level emission inventory data that can help to manage regional	APSEZ and Other Industries, Stakeholders, District Administration and GPCB*	Long Term And Continual	<p>APSEZ will co-operate and comply with the directions from concerned regulatory authorities for air quality management within APSEZ area. However, at present, APSEZ has formed Internal Environment Monitoring Committee, involving officials from APSEZ, Adani Power Limited and other SEZ member units with following role and responsibilities:</p> <ul style="list-style-type: none"> • Identification of sources of air & noise emission and its dispersion in surrounding villages • Remedial measures to eliminate, control, reduce or capture air & noise emission • Identify available resource to abate the air and noise emission • Required additional resources for control of air and noise emission

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
				level air quality management goals.			<ul style="list-style-type: none"> • Drinking water and its testing of all the available fresh water sources in surrounding villages • Identify any surrounding villages affected by organization's improper waste disposal mechanism. <p>Last committee meeting was conducted on dated 11/04/2023 and below was the point of discussion for way forward.</p> <ul style="list-style-type: none"> • Brief introduction about the Environment Management Plan (EMP) • All members conveyed his environment management practices, issue & suggestions • Discussed about the various ways to improve existing practice to control the emission in terms of Air, Water and Noise. • Discussed about the proper management of the canteen waste. • Discussed about the cleaning of outside of the SEZ units. • Discussed about the management of rain water & proper cleaning of the common storm water drainage system. • Discussed about proper segregation & disposal of solid waste material. • Discussed about to increase more green belt area inside plant premises of SEZ units

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							APSEZ and all the industries within SEZ are complying to NAAQS and same is being ensured by APSEZ. The monitoring reports of industries within SEZ are being submitted to the regulatory authorities as part of half yearly Compliance report of EC for Multi-Product SEZ.
4.2	Release of particulate emissions from handling and storage of coal at the port and power plants would influence PM10 and PM2.5 concentration in the background air. This could pose some health impacts such as asthma and	Health Impact	APSEZ has been implementing the following management plan to control emissions as per the applicable regulations and similar practices will be adopted in future: Entire bulk material handling facilities are mechanized. Regular water	All industries located in the APSEZ shall adhere to the emissions norms and minimum stack height guidelines issued by CPCB and consent to operate issued by Gujarat Pollution Control Board from time to time.	APSEZ and Other Industries	Continual Process	<p>Following safeguard measures are taken by APSEZ for abatement of dust emissions.</p> <ul style="list-style-type: none"> Adequate stack heights to the Boilers, D.G. Sets, TFHs & HWGs for proper dispersion of pollutants within APSEZ Using of liquid & Gaseous fuels instead of solid fuels in Boilers, Thermic fluid heaters and hot water generators. Regular sprinkling on road and other open area Regular cleaning of roads Dry fog Dust Suppression System (DSS) in hopper, transfer towers and conveyor belts Use of water mist canon Closed type conveyor belts Regular sprinkling on coal heaps Covering other types of dry bulk cargo heaps Installation of wind breaking wall Development of greenbelt along the periphery of the storage yards/back up area Mechanized handling system for coal and other dry bulk cargo Wagon loading and truck loading through closed

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																								
	COPD etc. among the local communities.		sprinkling on road and other open areas, regular cleaning of roads, dry fog dust suppression systems (DSS) in hoppers, transfer towers and conveyor belts, use of water mist canon, covered conveyor belts, regular sprinkling on coal heaps,				<p>silo</p> <p>Adequate air pollution control measures like ESPs, FGDs, Bag Filters, etc. and adequate stack heights provisions are implemented within the thermal power plant.</p> <p>The stack monitoring summary for last six months (Oct'22 to Mar'23) are as below.</p> <p>Total Nos. of Stacks: 23 Nos. Frequency: Monthly / Half Yearly</p> <table><tr><th>Parameter</th><th>Unit</th><th>GPCB Limit</th><th>Min</th><th>Max</th><th>Avrg.</th></tr><tr><td>PM</td><td>mg/ Nm³</td><td>150</td><td>13.49</td><td>26.68</td><td>21.35</td></tr><tr><td>SO₂</td><td>Ppm</td><td>100</td><td>6.18</td><td>17.36</td><td>8.52</td></tr><tr><td>NO_x</td><td>ppm</td><td>50</td><td>15.24</td><td>28.58</td><td>21.93</td></tr></table> <p>Values recorded confirms to the stipulated standards.</p> <p>Approx. INR 15.32 Lakhs is spent by APSEZ for environmental monitoring activities during the FY 2022-23, which also includes ambient air quality monitoring for overall APSEZ, Mundra.</p> <p>All other industries located within SEZ are adhere to provide adequate stack height and pollution control measures for proper dispersion of pollutants as per respective permissions granted by the board. The same</p>	Parameter	Unit	GPCB Limit	Min	Max	Avrg.	PM	mg/ Nm ³	150	13.49	26.68	21.35	SO ₂	Ppm	100	6.18	17.36	8.52	NO _x	ppm	50	15.24	28.58	21.93
Parameter	Unit	GPCB Limit	Min	Max	Avrg.																										
PM	mg/ Nm ³	150	13.49	26.68	21.35																										
SO ₂	Ppm	100	6.18	17.36	8.52																										
NO _x	ppm	50	15.24	28.58	21.93																										

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							is being inspected and ensured by APSEZ as well as SPCB officials on regular basis.
			covering of other types of dry bulk cargo heaps by protective materials, installation of wind breaking wall, development of greenbelt along the periphery of the storage yards/back up area and mechanized handling system for coal and other dry bulk cargo and Wagon loading and	An internal Coal Dust Management Working Group shall be formed by APSEZ to effectively co-ordinate the approach to coal dust management and monitoring	APSEZ and Other Industries, Concerned Stake holders, District Administration*	Long Term	<p>As mentioned above, presently, APSEZ has formed Internal Environment Monitoring Committee, involving Officials of APSEZ, Adani Power Limited & other member units, with specific role and responsibilities as defined above.</p> <p>The dry cargo is being handled by mechanized system and transported by covered conveyer system, trucks and rail wagons.</p> <p>Wind breaking wall is provided around the coal storage yards of APSEZ as well as Adani Power Plant.</p> <p>Adequate air pollution control measures like ESPs, FGDs, Bag Filters, etc. and adequate stack heights provisions within the thermal power plant for proper dispersion of pollutants.</p> <p>Green belt / plantation is provided around the periphery of dry cargo storage area and regular water sprinkling is also being done to abate the dust emission from coal hips.</p> <p>Last committee meeting was conducted on dated 11/04/2023 and below were the point of discussion for way forward.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			truck loading through closed silo. Both thermal power plants in the study area have installed electrostatic precipitators on the boilers and are meeting the emission norms as per the respective ECs granted. Due to installation of tall stacks as per CPCB guidelines and EC conditions, the relative air pollution impacts due				<ul style="list-style-type: none"> • Brief introduction about the Environment Management Plan (EMP) • All members conveyed his environment management practices, issue & suggestions • Discussed about the various ways to improve existing practice to control the emission in terms of Air, Water and Noise. • Discussed about the proper management of the canteen waste. • Discussed about the cleaning of outside of the SEZ units. • Discussed about the management of rain water & proper cleaning of the common storm water drainage system. • Discussed about proper segregation & disposal of solid waste material. • Discussed about to increase more green belt area inside plant premises of SEZ units

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			to release of emissions from two power plants is insignificant.				
4.3	Ships are one of the significant sources of SO ₂ and NO _x emissions in the study area. Marine diesel engines on the ships often utilize fuel oils that might contain higher sulphur content. As per the international best	Level-2	A Standard Operating Procedure (SOP) has been developed to be included as a part of APSEZ environment management plan to verify that all ships anchored at the port are adopting the MARPOL4 regulations.	The current global limit for Sulphur content of ships fuel oil is 3.5 % m/m (mass by mass). According to MARPOL, the new global cap on sulphur in the marine vessel fuels will be 0.50% m/m by the 1st January 2025. APSEZ should explore the possibility of providing shore power to the ships at the port	APSEZ and Ship Owners	Long Term	The ships coming to the APSEZ is complying with MARPOL and other shipping rules and regulations. APSEZ has already started providing shore power supply to the tugs (11 Nos.), dredgers (2 Nos.) and barges (1 No.). The feasibility of shore power will be explored and implemented on large scale for the visiting vessels to reduce idling stage ship emissions.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	practices, these marine diesel engines are designed to meet MARPOL regulations with NOX emissions less than 14.4 gram/Kwhr of engine. Due to lower stack heights of the marine diesel engine, ship emissions often gets dispersed in the local environment and might pose risk of			to reduce idling stage ship emissions.			

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	fumigation during the early morning and evening hours due to atmospheric inversion break-up periods.						
4.4	Road vehicle emissions will be other major contributors to the air pollution in the region when the facility is fully developed.	Level-2	Not Applicable	Due to implementation of Bharat VI fuels (MoEF&CC)6 in near future the vehicular and diesel engine emissions will be reduced by about 50% from the current national levels. APSEZ should develop a robust contractor environmental policy to ensure that Bharat	APSEZ and All Industries	Short Term	<p>Presently, cargo evacuation through rail / conveyer / pipeline has increased to ~34.28 %, thereby reducing the usage of road.</p> <p>Vehicles having valid PUC certificate are only being allowed to enter within APSEZ area.</p> <p>In future, APSEZ will also explore the feasibility of using Electric Vehicles for internal cargo movement.</p> <p>APSEZ, has procured 183 nos. of Electrical Vehicle for internal cargo movement and will increase more nos. of E-ITVs in phase wise as per business requirement.</p> <p>As well as procured 05 nos. LMV E-Vehicles for manpower movement and proceed for 10 nos. of more E-Vehicle procurement.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
				Stage VI emission norms are adopted by all their contractors and sub-contractors.			Electrification of Rail Corridor from Dhrub Railway Station to Adipur Railway Station is going on and approx. 85% work has completed & balance work will be completed at earliest. Electric Locomotive will help to reduce the gaseous emission and increase efficiency of transportation by rail.
5	Noise emissions						
5.1	Noise emissions are envisaged from port operations, industrial operations and power plants in the study area. Any increase in noise levels beyond three	Level-1	Due to adoption of various mechanized operations at the waterfront development, the noise emissions from the port cargo handling will be minimal. An adequate greenbelt is being developed by	APSEZ, all the tenant industries and facilities within APSEZ are required to undertake noise monitoring at their facilities to demonstrate the compliance with the Noise level standards. Continuous noise recording units can be installed by APSEZ at facility boundary to address the	APSEZ	Continual Process	<p>Below Safeguard measures are already taken for abatement of noise emissions.</p> <ul style="list-style-type: none"> • Development of greenbelt along the periphery of the operational area. • D.G. Sets having Acoustic enclosures. • Maintenance of plant machineries and equipment's on regular frequency. <p>Noise monitoring is being carried out by NABL accredited and MoEF&CC authorized agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi as per permission granted and reports are being submitted to the concerned authorities on regular basis.</p> <p>The noise monitoring summary for last six months (Oct'22 to Mar'23) are as below.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude ¹	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																		
	decibels from the background levels would be perceived as noise nuisance (USEPA)7.		APSEZ to further reduce any residual impacts due to noise emissions from the facility. Periodic noise level monitoring programs were adopted by APSEZ. Predicted noise levels were found to be well within the designated noise standards for Industrial facilities.	community grievances, when ever required. To assess the overall site wide compliance and also to address any community grievances related to noise issues due to operation of APSEZ facilities.			<div>Locations: 13 Nos. Frequency: Once in a month (24 hourly)</div> <table><tr><th>Noise</th><th>Unit</th><th>Leq Max</th><th>Leq Min</th><th>Leq Avr.</th><th>Leq Perm. Limit[§]</th></tr><tr><td>Day Time</td><td>dB(A)</td><td>69.9</td><td>57.9</td><td>64.59</td><td>75</td></tr><tr><td>Night Time</td><td>dB(A)</td><td>64.8</td><td>52.6</td><td>59.43</td><td>70</td></tr></table> <div>§ as per GPCB standards</div> <div>Approx. INR 15.32 Lakhs is spent by APSEZ for environmental monitoring activities during the FY 2022-23, which also includes ambient air quality monitoring for overall APSEZ, Mundra.</div> <div>All the results are well within the standards. From this it can be inferred that there no impacts on the surrounding community.</div> <div>All other industries located in the APSEZ are adhere to monitor and control the ambient noise level as per permission granted by SPCB and same is being confirmed by APSEZ as well as SPCB on regular basis.</div> <div>Further, till date APSEZ has not received any grievances/notice for noise issues from any of the stakeholders.</div>	Noise	Unit	Leq Max	Leq Min	Leq Avr.	Leq Perm. Limit [§]	Day Time	dB(A)	69.9	57.9	64.59	75	Night Time	dB(A)	64.8	52.6	59.43	70
Noise	Unit	Leq Max	Leq Min	Leq Avr.	Leq Perm. Limit [§]																				
Day Time	dB(A)	69.9	57.9	64.59	75																				
Night Time	dB(A)	64.8	52.6	59.43	70																				

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
				In order to address the public grievances related to noise from the facility, an internal Noise Management Committee can be formed by APSEZ to investigate the root cause and to develop and implement noise mitigation plans in the specific zones.	APSEZ	Continual Process	<p>As mentioned above, presently, APSEZ has formed Internal Environment Monitoring Committee, involving Officials of APSEZ, Adani Power Limited & other member units, having role and responsibilities as defined above.</p> <p>Last committee meeting was conducted on dated 11/04/2023 and below were the point of discussion for way forward.</p> <ul style="list-style-type: none"> • Brief introduction about the Environment Management Plan (EMP) • All members conveyed his environment management practices, issue & suggestions • Discussed about the various ways to improve existing practice to control the emission in terms of Air, Water and Noise. • Discussed about the proper management of the canteen waste. • Discussed about the cleaning of outside of the SEZ units. • Discussed about the management of rain water & proper cleaning of the common storm water drainage system. • Discussed about proper segregation & disposal of solid waste material. • Discussed about to increase more green belt area inside plant premises of SEZ units

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							No grievance received for noise related issues, and it is observed that ambient noise level are well within the permissible standards.
6	Surface water quality (Terrestrial and Marine)						
6.1	In general, release of untreated wastewater from industrial facilities would pose threat to water quality of streams, estuaries and marine water bodies.	Level -1	As per the master plan of APSEZ, 67 MLD of wastewater is expected to be generated from the fully developed project scenario, for which necessary permissions to set up decentralized CETPs of various capacities are already obtained. Presently a CETP	As per the master plan of APSEZ, the existing CETP shall be augmented to 67 MLD in progressive manner based on the future demand. The facility should limit the marine discharge of treated industrial wastewater to 16 MLD as per the permits. Remaining treated wastewater shall be utilized for horticulture purpose.	APSEZ	As and When Required	<p>APSEZ has installed Common Effluent Treatment Plant (CETP) having 2.5 MLD capacities for treatment of partially treated effluent and sewage generated from industries within SEZ.</p> <p>Currently, CETP receives 914.24KLD (Avg.) hydraulic load and considering the current development scenario, existing CETP is adequate to treat and handle the total effluent load coming from industries within SEZ.</p> <p>Out of 54 only 4 industries within SEZ are sending their partially treated industrial as well as domestic effluent to the CETP confirming CETP inlet norms for further treatment and final disposal. Other industries within SEZ have their own STPs / ETPs for treatment of wastewater generated from their industrial operation and discharging the treated water on land for horticulture purpose within their premises as per permission granted by SPCB.</p> <p>The capacities of CETP will be enhanced on modular basis as per future requirement.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			capacity of 2.5 MLD is in place. Presently member units treat their effluents to meet the CETP inlet norms and then send it to CETP. Treated wastewater from CETP meets the stipulated discharge norms for utilization for greenbelt development within the APSEZ areas.				Presently avg. 2.13 MLD (from CETP, ETP & STPs) of treated water is being utilized on land for horticulture purpose within APSEZ premises during period Oct'22 to Mar'23 and no discharge is made to any other source.
			Online wastewater quality	Efforts shall be made to recycle complete treated	APSEZ	Based on outcome Techno-feasibility Study	Online continuous effluent monitoring system (CEQMS) installed at the discharge point of CETP to track any deviation from discharge norms. CEQMS is

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			monitoring systems are installed at CETP to ensure quality of treated effluent meets the requisite discharge norms. No wastewater from CETP is discharged into natural bodies as on date..	wastewater for port operations and industrial operations of APSEZ in future based on a detailed techno-economic feasibility study.			connected with CPCB/GPCB server & data is continuous transferring in both servers. Presently entire quantity of treated water from CETP is used for gardening / horticulture purpose within APSEZ premises.
			Runoff during monsoon from coal storage yards is collected in sedimentation ponds (dump pond)	Storm water runoff from the facility during the first rain shall be sampled and analyzed for the presence of heavy metals or other criteria pollutants to	APSEZ	Continual	There are provision of drains around coal stack yard to carry to runoff water to dump ponds. This water is either used for dust suppression or after sedimentation (to remove residual dust), is allowed disposal to sea. Presently Marine monitoring is being carried out once in a month by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi for APSEZ & APL both. The analysis reports of the same are being submitted to the

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																																																																								
			to remove any residual dust particulates for further disposal into sea	adopt corrective and preventive actions to protect the marine water quality. All red and hazard category industry within APSEZ shall adopt spill prevention and control program and no effluents shall be discharged into storm water-drains.			<p>concerned authorities on regular basis.</p> <p>The marine water quality monitoring summary for last six months (Oct'22 to Mar'23) is as per below.</p> <p>Locations: 14 Nos. (APSEZ – 9 + APL – 5) Frequency: Once in a Month / Half Yearly</p> <table border="1"> <thead> <tr> <th>TEST PARAMETERS</th><th>UNIT</th><th colspan="3">Cumulative Surface</th><th colspan="3">Cumulative Bottom</th></tr> <tr> <th></th><th></th><th>Min</th><th>Max</th><th>Average</th><th>Min</th><th>Max</th><th>Average</th></tr> </thead> <tbody> <tr> <td>pH</td><td>--</td><td>7.68</td><td>8.14</td><td>7.99</td><td>7.92</td><td>8.28</td><td>8.12</td></tr> <tr> <td>BOD</td><td>mg/L</td><td>BDL(MDL:1.0)</td><td>4.2</td><td>3.66</td><td>2.4</td><td>3.9</td><td>3.21</td></tr> <tr> <td>TSS</td><td>mg/L</td><td>62</td><td>148</td><td>98.44</td><td>54</td><td>162</td><td>101.07</td></tr> <tr> <td>DO</td><td>mg/L</td><td>4.1</td><td>6.22</td><td>5.31</td><td>4.6</td><td>6.32</td><td>5.52</td></tr> <tr> <td>Salinity</td><td>ppt</td><td>35.56</td><td>37.9</td><td>36.88</td><td>35.02</td><td>37.6</td><td>36.28</td></tr> <tr> <td>TDS</td><td>mg/L</td><td>35108</td><td>3721</td><td>35914</td><td>35614</td><td>3784</td><td>36437</td></tr> <tr> <td>Temperature</td><td>oC</td><td>28</td><td>30.2</td><td>29.04</td><td>28.2</td><td>30.3</td><td>29.3</td></tr> </tbody> </table> <p>BDL – Below Detection Limit MDL – Minimum Detection Limit</p> <p>Approx. INR 15.32 Lakhs is spent by APSEZ for</p>	TEST PARAMETERS	UNIT	Cumulative Surface			Cumulative Bottom					Min	Max	Average	Min	Max	Average	pH	--	7.68	8.14	7.99	7.92	8.28	8.12	BOD	mg/L	BDL(MDL:1.0)	4.2	3.66	2.4	3.9	3.21	TSS	mg/L	62	148	98.44	54	162	101.07	DO	mg/L	4.1	6.22	5.31	4.6	6.32	5.52	Salinity	ppt	35.56	37.9	36.88	35.02	37.6	36.28	TDS	mg/L	35108	3721	35914	35614	3784	36437	Temperature	oC	28	30.2	29.04	28.2	30.3	29.3
TEST PARAMETERS	UNIT	Cumulative Surface			Cumulative Bottom																																																																										
		Min	Max	Average	Min	Max	Average																																																																								
pH	--	7.68	8.14	7.99	7.92	8.28	8.12																																																																								
BOD	mg/L	BDL(MDL:1.0)	4.2	3.66	2.4	3.9	3.21																																																																								
TSS	mg/L	62	148	98.44	54	162	101.07																																																																								
DO	mg/L	4.1	6.22	5.31	4.6	6.32	5.52																																																																								
Salinity	ppt	35.56	37.9	36.88	35.02	37.6	36.28																																																																								
TDS	mg/L	35108	3721	35914	35614	3784	36437																																																																								
Temperature	oC	28	30.2	29.04	28.2	30.3	29.3																																																																								

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							environmental monitoring activities during the FY 2022-23, which also includes ambient air quality monitoring for overall APSEZ, Mundra.
			Detailed marine hydrodynamic modelling studies revealed that the current and proposed dredged soil disposal practices, sea water intake and outfall facilities and desalination plant outfall etc have shown insignificant impact on the marine eco-system. As part of	Good dredging practices shall be adopted by APSEZ: (i).Improving the dredging accuracy (ii).Improving onboard automation and monitoring, (iii). Reduce spill and loss, (iv). evaluating the need for installing silt screens near mangrove areas during the dredging phase operations, (v). Environment friendly dredging activities can be undertaken in such a way that	APSEZ	Long Term	<p>No capital dredging has been done, since Apr 2015. Dredged material generated during maintenance dredging is being disposed at designated locations within deep sea as identified by NIO.</p> <p>Dredging Management plan is adopted for carrying out dredging and management of dredge material. Presently there are 3 nos. (2 Nos. Cutter suction + 1 No. Trailer suction) of dredgers are in operation for dredging.</p> <p>Marine monitoring is being carried out once in a month by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi. The analysis reports of the same are being submitted to the concerned authorities on regular basis. Summary of marine water for the last six months is as mentioned above.</p> <p>The same practice will be continued in future also as per direction by MoEF&CC as well as GPCB.</p> <p>Monitoring will be focused near ecological sensitive area in case of need to carryout capital dragging near such areas.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			the comprehensive environmental monitoring program, APSEZ has been adopting marine water and sediment quality monitoring on monthly basis.	the overall turbidity levels near the mangrove and ecologically sensitive zones shall not exceed 100 NTU or 200 mg/l of TSS (10% lethal level of fish) Existing marine monitoring program shall be continued as per the directions of MoEF&CC and GPCB.			
7	Groundwater quality and salinity ingress						
7.1	While Mundra block is enjoying safe ground water status as on date (based on the data	Level-2	APSEZ is not utilizing ground water for any type of use. APSEZ is meeting the current water	A dedicated desalination plant of capacity 4,50,000 m ³ /day (450 MLD) will be developed in progressive manner to meet the APSEZ	APSEZ	As and When Required	<p>Present source of water for various project activities is desalination plant of APSEZ and/or through Gujarat Water Infrastructure Limited (GWIL) and same is sufficient to meet the present water demand.</p> <p>APSEZ does not draw any ground water.</p> <p>The desalination plant of additional capacities will be installed on modular basis considering future</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	published by CGWB), due to induced economic and population growth, use of ground water resources by the local people might increase in Mundra region. This might increase the TDS and chloride levels in the ground water in future.		demand through Narmada water supply scheme and 47 MLD captive desalination plant at site.	requirements.			development and requirement.
7.2	Due to induced growth in	Level-2	Ground water is not drawn by	The Govt. of Gujarat, Narmada, Water	District Administratio	Long Term	APSEZ will co-operate and comply with the directions from concerned regulatory authorities.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	the region, pressure on the available ground water source would increase and this could pose some threat to salinity ingress.		APSEZ for its operations. Natural streams (seasonal rivers) passing through the APSEZ area will not be disturbed, the micro-watershed in the area will not be disturbed. Due to the above reasons, the possibility of salinity ingress due to APSEZ development is not envisaged. Mundra and Anjar blocks	Resources, Water Supply & Kalpsar Dept., (WRD) has been implementing various salinity ingress prevention projects	n*		<p>APSEZ does not draw any ground water for the fresh water requirement.</p> <p>However, Adani Foundation – CSR arm of Adani Group has carried out rainwater harvesting activities in the nearby villages for benefit of the locals.</p> <p>Water conservation Projects i.e. Roof Top Rain Water Harvesting, Desilting of Check dams, Bore Well Recharge and Pond deepening were taken up in past years, review and monitoring of all water harvesting structures had been taken up.</p> <p>To make connections between human actions and the level of biological diversity found within a habitat and/or ecosystem, this year Adani Foundation launch project “Sanrakshan” in coordination with GUIDE and Sahjeevan.</p> <p>Since, 10 years considerable Water Conservation Work carried out in Mundra Taluka. Due to satisfactory rain in current year 1.11 mtr ground water table increased as per increased in coastal belt of Mundra as per Government Figures.</p> <p>Our water conservation work is as below.</p> <ul style="list-style-type: none"> Large number of water harvesting structure (18 Nos. of check dams in coordination with salinity department) and Augmentation of 3 check dams

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			fall under fresh water to medium salinity zones. It can be observed that little variation was observed in the ground water salinity levels from year 2013 to 2016 across the Mundra and Anjar blocks. This aspect confirms that the overall salinity ingress from the shore into the land due to existing APSEZ				<ul style="list-style-type: none"> Ground recharge activities (pond deepening work for 61 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers New Pond Deepening Under Ajadi ka Amrut Mahotsav done in Goyarsama village Approx Deepening Capacity is 12000 Cum. Roof Top Rain Water Harvesting 145 Nos. (40 Nos current year) which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family. Recharge Bore well 208 Nos which is best ever option to direct recharge the soil. Drip Irrigation approx. 1506 Farmers benefitted in coordination with Gujrat Green Revolution Company till date Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar. Check dam gate valve construction at Bhujpur which controlled more than 350 MCFT water to go into sea and get recharged current year. Pond Pipeline work at Prasla Vistar Zarpara which increase recharge capacity more than 25% in 100 hector area. .

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			facilities and power plant outfalls are less significant.				<p>With the objective of to preserve the rainwater to reduce the impact of salinity and recharge the ground water (the main source of water) to facilitate the Agricultural activities as well as for drinking water.</p> <p>Narmada Water Resources, Water Supply & Kalpsar Dept., (WRD)1 has been implementing various salinity ingress prevention projects. Under Sardar Sarovar canal project, Govt. of Gujarat has proposed to implement about 8200 Km stretch of water canal and the project is at various stages of implementation. Under this project about 112,000 ha of land in about 180 villages will be benefitted with irrigation needs. This will significantly reduce the pressure on the ground water resources in the region.</p>
				While the individual industries in the study area will continue to undertake ground water quality	All Concerned Stakeholders, District Administration and CGWB*	Continual Process	<p>APSEZ (9 Locations – half yearly) & Adani Power Ltd. (5 Locations – quarterly) is carrying out ground water sampling and reports of the same are being submitted to the regulatory authorities on regular basis.</p> <p>The summary of APSEZ ground water quality monitoring for last six months (Oct'22 to Mar'23) are as below.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																																																																																
				monitoring as per the environmental clearances issued for the respective projects, a regional level ground water conservation action committee can be formed under the guidance of state ground water board and district Administration.			<div>Nos. of Location: 09</div> <table><tr><th>Parameters</th><th>Unit</th><th>Min</th><th>Max</th><th>Average</th></tr><tr><td>pH @ 25 ° C</td><td>--</td><td>7.06</td><td>8.44</td><td>7.78</td></tr><tr><td>Salinity</td><td>ppt</td><td>0.79</td><td>21.38</td><td>6.12</td></tr><tr><td>Oil & Grease</td><td>mg/L</td><td>BDL(MDL: 2.0)</td><td>BDL(MDL:2.0)</td><td>BDL(MDL:2.0)</td></tr><tr><td>Hydrocarbon</td><td>mg/L</td><td>Not Detected</td><td>Not Detected</td><td>Not Detected</td></tr><tr><td>Lead as Pb</td><td>mg/L</td><td>0.03</td><td>0.07</td><td>0.05</td></tr><tr><td>Arsenic as As</td><td>mg/L</td><td>BDL(MDL: 0.01)</td><td>BDL(MDL:0.01)</td><td>BDL(MDL:0.01)</td></tr><tr><td>Nickel as Ni</td><td>mg/L</td><td>0.04</td><td>0.37</td><td>0.13</td></tr><tr><td>Total Chromium as Cr</td><td>mg/L</td><td>0.01</td><td>0.06</td><td>0.04</td></tr><tr><td>Cadmium as Cd</td><td>mg/L</td><td>0.05</td><td>0.19</td><td>0.11</td></tr><tr><td>Mercury as Hg</td><td>mg/L</td><td>BDL(MDL: 0.001)</td><td>BDL(MDL:0.001)</td><td>BDL(MDL:0.001)</td></tr><tr><td>Zinc as Zn</td><td>mg/L</td><td>0.12</td><td>0.27</td><td>0.18</td></tr><tr><td>Copper as Cu</td><td>mg/L</td><td>0.07</td><td>0.07</td><td>0.07</td></tr><tr><td>Iron as Fe</td><td>mg/L</td><td>0.12</td><td>1.12</td><td>0.64</td></tr><tr><td>Insecticides/Pesticides</td><td>µg/L</td><td>Absent</td><td>Absent</td><td>Absent</td></tr><tr><td>Depth of Water Level from Ground Level</td><td>meter</td><td>1.90</td><td>2.30</td><td>2.11</td></tr></table> <div>BDL – Below Detection Limit MDL – Minimum Detection Limit</div>	Parameters	Unit	Min	Max	Average	pH @ 25 ° C	--	7.06	8.44	7.78	Salinity	ppt	0.79	21.38	6.12	Oil & Grease	mg/L	BDL(MDL: 2.0)	BDL(MDL:2.0)	BDL(MDL:2.0)	Hydrocarbon	mg/L	Not Detected	Not Detected	Not Detected	Lead as Pb	mg/L	0.03	0.07	0.05	Arsenic as As	mg/L	BDL(MDL: 0.01)	BDL(MDL:0.01)	BDL(MDL:0.01)	Nickel as Ni	mg/L	0.04	0.37	0.13	Total Chromium as Cr	mg/L	0.01	0.06	0.04	Cadmium as Cd	mg/L	0.05	0.19	0.11	Mercury as Hg	mg/L	BDL(MDL: 0.001)	BDL(MDL:0.001)	BDL(MDL:0.001)	Zinc as Zn	mg/L	0.12	0.27	0.18	Copper as Cu	mg/L	0.07	0.07	0.07	Iron as Fe	mg/L	0.12	1.12	0.64	Insecticides/Pesticides	µg/L	Absent	Absent	Absent	Depth of Water Level from Ground Level	meter	1.90	2.30	2.11
Parameters	Unit	Min	Max	Average																																																																																			
pH @ 25 ° C	--	7.06	8.44	7.78																																																																																			
Salinity	ppt	0.79	21.38	6.12																																																																																			
Oil & Grease	mg/L	BDL(MDL: 2.0)	BDL(MDL:2.0)	BDL(MDL:2.0)																																																																																			
Hydrocarbon	mg/L	Not Detected	Not Detected	Not Detected																																																																																			
Lead as Pb	mg/L	0.03	0.07	0.05																																																																																			
Arsenic as As	mg/L	BDL(MDL: 0.01)	BDL(MDL:0.01)	BDL(MDL:0.01)																																																																																			
Nickel as Ni	mg/L	0.04	0.37	0.13																																																																																			
Total Chromium as Cr	mg/L	0.01	0.06	0.04																																																																																			
Cadmium as Cd	mg/L	0.05	0.19	0.11																																																																																			
Mercury as Hg	mg/L	BDL(MDL: 0.001)	BDL(MDL:0.001)	BDL(MDL:0.001)																																																																																			
Zinc as Zn	mg/L	0.12	0.27	0.18																																																																																			
Copper as Cu	mg/L	0.07	0.07	0.07																																																																																			
Iron as Fe	mg/L	0.12	1.12	0.64																																																																																			
Insecticides/Pesticides	µg/L	Absent	Absent	Absent																																																																																			
Depth of Water Level from Ground Level	meter	1.90	2.30	2.11																																																																																			

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>Approx. INR 15.32 Lakhs is spent by APSEZ for environmental monitoring activities during the FY 2022-23, which also includes ambient air quality monitoring for overall APSEZ, Mundra.</p> <p>The freshwater requirement of all the industries within SEZ is being satisfied through APSEZ. All the industries are encouraged to monitor ground water quality as per the permissions granted by competent authorities.</p> <p>As mentioned above, presently, APSEZ has formed Internal Environment Monitoring Committee, involving Officials of APSEZ, Adani Power Limited and other member units, having role and responsibilities as defined above.</p> <p>APSEZ will co-operate and comply with the directions from concerned regulatory authorities for ground water management.</p>
8	Waste Management						
8.1	Solid waste will be generated from industrial activities of APSEZ and other	Level-2	APSEZ has been adopting Zero waste Initiatives and the entire waste generated	APSEZ will continue to adopt Zero Waste Initiative and wastes will be segregated at source and disposed to	APSEZ	Continual Process	<p>Presently APSEZ has implemented Zero waste Initiatives as per 5R (Reduce, Reuse, Recycle, Recover & Reprocess) principles of waste management. At present, APSEZ has developed material recovery facility for 6.0 TPD capacities. A well-established system for segregation of dry & wet waste is in place. All wet waste (Organic waste) is being segregated & utilized for compost manufacturing and/or biogas</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	permitted facilities in the study area including Mundra town. These wastes would contain recyclable material, construction debris, organic waste, inert material and e-waste etc. In the absence of any organized source segregation programs and material recycling strategies		from existing operations is segregated and disposed to recycling vendors, thereby APSEZ has achieved zero landfill status as on date.	various recycling vendors, co-processing in cement plants. This initiative helps not only to reduce the waste to landfill significantly, but also to recycle the materials there by avoiding ecological impacts.			<p>generation for cooking purpose. The compost is further used by in house horticulture team for greenbelt development. Whereas dry recyclable waste is being sorted in various categories. Presently manual sorting is being done for sorting of different types of solid waste. Segregated recyclable materials such as Paper, Plastic, Cardboard, PET Bottles, Glass etc. are then sent to respective recycling units, whereas remaining non-recyclable waste is bailed and sent to cement plants for Co-processing as RDF (Refused Derived Fuel). The same practice will be continued in future also. APSEZ has also been recognized for Zero Waste to Landfill certification from reputed organization.</p> <p>APSEZ, Mundra is certified for Zero Waste to Landfill management system (ZWTL MS 2020) by TUV Rheinland India Pvt. Ltd. (valid up to 31.05.2024). Details of the same were submitted as part of compliance report submission for the duration of Apr'21 to Sep'21.</p> <p>APSEZ is being done proper solid waste management in his operational area with 5R principle as per Waste Management Plan.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude ¹	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	and infrastructure facilities, these wastes will enter into environment and would pose long term health impacts.						Industries located within the SEZ area are also complying with the waste management rules stipulated by statutory authorities and same is also being confirmed by APSEZ as well SPCB on regular basis.
8.2	Considering an average solid waste generation of 0.25 Kg/person/day, the estimated solid waste from facilities within APSEZ will be in the order of 100	Level-2	APSEZ has made a provision for central waste management facilities within the existing site based on the future needs. As part of the Zero Waste Initiatives, no landfill facilities will	The existing waste segregation and material recycling facilities will be augmented to dispose safely the wastes generated from APSEZ areas. Solid Waste Management Program shall be adopted and implemented as per Municipal	APSEZ	Continual Process	

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	TPD (36,500 TPA).		be installed at APSEZ.	Solid Waste Management Rules 2016 and Construction Waste Management Rules 2016			
8.3	About 35 TPD (13,000 TPA) of solid waste would be generated from the proposed industrial areas located outside the APSEZ area.	Level-2	As per the MSW Rules 2016 all the industrial facilities and SEZs are required to adopt waste segregation facilities at the respective properties and non-recyclable waste shall be disposed to landfill sites.	Solid Waste Management Program shall be adopted and implemented as per Municipal Solid Waste Management Rules 2016 and Construction Waste Management Rules 2016	All Industries	Continual Process	

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
9	Ecological aspects (terrestrial and marine)						
9.1	About 1576 ha of shrub forest land contiguous to APSEZ area is applied for land diversion for various developmental activities. This might have certain level of changes in the biodiversity in the study area.	Level -1	It is noted that the designated forest land is free from any native vegetation and comprises of Prosopis juliflora. It is also noted that no endangered species are present at the shrub forests that are applied for land diversion. It is also noted that	APSEZ has approached concerned authorities for diversion of designated forest land. Suitable compensatory afforestation plan shall be adopted based on the recommendations and directions of the concerned authorities. Due to adoption of compensatory afforestation program through a scientific manner, the overall ecological footprint in the district will be increased.	APSEZ/State Forest Department*	Long Term	ToR accorded by MoEF&CC on 30.11.2021 Additional studies as a part of ToR compliance completed by GUIDE and final report received. Draft EIA is being prepared by NABET Accredited consultant L&T Infrastructure PVT LTD. Draft CRZ maps received from NCESS, Kerala and the same is under review.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			no forest produce is reported from this designated forest land parcel due to lack of economic importance of plant species reported in the shrub forest. It is also noted that no tribal lands are located in the designated forest land parcel. Hence there will not be any change in	Due to plantation of native tree species as part of greenbelt development, the overall biodiversity of the region will increase considerably when the project is fully developed.			

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			biodiversity due to the proposed diversion.				
9.2	Mangrove conservation areas are located adjacent to the APSEZ area. Accidental discharges of industrial effluents into the marine environment would pose certain ecological risk.	Level -1	No development activities will be undertaken within mangrove conservation areas. APSEZ has taken up large scale mangrove afforestation activities in an area of more than 2800 ha at various locations across the coast of Gujarat state in	Mangrove footprint and health status shall be monitored annually	APSEZ	Continual Process	<p>As per study conducted by NCSCM in 2017, mangrove cover in and around APSEZ, Mundra has increased from 2094 Ha to 2340 ha (as compared between 2011 to 2017). The analysis has shown an overall growth of 246 ha. The cost for said study was INR 3.15 Cr.</p> <p>Recently study was carried out in the year 2019 and based on that there is an increase of mangrove cover between March 2017 (Total 2340) and September 2019 with an extent of 256 Ha (Total 2596 Ha Area) which is about 10.94% rise in growth rate, also It reveals that the mangrove and the tidal system in the creeks remained undisturbed over this period.</p> <p>Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019.</p> <p>Analysis of data between categories indicated that there was an increase in dense mangroves along with the conversion of scattered into sparse, that shows the growth of mangroves in a progressive direction.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance						
			consultation with various organizations The Adani Foundation introduced 'Mangrove Nursery Development and Plantation' scheme in the area as an alternative income generating activity for the people of the region.				<div>As a part of GCZMA recommendations and NCSCM mangrove conservation action plan, APSEZ has undertaken following activities.</div> <table><tr><th>Sr. No.</th><th>Recommendations</th><th>Compliance</th></tr><tr><td>1.</td><td>Mangrove mapping and monitoring in and around APSEZ</td><td><ul style="list-style-type: none">APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island.As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September</td></tr></table>	Sr. No.	Recommendations	Compliance	1.	Mangrove mapping and monitoring in and around APSEZ	<ul style="list-style-type: none">APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island.As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September
Sr. No.	Recommendations	Compliance											
1.	Mangrove mapping and monitoring in and around APSEZ	<ul style="list-style-type: none">APSEZ entrusted NCSCM, Chennai to carry out Monitoring of mangrove distribution in creeks in and around APSEZ and shoreline changes in Bocha island.As a part of this study, overall growth of mangroves in the creeks in and around APSEZ was assessed comparing Google earth images of 2017 & 2019 and it is observed that there was increase in mangrove cover between March 2017 and September											

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>2019 to the extent of 256 Ha, which is about 10.7%.</p> <ul style="list-style-type: none"> This suggests that the mangroves and the tidal system in the creeks remain undisturbed over this period. Analysis of data between categories indicated that there was an increase in dense mangroves and also conversion of scattered to sparse which also shows that the growth of mangroves in a progressive direction. Hence, there is an overall growth of mangroves in creeks in and around APSEZ, Mundra is 502 Ha between 2011 and 2019. The cost of the said study was INR 23.56 Lacs incurred by APSEZ.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
							2.	Tidal observation in creeks in and around APSEZ	<ul style="list-style-type: none"> APSEZ carried out the tidal observations at locations similar to 2017 in Kotdi, Baradimata, Navinal, Bocha and Khari creeks under the guidance of NCSCM. The observed tidal ranges indicate that the creeks experience normal tidal ranges, adequate for the growth of mangroves. The cost of the said activity was INR 1.0 Lacs.
							3.	Removal of Algal and Prosopis growth from mangrove areas	<ul style="list-style-type: none"> Algal and Prosopis growth monitoring was done in and around mangrove area and algal encrustation was found in some of the mangrove areas, which has been removed manually. The cost of the said activity was INR 2.35 Lacs during the FY 2022-23. The details of algal &

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									prosopis removal is attached as Annexure – 1.
							4.	Awareness of mangroves importance in surrounding communities	<ul style="list-style-type: none"> Adani Foundation – CSR Arm of Adani group has done awareness camps/activities created in the community regarding importance of mangroves. Adani Foundation provides good Quality dry and green fodder to 24 Villages. Project is covering total 14116 Cattle / 3008 farmers and hence enhancing cattle productivity during last FY 2022-23. Awareness of mangroves importance in surrounding communities & Fodder support - The expenditure for fodder supporting activities was approx. 200.89 Lacs

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>during FY 2022-23 which was incurred by APSEZ.</p> <ul style="list-style-type: none"> • Individual Fodder Cultivation: Farmers were Aware, Convince and trained to cultivate super Napier Grass as on farm projects to reduce their Fodder Dependency and expense. With that effort 192 farmers have Adopted and Cultivated Super NAPIER Grass in 190-acre area and produce 3800 Fodder Tons Yield annually, lead to save Approx Rs 52 Lacs of farmers. • Grass Land development: AF converted 205 acres of denuded village common pastureland gauchar into fertile and productive grassland in Zarpara and siracha village to transform into

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance		
									<p>Fodder Sustain village with Community participation and responsibility for maintain and Monitoring.</p> <ul style="list-style-type: none"> • Among that 18 Acre of Guchar land is fenced and sowed with Multispecies Green Fodder with Having Good nutritive value More than 2250 Cattle will sustain with Improving quality and Quantity Of Milk.. • Other than this dedicated security guard with gate system deployed by APSEZ across the coastal area and no any unauthorized persons allowed within coastal as well as mangrove areas. • APSEZ has celebrated the International Day for the Conservation of the

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance			
							<table><tr><td></td><td></td><td><p>Mangrove Ecosystem on July 26th to raise awareness of the importance of mangrove ecosystems as "a unique, special and vulnerable ecosystem". The photographs of celebration were submitted in previous compliance period Apr'22 to Sep'22.</p><ul style="list-style-type: none">Refer CSR report attached as Annexure - 2.</td></tr></table> <p>To comply with the GCZMA recommendations regarding mangrove monitoring at every 2 years, APSEZ earlier awarded work order to NCSCM, Chennai vide order no. 4802018994, dated 29/07/2022 with cost 23.77 Lacs for mangrove mapping in and around APSEZ, but due to some financial disputes and no proper response from NCSCM side regarding resolution, the work order has been revoked.</p> <p>After that as suggested by Joint Review Committee in its report that mangrove related studies may be undertaken by different agencies on a rotation basis</p>			<p>Mangrove Ecosystem on July 26th to raise awareness of the importance of mangrove ecosystems as "a unique, special and vulnerable ecosystem". The photographs of celebration were submitted in previous compliance period Apr'22 to Sep'22.</p> <ul style="list-style-type: none">Refer CSR report attached as Annexure - 2.
		<p>Mangrove Ecosystem on July 26th to raise awareness of the importance of mangrove ecosystems as "a unique, special and vulnerable ecosystem". The photographs of celebration were submitted in previous compliance period Apr'22 to Sep'22.</p> <ul style="list-style-type: none">Refer CSR report attached as Annexure - 2.								

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>for a better review of the mangroves, APSEZ issued work order to the Gujarat Institute of Desert Ecology (GUIDE), Bhuj vide order no. 4802027981, dated 10/04/2023 for mangrove mapping in and around APSEZ, Mundra. The cost of said work is 23.60 Lacs (Including Taxes), which will be paid by APSEZ.</p> <p>Other than this Adani Foundation – CSR Arm of Adani Group at Mundra-Kutch has initiated multi-species plantation of mangroves in Luni village in association with GUIDE, Gujarat. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. During FY 2021-22, 03 ha area coastal stretches have been planted with species. During current FY 2022-23, 04 Hectare plantation has been planted with various species. Total 20 Ha. multi-species mangrove plantation has been carried out till March-23 association with M/s. GUIDE,</p> <p>Mangrove plantation done at Luni sea coast with fisher folk community during World Environment Day Celebration. Web talk show was organized on the occasion of "World Mangrove days On Multi species Mangrove bio diversity with Joint effort of GUIDE and Adani Foundation, Mundra. 8th June is celebrated as world ocean day. Adani foundation had celebrated the world ocean day by coastal cleaning activity at Juna Bandar, Luni Bandar and Bavadi Bandar.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance																						
							Mangroves nursery is developed in a Khari creek behind IOCL & 125000 Nos. of new saplings were planted in creek area by APSEZ.																						
9.3	Outfall from the thermal power plants desalination and CETP would pose certain level of impact on the marine environment.	Level-1	A detailed marine hydro-dynamic and dispersion modelling of the study area indicates that the background temperature and salinity at mangrove conservation area will not increase from the prevailing background levels as the outfalls are located far away. APSEZ and	All approved marine outfalls shall be monitored for salinity, temperature and other designated parameters as per consent to establish issued by GPCB. Existing marine environmental monitoring program shall be continued.	APSEZ and Concerned Industry	Continual Process	<p>Presently marine monitoring is being carried out by the Adani power plant at the marine outfall locations and reports are being submitted to the concerned authorities on regular basis.</p> <p>APSEZ is carrying out Marine monitoring once in a month at 9 locations in deep sea by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi. The analysis reports of the same are being submitted to the concerned authorities on regular basis.</p> <p>Adani power plant is also doing marine water quality at 5 locations (2 locations at outfall location) in deep sea by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment & Research Labs Pvt. Ltd. The analysis reports of the same are being submitted to the concerned authorities on regular basis. The summary of marine water quality is shown above.</p> <p>The comparison of marine water results between CIA and current monitoring data are as below.</p> <table><tr><th rowspan="2">Parameter</th><th rowspan="2">Unit</th><th colspan="2">Max</th><th colspan="2">Min</th></tr><tr><th>CIA</th><th>Present</th><th>CIA</th><th>Present</th></tr><tr><td>Temp.</td><td>°C</td><td>30.2</td><td>30</td><td>28</td><td>29</td></tr><tr><td>Salinity</td><td>ppt</td><td>41.8</td><td>36.6</td><td>34.9</td><td>35.2</td></tr></table>	Parameter	Unit	Max		Min		CIA	Present	CIA	Present	Temp.	°C	30.2	30	28	29	Salinity	ppt	41.8	36.6	34.9	35.2
Parameter	Unit	Max		Min																									
		CIA	Present	CIA	Present																								
Temp.	°C	30.2	30	28	29																								
Salinity	ppt	41.8	36.6	34.9	35.2																								

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			respective power plants in the study area have been monitoring the marine water quality status on monthly basis for the stipulated environmental and ecological parameters.				As per above results, it can be seen that there is no major deviation in the concentration of parameters and thus indicates that impacts are insignificant.
9.4	Terrestrial Ecology: Study area doesn't have any notified national parks or ecological sanctuaries. Since the	Level-1	APSEZ has developed greenbelt in an area of 550ha as against the committed area of 430ha. A dedicated nursery is set up to promote	The compensatory afforestation area to be monitored annually to check the survival rate of the plantation.	APSEZ	Continual Process	APSEZ has developed its own "Dept. of Horticulture" which is taking measures/ steps for terrestrial plantation/greenbelt development. APSEZ, Individual SEZ Industries and Adani Power Plant has developed approx. 700 Ha. area as greenbelt within the APSEZ area including SEZ industries & Adani Power Plant. Dedicated horticulture department is maintaining and monitoring the terrestrial green belt development on regular basis to check the survival rate of plantation. Total expenditures of the horticulture dept. of APSEZ

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	area falls under dry deciduous shrubs. Due to scanty rains in the area, the overall natural green-cover/vegetation in the area is very small.		plantation. APSEZ have undertaken a plantation with about 9.6 Lakh fully grown trees.				during the FY 2022-23 within APSEZ is INR 956 lakhs.
10	Socio-economic aspects						
10.1	Population growth in the Mundra region was reported to be in the order of 85% during the past decade (2001-2011). Further expansion of the urban	Level-1	Dedicated townships are developed within APSEZ area with necessary community infrastructure such as hospital, school, recreational facilities,	The existing townships will be expanded to accommodate about 4lakh people when the project activity is fully developed.	APSEZ	As and When Required	APSEZ has developed two townships (Shantivan and Samudra) accommodating 2045 households and associated infrastructure facilities. Accommodation is made available for all interested employees working within Adani group & SEZ industries. Out of which 96.87% Occupancies are accommodated within the townships and rest are available for employees working within APSEZ. At present 54 nos. of industries (processing & non-processing) are operating within the SEZ. Township facilities are also made by SEZ industries within

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	area could be possible due to induced economic growth in the region. Increase in population will have a additional need for public infrastructure in the region.		sewage treatment and waste collection facilities. Adani Foundation has been undertaking various CSR programs under the principal themes such as education, community health, sustainable livelihood and rural infrastructure. About Rs. 97 Cr has been spent on various CSR activities in the Mundra region since 2010. Similar community				<p>Mundra town for their employees having basic infrastructure facilities and requirements. Most of the employees working in SEZ industries are residing in Mundra township having all basic requirements and associated facilities.</p> <p>The existing social infrastructure facilities are adequate to accommodate the people considering present APSEZ development. The existing townships with associated facilities will be expanded as per requirement. Other infrastructure facilities have been developed for people are as follows.</p> <ul style="list-style-type: none"> • Multi-Specialty Hospital • School • Commercial complex • Religious place <p>APSEZ is actively working with local community (including fishermen community) around the project area and provides required support for their livelihood and other concerns through the CSR arm – Adani Foundation in the main five persuasions is mentioned below.</p> <ul style="list-style-type: none"> • Community Health • Sustainability Livelihood – Fisher Folk • Education • Rural Infrastructures

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			development programs (based on need based assessment) will be continued in future as well with allocation of appropriate budget.				<p>Adani foundation has spent approx. INR 7574.54 lakhs from April – 2018 to March – 2023 for CSR activities which also includes cost of rural infrastructure projects.</p> <p>Major works carried out since April 2018 as a part of CSR activities are as below.</p> <p><u>Current FY 2022-23 infrastructure development activities:</u></p> <ul style="list-style-type: none"> • 40 RRWS structure have been completed • 208 Bore-well recharging activity is completed. • Percolation well Recharging work at Bhadiya & Mota Kandgra village. • Sluice gate Construction to Control Flood during Flooding at Khoydivadi Vistar Bhujpur. • Pond Beatification and Bund Strengthening at Bhujpur village. • Check dam gate valve construction at Bhujpur which controlled more than 350 MCFT water to go into sea and get recharged current year. • commissioning of Community Training Centre at Shekhadiya. • Two Pond Deepening at Zarpara under Amrut Sarovar Yojna. • Ground recharge activities (pond deepening work for 61 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<ul style="list-style-type: none"> • Pond Pipeline work at Prasla Vistar Zarpara which increase recharge capacity more than 25% in 100 hector area. • JCB & Hitachi Machine Support for Pre-Monsoon activities. Repairing and Maintenance work of Approach at Luni, Bavdi and Navinal Fishermen Bandar. • 3 Re-strengthening of Approach Road. • Renovate Blood storage Lab CHC Mundra • Renovation Blood storage Lab CHC Mundra. • Constructed 2 nos. of CC Road of 700 mtr. • Constructed Community Training center Shekadiya. • Constructed 2 nos. Disable Widow Toilet Block • Installed R.O. Plant at Mokha with capacity 1000ltr /HR. • Constructed 4 nos. Common gathering Open Shed • Constructed 03 nos. of Water Tank at Luni Bandar. • Developed of Cricket Ground at Hatdi Village • Pond Deepening work at Vadala & Mota Bhadiya • Artificial recharge borewell in Borana, Mangara & Dhrub village. • Under Dignity of Drivers Project, Adani Foundation has constructed Resting Shed for Drivers entering in SEZ Premises. Total 50 beds are constructed, drinking water and sanitation plus recreational – TV Facilities. <p><u>Past years infrastructure development activities:</u></p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<ul style="list-style-type: none"> • Construction of 45 Toilet block and proper bathing place for labours. • RO Plant – Samaghogha, Siracha village & Vallabh Vidyalaya at Mundra • Basic sanitation facility (18 Nos) at Balvadi, medical centre and retiring places at labour settlements • Ground recharge activities (pond deepening work for more than 56 ponds) individually and 26 ponds under Sujlam Suflam Jal Abhiyan were built leading to a significant increase in water table and higher returns to the farmers. • Roof Top Rainwater Harvesting 145 Nos which is having 10,000 litre storage which is sufficient for one year drinking water purpose for 5 people family. • Recharge Borewell 201 Nos which is best option to • Drip Irrigation 1158 Farmers (180 farmers are supported with 15% of amount of total cost for maximum 4.0 lac. during FY 2021-22) • Participatory Ground Water Management in ten villages with holistic approach for Kankavati Sandstone Aquifer Programme. • Bund construction on way of Nagmati River could save more than 575 MCFT water quantity which recharged in ground due to which bore well depth

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>decreased by 50-100 Ft in Zarpara, Bhujpur and Navinal Vadi Vistar.</p> <ul style="list-style-type: none"> • Development of Prisha Park at Mundra. • Pond Bund strengthening at Zarpara Village • Approach Road Restoration at all Fisher folk vasahat. • Garden Development at Primary School Rampar village • Shed Development at Shukhpurvah Mundra • Under Gram Utthan Project, Adani Foundation is supporting home biogas to farmers to Uthhan Villages phase wise. till the date supported 225 home biogas in Dhrub, Zarpara and Navinal Villages. • Adani Foundation at Mundra-Kachchh has initiated multi-species plantation of mangroves in Kachchh in association with GUIDE. During 2018-2019 (Phase-I) multi-species mangrove plantation was carried out in 10 ha, during Phase-II (2019-2020) it was 02 ha and during Phase III (2020-2021) it is 01 ha. During FY 2021-22, 03 ha with M/s. GUIDE, Gujarat. Current year 4 Hecter plantation is in progress which will be resulted in 20 Hecter. • Sea Weed Culture - A pilot cultivation facility (5 KL tanks in 6 nos) for the farming of different economically important seaweeds in the tanks on the onshore has been established and commenced the cultivation trials with red sea weeds

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>Kappaphycus alvarezii, Gracilaria dura and green sea weed Ulva. The initial trials have given very promising results and harvested 6-7 times the seeded material in a 40-45 days cultivation period.</p> <ul style="list-style-type: none"> • Development Approach Road Prasala vadi vistar Gogan Pachim at Zarpara. • Earthen bund Repairing work at Pond, Luni. • Pre-monsoon activity Approach repairing, Village Pond Lake strengthen, and river cleaning (babul cutting) work is ongoing in Various Villages • Approach Road repairing at Various Fishermen Vasahat (ARC). <p>Similar community development programs (based on need based assessment) will be continued in future as well with allocation of appropriate budget.</p>
10.2	The overall sex ratio was found to reduce by 28% in the Mundra taluk (study area) during the period 2001 - 2011. This could be attributed to increase in	Level-2	Adani foundation is taking up several girl child education programs as part of CSR activities to create awareness	Suitable regional level awareness programs on the girl child protection and encouragement programs in line with state and national policies shall be adopted under Corporate Social Responsibility	APSEZ, Other development projects and District Administration*	Long Term	<p>Major works carried out since April 2018 as a part of CSR activities to create awareness about girl child protection are as below.</p> <ul style="list-style-type: none"> • The Adani Foundation provided scholarship support to motivation and encouragement of fishermen boys and girls for higher education under this program. APSEZ provide 100% fees support to girls as a scholarship. • Under Projects Uthhan More than 9106 Students are Getting benefit Of Education through 51 Government school Of Mundra Block.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	influx of working men in the region due to rapid economic development. Similar trend might continue in future due to induced economic growth in the region.		about girl child protection.	programs in association with district authorities.			<ul style="list-style-type: none"> • Uthhan Project promotes girl child education, creating awareness through various Govt schemes i.e. Vahali Dikri Yojana, Sukanya Samriddhi Yojana etc. till date covered more than 1200 girl child to get benefit out of it. • AVMB School Bhadreswar where Free of Cost education is provide to Poor and Needy Family Child up to 10 standards More than 500 Students are benefiting every year. • Separate sanitation facilities for girl child in schools. • Beti Vadhavo Programme was organized in 32 Villages in the presence of Village Sarpanch and other leaders in year 2017-18. We explained people about the various topics i.e. importance of girl child, Sex Ratio, Gender Equality and laws regarding Child abortion. This initiative was well accepted by community and we have observed a visible change in their mindset. We have facilitated 560 daughters with Kit (Small Bed sheet, Mosquito net, Soap and Cream with nutritious food for mother) To create awareness about health, personal hygiene, child education and nutritional diet in fishermen community, various awareness programs have been organized. • During the year various activity like, Covid-19 awareness in village & Slum Area, Menstrual Hygiene Day, Breastfeeding Week, National

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>Deworming Day, National Nutrition Month had been celebrated.</p> <ul style="list-style-type: none"> • Project Suposhan is initiated with the Motive to focus on adolescent and Reproductive age women nutrition part. Till date covered more than 12500 women and 8700 adolescents under this Project and brought them to considerable status. Curb malnutrition amongst Children, Adolescent girls and Women in our CSR villages. <ul style="list-style-type: none"> ✓ 100 beneficiaries covered in Menstrual Hygiene Day - with slogan called "RED-ACHHA HAI" ✓ 204 beneficiaries covered in Breastfeeding Week ✓ 320 beneficiaries covered in National Deworming Day ✓ 20 villages covered in celebration of NATIONAL NUTRITION MONTH ✓ 42 FAMILY COUNSELLING ✓ 2059 Women participated in celebration of Women's Day week. • To reduce malnutrition and anemia amongst Children 95 % & adolescent girls and pregnant & lactating women by 70 % in three years • Reduction IMR and MMR • Support Awareness & Cover 100 % Vaccination taken by Child & women. • SuPoshan Thanksgiving program was organized. In this webinar DDO, CDPO Mundra and other

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<p>dignitaries remained present and appreciated the efforts to overcome malnourishment in Mundra and Bitta.</p> <ul style="list-style-type: none"> The National girl child day was celebrated with ICDC Department with Vahli Dikri Yojna form filling, paediatric health camp and Baby health kit distribution at Mundra. Mrs. Ashaben-CDPO Mundra was remain present in this event. Total 61 forms has received approval letter from GOG and 15 forms filled upon the same day. Adani Foundation is working with 15 Self-help group and supporting to develop entrepreneur skills to become self reliant, sourcing more than 350 women to absorb in various job –this will give them identity, confidence and right to speak in any decision for home, village and working area. <p>About INR 7574.54 lakhs has been spent on various CSR activities in the Mundra region since April 2018 to till March 2023 including cost of community health and education for woman and girl child.</p>
10.4	Due to economic growth leading to rapid urbanization, which prompts the	Level-2	Adani hospitals, Mundra is setup by Adani group near Samudra township with a goal to provide	APSEZ will explore other possibilities to augment the primary and secondary healthcare facilities in future depending on the growth scenario at	APSEZ	Long Term	<p>Adani hospitals (Multi-specialty), Mundra is having 110 bed facility and same is setup by Adani group near Samudra township.</p> <p>Primary health center and community health center are in place within the Mundra taluka.</p>

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
	need for healthcare facilities in the region. For an influx of 6 lakh people from APSEZ operations and additional 3 Lakh from induced growth by the year by 2030 (fully developed scenario), total hospitals facilities with about 540 beds would be required.		primary and secondary health care services to Adani group employees and the local populace of Mundra. The existing 100 bed Adani hospital at Mundra has been catering the services ranging from wellness and preventative care.	APSEZ development.			<p>Other than this Adani foundation is doing various activities as part of community health. The details of last year are as below.</p> <ul style="list-style-type: none"> • Mobile Health Care Units and Rural Clinics • 09 Rural Clinics • 06 villages of Mundra, 02 villages of Anjar & 01 village Mandvi block has benefited by rural clinic service. • Total Patients Benefitted FY 22-23:-25088 (direct & indirect). • 5 financially challenged patients has been supported with Dialysis treatment at 97 Times which added day in their Life. <p>Health camp:</p> <ul style="list-style-type: none"> • Specialty camps, Eye checkup camps, Blood donation camp, Anti-tobacco awareness camp, TB screening, and other are conducted in core villages as well as in labour colonies. • Specialty health (Gynec , Pediatric eye specialty health camp) :- 1527 Patients. • General health camp :- 3379 Patients Awareness Session • Cattle health camp: Total 17299 cattle of 19 Villages had benefitted with different kind of medicines and vaccines.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<ul style="list-style-type: none"> • Women's Health: Provided health services to over 1150 women through 102 + Menstrual Hygiene workshops. • Dialysis Support: During this year, 4 patients were supported for regular dialysis (twice a week) with partial support • Total 590800 CC quantity of Blood had been donated by 1710 Employees. • Medical Supports: 2460 beneficiary in 63 village. • TB screening & Awareness session: benefited 1795. • 25 villages and 07 fishermen settlements covered, with 90 types of general and lifesaving medicines through Mobile healthcare unit • 1491 –Economically Challenged patients have been supported for operation, OPD, IPD, Medicines and lab-test. • For Preventive health care General and multispecialty camps Pediatric camp, General Health camps in 9 villages and Super specialist camp which benefitted more than 4906 patients of Mundra Taluka. • Cattle Health Camp: Adani Foundation and Animal Husbandry department Veterinary Jointly organizing cattle health Awareness and vaccination programs in 24 Villages of our periphery villages. Total 17299 cattle of 19 Villages had benefitted with different kind of medicines and vaccines.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
							<ul style="list-style-type: none"> Lumpy Disease Vaccination Drive: Total 40 000 cattle were covered through therapeutic and ayurvedic treatment and Nutritive Cattle feed Support with association District Animal Husbandry department through vaccination and awareness drive. Present Hospital facilities are adequate to avail the medical treatment for Mundra region considering present development. Other Occupational Health centres, primary health centres and community health centres are also in place in Mundra to take care the people residing in Mundra. Adani group is also operating high quality health care services to the people of Kutch at G. K. General Hospital, Bhuj having 750 beds facilities on public private partnership (PPP) model, which is 60 km far from Mundra. <p>APSEZ will explore other possibilities to augment the primary and secondary healthcare facilities in future depending on the future development at APSEZ.</p>
	Due to rapid economic development in the region, several employment opportunities can be		APSEZ has been giving preferences to people from Gujarat for providing employment opportunities	APSEZ is committed to provide support for fishermen livelihood	APSEZ	Short Term	<p><u>Current FY 2022-23 fishermen livelihood activities development activities:</u></p> <ul style="list-style-type: none"> Government scheme Awareness session was held in association with Fisheries department Bhuj to facilitate pagadiya fishermen by providing fishing kits to seven Fishermen. The coordination was made by Adani Foundation to process application.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
10.5	<p>generated to the local people.</p> <p>When the area is fully developed by the end of 2030, the working population of the Mundra taluk would increase from current level of 55,000 to as high as 4,00,000, which will be 45% of the total envisaged population in Mundra Taluk by the end of 2030.</p>		<p>based on eligibility and skills. In Mundra, special programmes have been conducted by Adani Foundation to enhance the employability of youth from fisherfolk communities. Based on the need assessment results, several livelihood options have been introduced by the Adani Skill Development Centre, Mundra. In these centres, youth can join and get</p>	<p>activities and has submitted a detailed 5 years plan to MoEF&CC with a total budget of Rs.13.5 Cr.</p>			<ul style="list-style-type: none"> Mangrove plantation and Nursery development work has created a two facet impact by providing Livelihood to Fisherfolk during two months Fishing during Off season and developing 162 hector dense mangrove afforestation. 5200 Men days work provide to 285 Fisherfolk of Luni, Sekhdiya and Bhadreshwar Villages in coordination with Horticulture Det. Formed Sagar Saheli SHG of Navinal Fisherfolk Women and Linked with DRDA after completion of Stitching Training, received first order of Rs 80 000 to prepare Cotton Bags. Total 12 Women are engaged and planning to expand with more Women and Order. During FY2022-23 Approx. INR 185.37 lakh were spent for Fisherfolk Amenities work in different core areas. Till FY 2022-23, Adani Foundation has done total expenditure of INR 1338.19 lakh for Fisherfolk Amenities work in different core areas. 507 underprivileged students of Fisherman & Maldhari communities underprivileged from 8 villages taking education at the Adani Vidya Mandir school. JCB & Hitachi Machine Support for Pre-Monsoon activities. Repairing and Maintenance work of Approach at Luni, Bavdi and Navinal Fishermen Bandar. Youth Employment: - Adani Foundation is committed for youth employment with imparting technical and Non-Technical Training for Fisherfolk Youth and started Electrical, Welder and Masson work training under Adani Skill Development Centre. Total 217 Fisherfolk are Employed and earning on Monthly Base. Average Monthly Income Rs.14500/ Individual.

S. No.	Identified environmental and social impacts for the fully developed scenario (year 2030)	Type of Impact & Magnitude	Environment management plans adopted or being adopted by APSEZ as per permits, clearances, applicable regulations and guidelines etc.	Additional Risk Mitigation Measures/ESMP	Responsible agency	Timeframe for implementation	Compliance
			vocational training for a number of technical and non-technical skills. An industrial Training Institute is set up at APSEZ, Mundra, to enhance the skill levels of the local youth to maximum possible extent.				<p>APSEZ is carrying out various initiatives specific to the Fisherfolk community which includes:</p> <ul style="list-style-type: none"> • Vidya Deep Yojana • Vidya Sahay Yojana – Scholarship Support • Adani Vidya Mandir • Fisherman Approach in SEZ • Machhimar Arogya Yojana • Machhimar Kaushalya Vardhan Yojana • Machhimar Sadhan Sahay Yojana • Machhimar Awas Yojana • Machhimar Shudhh Jal Yojana • Sughad Yojana • Machhimar Akshay kiran Yojana • Machhimar Suraksha Yojana • Machhimar Ajivika Uparjan Yojana • Bandar Svachhata Yojana <p>These initiatives are planned for the period 2016 – 2021 with a committed expense of INR 13.5 Cr as submitted earlier in detail in the report namely "Silent Transformation of Fisher folk at Mundra",</p> <p>Till, FY 2022-23 approx. 13.38 Cr. INR, has already been spent in support for fishermen livelihood activities. Further, details regarding the expenditure incurred against the commitment are attached as Annexure – 8.</p>

Annexure – 5



“Half Yearly Environmental Monitoring Reports “

For,



M/S. ADANI PORTS & SEZ Limited.

Notified SEZ area, Tal. – Mundra, Dist. – Kutch – 370421.

Monitoring Period: October- 2022 to March - 2023

Submitted By



UniStar Environment & Research Labs Pvt. Ltd.

White House, Near GIDC Office, Char Rasta, Vapi, Gujarat, India – 396195



RESULTS OF STP OUTLET WATER

SR.NO.	TEST PARAMETERS	UNIT	PUB ADANI HOUSE STP OUTLET						GPCB Permissible Limit	TEST METHOD
			Oct-22		Nov-22		Dec-22			
			10-10-2022	21-10-2022	7-11-2022	17-11-2022	12-12-2022	30-12-2022		
1.	pH @ 25 ° C	--	7.4	7.42	7.25	7.2	7.14	7.28	6.5 to 9	APHA 23 rd Ed.,2017,4500- H ⁺ B
2.	Total Suspended Solids	mg/L	22	24	28	22	24	22	100	APHA 23 rd Ed.,2017,2540 -D
3.	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	mg/L	15	17	18	19	16	14	30	APHA 23 rd Ed,2017,5210- B 5-6
4.	Residual chlorine	mg/L	0.68	0.72	0.82	0.88	0.76	0.74	0.5 Min.	APHA 23 rd Ed.,2017,4500- Cl-B
5.	Fecal Coliform	MPN Index/100ml	40	50	80	60	110	60	1000	IS 1622: 1981

Continue...

RESULTS OF STP OUTLET WATER

SR.NO.	TEST PARAMETERS	UNIT	PUB ADANI HOUSE STP OUTLET						GPCB Permissible Limit	TEST METHOD
			Jan-23		Feb-23		Mar-23			
			09-01-2023	31-01-2023	10-02-2023	27-02-2023	13-03-2023	28-03-2023		
1.	pH @ 25 ° C	--	7.31	7.24	7.28	7.24	7.32	7.36	6.5 to 9	APHA 23 rd Ed.,2017,4500- H ⁺ B
2.	Total Suspended Solids	mg/L	24	28	26	24	20	18	100	APHA 23 rd Ed.,2017,2540 -D
3.	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	mg/L	16	18	17	16	16	16	30	APHA 23 rd Ed,2017,5210- B 5-6
4.	Residual chlorine	mg/L	0.82	0.78	0.82	0.82	0.88	0.94	0.5 Min.	APHA 23 rd Ed.,2017,4500- Cl-B
5.	Fecal Coliform	MPN Index/100ml	60	80	70	110	60	110	1000	IS 1622: 1981



Mr. Nilesh Patel
Sr. Chemist




Mr. Nitin Tandel
Technical Manager

RESULTS OF STP OUTLET WATER

SR.NO.	TEST PARAMETERS	UNIT	North Gate STP OUTLET						GPCB Permissible Limit	TEST METHOD
			Oct-22		Nov-22		Dec-22			
			10-10-2022	21-10-2022	7-11-2022	17-11-2022	12-12-2022	29-12-2022		
1.	pH @ 25 ° C	--	7.29	7.46	7.42	7.38	7.29	7.42	6.5 to 9	APHA 23 rd Ed.,2017,4500-H ⁺ B
2.	Total Suspended Solids	mg/L	26	24	26	24	22	18	100	APHA 23 rd Ed.,2017,2540-D
3.	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	mg/L	16	17	18	16	15	14	30	APHA 23 rd Ed,2017,5210-B 5-6
4.	Residual chlorine	mg/L	0.74	0.82	0.84	0.94	0.82	0.84	0.5 Min.	APHA 23 rd Ed.,2017,4500-Cl-B
5.	Fecal Coliform	MPN Index/100ml	80	70	50	80	70	60	1000	IS 1622: 1981

Continue...

RESULTS OF STP OUTLET WATER

SR.NO.	TEST PARAMETERS	UNIT	North Gate STP OUTLET						GPCB Permissible Limit	TEST METHOD
			Jan-23		Feb-23		Mar-23			
			09-01-2023	30-01-2023	11-02-2023	28-02-2023	14-03-2023	28-03-2023		
1.	pH @ 25 ° C	--	7.41	7.35	7.28	7.41	7.44	7.48	6.5 to 9	APHA 23 rd Ed.,2017,4500- H ⁺ B
2.	Total Suspended Solids	mg/L	20	22	24	26	20	24	100	APHA 23 rd Ed.,2017,2540 -D
3.	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	mg/L	18	19	16	17	18	17	30	APHA 23 rd Ed,2017,5210- B 5-6
4.	Residual chlorine	mg/L	0.94	0.85	0.88	0.82	0.74	0.82	0.5 Min.	APHA 23 rd Ed.,2017,4500- Cl-B
5.	Fecal Coliform	MPN Index/100ml	60	80	130	90	80	90	1000	IS 1622: 1981



Mr. Nilesh Patel
Sr. Chemist




Mr. Nitin Tandel
Technical Manager

Results of Ambient Air Quality Monitoring

Name of Location		PUB / Adani House						
Sr. No.	Date of Monitoring	Parameter with Results						
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³	HC µg/m ³	Benzene µg/m ³
1.	03-10-2022	79.37	28.34	17.38	26.86	0.92	NOT DETECTED	NOT DETECTED
2.	06-10-2022	83.47	36.86	19.63	23.26	1.15	NOT DETECTED	NOT DETECTED
3.	10-10-2022	82.38	32.12	17.88	29.10	1.00	NOT DETECTED	NOT DETECTED
4.	13-10-2022	73.48	29.73	18.39	26.24	1.12	NOT DETECTED	NOT DETECTED
5.	17-10-2022	84.32	26.46	24.96	31.82	1.00	NOT DETECTED	NOT DETECTED
6.	20-10-2022	88.74	37.94	23.58	29.39	1.10	NOT DETECTED	NOT DETECTED
7.	27-10-2022	75.93	23.63	29.34	37.43	0.96	NOT DETECTED	NOT DETECTED
8.	28-10-2022	81.29	32.45	22.25	31.98	1.13	NOT DETECTED	NOT DETECTED
9.	31-10-2022	78.64	39.41	31.48	38.71	1.00	NOT DETECTED	NOT DETECTED
10.	03-11-2022	83.21	27.43	11.24	16.78	1.00	4.72	NOT DETECTED
11.	07-11-2022	78.23	21.25	14.78	20.15	1.15	3.29	NOT DETECTED
12.	10-11-2022	65.78	31.16	17.89	24.56	0.94	5.63	NOT DETECTED
13.	14-11-2022	77.58	22.47	23.45	31.36	1.00	5.09	NOT DETECTED
14.	17-11-2022	81.24	26.28	26.78	30.15	1.00	4.37	NOT DETECTED
15.	21-11-2022	83.45	34.56	23.10	28.15	1.15	4.86	NOT DETECTED

Continue...

Name of Location		PUB / Adani House						
Sr. No.	Date of Monitoring	Parameter with Results						
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³	HC µg/m ³	Benzene µg/m ³
16.	24-11-2022	73.45	28.51	22.45	27.14	0.95	2.98	NOT DETECTED
17.	28-11-2022	80.12	23.83	19.25	22.53	1.00	4.12	NOT DETECTED
18.	01-12-2022	84.42	23.57	16.38	26.47	1.16	3.72	NOT DETECTED
19.	05-12-2022	68.54	21.75	19.43	25.79	1.00	4.76	NOT DETECTED
20.	08-12-2022	82.71	24.17	26.19	34.27	1.10	4.88	NOT DETECTED
21.	12-12-2022	76.83	29.96	28.77	37.36	1.13	4.26	NOT DETECTED
22.	15-12-2022	86.53	32.78	21.91	27.52	1.00	3.57	NOT DETECTED
23.	19-12-2022	83.36	31.26	27.62	33.13	1.16	3.72	NOT DETECTED
24.	22-12-2022	79.16	34.04	25.12	31.98	1.00	3.14	NOT DETECTED
25.	26-12-2022	73.58	29.36	22.65	29.07	1.00	3.64	NOT DETECTED
26.	29-12-2022	85.63	36.42	26.83	36.17	1.15	4.12	NOT DETECTED
27.	02-01-2023	72.36	29.62	13.28	31.34	1.00	2.96	NOT DETECTED
28.	05-01-2023	84.27	24.38	26.73	34.86	1.12	3.59	NOT DETECTED
29.	09-01-2023	81.63	27.47	17.38	26.47	1.00	3.26	NOT DETECTED
30.	12-01-2023	75.38	37.24	26.77	32.14	1.00	4.83	NOT DETECTED
31.	16-01-2023	87.31	26.48	16.64	27.92	1.15	4.89	NOT DETECTED

Continue...

Name of Location		PUB / Adani House						
Sr. No.	Date of Monitoring	Parameter with Results						
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³	HC µg/m ³	Benzene µg/m ³
32.	19-01-2023	64.38	39.63	21.94	31.23	1.13	3.26	NOT DETECTED
33.	23-01-2023	73.29	32.47	29.58	38.96	1.17	2.13	NOT DETECTED
34.	26-01-2023	69.04	36.72	26.16	37.53	1.13	2.79	NOT DETECTED
35.	30-01-2023	84.27	27.84	18.24	26.48	1.12	3.74	NOT DETECTED
36.	02-02-2023	89.28	34.79	23.85	27.13	1.17	4.83	NOT DETECTED
37.	06-02-2023	73.59	29.82	21.29	29.75	1.00	2.37	NOT DETECTED
38.	09-02-2023	86.27	39.84	32.06	43.27	1.17	4.72	NOT DETECTED
39.	13-02-2023	77.33	32.61	31.29	37.55	0.95	2.79	NOT DETECTED
40.	16-02-2023	76.52	31.28	24.66	31.74	1.00	3.16	NOT DETECTED
41.	20-02-2023	63.38	34.39	28.17	37.93	1.00	4.33	NOT DETECTED
42.	23-02-2023	88.56	41.39	23.72	33.84	1.15	3.69	NOT DETECTED
43.	27-02-2023	73.41	38.69	31.43	36.16	1.00	3.48	NOT DETECTED
44.	02-03-2023	75.41	40.62	27.17	34.29	0.95	4.03	NOT DETECTED
45.	06-03-2023	86.36	36.17	25.74	31.58	0.98	3.12	NOT DETECTED
46.	09-03-2023	78.72	32.96	24.68	28.49	1.14	4.18	NOT DETECTED
47.	13-03-2023	74.17	41.22	28.54	35.25	1.12	2.96	NOT DETECTED

Continue...

Name of Location		PUB / Adani House						
Sr. No.	Date of Monitoring	Parameter with Results						
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³	HC µg/m ³	Benzene µg/m ³
48.	16-03-2023	84.23	36.71	28.16	34.86	1.00	3.55	NOT DETECTED
49.	20-03-2023	88.98	42.58	31.32	39.13	1.12	3.75	NOT DETECTED
50.	23-03-2023	76.63	35.93	29.65	36.29	1.00	4.25	NOT DETECTED
51.	27-03-2023	86.24	31.47	26.96	31.83	1.14	3.38	NOT DETECTED
52.	30-03-2023	89.58	38.25	19.63	25.58	1.11	3.15	NOT DETECTED
Permissible Value as per NAAQMS		100.0	60.0	80.0	80.0	2.0	---	5.0
Test Method		IS - 5182, Part-23	UERL/AIR/SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6	IS - 5182, Part - 10	Gas analyzer	IS - 5182, Part - 11



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Ambient Air Quality Monitoring

Name of Location		Adani Guest House				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
1.	03-10-2022	79.7	32.63	18.34	27.84	NOT DETECTED
2.	06-10-2022	76.58	39.09	19.73	23.69	--
3.	10-10-2022	89.47	32.53	21.24	28.72	--
4.	13-10-2022	82.64	29.85	23.96	34.28	--
5.	17-10-2022	84.38	38.66	21.47	36.94	--
6.	20-10-2022	78.36	39.54	18.75	26.14	--
7.	27-10-2022	80.72	42.96	26.45	36.58	--
8.	28-10-2022	87.16	39.28	19.38	28.73	--
9.	31-10-2022	86.34	37.16	24.84	31.46	--
10.	03-11-2022	65.77	31.25	7.12	14.56	--
11.	07-11-2022	72.34	33.45	9.12	16.78	--
12.	10-11-2022	68.93	24.54	6.89	15.35	--
13.	14-11-2022	72.34	35.12	8.95	17.89	--
14.	17-11-2022	68.12	25.67	7.12	14.56	--
15.	21-11-2022	84.56	35.12	8.34	21.34	--

Continue...

Name of Location		Adani Guest House				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
16.	24-11-2022	86.57	32.15	9.2	18.79	--
17.	28-11-2022	66.15	25.89	7.65	15.67	--
18.	01-12-2022	73.38	36.72	11.25	16.63	--
19.	05-12-2022	68.38	31.44	13.52	15.47	--
20.	08-12-2022	78.17	29.52	14.73	18.29	--
21.	12-12-2022	82.36	38.19	10.46	17.61	--
22.	15-12-2022	73.26	34.64	9.36	12.75	--
23.	19-12-2022	76.22	39.81	13.58	16.53	--
24.	22-12-2022	64.68	33.79	11.31	19.63	--
25.	26-12-2022	82.38	28.15	14.27	17.26	--
26.	29-12-2022	78.46	26.39	9.62	14.63	--
27.	02-01-2023	62.38	26.79	10.58	19.73	NOT DETECTED
28.	05-01-2023	84.57	39.32	16.42	22.53	--
29.	09-01-2023	73.62	36.69	11.28	16.36	--
30.	12-01-2023	83.77	31.52	14.79	21.68	--
31.	16-01-2023	82.49	42.09	17.63	24.73	--

Continue...

Name of Location		Adani Guest House				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
32.	19-01-2023	74.18	31.52	9.61	13.28	--
33.	23-01-2023	78.51	26.36	10.83	16.97	--
34.	26-01-2023	76.42	36.58	13.67	19.05	--
35.	30-01-2023	87.28	33.83	13.17	17.36	--
36.	02-02-2023	78.62	32.16	12.47	21.28	--
37.	06-02-2023	61.89	34.86	14.19	17.63	--
38.	09-02-2023	74.38	29.69	9.84	14.89	--
39.	13-02-2023	84.27	27.81	11.27	18.36	--
40.	16-02-2023	73.14	37.88	14.34	19.49	--
41.	20-02-2023	85.39	29.84	10.28	16.81	--
42.	23-02-2023	71.29	34.16	16.69	23.48	--
43.	27-02-2023	89.17	29.96	12.37	16.69	--
44.	02-03-2023	89.13	37.52	14.26	17.72	--
45.	06-03-2023	73.91	35.16	18.53	23.38	--
46.	09-03-2023	78.64	33.48	13.76	18.55	--
47.	13-03-2023	88.24	29.85	15.31	21.43	--

Continue...

Name of Location		Adani Guest House				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
48.	16-03-2023	82.83	32.18	11.28	18.64	--
49.	20-03-2023	79.12	35.63	14.19	19.61	--
50.	23-03-2023	85.26	26.19	13.84	17.19	--
51.	27-03-2023	80.84	32.74	15.95	21.63	--
52.	30-03-2023	87.42	27.79	12.64	16.29	--
Permissible Value as per NAAQMS		100.0	60.0	80.0	80.0	2.0
Test Method		IS - 5182, Part- 23	UERL/AIR/ SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6	IS - 5182, Part - 10



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Ambient Air Quality Monitoring

Name of Location		WTP- Nr. CETP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
1.	03-10-2022	86.52	34.56	15.67	21.44	NOT DETECTED
2.	06-10-2022	82.35	27.86	13.45	18.78	--
3.	10-10-2022	89.34	30.23	18.78	24.56	--
4.	13-10-2022	78.44	24.21	21.34	27.67	--
5.	17-10-2022	85.67	26.57	20.45	24.56	--
6.	20-10-2022	81.07	37.68	22.45	28.79	--
7.	27-10-2022	87.42	26.75	22.46	27.65	--
8.	28-10-2022	74.56	23.28	19.89	25.61	--
9.	31-10-2022	81.52	27.9	23.48	29.35	--
10.	03-11-2022	72.34	26.12	15.21	21.45	--
11.	07-11-2022	82.34	29.34	15.67	22.34	--
12.	10-11-2022	89.15	37.12	14.23	19.38	--
13.	14-11-2022	88.12	32.69	17.23	24.56	--
14.	17-11-2022	73.45	28.72	22.34	29.35	--
15.	21-11-2022	81.23	36.29	20.15	27.68	--

Continue...

Name of Location		WTP- Nr. CETP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
16.	24-11-2022	65.78	23.42	23.18	28.55	--
17.	28-11-2022	77.23	29.56	24.17	31.25	--
18.	01-12-2022	62.58	34.26	20.38	26.23	--
19.	05-12-2022	67.36	36.49	18.74	24.18	--
20.	08-12-2022	74.24	26.75	17.27	23.68	--
21.	12-12-2022	69.26	39.17	23.59	29.52	--
22.	15-12-2022	87.57	34.98	16.63	21.39	--
23.	19-12-2022	72.5	29.47	13.93	18.48	--
24.	22-12-2022	84.27	31.41	16.38	25.67	--
25.	26-12-2022	81.38	37.19	21.64	28.41	--
26.	29-12-2022	76.62	24.82	18.39	27.46	--
27.	02-01-2023	67.18	39.72	24.47	31.92	0.07
28.	05-01-2023	83.72	43.47	26.25	32.53	--
29.	09-01-2023	88.62	34.79	21.38	27.44	--
30.	12-01-2023	76.24	28.61	20.88	25.73	--
31.	16-01-2023	68.62	27.36	19.73	28.48	--

Continue...

Name of Location		WTP- Nr. CETP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
32.	19-01-2023	88.23	38.57	24.42	33.62	--
33.	23-01-2023	68.24	37.18	22.87	27.16	--
34.	26-01-2023	62.4	45.66	27.34	34.63	--
35.	30-01-2023	82.27	34.32	24.28	31.27	--
36.	02-02-2023	89.17	43.76	30.69	37.28	--
37.	06-02-2023	83.68	32.48	21.35	28.93	--
38.	09-02-2023	76.06	37.53	18.16	26.55	--
39.	13-02-2023	87.29	35.42	27.53	36.19	--
40.	16-02-2023	71.53	33.73	29.93	38.61	--
41.	20-02-2023	85.16	31.96	32.39	39.46	--
42.	23-02-2023	87.52	42.09	28.31	34.83	--
43.	27-02-2023	79.26	32.58	22.79	31.18	--
44.	02-03-2023	86.38	35.82	24.18	31.64	--
45.	06-03-2023	83.54	27.19	27.63	36.81	--
46.	09-03-2023	71.49	31.47	23.38	29.42	--
47.	13-03-2023	86.51	42.87	31.48	39.53	--

Continue...

Name of Location		WTP- Nr. CETP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
48.	16-03-2023	81.28	40.16	25.96	32.47	--
49.	20-03-2023	78.51	37.55	28.17	34.28	--
50.	23-03-2023	86.42	33.75	23.18	27.06	--
51.	27-03-2023	71.32	38.19	29.73	35.62	--
52.	30-03-2023	82.74	41.78	32.57	41.48	--
Permissible Value as per NAAQMS		100.0	60.0	80.0	80.0	2.0
Test Method		IS - 5182, Part- 23	UERL/AIR/ SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6	IS - 5182, Part - 10



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Ambient Air Quality Monitoring

Name of Location		SAMUDRA TOWNSHIP – STP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
1.	03-10-2022	73.9	21.4	13.45	17.68	NOT DETECTED
2.	06-10-2022	66.5	17.6	15.65	22.34	--
3.	10-10-2022	89.53	25.68	14.34	20.13	--
4.	13-10-2022	76.28	21.23	12.56	17.43	--
5.	17-10-2022	81.4	28.76	11.21	15.56	--
6.	20-10-2022	65.92	19.55	10.15	16.78	--
7.	27-10-2022	77.67	22.34	12.65	18.94	--
8.	28-10-2022	75.51	26.78	10.45	15.67	--
9.	31-10-2022	63.75	18.94	12.45	18.93	--
10.	03-11-2022	54.23	23.45	11.25	16.78	--
11.	07-11-2022	79.14	28.23	12.68	17.23	--
12.	10-11-2022	62.34	20.17	14.56	20.17	--
13.	14-11-2022	69.22	25.34	17.98	23.45	--
14.	17-11-2022	59.63	19.55	12.34	16.78	--
15.	21-11-2022	72.34	33.67	11.25	15.21	--

Continue...

Name of Location		SAMUDRA TOWNSHIP – STP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
16.	24-11-2022	77.45	29.16	16.35	19.25	--
17.	28-11-2022	68.35	26.12	13.35	15.84	--
18.	01-12-2022	67.29	19.57	18.39	26.63	--
19.	05-12-2022	63.61	23.73	16.42	23.58	--
20.	08-12-2022	84.57	16.35	11.74	16.37	--
21.	12-12-2022	60.54	29.51	15.63	19.88	--
22.	15-12-2022	74.58	27.93	19.24	27.63	--
23.	19-12-2022	59.5	26.48	16.73	24.12	--
24.	22-12-2022	68.13	21.26	20.58	29.65	--
25.	26-12-2022	71.69	32.37	17.41	22.28	--
26.	29-12-2022	69.24	27.04	21.82	28.37	--
27.	02-01-2023	88.37	24.53	22.14	31.83	NOT DETECTED
28.	05-01-2023	71.62	27.66	19.97	21.35	--
29.	09-01-2023	89.41	23.49	17.27	20.69	--
30.	12-01-2023	75.39	21.84	23.69	29.74	--
31.	16-01-2023	61.33	33.59	24.17	34.28	--

Continue...

Name of Location		SAMUDRA TOWNSHIP – STP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
32.	19-01-2023	82.17	29.62	20.89	28.31	--
33.	23-01-2023	52.74	27.57	26.36	36.02	--
34.	26-01-2023	63.29	22.78	22.41	28.76	--
35.	30-01-2023	73.64	31.26	26.48	33.14	--
36.	02-02-2023	79.63	17.35	20.68	27.55	--
37.	06-02-2023	86.38	23.69	26.52	36.17	--
38.	09-02-2023	72.83	29.13	24.77	31.46	--
39.	13-02-2023	81.62	27.34	18.89	25.6	--
40.	16-02-2023	75.26	24.81	29.63	39.15	--
41.	20-02-2023	89.37	19.68	24.35	33.89	--
42.	23-02-2023	69.74	32.28	21.26	29.63	--
43.	27-02-2023	73.59	26.47	28.92	34.29	--
44.	02-03-2023	81.62	21.85	23.27	32.71	--
45.	06-03-2023	75.27	19.79	21.86	27.47	--
46.	09-03-2023	87.3	25.62	28.27	35.21	--
47.	13-03-2023	73.16	31.16	25.84	33.59	--

Continue...

Name of Location		SAMUDRA TOWNSHIP – STP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
48.	16-03-2023	78.48	27.32	21.49	27.38	--
49.	20-03-2023	75.26	24.91	29.64	36.17	--
50.	23-03-2023	88.51	28.85	28.75	34.29	--
51.	27-03-2023	74.27	35.74	31.25	38.63	--
52.	30-03-2023	79.58	26.36	24.78	30.25	--
Permissible Value as per NAAQMS		100.0	60.0	80.0	80.0	2.0
Test Method		IS - 5182, Part- 23	UERL/AIR/ SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6	IS - 5182, Part - 10



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Ambient Air Quality Monitoring

Name of Location		SAMUDRA TOWNSHIP CUSTOMER CARE				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
1.	03-10-2022	71.23	22.34	11.24	17.89	NOT DETECTED
2.	06-10-2022	60.56	17.89	15.34	21.34	--
3.	10-10-2022	68.78	22.34	13.24	18.78	--
4.	13-10-2022	59.8	19.86	10.26	15.67	--
5.	17-10-2022	82.34	26.78	17.67	24.51	--
6.	20-10-2022	75.56	28.78	21.34	27.89	--
7.	27-10-2022	63.45	24.34	17.89	24.55	--
8.	28-10-2022	71.54	25.67	15.45	22.16	--
9.	31-10-2022	78.35	27.92	19.85	23.45	--
10.	03-11-2022	68.95	21.34	14.12	21.35	--
11.	07-11-2022	59.94	16.47	11.29	16.34	--
12.	10-11-2022	66.12	23.19	18.24	23.21	--
13.	14-11-2022	69.95	21.38	19.24	24.73	--
14.	17-11-2022	82.34	30.15	21.24	26.74	--
15.	21-11-2022	73.62	24.56	17.34	26.11	--

Continue...

Name of Location		SAMUDRA TOWNSHIP CUSTOMER CARE				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
16.	24-11-2022	80.12	26.78	13.28	21.4	--
17.	28-11-2022	65.38	23.45	17.45	26.16	--
18.	01-12-2022	79.27	16.38	17.63	28.46	--
19.	05-12-2022	66.43	19.46	18.54	25.38	--
20.	08-12-2022	78.56	17.32	13.49	31.73	--
21.	12-12-2022	62.36	27.49	24.55	29.68	--
22.	15-12-2022	69.58	21.72	27.59	34.43	--
23.	19-12-2022	83.16	18.53	24.41	28.18	--
24.	22-12-2022	65.39	22.86	19.63	27.42	--
25.	26-12-2022	74.06	27.62	26.57	32.44	--
26.	29-12-2022	64.38	23.49	21.24	28.93	--
27.	02-01-2023	79.24	26.46	26.23	31.48	NOT DETECTED
28.	05-01-2023	63.86	24.84	23.69	29.75	--
29.	09-01-2023	69.83	14.19	19.73	26.42	--
30.	12-01-2023	88.63	21.49	29.8	37.91	--
31.	16-01-2023	79.76	29.64	21.82	28.68	--

Continue...

Name of Location		SAMUDRA TOWNSHIP CUSTOMER CARE				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
32.	19-01-2023	81.49	26.39	17.13	24.33	--
33.	23-01-2023	75.13	31.38	14.48	22.89	--
34.	26-01-2023	87.36	26.14	22.47	27.36	--
35.	30-01-2023	72.14	32.48	26.36	31.24	--
36.	02-02-2023	87.39	26.46	26.23	31.48	--
37.	06-02-2023	79.62	24.84	23.69	29.75	--
38.	09-02-2023	83.74	14.19	19.73	26.42	--
39.	13-02-2023	76.53	21.49	29.8	37.91	--
40.	16-02-2023	82.19	29.64	21.82	28.68	--
41.	20-02-2023	87.66	26.39	17.13	24.33	--
42.	23-02-2023	89.38	31.38	14.48	22.89	--
43.	27-02-2023	73.19	26.14	22.47	27.36	--
44.	02-03-2023	73.52	37.61	29.17	36.74	--
45.	06-03-2023	86.18	29.49	27.64	31.59	--
46.	09-03-2023	83.73	34.18	33.62	39.47	--
47.	13-03-2023	81.35	27.93	25.79	31.57	--

Continue...

Name of Location		SAMUDRA TOWNSHIP CUSTOMER CARE				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
48.	16-03-2023	79.73	25.13	28.19	33.81	--
49.	20-03-2023	75.38	28.19	23.85	28.47	--
50.	23-03-2023	88.63	38.88	31.47	38.55	--
51.	27-03-2023	88.41	29.16	28.52	35.27	--
52.	30-03-2023	82.85	32.18	31.94	38.63	--
Permissible Value as per NAAQMS		100.0	60.0	80.0	80.0	2.0
Test Method		IS - 5182, Part- 23	UERL/AIR/ SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6	IS - 5182, Part - 10



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Ambient Air Quality Monitoring

Name of Location		AIR STRIP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
1.	03-10-2022	86.28	29.74	18.93	31.41	0.06
2.	06-10-2022	83.84	32.28	21.74	26.73	0.04
3.	10-10-2022	79.52	27.59	19.14	18.37	0.03
4.	13-10-2022	73.92	24.26	14.61	23.53	0.05
5.	17-10-2022	78.72	26.85	14.38	20.78	0.03
6.	20-10-2022	69.61	30.83	19.22	25.24	0.08
7.	27-10-2022	88.24	32.88	20.16	32.23	0.04
8.	28-10-2022	82.96	27.19	13.72	22.73	0.06
9.	31-10-2022	78.48	30.39	17.53	27.74	0.06
10.	03-11-2022	72.34	27.69	12.35	18.95	0.06
11.	07-11-2022	68.15	25.68	17.36	26.13	0.02
12.	10-11-2022	80.14	31.24	14.55	22.34	0.06
13.	14-11-2022	62.34	35.23	17.23	21.59	0.05
14.	17-11-2022	68.59	27.49	15.12	23.63	0.03
15.	21-11-2022	79.23	28.15	21.34	30.25	0.04

Continue...

Name of Location		AIR STRIP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
16.	24-11-2022	82.34	32.51	19.26	24.55	0.02
17.	28-11-2022	71.27	34.74	22.15	28.12	0.05
18.	01-12-2022	87.26	36.31	19.22	27.73	0.04
19.	05-12-2022	76.4	32.69	24.64	34.58	0.05
20.	08-12-2022	63.53	27.84	21.46	29.71	0.06
21.	12-12-2022	69.17	28.49	23.58	32.93	0.04
22.	15-12-2022	84.38	35.96	17.61	27.31	0.06
23.	19-12-2022	88.53	33.84	27.02	36.86	0.06
24.	22-12-2022	71.64	39.57	26.62	31.79	0.03
25.	26-12-2022	86.19	29.12	27.58	32.16	0.05
26.	29-12-2022	75.38	32.79	22.73	28.14	0.05
27.	02-01-2023	69.38	39.26	14.39	26.84	0.08
28.	05-01-2023	85.42	37.48	29.74	38.46	0.06
29.	09-01-2023	79.5	36.21	27.39	36.82	0.04
30.	12-01-2023	72.37	33.64	26.29	28.48	0.13
31.	16-01-2023	67.52	39.72	24.53	36.64	0.06

Continue...

Name of Location		AIR STRIP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
32.	19-01-2023	73.49	43.18	21.39	32.96	0.09
33.	23-01-2023	81.96	29.46	28.73	34.27	0.05
34.	26-01-2023	78.36	27.93	23.72	31.28	0.07
35.	30-01-2023	84.27	38.43	28.27	36.38	0.05
36.	02-02-2023	83.48	32.67	18.37	29.71	0.09
37.	06-02-2023	87.24	43.5	21.37	34.88	0.13
38.	09-02-2023	76.59	39.13	16.84	27.93	0.1
39.	13-02-2023	89.61	37.82	19.37	31.84	0.05
40.	16-02-2023	75.05	31.49	21.93	32.27	0.08
41.	20-02-2023	85.74	36.57	27.28	38.46	0.16
42.	23-02-2023	72.18	41.28	31.47	39.82	0.07
43.	27-02-2023	86.39	38.31	29.64	37.16	0.08
44.	02-03-2023	89.36	41.38	23.19	31.58	0.11
45.	06-03-2023	83.65	37.18	26.63	29.84	0.16
46.	09-03-2023	84.68	34.79	21.1	28.62	0.13
47.	13-03-2023	76.25	39.76	26.49	34.36	0.08

Continue...

Name of Location		AIR STRIP				
Sr. No.	Date of Monitoring	Parameter with Results				
		PM ₁₀ µg/m ³	PM _{2.5} µg/m ³	SO ₂ µg/m ³	NO ₂ µg/m ³	CO mg/m ³
48.	16-03-2023	82.16	35.53	17.47	26.85	0.11
49.	20-03-2023	86.19	31.28	21.55	29.26	0.14
50.	23-03-2023	73.96	38.36	27.94	34.81	0.1
51.	27-03-2023	81.39	34.91	24.73	28.46	0.13
52.	30-03-2023	88.37	32.48	28.13	36.81	0.09
Permissible Value as per NAAQMS		100.0	60.0	80.0	80.0	2.0
Test Method		IS - 5182, Part- 23	UERL/AIR/ SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6	IS - 5182, Part - 10



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Noise Level Monitoring

Location Name		PUB / Adani House					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) - Day Time					
		03-10-2022	03-11-2022	01-12-2022	02-01-2023	02-02-2023	02-03-2023
1	06:00 to 07:00	62.5	63.8	62.7	61.8	60.6	62.4
2	07:00 to 08:00	66.1	61.4	64.2	63.5	62.5	61.8
3	08:00 to 09:00	68.2	58.7	63.1	62.8	60.9	63.7
4	09:00 to 10:00	62.4	62.6	65.6	62.4	63.2	63.2
5	10:00 to 11:00	67.8	68.7	64.2	63.4	67.4	64.2
6	11:00 to 12:00	64	63.4	67.9	69.6	65.2	61.8
7	12:00 to 13:00	61.3	69.7	64.3	65.7	68.9	65.9
8	13:00 to 14:00	65.9	62.1	63.2	64.2	64.8	63.1
9	14:00 to 15:00	64.2	62.5	66.5	67.5	63.6	66.3
10	15:00 to 16:00	63.7	61.8	65.2	67.1	61.8	62.9
11	16:00 to 17:00	67	65.5	64.5	63.8	66.4	64.7
12	17:00 to 18:00	65.3	64.1	65.1	64.9	67.9	64.3
13	18:00 to 19:00	69.1	59.2	62.7	63.8	58.2	60.1
14	19:00 to 20:00	66.7	68.3	61.3	65.4	67	63.4
15	20:00 to 21:00	61.8	63.3	60.2	63.9	61.9	62.7
16	21:00 to 22:00	60.4	66.3	60.8	62.5	65.3	61.2
Day Time		<75 dB (A)					

Continue...

Location Name		PUB / Adani House					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) – Night Time					
		03-10-2022	03-11-2022	01-12-2022	02-01-2023	02-02-2023	02-03-2023
1	22:00 to 23:00	63.6	56.3	58.7	60.3	57.3	58.4
2	23:00 to 24:00	64.2	57.8	61.6	62.3	56.2	54.2
3	24:00 to 01:00	63.4	54.3	60.7	59.8	54.3	55.7
4	01:00 to 02:00	64.1	58.6	60.6	60.6	57.4	58.3
5	02:00 to 03:00	58.6	59.3	59.3	58.1	60.1	59.2
6	03:00 to 04:00	58.2	55.8	60.5	59.2	56.3	57.9
7	04:00 to 05:00	64.2	59.2	61.3	60.5	59.2	55.4
8	05:00 to 06:00	61.3	57.4	62.7	61.3	58.3	57.8

Night Time	<70 dB (A)
------------	------------

Test Method	IS: 9989 : 1981
-------------	-----------------



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Noise Level Monitoring

Location Name		Adani Guest House					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) - Day Time					
		25-10-2022	29-11-2022	31-12-2022	31-01-2023	28-02-2023	31-03-2023
1	06:00 to 07:00	59.2	61.6	59.8	61.8	62.2	61.3
2	07:00 to 08:00	60.6	63.8	61.3	63.2	61.8	63.8
3	08:00 to 09:00	62.5	64.9	62.7	62.7	63.2	67.3
4	09:00 to 10:00	61.8	63.7	64.4	64.2	65.9	64.3
5	10:00 to 11:00	60.7	62.1	63.8	63.8	64.2	62.1
6	11:00 to 12:00	62.5	64.5	62.9	63.8	67.8	63.8
7	12:00 to 13:00	61.6	64.7	64.5	64.5	65.3	61.4
8	13:00 to 14:00	64.2	62.8	64.8	65.8	64.7	66.9
9	14:00 to 15:00	60.6	61.1	63.5	62.1	63.9	62.7
10	15:00 to 16:00	62.5	64.8	66.1	68.5	65.9	64.3
11	16:00 to 17:00	61.8	63.9	64.7	67.2	64.2	65.7
12	17:00 to 18:00	62.8	63.6	65.5	65.5	63.6	68.2
13	18:00 to 19:00	62.7	62.1	62.6	64.9	61.7	63.8
14	19:00 to 20:00	60.8	62.8	61.8	63.4	62.8	61.3
15	20:00 to 21:00	59.4	60.2	59.3	59.3	63.2	65.4
16	21:00 to 22:00	58.1	59.9	60.3	63.7	61.7	61.8
Day Time		<75 dB (A)					

Continue...

Location Name		Adani Guest House					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) – Night Time					
		25-10-2022	29-11-2022	31-12-2022	31-01-2023	28-02-2023	31-03-2023
1	22:00 to 23:00	59.9	58.6	57.8	59.2	59.7	57.4
2	23:00 to 24:00	54.3	56.2	59.6	60.7	56.3	59.3
3	24:00 to 01:00	52.7	56.8	61.4	57.4	58.5	56.2
4	01:00 to 02:00	56.4	54.3	60.8	61.3	54.9	56.9
5	02:00 to 03:00	54.3	58.4	60.5	60.2	57.4	59.5
6	03:00 to 04:00	58.3	59.5	58.1	59.4	56.2	59.2
7	04:00 to 05:00	58.6	56.9	59.5	60.6	56.9	58.1
8	05:00 to 06:00	55.9	58.2	60.9	60.8	57.1	56.7

Night Time	<70 dB (A)
------------	------------

Test Method	IS: 9989 : 1981
-------------	-----------------



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Noise Level Monitoring

Location Name		WTP- Nr. CETP					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) - Day Time					
		04/10/2022	09/11/2022	03/12/2022	04/01/2023	08/02/2023	04/03/2023
1	06:00 to 07:00	63.6	58.3	62.4	62.1	59.4	59.4
2	07:00 to 08:00	63.5	63.2	65.4	64.8	62.7	61.7
3	08:00 to 09:00	58.9	66.8	65.1	64.3	65.4	63.8
4	09:00 to 10:00	62.4	64.5	65.9	66.9	63.9	67.4
5	10:00 to 11:00	67.8	68.6	68.4	67.5	67	64.3
6	11:00 to 12:00	69.5	65.2	67.3	67.3	67.8	65.8
7	12:00 to 13:00	68.1	67.1	63.9	63.9	63.8	65.2
8	13:00 to 14:00	66.2	66.1	66.1	67.4	63.2	69.4
9	14:00 to 15:00	62.3	69	61.8	61.8	62.4	63.2
10	15:00 to 16:00	65.5	68.2	63.4	64.2	62.5	63.1
11	16:00 to 17:00	67.4	66.9	64.6	67.5	67.1	68.4
12	17:00 to 18:00	60.5	62.8	62.8	69	63.9	65
13	18:00 to 19:00	61.8	65.8	62.5	64.8	67.4	68.4
14	19:00 to 20:00	60.2	61.3	61.3	62.8	63.2	61.2
15	20:00 to 21:00	59.3	68.9	63.5	63.5	67.6	64.9
16	21:00 to 22:00	58.8	65.7	62.7	63.7	68.7	63.6
Day Time		<75 dB (A)					

Continue...

Location Name		WTP- Nr. CETP					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) – Night Time					
		04/10/2022	09/11/2022	03/12/2022	04/01/2023	08/02/2023	04/03/2023
1	22:00 to 23:00	57.2	59.5	61.2	58.6	56.4	55.7
2	23:00 to 24:00	60.2	56.8	60.5	61.3	57.3	57.3
3	24:00 to 01:00	57.6	56.2	61.3	61.4	57.8	57.8
4	01:00 to 02:00	55.3	60.7	63.9	63.9	59.2	59.1
5	02:00 to 03:00	55.5	56.2	58.5	59.7	57.6	56.8
6	03:00 to 04:00	57.8	59.3	59.4	60.2	59.3	57.3
7	04:00 to 05:00	56.2	55.7	60.2	63.5	56.8	58.2
8	05:00 to 06:00	58.9	57.1	63.6	62.7	58.3	59.3

Night Time	<70 dB (A)
------------	------------

Test Method	IS: 9989 : 1981
-------------	-----------------



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Noise Level Monitoring

Location Name		SAMUDRA TOWNSHIP – STP					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) - Day Time					
		12/10/2022	15/11/2022	10/12/2022	11/01/2023	14/02/2023	11/03/2023
1	06:00 to 07:00	60.9	63.9	62.3	61.8	62.8	62.1
2	07:00 to 08:00	61.4	61.2	64.8	65.2	62.3	63.4
3	08:00 to 09:00	66.7	67.8	66.4	65.7	68.9	63.8
4	09:00 to 10:00	63.3	66.3	67.8	67.8	67.1	61.3
5	10:00 to 11:00	68.2	63.2	64.9	64.9	64.8	67.8
6	11:00 to 12:00	65.4	67.3	68.4	67.1	65.5	63.2
7	12:00 to 13:00	63.9	64.2	62.5	63.6	63.8	68.4
8	13:00 to 14:00	67.1	62.9	63.6	67.4	63.2	62.1
9	14:00 to 15:00	62.6	65.4	65.4	65.4	67.9	66.8
10	15:00 to 16:00	65.5	69.1	63.7	66.6	65.1	64.3
11	16:00 to 17:00	62.7	65.5	67.5	67.5	68.4	67.5
12	17:00 to 18:00	69.2	68.9	66.1	62.5	68.9	65.8
13	18:00 to 19:00	62	61.3	64.1	64.1	61.3	64.3
14	19:00 to 20:00	62.3	64.2	64.2	63	63.5	64.9
15	20:00 to 21:00	60.6	67.5	63.2	63.2	67.5	65.4
16	21:00 to 22:00	62.3	61.3	62.4	61.4	62.8	60.1
Day Time		<75 dB (A)					

Continue...

Location Name		SAMUDRA TOWNSHIP – STP					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) – Night Time					
		12/10/2022	15/11/2022	10/12/2022	11/01/2023	14/02/2023	11/03/2023
1	22:00 to 23:00	58.7	59.4	57.4	57.9	60.7	59.3
2	23:00 to 24:00	54.3	56.7	58.3	58.3	57.3	59.1
3	24:00 to 01:00	55.6	56.8	55.9	57.3	56.8	61.6
4	01:00 to 02:00	57.3	58.9	60.3	61.2	58.9	56.4
5	02:00 to 03:00	52.6	54.2	56.8	58.9	54.9	57.4
6	03:00 to 04:00	56.8	57.6	58.4	58.4	58.2	56.9
7	04:00 to 05:00	55.1	58.4	59.1	60.3	58.4	58.4
8	05:00 to 06:00	59.3	61.5	58.2	59.3	59.7	57.5

Night Time	<70 dB (A)
------------	------------

Test Method	IS: 9989 : 1981
-------------	-----------------



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Noise Level Monitoring

Location Name		SAMUDRA TOWNSHIP CUSTOMER CARE					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) - Day Time					
		18/10/2022	23/11/2022	17/12/2022	20/01/2023	21/02/2023	18/03/2023
1	06:00 to 07:00	58.4	60.2	60.6	58.3	60.9	60.3
2	07:00 to 08:00	64.3	64.7	59.6	60.2	63.1	62.7
3	08:00 to 09:00	60.5	65.4	62.3	62.3	65.4	66.4
4	09:00 to 10:00	68.4	64.5	68.4	65.7	63.7	68.4
5	10:00 to 11:00	64.5	65.4	63.9	65.9	65.4	64.3
6	11:00 to 12:00	63.3	65.5	64.2	62.7	66.8	62.8
7	12:00 to 13:00	66.1	67.9	63.2	64.8	67.9	66.5
8	13:00 to 14:00	61.4	61.9	63.7	67.5	62.4	64.2
9	14:00 to 15:00	61.8	65.8	62.5	63.4	67.5	68.5
10	15:00 to 16:00	63.2	64.2	65.8	69.1	64.2	65.3
11	16:00 to 17:00	63.2	63.8	61.5	63.6	62.4	64.3
12	17:00 to 18:00	66.6	61.6	63.4	63.4	61.6	63.6
13	18:00 to 19:00	62.1	60.2	60.2	60.2	65.9	62.7
14	19:00 to 20:00	60.2	61.5	62.2	64.8	61.5	64.8
15	20:00 to 21:00	59.7	63	60.5	60.5	64.7	61.3
16	21:00 to 22:00	59.8	62.7	60.8	64.8	61.1	59.6
Day Time		<75 dB (A)					

Continue...

Location Name		SAMUDRA TOWNSHIP CUSTOMER CARE					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) – Night Time					
		18/10/2022	23/11/2022	17/12/2022	20/01/2023	21/02/2023	18/03/2023
1	22:00 to 23:00	57.6	56.9	59.6	60.3	58.5	56
2	23:00 to 24:00	56.4	57.5	59.9	60.7	56.8	58.4
3	24:00 to 01:00	54.3	57.2	62.6	62.6	59.3	56.8
4	01:00 to 02:00	56.9	57.1	61.8	62.8	59	57.5
5	02:00 to 03:00	55.4	56.6	60.3	57.3	57.8	61.2
6	03:00 to 04:00	58.2	54.5	58.5	58.5	55.2	58.5
7	04:00 to 05:00	60.3	59.4	59.4	59.4	58.4	58.5
8	05:00 to 06:00	57.6	56.3	60.8	59.8	56.3	56.9

Night Time	<70 dB (A)
------------	------------

Test Method	IS: 9989 : 1981
-------------	-----------------



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Noise Level Monitoring

Location Name		AIR STRIP					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) - Day Time					
		21/10/2022	26/11/2022	24/12/2022	24/01/2023	25/02/2023	25/03/2023
1	06:00 to 07:00	61.1	62.9	61.1	60.5	59.8	63.7
2	07:00 to 08:00	68.5	61.5	63.5	62.7	62.7	64.2
3	08:00 to 09:00	65.5	63.3	64.3	63.9	67.8	63.8
4	09:00 to 10:00	63.3	62.3	64.8	65.1	64.5	65.8
5	10:00 to 11:00	65.7	61.2	62.4	67.3	61.2	64.9
6	11:00 to 12:00	62.8	63.4	63.4	66.9	68.4	67
7	12:00 to 13:00	68.2	67.4	65.8	63.2	64.2	63.8
8	13:00 to 14:00	65.6	68	62.9	62.9	69.1	67.5
9	14:00 to 15:00	64.2	63.7	64.9	64.9	65.8	66.3
10	15:00 to 16:00	68.2	63.6	64.7	63.3	64.3	62.5
11	16:00 to 17:00	63.6	65.1	65.3	67.5	67.2	68.4
12	17:00 to 18:00	67.2	63.2	63.2	64.7	63.2	65.4
13	18:00 to 19:00	68.7	60.4	60.4	62.4	60.4	64.1
14	19:00 to 20:00	68.5	60.6	60.1	62.5	60.9	63
15	20:00 to 21:00	61.1	59.6	58.5	58.5	62.6	62.7
16	21:00 to 22:00	60.9	61.8	63.6	62.8	63.6	62.4
Day Time		<75 dB (A)					

Continue...

Location Name		AIR STRIP					
Sr. No.	Sampling Date and Time	Noise Level Leq. dB(A) – Night Time					
		21/10/2022	26/11/2022	24/12/2022	24/01/2023	25/02/2023	25/03/2023
1	22:00 to 23:00	59.6	55.8	60.7	58.4	57.3	58.5
2	23:00 to 24:00	57.4	56.8	57.8	57.8	58.1	57.4
3	24:00 to 01:00	63.5	59.3	59.1	58.3	60.4	57.9
4	01:00 to 02:00	60.7	56.2	62.1	61.2	57.8	59.3
5	02:00 to 03:00	60.2	56.4	58.4	59	57.6	57.2
6	03:00 to 04:00	63.8	61.3	58.7	58.7	60.3	61.7
7	04:00 to 05:00	58.2	57.3	60.8	61.1	57.8	56.4
8	05:00 to 06:00	62.1	58.7	62.2	62.1	58.7	58.1

Night Time	<70 dB (A)
------------	------------

Test Method	IS: 9989 : 1981
-------------	-----------------



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Stack Monitoring

Monitoring Period: **October - 2022 to March - 2023**

Sr. No.	Parameter	Unit	Adani Hospital DG Set	GPCB LIMIT	Method of Test
			Feb-23		
			01-02-2023		
1	Particulate Matter	mg/Nm ³	15.26	150	IS 11255 (Part - 1)
2	Sulfur Dioxide as SO ₂	ppm	6.18	100	IS 11255 (Part - 2)
3	Oxides of Nitrogen as NO _x	ppm	23.42	50	IS 11255 (Part - 7)

Sr. No.	Parameter	Unit	WTP Nr CETP D.G.Set No. S-1 (380 KVA)	GPCB LIMIT	Method of Test
			Dec-22		
			15-12-2022		
1	Particulate Matter	mg/Nm ³	18.4	150	IS 11255 (Part - 1)
2	Sulfur Dioxide as SO ₂	ppm	6.8	100	IS 11255 (Part - 2)
3	Oxides of Nitrogen as NO _x	ppm	24.7	50	IS 11255 (Part - 7)



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

Results of Stack Monitoring

Monitoring Period: **October - 2022 to March - 2023**

Sr. No.	Parameter	Unit	Adani House D.G.Set No. S-1 (750 KVA)	GPCB LIMIT	Method of Test
			Mar-23		
			28-03-2023		
1	Particulate Matter	mg/Nm ³	19.29	150	IS 11255 (Part - 1)
2	Sulfur Dioxide as SO ₂	ppm	7.87	100	IS 11255 (Part - 2)
3	Oxides of Nitrogen as NO _x	ppm	22.46	50	IS 11255 (Part - 7)

Sr. No.	Parameter	Unit	D.G.Set No. S-2 (500 KVA –PUB)	GPCB LIMIT	Method of Test
			Mar-23		
			28-03-2023		
1	Particulate Matter	mg/Nm ³	18.8	150	IS 11255 (Part - 1)
2	Sulfur Dioxide as SO ₂	ppm	6.9	100	IS 11255 (Part - 2)
3	Oxides of Nitrogen as NO _x	ppm	27.2	50	IS 11255 (Part - 7)



Nikunj D. Patel
(Chemist)




Jaivik S. Tandel
(Manager - Operations)

RESULTS OF BOREHOLE WATER SAMPLE

Sr. No	Parameters	Method	Unit	23-02-2023	23-02-2023	23-02-2023	23-02-2023
				Nr. PUB Building.	Nr. CETP	Nr.flyover bridge	Dhrub
1	pH @ 25 ° C	IS 3025(Part 11)1983	--	7.06	8.01	7.5	7.52
2	Salinity	APHA 23rd Ed.,2017,2520 B	ppt	21.38	2.2	10.48	3.3
3	Oil & Grease	IS 3025(Part39)1991, Amd. 2	mg/L	BDL(MDL:2.0)	BDL(MDL:2.0)	BDL(MDL:2.0)	BDL(MDL:2.0)
4	Hydrocarbon	GC/GCMS	mg/L	Not Detected	Not Detected	Not Detected	Not Detected
5	Lead as Pb	IS 3025 (PART 47) 1994	mg/L	BDL(MDL:0.01)	BDL(MDL:0.01)	BDL(MDL:0.01)	0.038
6	Arsenic as As	APHA 23rd Ed.,2017,3114-C	mg/L	BDL(MDL:0.01)	BDL(MDL:0.01)	BDL(MDL:0.01)	BDL(MDL:0.01)
7	Nickel as Ni	IS 3025 (PART 54) 2003	mg/L	0.374	0.046	0.201	0.042
8	Total Chromium as Cr	IS 3025 (PART 52) 2003	mg/L	0.064	BDL(MDL:0.05)	0.009	BDL(MDL:0.05)
9	Cadmium as Cd	IS 3025(PART 41) 1992	mg/L	0.194	BDL(MDL:0.003)	0.086	0.053
10	Mercury as Hg	APHA 23rd Ed.,2017, 3112-B	mg/L	BDL(MDL:0.001)	BDL(MDL:0.001)	BDL(MDL:0.001)	BDL(MDL:0.001)
11	Zinc as Zn	IS 3025(PART 49) 1994	mg/L	0.265	BDL(MDL:0.05)	0.137	BDL(MDL:0.05)
12	Copper as Cu	IS 3025 (PART 42) 1992	mg/L	0.073	BDL(MDL:0.05)	BDL(MDL:0.05)	BDL(MDL:0.05)
13	Iron as Fe	IS 3025(PART 53) 2003	mg/L	0.459	BDL(MDL:0.1)	0.226	BDL(MDL:0.1)
14	Insecticides/Pesticides	USEPA 8081 B	µg/L	Absent	Absent	Absent	Absent
15	Depth of Water Level from Ground Level	--	meter	2.2	2.3	2.2	2.2



Mr. Nilesh Patel
Sr. Chemist




Mr. Nitin Tandel
Technical Manager

RESULTS OF SOIL SAMPLE

SR.NO.	TEST PARAMETERS	UNIT	13-02-2023	13-02-2023	13-02-2023	13-02-2023
			PUB Building	Dhrub	Near Flyover Bridge	Near CETP
1	pH	--	9.16	8.43	8.54	8.77
2	Nitrogen as N	%	0.12	0.28	0.22	0.26
3	Phosphorus as P	mg/kg	1393.6	599.7	798.7	398.6
4	Potassium as K	mg/kg	48.59	1223.9	219.6	151.1
5	Baron as B	mg/kg	1.94	1.98	2.14	3.12
6	Calcium as Ca	mg/kg	321.1	3154.7	969.6	322.4
7	Magnesium as Mg	mg/kg	146	4904.3	440.9	48.9
8	Iron as Fe	%	0.50	0.97	0.88	0.75
9	Moisture	%	0.43	3.03	0.29	1.44
10	Organic Matter	%	0.52	1.67	1.57	1.38
11	Cation exchange capacity (CEC)	meq/100gm	9.46	14.58	10.12	9.74
12	TVC	CFU/gm	2.8x10 ⁶	2.8 x 10 ⁶	2.2 x 10 ⁶	1.9 x 10 ⁶
13	Cadmium as Cd	mg/kg	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)
14	Thorium as Th	mg/kg	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)
15	Antimony as Sb	mg/kg	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)
16	Arsenic as As	mg/kg	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)	BDL(MDL:1.0)

Continue...

17	Lead as Pb	mg/kg	8.09	8.68	17.81	7
18	Chromium as Cr	mg/kg	3.84	8.74	4.33	4.32
19	Cobalt as Co	mg/kg	10.4	10.42	8.89	9.69
20	Copper as Cu	mg/kg	7.51	11.27	29.8	15.41
21	Nickel as Ni	mg/kg	11	13.74	13.02	13.28
22	Manganese and Mn	mg/kg	330.3	208.2	218.81	116.58
23	Vanadium as V	mg/kg	8.96	8.02	8.62	8.11



Mr. Nilesh Patel
Sr. Chemist




Mr. Nitin Tandel
Technical Manager

Minimum Detection Limit

Ambient Air Quality Monitoring

Sr. No.	Test Parameter	Unit	MDL
1	Particulate Matter (PM10)	µg/m ³	5 µg/m ³
2	Particulate Matter (PM10)	µg/m ³	5 µg/m ³
3	Sulphur Dioxide (SO ₂)	µg/m ³	4 µg/m ³
4	Nitrogen Dioxide (NO ₂)	µg/m ³	5 µg/m ³
5	Carbon Monoxide (CO)	mg/m ³	1-30 mg/m ³
6	Ammonia (NH ₃)	µg/m ³	5 µg/m ³
7	Ozone (O ₃)	µg/m ³	5 µg/m ³
8	Lead (Pb)	µg/m ³	0.5 µg/m ³
9	Nickle (Ni)	ng/m ³	1 ng/m ³
10	Arsenic (As)	ng/m ³	1 ng/m ³
11	Benzene	µg/m ³	1µg/m ³
12	Benzo(o)Pyrene	ng/m ³	0.1 ng/m ³
14	Hydro Carbon	µg/m ³	1 µg/m ³

Stack Emission Monitoring

Sr. No.	Test Parameter	Unit	MDL
1	Suspended particulate matter	mg/Nm ³	2 mg/Nm ³
2	Sulphur Dioxide SOX	mg/Nm ³	4 mg/Nm ³
3	Oxides of Nitrogen NOX	mg/Nm ³	5 mg/Nm ³

CETP water			
Sr. No.	Test Parameter	Unit	MDL
1	pH @ 27 ° C	--	2
2	Temperature	0C	5
3	Colour	Pt. Co. Scale	5
4	Total Suspended Solids	mg/L	4
5	Oil & Grease	mg/L	2
6	Phenolic Compound	mg/L	0.1
7	Fluoride	mg/L	0.2
8	Iron as Fe	mg/L	0.1
9	Zinc as Zn	mg/L	0.05
10	Trivalent Chromium	mg/L	0.05
11	Sulphide	mg/L	0.05
12	Ammonical Nitrogen	mg/L	2
13	BOD (3 days at 27 0C)	mg/L	1
14	COD	mg/L	2
15	Chloride (as Cl) ⁻	mg/L	1
16	Sulphate (as SO ₄)	mg/L	1
17	Total Dissolved Solids	mg/L	4
18	Total Residual Chlorine	mg/L	0.1
19	Copper as Cu	mg/L	0.05
20	Bio Assay test (%)	%	--

STP OUTLET

Sr. No.	Test Parameter	Unit	MDL
1	pH @ 25 ° C	--	2
2	Total Suspended Solids	mg/L	4
3	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	mg/L	1
4	Residual chlorine	mg/L	0.1
5	Fecal Coliform	MPN Index/100ml	

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA 1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-11)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

: January - 2023

Name of Location

: Village - Siracha

ID No.

: URA/ID/A-23/01/001

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/01/2023	56.2	25.2	13.2	15.6		--
2.	06/01/2023	59.7	24.5	11.0	13.4		--
3.	10/01/2023	41.8	19.5	10.6	19.1	14.8	BDL
4.	13/01/2023	59.5	24.9	10.8	12.3		--
5.	17/01/2023	68.6	26.9	12.5	17.7		--
6.	20/01/2023	65.2	25.7	13.6	18.5		--
7.	24/01/2023	57.4	24.7	15.8	20.1		--
8.	27/01/2023	58.2	28.5	11.6	15.2		--
Average		58.3	25.0	12.4	16.5		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM – IS: 5182 (Part 4), 1999, PM₁₀ – IS: 5182 (Part 23), 2006, PM_{2.5} – Guidelines by CPCB (Vol-1), SO₂ – IS: 5182 (Part 2), 2001, NO_x – IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment & Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-11)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : January - 2023

Name of Location : Village – Kandagara

ID No. : URA/ID/A-22/12/002

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/01/2023	65.1	25.3	8.8	11.3		--
2.	06/01/2023	50.4	25.8	11.7	18.8		--
3.	10/01/2023	68.1	30.0	10.1	14.3	14.1	BDL
4.	13/01/2023	57.3	26.7	14.6	19.1		--
5.	17/01/2023	61.5	27.6	11.2	16.9		--
6.	20/01/2023	54.8	23.4	9.7	12.5		--
7.	24/01/2023	60.6	28.7	12.7	19.7		--
8.	27/01/2023	52.6	27.8	11.8	17.3		--
Average		58.8	26.9	11.3	16.2		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM– IS: 5182 (Part 4), 1999, PM₁₀– IS: 5182 (Part 23), 2006, PM_{2.5}- Guidelines by CPCB (Vol-1), SO₂– IS: 5182 (Part 2), 2001, NO_x– IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA 1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring

: January - 2023

Name of Location

: Village - Wandh

ID No.


: URA/ID/A-23/01/003

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/01/2023	56.6	29.2	15.6	18.8		--
2.	06/01/2023	59.1	29.1	12.9	14.3		--
3.	10/01/2023	52.2	22.7	11.4	18.7	18.1	BDL
4.	13/01/2023	61.7	30.0	16.1	19.5		--
5.	17/01/2023	70.8	31.5	13.7	16.4		--
6.	20/01/2023	64.5	29.0	12.3	21.8		--
7.	24/01/2023	59.0	27.4	15.6	18.1		--
8.	27/01/2023	59.3	26.3	12.3	19.6		--
Average		60.4	28.1	13.7	18.4		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NA8ET Accredited EIA Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-11)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : January - 2023

Name of Location : Nr.20 MLD Plant

ID No. : URA/ID/A-23/01/004

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	19/01/2023	58.4	23.1	13.2	20.6	16.2	BDL
Average		58.4	23.1	13.2	20.6	16.2	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment & Research Labs Pvt. Ltd.



(Authorized Signatory)

MOEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : January - 2023

Name of Location : Nr. Shantiniketan - 1

ID No. : URA/ID/A-23/01/005

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	19/01/2023	48.7	20.6	11.8	18.8	14.3	BDL
Average		48.7	20.6	11.8	18.8	14.3	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

October - 2022

Name of Location

Village - Siracha

ID No.


URA/ID/A-22/10/001

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	04/10/2022	48.2	28.8	13.7	17.2		--
2.	07/10/2022	64.5	31.3	19.3	20.6		--
3.	11/10/2022	53.2	28.3	15.7	22.8	13.3	BDL
4.	14/10/2022	67.1	28.8	13.2	19.9		--
Average		58.2	29.3	15.5	20.1		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM – IS: 5182 (Part 4), 1999, PM₁₀ – IS: 5182 (Part 23), 2006, PM_{2.5} – Guidelines by CPCB (Vol-1), SO₂ – IS: 5182 (Part 2), 2001, NO_x – IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

243

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCHNABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : October - 2022

Name of Location : Village – Kandagara

ID No. : URA/ID/A-22/10/002

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	04/10/2022	65.4	30.4	15.3	21.6		--
2.	07/10/2022	57.5	29.9	12.1	17.2		--
3.	11/10/2022	62.3	30.6	20.6	24.6	15.8	BDL
4.	14/10/2022	51.2	26.9	17.7	21.4		--
Average		59.1	29.4	16.4	21.2		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM– IS: 5182 (Part 4), 1999, PM₁₀– IS: 5182 (Part 23), 2006, PM_{2.5}– Guidelines by CPCB (Vol-1), SO₂– IS: 5182 (Part 2), 2001, NO_x– IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

244

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

October - 2022

Name of Location

Village - Wandh

ID No.


URA/ID/A-22/10/003

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	04/10/2022	61.1	23.4	14.6	18.2		--
2.	07/10/2022	52.5	28.1	21.6	25.3		--
3.	11/10/2022	64.4	30.8	18.4	23.7	18.4	BDL
4.	14/10/2022	70.3	32.5	16.3	20.9		--
Average		62.1	28.7	17.7	22.0		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

245

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : October - 2022

Name of Location : Nr.20 MLD Plant

ID No. : URA/ID/A-22/10/004

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	12/10/2022	70.4	30.8	16.2	21.5	20.2	BDL
Average		70.4	30.8	16.2	21.5	20.2	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5}- Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

246

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCH-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : October - 2022

Name of Location : Nr. Shantiniketan - 1


ID No. : URA/ID/A-22/10/005

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	12/10/2022	61.3	26.4	14.7	20.3	18.5	BDL
Average		61.3	26.4	14.7	20.3	18.5	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

247

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCINABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

: November - 2022

Name of Location

: Village - Siracha

ID No.


: URA/ID/A-22/11/001

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	01/11/2022	63.0	24.4	13.5	16.5		--
2.	04/11/2022	49.5	20.0	15.8	22.8		--
3.	08/11/2022	54.8	25.1	17.6	24.6	15.8	BDL
4.	11/11/2022	51.5	18.6	12.7	15.3		
5.	15/11/2022	65.1	24.1	14.9	19.6		
6.	18/11/2022	59.0	22.3	17.1	22.2		
7.	22/11/2022	69.1	27.6	14.3	17.5		
8.	25/11/2022	69.8	24.5	12.9	19.4		
9.	29/11/2022	51.9	20.9	12.2	26.8		--
Average		59.3	23.1	14.6	20.5		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM – IS: 5182 (Part 4), 1999, PM₁₀ – IS: 5182 (Part 23), 2006, PM_{2.5} – Guidelines by CPCB (Vol-1), SO₂ – IS: 5182 (Part 2), 2001, NO_x – IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QC/NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

**Monthly Average Report
AMBIENT AIR MONITORING**

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : November - 2022

Name of Location : Village – Kandagara

ID No. : URA/ID/A-22/11/002

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	01/11/2022	60.5	24.0	16.3	20.5		--
2.	04/11/2022	47.9	28.9	10.7	15.2		--
3.	08/11/2022	65.9	24.6	13.8	17.5	18.9	BDL
4.	11/11/2022	60.1	20.8	15.4	20.8		
5.	15/11/2022	59.8	24.7	17.9	23.6		
6.	18/11/2022	55.7	22.9	14.4	21.4		
7.	22/11/2022	71.2	26.2	13.5	19.7		
8.	25/11/2022	64.5	25.6	14.8	21.3		
9.	29/11/2022	52.0	22.5	26.6	25.6		--
Average		59.8	24.5	15.9	20.6		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM– IS: 5182 (Part 4), 1999, PM₁₀– IS: 5182 (Part 23), 2006, PM_{2.5}– Guidelines by CPCB (Vol-1), SO₂– IS: 5182 (Part 2), 2001, NO_x– IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

**UniStar Environment &
Research Labs Pvt. Ltd.**



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

: Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring

: November - 2022

Name of Location

: Village - Wandh

ID No.

: URA/ID/A-22/11/003

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	01/11/2022	64.6	30.9	18.5	22.7		--
2.	04/11/2022	72.6	31.2	16.7	25.4		--
3.	08/11/2022	66.2	29.5	15.5	21.2	22.6	BDL
4.	11/11/2022	49.3	26.2	13.9	18.5		
5.	15/11/2022	67.9	30.3	16.2	23.7		
6.	18/11/2022	53.8	25.6	15.8	21.3		
7.	22/11/2022	68.1	30.2	14.5	19.8		
8.	25/11/2022	66.9	27.2	17.2	22.6		
9.	29/11/2022	51.9	23.9	15.7	20.6		--
Average		62.4	28.3	16.0	21.8		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCHNABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

**Monthly Average Report
AMBIENT AIR MONITORING**

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : November - 2022

Name of Location : Nr.20 MLD Plant

ID No. : URA/ID/A-22/11/004

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	15/11/2022	68.4	27.1	15.3	19.2	18.5	BDL
Average		68.4	27.1	15.3	19.2	18.5	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

**Monthly Average Report
AMBIENT AIR MONITORING**

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : November - 2022

Name of Location : Nr. Shantiniketan - 1

ID No. : URA/ID/A-22/11/005

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	15/11/2022	54.6	23.8	13.7	18.2	16.4	BDL
Average		54.6	23.8	13.7	18.2	16.4	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5}- Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCHNABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring

: December - 2022

Name of Location

: Village - Siracha

ID No.


: URA/ID/A-22/12/001

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	02/12/2022	59.8	31.8	13.8	17.3		--
2.	06/12/2022	60.6	29.4	19.5	23.2		--
3.	09/12/2022	74.6	32.5	18.2	27.8	13.2	BDL
4.	13/12/2022	51.3	22.0	10.6	15.1		
5.	16/12/2022	61.9	31.5	14.5	25.3		
6.	20/12/2022	45.8	24.7	18.3	19.5		
7.	23/12/2022	65.9	26.0	15.1	27.5		
8.	27/12/2022	59.6	30.9	13.4	22.2		
9.	30/12/2022	58.7	24.3	11.6	26.8		--
Average		59.8	28.1	15.0	22.7		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM – IS: 5182 (Part 4), 1999, PM₁₀ – IS: 5182 (Part 23), 2006, PM_{2.5} – Guidelines by CPCB (Vol-1), SO₂ – IS: 5182 (Part 2), 2001, NO_x – IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : December - 2022

Name of Location : Village – Kandagara

ID No. : URA/ID/A-22/12/002

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	02/12/2022	51.6	24.4	11.4	13.7		--
2.	06/12/2022	57.3	26.9	12.3	17.8		--
3.	09/12/2022	63.6	29.3	18.9	22.2	15.7	BDL
4.	13/12/2022	46.5	27.7	14.1	14.2		
5.	16/12/2022	52.1	21.1	15.3	18.9		
6.	20/12/2022	59.3	27.6	13.7	18.3		
7.	23/12/2022	65.1	23.9	19.6	23.1		
8.	27/12/2022	73.7	33.5	17.1	21.5		
9.	30/12/2022	60.8	28.3	15.2	22.3		--
Average		58.9	27.0	15.3	19.1		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM– IS: 5182 (Part 4), 1999, PM₁₀– IS: 5182 (Part 23), 2006, PM_{2.5}– Guidelines by CPCB (Vol-1), SO₂– IS: 5182 (Part 2), 2001, NO_x– IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

: December - 2022

Name of Location

: Village - Wandh

ID No.


: URA/ID/A-22/12/003

Sr. No.	Sampling Date	Concentration in Ambient Air (µg / m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	02/12/2022	52.6	21.2	14.3	20.2		--
2.	06/12/2022	57.1	27.0	12.6	25.3		--
3.	09/12/2022	74.5	33.3	20.4	23.7	20.4	BDL
4.	13/12/2022	64.7	31.9	17.3	25.1		
5.	16/12/2022	55.9	24.1	19.6	28.0		
6.	20/12/2022	64.4	31.9	13.1	17.5		
7.	23/12/2022	61.4	28.2	15.6	22.3		
8.	27/12/2022	63.7	30.2	20.6	25.2		
9.	30/12/2022	61.5	26.0	18.9	23.6		--
Average		61.8	28.2	16.9	23.4		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : December - 2022

Name of Location : Nr.20 MLD Plant

ID No. : URA/ID/A-22/12/004

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	06/12/2022	62.8	25.2	13.9	21.3	17.2	BDL
Average		62.8	25.2	13.9	21.3	17.2	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5}- Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCINABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : December - 2022

Name of Location : Nr. Shantiniketan - 1


ID No. : URA/ID/A-22/12/005

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	06/12/2022	52.1	21.7	12.9	20.3	15.1	BDL
Average		52.1	21.7	12.9	20.3	15.1	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA 1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring

: February - 2023

Name of Location

: Village - Siracha

ID No.


: URA/ID/A-23/02/001

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/02/2023	50.2	21.0	10.5	16.7		--
2.	10/02/2023	42.1	18.9	11.7	17.1		--
3.	14/02/2023	52.5	27.4	13.8	18.4		--
4.	17/02/2023	58.8	28.3	16.5	22.3		--
5.	21/02/2023	68.5	31.5	17.7	21.1	17.2	BDL
6.	24/02/2023	64.9	27.7	14.9	19.4		--
7.	28/02/2023	69.1	34.7	15.6	22.6		--
Average		58.0	27.1	14.4	19.7		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM – IS: 5182 (Part 4), 1999, PM₁₀ – IS: 5182 (Part 23), 2006, PM_{2.5} – Guidelines by CPCB (Vol-1), SO₂ – IS: 5182 (Part 2), 2001, NO_x – IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

**UniStar Environment &
Research Labs Pvt. Ltd.**



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA Consultant Organization

GPCB Recognized Environmental Auditor [Schedule-11]

ISO 9001:2015 Certified Company

ISO 45001:2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : February - 2023

Name of Location : Village – Kandagara


ID No. : URA/ID/A-22/02/002

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/02/2023	46.4	21.7	12.4	18.3		--
2.	10/02/2023	54.2	24.1	14.2	21.8		--
3.	14/02/2023	51.9	27.4	15.7	18.5		--
4.	17/02/2023	60.7	28.8	12.6	15.7		--
5.	21/02/2023	65.3	30.1	17.3	24.2	18.9	BDL
6.	24/02/2023	63.0	27.3	19.7	27.4		--
7.	28/02/2023	71.8	33.5	15.4	20.8		--
Average		59.1	27.6	15.3	20.9		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM– IS: 5182 (Part 4), 1999, PM₁₀– IS: 5182 (Part 23), 2006, PM_{2.5}– Guidelines by CPCB (Vol-1), SO₂– IS: 5182 (Part 2), 2001, NO_x– IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment & Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA 1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-11)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

: February - 2023

Name of Location

: Village - Wandh

ID No.


: URA/ID/A-23/02/003

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/02/2023	52.1	24.0	13.8	21.6		--
2.	10/02/2023	59.0	29.4	14.3	20.1		--
3.	14/02/2023	60.5	26.4	14.6	19.4		--
4.	17/02/2023	62.8	34.8	18.6	22.7		--
5.	21/02/2023	72.7	35.1	19.1	24.6	22.2	BDL
6.	24/02/2023	67.9	32.7	18.7	26.2		--
7.	28/02/2023	61.9	29.5	17.5	24.5		--
Average		62.4	30.3	16.7	22.7		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment & Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA 1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-11)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : February - 2023

Name of Location : Nr.20 MLD Plant

ID No. : URA/ID/A-23/02/004

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	23/02/2023	72.8	29.2	17.4	24.8	20.7	BDL
Average		72.8	29.2	17.4	24.8	20.7	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5}- Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : February - 2023

Name of Location : Nr. Shantiniketan - 1

ID No. : URA/ID/A-23/02/005

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	23/02/2023	61.4	25.8	14.8	21.3	17.8	BDL
Average		61.4	25.8	14.8	21.3	17.8	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : February - 2023

Name of Location : Nr. Coal Handling Plant

ID No. : URA/ID/A-23/02/006

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)			
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80
1	24/02/2023	79.5	32.9	19.4	23.9
Average		79.5	32.9	19.4	23.9

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 [12.01.2020 to 17.03.2023]

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : February - 2023

Name of Location : Nr. Integrated Ash Silo


ID No. : URA/ID/A-23/02/007

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)			
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80
1	24/02/2023	67.3	28.6	17.2	22.1
Average		67.3	28.6	17.2	22.1

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA-1986 (31.03.2023 to 22.09.2024)

QCI-NABET Accredited EIA & GW Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-II)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring

March - 2023

Name of Location

Village - Siracha

ID No.


URA/ID/A-23/03/001

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/03/2023	70.8	31.4	16.3	21.3		--
2.	07/03/2023	57.6	23.4	14.5	22.7		--
3.	10/03/2023	50.9	21.2	10.6	16.0	17.8	BDL
4.	14/03/2023	61.9	22.8	13.3	19.9		--
5.	17/03/2023	52.6	26.2	14.5	21.7		--
6.	21/03/2023	48.1	20.9	11.7	17.0		--
7.	24/03/2023	61.9	27.4	12.4	20.2		--
8.	28/03/2023	61.0	30.8	12.7	19.3		--
9.	31/03/2023	54.2	26.4	12.8	19.4		--
Average		57.7	25.6	13.2	19.7		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM – IS: 5182 (Part 4), 1999, PM₁₀ – IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ – IS: 5182 (Part 2), 2001, NO_x – IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA-1986 (31.03.2023 to 22.09.2024)

QCI-NABET Accredited EIA & GW Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-II)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : March - 2023

Name of Location : Village – Kandagara


ID No. : URA/ID/A-22/03/002

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/03/2023	62.2	30.7	16.9	22.7		--
2.	07/03/2023	61.0	24.6	15.8	20.2		--
3.	10/03/2023	56.5	23.9	13.4	16.9	18.3	BDL
4.	14/03/2023	62.0	29.3	11.1	14.1		--
5.	17/03/2023	52.8	29.4	13.8	22.6		--
6.	21/03/2023	57.6	32.9	12.6	25.8		--
7.	24/03/2023	64.8	24.8	13.9	19.0		--
8.	28/03/2023	55.2	22.8	14.1	18.9		--
9.	31/03/2023	60.6	27.3	12.5	20.6		--
Average		59.2	27.3	13.8	20.1		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample

Analysis Method Reference: SPM– IS: 5182 (Part 4), 1999, PM₁₀– IS: 5182 (Part 23), 2006, PM_{2.5}– Guidelines by CPCB (Vol-1), SO₂– IS: 5182 (Part 2), 2001, NO_x– IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA 1986 (31.03.2023 to 22.09.2024)

QCI-NABET Accredited EIA & GW Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-II)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client

M/s. Adani Power (Mundra) Ltd.

Village: Tunda & Siracha,

Tal. Mundra, Dist.: Kutch.

GUJARAT – 370 435.

Month of Monitoring

: March - 2023

Name of Location

: Village - Wandh

ID No.

: URA/ID/A-23/03/003

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1.	03/03/2023	67.2	32.8	18.2	23.6		--
2.	07/03/2023	72.5	33.4	16.7	25.7		--
3.	10/03/2023	55.9	26.8	14.0	18.6	19.6	BDL
4.	14/03/2023	57.7	25.1	12.6	20.7		--
5.	17/03/2023	51.5	27.2	15.1	20.6		--
6.	21/03/2023	62.7	35.0	12.7	18.2		--
7.	24/03/2023	60.9	27.0	17.5	22.2		--
8.	28/03/2023	52.9	23.0	12.3	21.3		--
9.	31/03/2023	66.9	31.6	14.1	19.2		--
Average		60.9	29.1	14.8	21.1		--

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental Laboratory under the EPA-1986 (31.03.2023 to 22.09.2024)

QCI-NABET Accredited EIA & GW Consultant Organization

GPCB Recognized Environmental Auditor (Schedule-II)

ISO 9001 : 2015 Certified Company

ISO 45001 : 2018 Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : March - 2023

Name of Location : Nr.20 MLD Plant

ID No. : URA/ID/A-23/03/004

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	04/03/2023	67.4	31.3	18.3	22.6	20.4	BDL
Average		67.4	31.3	18.3	22.6	20.4	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment & Research Labs Pvt. Ltd.



(Authorized Signatory)

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (31.03.2023 to 22.09.2024)

QC+NABET Accredited EIA & GW
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Monthly Average Report

AMBIENT AIR MONITORING

Name and Address of Client : M/s. Adani Power (Mundra) Ltd.
Village: Tunda & Siracha,
Tal. Mundra, Dist.: Kutch.
GUJARAT – 370 435.

Month of Monitoring : March - 2023

Name of Location : Nr. Shantiniketan - 1

ID No. : URA/ID/A-23/03/005

Sr. No.	Sampling Date	Concentration in Ambient Air (µg /m³)					
		PM ₁₀ µg/M³	PM _{2.5} µg/M³	Sulphur Dioxide (SO ₂) µg/M³	Nitrogen Dioxide (NO ₂) µg/M³	Ozone (O ₃) µg/M³	Mercury (Hg) µg/M³
GPCB Permissible Limit (TWA for 24 hrs.)		100	60	80	80	100	N.A.
1	04/03/2023	57.2	27.4	13.9	19.4	19.6	BDL
Average		57.2	27.4	13.9	19.4	19.6	BDL

Remark: Calibrated equipment & instruments were used during monitoring & analysis of above identified sample.

Analysis Method Reference: SPM - IS: 5182 (Part 4), 1999, PM₁₀ - IS: 5182 (Part 23), 2006, PM_{2.5} - Guidelines by CPCB (Vol-1), SO₂ - IS: 5182 (Part 2), 2001, NO_x - IS: 5182 (Part 6), 2006, Hg: AAS by VGA Method -3112 B APHA 22 Edison & Hg: 2 ppb O₃: IS – 5182 (Part 9) 2009 Ozone BDL limit: 5 $\mu\text{g}/\text{m}^3$

UniStar Environment &
Research Labs Pvt. Ltd.



(Authorized Signatory)

Report No: - EE/ENV/2023/01/074

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/AA1
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	Near Maintenance Area
		Quantity	N/A
Sampling Done By	Earth Envirotech Team	Date of Sampling	26/12/2022
Analysis Starts on	27/12/2022	Sampling Method	IS 5182 (Part – 5): 2020 Gaseous pollutants IS 5182 Part 23:2017- PM10 CPCB manual volume I-PM 2.5
Analysis Completion On	02/01/2023	Sample Received Date	27/12/2022

AMBIENT AIR MONITORING RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS)	Reference Method
			Near Maintenance Area		
1.	Particulate Matter PM ₁₀	µg/m ³	56.92	100	IS 5182 Part 23 : 2017
2.	Particulate Matter PM _{2.5}	µg/m ³	17.51	60	CPCB manual Volume I
3.	Sulphur Dioxide (SO ₂)	µg/m ³	09.33	80	IS 5182 Part 2 : 2017
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	11.80	80	IS 5182 Part 6 : 2017

Chor
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/01/075

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/AA2
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	Near Canteen Area
		Quantity	N/A
Sampling Done By	Earth Envirotech Team	Date of Sampling	26/12/2022
Analysis Starts on	27/12/2022	Sampling Method	IS 5182 (Part – 5): 2020 Gaseous pollutants IS 5182 Part 23:2017- PM10 CPCB manual volume I-PM 2.5
Analysis Completion On	02/01/2023	Sample Received Date	27/12/2022

AMBIENT AIR MONITORING RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS)	Reference Method
			Near Canteen Area		
1.	Particulate Matter PM ₁₀	µg/m ³	50.64	100	IS 5182 Part 23 : 2017
2.	Particulate Matter PM _{2.5}	µg/m ³	20.39	60	CPCB manual Volume I
3.	Sulphur Dioxide (SO ₂)	µg/m ³	12.70	80	IS 5182 Part 2 : 2017
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	15.46	80	IS 5182 Part 6 : 2017

Chuz
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/01/076

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/ST1
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	Boiler
		Sampling Instrument	Stack Monitoring Kit
Sampling Done By	Earth Envirotech Team	Date of Sampling	26/12/2022
Analysis Starts on	27/12/2022	Sampling Method	Guidelines on methodologies for source emission monitoring LATS/80/2013-14
Analysis Completion On	02/01/2023	Sample Received Date	26/12/2022

STACK MONITORING ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Limit as per GPCB Norms	Reference Method
			Boiler		
1.	Particulate Matter (PM)	mg/Nm ³	69.11	150	IS 11255 : Part 1
2.	Sulphur dioxide (SO ₂)	ppm	13.76	100	IS 11255 : Part 2
3.	Oxides of Nitrogen (NO _x)	ppm	09.59	50	IS 11255 : Part 7

Shr
Analyzed By:



- Analysis is subject to the condition in which the sample is received at our laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

Report No: EE/ENV/2023/01/077

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/ST2
Address	Plot No.: 5, Block - B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	D. G. Set
		Sampling Instrument	Stack Monitoring Kit
Sampling Done By	Earth Envirotech Team	Date of Sampling	26/12/2022
Analysis Starts on	27/12/2022	Sampling Method	Guidelines on methodologies for source emission monitoring LATS/80/2013-14
Analysis Completion On	02/01/2023	Sample Received Date	26/12/2022

STACK MONITORING ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Limit as per GPCB Norms	Reference Method
			D.G.Set		
1.	Particulate Matter (PM)	mg/Nm ³	71.90	150	IS 11255 : Part 1
2.	Sulphur dioxide (SO ₂)	ppm	23.16	100	IS 11255 : Part 2
3.	Oxides of Nitrogen (NO _x)	ppm	20.84	50	IS 11255 : Part 7

Chiz
Analyzed By:



- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/01/077

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/ST2
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	D. G. Set
		Sampling Instrument	Stack Monitoring Kit
Sampling Done By	Earth Envirotech Team	Date of Sampling	26/12/2022
Analysis Starts on	27/12/2022	Sampling Method	Guidelines on methodologies for source emission monitoring LATS/80/2013-14
Analysis Completion On	02/01/2023	Sample Received Date	26/12/2022

STACK MONITORING ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Limit as per GPCB Norms	Reference Method
			D.G.Set		
1.	Particulate Matter (PM)	mg/Nm ³	71.90	150	IS 11255 : Part 1
2.	Sulphur dioxide (SO ₂)	ppm	23.16	100	IS 11255 : Part 2
3.	Oxides of Nitrogen (NOx)	ppm	20.84	50	IS 11255 : Part 7

Chuz
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/01/078

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/N1-N6
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	As per table
		Quantity	NA
		Date of Measurement	26/12/2022
Measurement Done By	Earth Envirotech Team	Sampling Instrument	Sound Level Meter
Measurement Completion Date	26/12/2022	Sampling Method	IS 9989 : 2020

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time	Night Time
			Spot Noise Level dB (A) Maximum	Spot Noise Level dB (B) Maximum
Standard Limit		dB	75	70
1.	Near Brattice Area	dB	70.1	68.5
2.	Near Spinning Area	dB	71.8	64.2
3.	Near Recycle Area	dB	68.7	63.6
4.	Near Capstan Machine	dB	71.9	65.1
5.	Near Winder Area	dB	71.4	64.7
6.	Near Utility Area	dB	71.0	67.3

Day Time: 06:00 AM to 10:00 PM
Night Time: 10:00 PM to 06:00 AM


Analyzed By:


Authorized Signatory:

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

Report No: - EE/ENV/2023/01/079

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/L1-L3
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	As per table
		Quantity	NA
		Date of Measurement	26/12/2022
Measurement Done By	Earth Envirotech Team	Sampling Instrument	Lux Meter (LX-101 A)
Measurement Completion Date	26/12/2022	Sampling Method	Lutron - LX-101 Inst. Manual

LUX MONITORING RESULTS

Sr. No.	Location Name	In Lux (Day Time)	In Lux (Night Time)
1.	Near Converting Area	415	330
2.	Spinning floor Area	380	345
3.	Near Lab Area	405	310

[Signature]
Analyzed By:



- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one 15 days from the date of sampling.

Report No: - EE/ENV/2023/01/080

Date: 09/01/2023

ANALYSIS REPORT
(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/WW1
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	STP Outlet
		Quantity	2 L
Sampling Done By	Earth Envirotech Team	Date of Sampling	02/01/2023
Analysis Starts on	03/01/2023	Sampling Method	APHA 1060
Analysis Completion On	09/01/2023	Sample Received Date	02/01/2023

WATER ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Reference Method
1.	pH	—	6.40	IS 3025 (P-11)
2.	Total Suspended Solids	mg/l	38.4	IS 3025 (P-17)
3.	Biochemical Oxygen Demand (5 days at 20°C)	mg/l	25.1	APHA 5210
4.	Fecal coliform MPN/100	MPN/100 ml	15	APHA 9221

Choz
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/01/081

Date: 09/01/2023

ANALYSIS REPORT

(For the month of December - 2022)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/WW2
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	ETP outlet
		Quantity	2 L
Sampling Done By	Earth Envirotech Team	Date of Sampling	26/12/2022
Analysis Starts on	27/12/2022	Sampling Method	APHA 1060
Analysis Completion On	05/01/2023	Sample Received Date	26/12/2022

WATER ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Reference Method
1.	pH	—	6.60	IS 3025 (P-11)
2.	Temperature	°C	25.3	APHA 2550 B
3.	Total Suspended Solids	mg/l	59.5	IS 3025 (P-17)
4.	Oil & Grease	mg/l	2.1	IS 3025 (P-39)
5.	Phenolic Compound	mg/l	0.078	IS 3025 (P-43)
6.	Biochemical Oxygen Demand (5 days at 20°C)	mg/l	28.4	APHA 5210
7.	Chemical Oxygen Demand	mg/l	89.6	IS 3025 (P-58)
8.	Chloride	mg/l	566	IS 3025 (P-32)
9.	Sulphate	mg/l	449	IS 3025 (P-24)
10.	Total Dissolved Solids	mg/l	1719	IS 3025 (P-16)
11.	Percent Sodium	%	15.3	IS 3025 (P-45)

chiz
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports can not be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/03/089

Date: 29/03/2023

ANALYSIS REPORT
(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/AA1
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	Near Main Entrance Area
		Quantity	N/A
Sampling Done By	Earth Envirotech Team	Date of Sampling	22/03/2023
Analysis Starts on	23/03/2023	Sampling Method	IS 5182 (Part – 5) : 2020 Gaseous Pollutants IS 5182 (Part - 23) : 2022- PM ₁₀ EE-WI-7.2.2A - PM _{2.5}
Analysis Completion On	27/03/2023	Sample Received Date	23/03/2023

AMBIENT AIR MONITORING RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS)	Reference Method
			Near Main Entrance Area		
1.	Particulate Matter PM ₁₀	µg/m ³	50.61	100	IS 5182 (Part 23) : 2022
2.	Particulate Matter PM _{2.5}	µg/m ³	19.38	60	EE-WI-7.2.2A
3.	Sulphur Dioxide (SO ₂)	µg/m ³	11.69	80	IS 5182 (Part 2) : 2022
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	13.07	80	IS 5182 (Part 6) : 2022


Analyzed By:

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/03/090

Date: 29/03/2023

ANALYSIS REPORT

(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/AA2
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	Near Transformer Area
		Quantity	N/A
Sampling Done By	Earth Envirotech Team	Date of Sampling	22/03/2023
Analysis Starts on	23/03/2023	Sampling Method	IS 5182 (Part – 5) : 2020 Gaseous Pollutants IS 5182 (Part - 23) : 2022- PM ₁₀ EE-WI-7.2.2A - PM _{2.5}
Analysis Completion On	27/03/2023	Sample Received Date	23/03/2023

AMBIENT AIR MONITORING RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS)	Reference Method
			Near Transformer Area		
1.	Particulate Matter PM ₁₀	µg/m ³	43.18	100	IS 5182 (Part 23) : 2022
2.	Particulate Matter PM _{2.5}	µg/m ³	21.94	60	EE-WI-7.2.2A
3.	Sulphur Dioxide (SO ₂)	µg/m ³	15.70	80	IS 5182 (Part 2) : 2022
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	17.55	80	IS 5182 (Part 6) : 2022

Cher
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.

Report No: - EE/ENV/2023/03/091

Date: 29/03/2023

ANALYSIS REPORT

(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/ST1
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	Boiler
		Sampling Instrument	Stack Monitoring Kit
Sampling Done By	Earth Envirotech Team	Date of Sampling	22/03/2023
Analysis Starts on	23/03/2023	Sampling Method	Guidelines on methodologies for source emission monitoring LATS/80/2013-14
Analysis Completion On	27/03/2023	Sample Received Date	22/03/2023

STACK MONITORING ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Limit as per GPCB Norms	Reference Method
			Boiler		
1.	Particulate Matter (PM)	mg/Nm ³	73.40	150	IS 11255 (Part 1) : 2019
2.	Sulphur dioxide (SO ₂)	ppm	15.11	100	IS 11255 (Part 2) : 2019
3.	Oxides of Nitrogen (NOx)	ppm	11.96	50	IS 11255 (Part 7) : 2022

Cher
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.



097247 34757



02836-237150



info@earthenvirotech.com



www.earthenvirotech.com

7 & 15, Ground Floor, Madhav Place, Plot No. 55, Sector-8, Opp. D-Mart Mall, Gandhidham-Kutch. 370201, Gujarat, India.

Report No: - EE/ENV/2023/03/092

Date: 29/03/2023

ANALYSIS REPORT

(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/N1-N6
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	As per Table
		Quantity	NA
		Date of Measurement	22/03/2023
Measurement Done By	Earth Envirotech Team	Sampling Instrument	Sound Level Meter
Measurement Completion Date	22/03/2023	Sampling Method	IS 9989 : 2020

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time	Night Time
			Spot Noise Level dB (A) Maximum	Spot Noise Level dB (B) Maximum
Standard Limit		dB (A)	75	70
1.	Near Brattice Area	dB (A)	71.4	67.4
2.	Near Spinning Area	dB (A)	73.1	63.0
3.	Near Recycle Area	dB (A)	70.0	61.8
4.	Near HDPE Geocell	dB (A)	69.5	60.3
5.	Near Winder Area	dB (A)	67.2	63.5
6.	Near Utility Area	dB (A)	70.7	64.1

Day Time: 06:00 AM to 10:00 PM

Night Time: 10:00 PM to 06:00 AM

[Signature]
Analyzed By:



- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 days from the date of sampling.

Report No: - EE/ENV/2023/03/093

Date: 29/03/2023

ANALYSIS REPORT

(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/L1-L3
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	As per table
		Quantity	NA
		Date of Measurement	22/03/2023
Measurement Done By	Earth Envirotech Team	Sampling Instrument	Lux Meter (LX-101 A)
Measurement Completion Date	22/03/2023	Sampling Method	Lutron - LX-101 Inst. Manual

LUX MONITORING RESULTS

Sr. No.	Location Name	In Lux (Day Time)	In Lux (Night Time)
1.	Near Converting Area	422	314
2.	Spinning floor Area	376	351
3.	Near Lab Area	393	304


Analyzed By:



- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one 15 days from the date of sampling.

Report No: - EE/ENV/2023/03/094

Date: 29/03/2023

ANALYSIS REPORT

(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/WW1
Address	Plot No.: 5, Block – B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	STP Outlet
		Quantity	2 Liter
Sampling Done By	Earth Envirotech Team	Date of Sampling	22/03/2023
Analysis Starts on	23/03/2023	Sampling Method	APHA 23 rd ED. 1060 B
Analysis Completion On	29/03/2023	Sample Received Date	22/03/2023

WATER ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Reference Method
1.	pH	—	7.34	IS 3025 (P-11) : 2022
2.	Total Suspended Solids	mg/L	38.4	IS 3025 (P-17) : 2022
3.	Biochemical Oxygen Demand (5 days at 20°C)	mg/L	25.1	IS 3025 (P-44) : 2019
4.	Fecal coliform MPN/100	MPN/100 ml	15	APHA 23 rd ED. - 9221

Chor
Analyzed By:



- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.



097247 34757



02836-237150



info@earthenvirotech.com



www.earthenvirotech.com

Report No: - EE/ENV/2023/03/095

Date: 29/03/2023

ANALYSIS REPORT

(For the Month of March - 2023)

Client Details		Sample Details	
Name	M/s. Terram Geosynthetics Pvt. Ltd.	Sample Code	TGPL/WW2
Address	Plot No.: 5, Block - B, Sector-12 S, Adani Port & SEZ, Tal: Mundra, Dist: Kutch.	Location	ETP outlet
		Quantity	2 Liter
Sampling Done By	Earth Envirotech Team	Date of Sampling	22/03/2023
Analysis Starts on	23/03/2023	Sampling Method	APHA 23 rd ED. 1060 B
Analysis Completion On	29/03/2023	Sample Received Date	22/03/2023

WATER ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	Reference Method
1.	pH	---	6.89	IS 3025 (P-11) : 2022
2.	Temperature	°C	25.7	APHA 23 rd ED. - 2550 B
3.	Total Suspended Solids	mg/L	68.10	IS 3025 (P-17) : 2022
4.	Oil & Grease	mg/L	1.89	IS 3025 (P-39) : 2021
5.	Phenolic Compound	mg/L	0.082	IS 3025 (P-43) : 2022
6.	Biochemical Oxygen Demand (5 days at 20°C)	mg/L	27.39	IS 3025 (P-44) : 2019
7.	Chemical Oxygen Demand	mg/L	84.50	IS 3025 (P-58) : 2017
8.	Chloride	mg/L	520.48	IS 3025 (P-32) : 2019
9.	Sulphate	mg/L	333.10	IS 3025 (P-24) : 2022
10.	Total Dissolved Solids	mg/L	1823	IS 3025 (P-16) : 2017
11.	Percent Sodium	%	14.49	IS 3025 (P-45) : 2019

Cher
Analyzed By:



- Analysis is subject to the condition In Which the Sample is received at our Laboratory.
- Reports cannot be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till 15 Days from the date of sampling.



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No.: 4004/10/2022-23

Date: 31/10/2022

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of Company: Ahlstrom Munksjo Fibercomposites India Pvt. Ltd.

Address: Mundra SEZ Integrated Textile & Apparels Park,

(MITAP), Plot No. - 07

Survey No. -141, Mundra,

Kutch-370421

Test Method : As per IS Standards - 5182_2/4/6

Sr.No.	Particulars	Unit	Location No. 1	Location No. 2
01.	Location of Sampling		Nr. New Security Gate	Nr. Old Security Gate
02.	Date of sampling		14/10/2022	14/10/2022
03.	Time of sampling	Hr.	09:30	09:45
04.	Duration of sampling	Hrs.	24.00	24.00
05.	Dominant Wind Direction (From)		SE	SE
06.	Average Wind Speed	Km/Hr.	12.5	12.5
07.	Average flow rate during sampling	m ³ /minute	1.1	1.1
08.	Average flow rate for Gas sampling	Meter	0.2	0.2
09.	Permissible Limits of PM _{2.5}	µg/m ³	60	60
10.	Measured Concentration of PM _{2.5}	µg/m ³	32	30
11.	Permissible Limits of PM ₁₀	µg/m ³	100	100
12.	Measured Concentration of PM ₁₀	µg/m ³	40	45
13.	Permissible Limits of SO ₂	µg/m ³	80	80
14.	Measured Concentration of SO ₂	µg/m ³	13.2	14
15.	Permissible Limits of NO ₂	µg/m ³	80	80
16.	Measured Concentration of NO ₂	µg/m ³	19.3	18.1

Instrument Used : Ecotech make AAS - 217 BL , Gasious Sampler AAS 109, PM 2.5 Sampler AAS 127

Calibration Done on. : 27/12/2021



[Signature]

Royal Environment Auditing & Consultancy Service

[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No.: 4005/10/2022-23

Date: 31/10/2022

REPORT OF AMBIENT NOISE LEVEL MEASUREMENT

Name of Company : Ahlstrom Munksjo Fibercomposites India Pvt. Ltd.

Address: Mundra SEZ Integrated Textile & Apparel Park,

(MITAP), Plot No. - 07

Survey No. -141, Mundra,

Kutch-370421

Date of Sampling: 14/10/2022

Sr. No.	Location of Sampling	Day Time 6:00 AM - 10:00 PM	Night Time 10:00 PM - 6:00 AM
Permissible Limits			
01.	Nr. Sec.Main Gate	75 dB(A)	70 dB(A)
02.	Nr. FO Storage Area	66.2	54.0
		70.3	56.1

CPCB Standards			
Area Code	Category of Area / Zone	Day Time	Night Time
A	Industrial Area	75.0	70.0
B	Commercial Area	65.0	55.0
C	Residential Area	55.0	45.0
D	Silence Zone	50.0	40.0

Instruments used : Sound level meter, Model : IL - 006719 (SIGMA)

Calibration Done On : 04/03/2022



Signature

Royal Environment Auditing & Consultancy Service

Signature
Analyst



Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No.: 1004/01/2022-23

Date: 30/01/2023

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of Company: Ahlstrom Munksjo Fibercomposites India Pvt. Ltd.

Address: Mundra SEZ Integrated Textile & Apparrie Park,

(MITAP), Plot No. - 07

Survey No. -141, Mundra,

Kutch-370421

Test Method : As per IS Standards - 5182_2/4/6

Sr.No.	Particulars	Unit	Location No. 1	Location No. 2
01.	Location of Sampling	---	Nr. New Security Gate	Nr. Old Security Gate
02.	Date of sampling	---	16/01/2023	16/01/2023
03.	Time of sampling	Hr.	09:10	09:40
04.	Duration of sampling	Hrs.	24.00	24.00
05.	Dominant Wind Direction (From)	---	SW	SW
06.	Average Wind Speed	Km/Hr.	13.8	13.8
07.	Average flow rate during sampling	m ³ /minute	1.2	1.1
08.	Average flow rate for Gas sampling	Meter	0.2	0.2
09.	Permissible Limits of PM _{2.5}	µg/m ³	60	60
10.	Measured Concentration of PM _{2.5}	µg/m ³	26	22
11.	Permissible Limits of PM ₁₀	µg/m ³	100	100
12.	Measured Concentration of PM ₁₀	µg/m ³	40	38
13.	Permissible Limits of SO ₂	µg/m ³	80	80
14.	Measured Concentration of SO ₂	µg/m ³	12.8	13.9
15.	Permissible Limits of NO ₂	µg/m ³	80	80
16.	Measured Concentration of NO ₂	µg/m ³	18.6	17.4

Instrument Used : Ecotech make AAS - 217 BL , Gaseous Sampler AAS 109, PM 2.5 Sampler AAS 127

Calibration Done on. : 26/12/2022



[Signature]

Ashish

Royal Environment Auditing & Consultancy Service

Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail: royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No.: 1005/01/2022-23

Date: 30/01/2023

REPORT OF AMBIENT NOISE LEVEL MEASUREMENT

Name of Company : Ahlstrom Munksjo Fibercomposites India Pvt. Ltd.

Address: Mundra SEZ Integrated Textile & Apparell Park,

(MITAP), Plot No. - 07

Survey No. -141, Mundra,

Kutch-370421

Date of Sampling: 16/01/2023

Sr. No.	Location of Sampling	Day Time 6:00 AM - 10:00 PM	Night Time 10:00 PM - 6:00 AM
Permissible Limits			
01.	Nr. Sec.Main Gate	75 dB(A) 68.2	70 dB(A) 52.4
02.	Nr. FO Storage Area	69.8	56.4

CPCB Standards			
Area Code	Category of Area / Zone	Day Time	Night Time
Limit in dB(A) Leq.			
A	Industrial Area	75.0	70.0
B	Commercial Area	65.0	55.0
C	Residential Area	55.0	45.0
D	Silence Zone	50.0	40.0

Instruments used : Sound level meter, Model : SL - 4030 (Lutron)

Calibration Done On : 04/03/2022

[Signature]

Royal Environment Auditing & Consultancy Service



Analyst

[Signature]



ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/02

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon & Chemical Ltd.		
Date of Sampling	24/11/2022	Sampling Conducted by	Envirolysis team
Sample ID	ECA/Refiner/03	Sampling Method	IS Standard
Time of Sampling	11:00 AM	Location	Mundra
Date of Receipt of sample at Lab	26/11/2022	Condition of sample	OK
Analysis Started on	26/11/2022	Analysis concluded on	01/12/2022

Analysis Results of Stack Air- Refiner					
Sr. No.	Parameter	Unit	Permissible limit	Result	Test Method
1.	PM	Mg/Nm ³	150	94	IS: 11255 (Part-1):1985
2.	SO ₂	ppm	100	57	IS: 11255 (Part-2):1985
3.	NO _x	ppm	50	34	IS: 11255 (Part-7):2005

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
4. This office is not responsible for the authenticity for the samples not collected by our officials.
5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
6. Permissible Limits: as per Schedule VI of EPA Rules-1986

*ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: <i>K. P. Tank</i>	Sign: <i>Nisarg Vagadiya</i>	Sign: <i>Savan Bhatt</i>
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022





ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/02

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon & Chemical Ltd.		
Date of Sampling	24/11/2022	Sampling Conducted by	Envirolysis team
Sample ID	ECA/Boiler/01 ECA/D.G/02	Sampling Method	IS Standard
Time of Sampling	11:00 AM	Location	Mundra
Date of Receipt of sample at Lab	26/11/2022	Condition of sample	OK
Analysis Started on	26/11/2022	Analysis concluded on	01/12/2022

Analysis Results of Stack Air- CF Boiler					
Sr. No.	Parameter	Unit	Permissible limit	Result	Test Method
1.	PM	Mg/Nm ³	150	55	IS: 11255 (Part-1):1985
2.	SO ₂	ppm	100	48	IS: 11255 (Part-2):1985
3.	NO _x	ppm	50	26	IS: 11255 (Part-7):2005

Analysis Results of Stack Air- D.G Set					
Sr. No.	Parameter	Unit	Permissible limit	Result	Test Method
1.	PM	Mg/Nm ³	150	50	IS: 11255 (Part-1):1985
2.	SO ₂	ppm	100	34	IS: 11255 (Part-2):1985
3.	NO _x	ppm	50	22	IS: 11255 (Part-7):2005

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
4. This office is not responsible for the authenticity for the samples not collected by our officials.
5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
6. Permissible Limits: as per Schedule VI of EPA Rules-1986

*ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: <i>K.P. Tank</i>	Sign: <i>Nisarg Vagadiya</i>	Sign: <i>Savan Bhatt</i>
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022





ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/01

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon and Chemicals Ltd.		
Date of Sampling	24/11/2022	Sampling Conducted by	Envirolysis team
Sample ID	ECA/AMB/01 ECA/AMB/02	Sampling Method	IS Standard
Time of Sampling	10:00 AM	Location	Mundra
Date of Receipt of sample at Lab	26/11/2022	Condition of sample	OK
Analysis Started on	26/11/2022	Analysis concluded on	01/12/2022

Analysis Results of Ambient Air(8 Hrs) - Main Gate					
Sr. No.	Parameter	Unit	Permissible limit(24 hr)	Result	Test Method
1.	PM 10	$\mu\text{g}/\text{Nm}^3$	100	60	IS 5182 (Part-23):2006
2.	PM 2.5	$\mu\text{g}/\text{Nm}^3$	60	31	IS 5182 (Part-23):2006
3.	SO ₂	$\mu\text{g}/\text{Nm}^3$	80	42	IS 5182 (Part-2):2001
4.	NO _x	$\mu\text{g}/\text{Nm}^3$	80	38	IS 5182 (Part-6):2006

Analysis Results of Ambient Air(8 Hrs)- R.O Plant					
Sr. No.	Parameter	Unit	Permissible limit(24 hr)	Result	Test Method
1.	PM 10	$\mu\text{g}/\text{Nm}^3$	100	58	IS 5182 (Part-23):2006
2.	PM 2.5	$\mu\text{g}/\text{Nm}^3$	60	24	IS 5182 (Part-23):2006
3.	SO ₂	$\mu\text{g}/\text{Nm}^3$	80	42	IS 5182 (Part-2):2001
4.	NO _x	$\mu\text{g}/\text{Nm}^3$	80	40	IS 5182 (Part-6):2006

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
4. This office is not responsible for the authenticity for the samples not collected by our officials.
5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
6. Permissible Limits: as per Schedule VI of EPA Rules-1986

*ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: K.P. Tank	Sign: [Signature]	Sign: [Signature]
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022



ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/01

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon and Chemicals Ltd.		
Date of Sampling	25/11/2022	Sampling Conducted by	Envirolysis team
Sample ID	ECA/AMB/03 ECA/AMB/04	Sampling Method	IS Standard
Time of Sampling	10:00 AM	Location	Mundra
Date of Receipt of sample at Lab	26/11/2022	Condition of sample	OK
Analysis Started on	26/11/2022	Analysis concluded on	01/12/2022

Analysis Results of Ambient Air(8 Hrs)- Near CF Boiler					
Sr. No.	Parameter	Unit	Permissible limit(24 hr)	Result	Test Method
1.	PM 10	$\mu\text{g}/\text{Nm}^3$	100	61	IS 5182 (Part-23):2006
2.	PM 2.5	$\mu\text{g}/\text{Nm}^3$	60	30	IS 5182 (Part-23):2006
3.	SO ₂	$\mu\text{g}/\text{Nm}^3$	80	38	IS 5182 (Part-2):2001
4.	NO _x	$\mu\text{g}/\text{Nm}^3$	80	34	IS 5182 (Part-6):2006

Analysis Results of Ambient Air (8 Hrs)- Near Production line-3 &4					
Sr. No.	Parameter	Unit	Permissible limit(24 hr)	Result	Test Method
1.	PM 10	$\mu\text{g}/\text{Nm}^3$	100	54	IS 5182 (Part-23):2006
2.	PM 2.5	$\mu\text{g}/\text{Nm}^3$	60	25	IS 5182 (Part-23):2006
3.	SO ₂	$\mu\text{g}/\text{Nm}^3$	80	40	IS 5182 (Part-2):2001
4.	NO _x	$\mu\text{g}/\text{Nm}^3$	80	42	IS 5182 (Part-6):2006

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
 3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
 4. This office is not responsible for the authenticity for the samples not collected by our officials.
 5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
 6. Permissible Limits: as per Schedule VI of EPA Rules-1986
- *ND: Not Detected, BDL: Below Detection Limit.

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: <i>K.P. Tank</i>	Sign: <i>Nisarg Vagadiya</i>	Sign: <i>Savan Bhatt</i>
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022



ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/03

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon & Chemicals Ltd.		
Date of Sampling	25/11/2022	Sampling Conducted by	Envirolysis team
Sample ID	ECA/INLET/01 ECA/ INTERMEDIATE /02 ECA/OUTLET/03	Sampling Method	Grab
Time of Sampling	11:00 AM	Location	Mundra
Date of Receipt of sample at Lab	26/11/2022	Condition of sample	OK
Analysis Started on	26/11/2022	Analysis concluded on	01/12/2022

Analysis Results ETP Wastewater						
Sr. No.	Parameter	Unit	Inlet	Interme diate	Outlet	Test Method
1.	pH	--	5.87	6.20	7.00	APHA 23 rd Edition, 4500-H+-B
2.	Temperature	°C	30	25	22	APHA 23 rd Edition, 2550-B
3.	Colour	Units	148	75	36	APHA 23 rd Edition, 2120-B
4.	Total Suspended Solids	mg/l	150	92	60	APHA 23 rd Edition, 2540-D
5.	Total Dissolved Solids	mg/l	1839	1647	1771	APHA 23 rd Edition, 2540-C
6.	Oil and Grease	mg/l	14	7	4	APHA 23 rd Edition, 5520-B
7.	Ammonical Nitrogen	mg/l	62	40	25	APHA 23 rd Edition-4500-NH ₃ -C
8.	B.O.D. (3 days, 27°C)	mg/l	83	28	9	IS 3025 (Part 44):1993/ Reaffirmed 2009
9.	C.O.D	mg/l	240	78	24	APHA 23 rd Edition, 2012/5220/C
10.	Chloride	mg/l	531	478	319	APHA 23 rd Edition, 4500-CL--B
11.	Sulphate	mg/l	1314	1080	776	APHA 23 rd Edition, 4500-SO ₄ ⁻² -E
12.	Percent Sodium	60%	78	50	36	APHA 23 rd Edition, -3500-Na-B
13.	Phenolic Compounds	mg/l	2.4	BDL	BDL	APHA 23 rd Edition,
14.	Sulphides	mg/l	9	5	2.4	APHA 23 rd Edition 4500-S ² -
15.	Sodium Absorption Ratio	26	42	30	14	APHA 23 rd Edition,

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
4. This office is not responsible for the authenticity for the samples not collected by our officials.
5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
6. Permissible Limits: as per Schedule VI of EPA Rules-1986

*ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: K.P. Tank	Sign:	Sign:
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022



ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/04

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon & Chemicals Ltd		
Date of Sampling	25/11/2022	Sampling Conducted by	Envirolysis team
Sample ID	ECA/INLET/01 ECA/OUTLET/02	Sampling Method	Grab
Time of Sampling	11:00 AM	Location	Mundra
Date of Receipt of sample at Lab	26/11/2022	Condition of sample	OK
Analysis Started on	27/11/2022	Analysis concluded on	01/12/2022

Analysis Results of STP Wastewater					
Sr. No.	Parameter	Unit	Inlet	Outlet	Test Method
1.	pH	--	7.25	7.38	APHA 23 rd Edition, 4500-H ⁺ -B
2.	Total Suspended Solids	mg/l	125	60	APHA 23 rd Edition, 2540-D
3.	B.O.D. (3 days, 27°C)	mg/l	68	10	IS 3025 (Part 44):1993/ Reaffirmed 2009
4.	Fecal Coli Form	--	1128	654	APHA 23 rd Edition, 9230-C

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
 3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
 4. This office is not responsible for the authenticity for the samples not collected by our officials.
 5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
 6. Permissible Limits: as per Schedule VI of EPA Rules-1986
- *ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: K.P. Tank	Sign:	Sign:
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022





ENVIROLYSIS Consultant & Auditor

Ensuring A Cleaner Tomorrow

GPCB APPROVED
SCHEDULE-2 ENVIRONMENTAL AUDITOR

No.: ECA /2022-23/Reports/05

Date: - 02/12/2022

Sample Details			
Client Name	M/s. Oriental Carbon & Chemicals Ltd.		
Date of Sampling	25/11/2022	Sampling Conducted by	Envirolysis team
Time of Sampling	1:00 PM	Location	Mundra

Analysis Results of Noise Monitoring			
Sr. No.	Locations	Day(db-A)	Night(db-A)
Permissible limit		75db-(A)	70db-(A)
1.	Main Gate	61	59
2.	Mill Grinding Area	71	66
3.	Packaging Unit	70	64
4.	Production Line 1 & 2	70	65
5.	Production Line 3 & 4	64	63
6.	Canteen Area	65	60
7.	Material Gate	66	61
8.	R.O Plant	60	55
9.	Near ETP	70	65
10.	Refiners Area	72	66
11.	Near CF Boiler	72	67
12.	Storage Area	65	61

Notes:

1. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 2. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
 3. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
 4. This office is not responsible for the authenticity for the samples not collected by our officials.
 5. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
 6. Permissible Limits: as per Schedule VI of EPA Rules-1986
- *ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Sign: K. P. Tank	Sign: [Signature]	Sign: [Signature]
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Date: 02/12/2022	Date: 02/12/2022	Date: 02/12/2022





Test Report for Wastewater

Report No.:- ECA/2022-23/Reports/33




Date: - 25/02/2023

Sample Details			
Client Name	M/s. Oriental Carbon & Chemicals Ltd.		
Date of Sampling	20/02/2023	Sampling Conducted by	Envirolysis team
Sample ID	ECA/WW/OCC/01 ECA/WW/OCC/02 ECA/WW/OCC/03	Sampling Method	Grab
Time of Sampling	11:00 AM	Address/Location	Plot No. 141/P Mundra SEZ, Mundra 370421
Date of Receipt of sample at Lab	21/02/2023	Environmental Condition	Sunny
		Condition of sample	OK
Analysis Started on	21/02/2023	Analysis concluded on	25/02/2023

Analysis Results ETP Wastewater						
Sr. No.	Parameter	Unit	Inlet	Intermediate	Outlet	Test Method
1	pH	--	5.8	7.3	7.5	APHA 23 rd Edition, 4500-H+-B
2	Temperature	°C	30	28	24	APHA 23 rd Edition, 2550-B
3*	Colour	Units	152	82	38	APHA 23 rd Edition, 2120-B
4	Total Suspended Solids	mg/l	124	87	56	APHA 23 rd Edition, 2540-D
5	Total Dissolved Solids	mg/l	2464	2238	1746	APHA 23 rd Edition, 2540-C
6*	Oil and Grease	mg/l	14	9	4.4	APHA 23 rd Edition, 5520-B
7*	Ammonical Nitrogen	mg/l	64	34	22	APHA 23 rd Edition, 4500-NH ₃ -C
8	B.O.D. (3 days, 27°C)	mg/l	83	27	9	IS 3025 (Part 44):1993/ Reaffirmed 2009
9	C.O.D	mg/l	240	74	26	APHA 23 rd Edition, 2012/5220/C
10	Chloride	mg/l	684	546	415	APHA 23 rd Edition, 4500-CL--B
11*	Sulphate	mg/l	1175	924	783	APHA 23 rd Edition, 4500-SO ₄ ²⁻ -E
12*	Percent Sodium	60%	79	55	38	APHA 23 rd Edition, 3500-Na-B
13*	Phenolic Compounds	mg/l	2.4	BDL	BDL	APHA 23 rd Edition,
14*	Sulphides	mg/l	8.2	5.4	2.5	APHA 23 rd Edition 4500-S ²⁻ -
15*	Sodium Absorption Ratio	26	44	30	18	APHA 23 rd Edition,

Notes:

- 1.*-These parameters are NOT covered under the scope of NABL.
2. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
4. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
5. This office is not responsible for the authenticity for the samples not collected by our officials.
6. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Rajkot Jurisdiction only.
7. Permissible Limits: as per Schedule VI of EPA Rules-1986
#ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Sign: 	Sign: 	Sign: 
Date: 25/02/2023	Date: 25/02/2023	Date: 25/02/2023



**Test Report for Stack Emission**

Report No.:- ECA/2022-23/Reports/34

Date: - 25/02/2023




Sample Details			
Client Name	M/s. Oriental Carbon & Chemical Ltd.		
Date of Sampling	20/02/2023	Sampling Conducted by	Envirolysis team
Sample ID	ECA/SE/OCC/01 ECA/SE/OCC/02	Sampling Method	IS Standard
Time of Sampling	11:00AM	Address/Location	Plot No. 141/P Mundra SEZ, Tal. Mundra Kutch - 370421.
Date of Receipt of sample at Lab	21/02/2023	Environmental Condition	Sunny
		Condition of sample	OK
Analysis Started on	21/02/2023	Analysis concluded on	25/02/2023

Analysis Results of Stack Air- CF Boiler					Type of Fuel : Coal
Sr. No.	Parameter	Unit	Permissible limit	Result	Test Method
1.	PM	Mg/Nm ³	150	60	IS: 11255 (Part-1):1985
2*	SO ₂	ppm	100	51	IS: 11255 (Part-2):1985
3*	NO _x	ppm	50	24	IS: 11255 (Part-7):2005

Analysis Results of Stack Air- FBC Boiler 1& 2 (stand by)					Type of Fuel : LDO
Sr. No.	Parameter	Unit	Permissible limit	Result	Test Method
1.	PM	Mg/Nm ³	150	86	IS: 11255 (Part-1):1985
2*	SO ₂	ppm	100	60	IS: 11255 (Part-2):1985
3*	NO _x	ppm	50	31	IS: 11255 (Part-7):2005

Notes:

- *-These parameters are NOT covered under the scope of NABL.
- The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
- This office is not responsible for the authenticity for the samples not collected by our officials.
- Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Rajkot Jurisdiction only.
- Permissible Limits: as per Schedule VI of EPA Rules-1986
#ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Sign: 	Sign: 	Sign: 
Date: 25/02/2023	Date: 25/02/2023 298	Date: 25/02/2023



**Test Report for Stack Emission**

Report No.:- ECA/2022-23/Reports/34




Date: - 25/02/2023

Sample Details			
Client Name	M/s. Oriental Carbon & Chemical Ltd.		
Date of Sampling	20/02/2023	Sampling Conducted by	Envirolysis team
Sample ID	ECA/SE/OCC/03	Sampling Method	IS Standard
Time of Sampling	12:00PM	Address/Location	Plot No. 141/P Mundra SEZ, Tal. Mundra Kutch - 370421.
Date of Receipt of sample at Lab	21/02/2023	Environmental Condition	Sunny
		Condition of sample	OK
Analysis Started on	21/02/2023	Analysis concluded on	25/02/2023

Analysis Results of Stack Air- FBC Boiler-3(stand by)					Type of Fuel : LDO
Sr. No.	Parameter	Unit	Permissible limit	Result	Test Method
1.	PM	Mg/Nm ³	150	90	IS: 11255 (Part-1):1985
2*	SO ₂	ppm	100	58	IS: 11255 (Part-2):1985
3*	NO _x	ppm	50	30	IS: 11255 (Part-7):2005

Notes:

- 1.*-These parameters are NOT covered under the scope of NABL.
 2. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
 4. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Laboratory in writing.
 5. This office is not responsible for the authenticity for the samples not collected by our officials.
 6. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Rajkot Jurisdiction only.
 7. Permissible Limits: as per Schedule VI of EPA Rules-1986
- #ND: Not Detected, BDL: Below Detection Limit

Tested by:	Report Prepared by:	Authorized by:
Name: Kuldeep Tank	Name: Nisarg Vagadiya	Name: Savan Bhatt
Designation: Chemist	Designation: Lab Supervisor	Designation: Technical Manager
Sign: 	Sign: 	Sign: 
Date: 25/02/2023	Date: 25/02/2023	Date: 25/02/2023

***End of Report*299



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (STACK MONITORING)

ULR - TC775323000002855F			
Test Report No.	URA/23/03/S-102	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/S-23/03/102	Field Data Sheet No.	URA/FDS/S-23/03/102
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	D. G. Set 500 KVA (S - 3)		
Air Pollution Control Device	--		
Fuel Used	Diesel		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	10
2.	Stack Dia	mm	200
3.	Stack Area	m ²	0.0314
4.	Ambient Temperature	°C	33
5.	Flue Gas Temperature	°C	264
6.	Exit Gas Velocity	m/s	18.68
7.	Exit Gas Flow	m ³ /h	2111.5

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	52	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	29	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	23	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (STACK MONITORING)

ULR - TC775323000001563F			
Test Report No.	URA/23/02/S-051	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/S-23/02/051	Field Data Sheet No.	URA/FDS/S-23/02/051
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	D. G. Set 500 KVA (S – 3)		
Air Pollution Control Device	--		
Fuel Used	Diesel		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	10
2.	Stack Dia	mm	200
3.	Stack Area	m ²	0.0314
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	257
6.	Exit Gas Velocity	m/s	17.96
7.	Exit Gas Flow	m ³ /h	2030.1

Test Parameter Results

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	45	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	25	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	20	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

301

Regd. Office : 215, Royal Arcade, Near G.I.D.C., Office, Char Rasta, Vapi-396 195, Gujarat.

Extended Work Office : G.I.D.C., Dahej-II, Bharuch, Gujarat.

CIN: U73100GJ2007PTC051463

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/23/01/S-DKC079	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/S-23/01/079	Field Data Sheet No.	URA/FDS/S-23/01/079
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/01/2023	Date of Testing	24/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	D. G. Set 500 KVA (S - 3)		
Air Pollution Control Device	--		
Fuel Used	Diesel		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	10
2.	Stack Dia	mm	200
3.	Stack Area	m ²	0.0314
4.	Ambient Temperature	°C	28
5.	Flue Gas Temperature	°C	262
6.	Exit Gas Velocity	m/s	18.39
7.	Exit Gas Flow	m ³ /h	2078.8

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	49	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	30	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	24	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

ULR - TC775322000013452F			
Test Report No.	URA/22/12/S-084	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/S-22/12/084	Field Data Sheet No.	URA/FDS/S-22/12/084
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	26/12/2022	Date of Testing	27/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	D. G. Set 500 KVA (S – 3)		
Air Pollution Control Device	--		
Fuel Used	Diesel		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	10
2.	Stack Dia	mm	200
3.	Stack Area	m ²	0.0314
4.	Ambient Temperature	°C	30
5.	Flue Gas Temperature	°C	253
6.	Exit Gas Velocity	m/s	17.18
7.	Exit Gas Flow	m ³ /h	1942.0

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	44	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	26	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	20	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT (STACK MONITORING)

ULR - TC775322000012437F			
Test Report No.	URA/22/11/S-093	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/S-22/11/093	Field Data Sheet No.	URA/FDS/S-22/11/093
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	D. G. Set 500 KVA (S – 3)		
Air Pollution Control Device	--		
Fuel Used	Diesel		

➤ Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	10
2.	Stack Dia	mm	200
3.	Stack Area	m ²	0.0314
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	264
6.	Exit Gas Velocity	m/s	17.85
7.	Exit Gas Flow	m ³ /h	2017.7

➤ Test Parameter Results

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	46	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	29	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	22	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/22/10/S-DKCI077	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/077	Field Data Sheet No.	URA/FDS/S-22/10/077
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	D. G. Set 500 KVA (S – 3)		
Air Pollution Control Device	–		
Fuel Used	Diesel		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	10
2.	Stack Dia	mm	200
3.	Stack Area	m ²	0.0314
4.	Ambient Temperature	°C	31
5.	Flue Gas Temperature	°C	258
6.	Exit Gas Velocity	m/s	17.22
7.	Exit Gas Flow	m ³ /h	1946.5

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	42	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	26	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	18	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (STACK MONITORING)

ULR - TC775323000002851F			
Test Report No.	URA/23/03/S-098	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/S-23/03/098	Field Data Sheet No.	URA/FDS/S-23/03/098
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S - 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	Coal		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	33
5.	Flue Gas Temperature	°C	155
6.	Exit Gas Velocity	m/s	7.86
7.	Exit Gas Flow	m ³ /h	37537.4

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	45	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	41	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	33	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (STACK MONITORING)

ULR - TC775323000001559F			
Test Report No.	URA/23/02/S-047	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/S-23/02/047	Field Data Sheet No.	URA/FDS/S-23/02/047
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S - 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	Coal		

➤ Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	152
6.	Exit Gas Velocity	m/s	7.61
7.	Exit Gas Flow	m ³ /h	36343.5

➤ Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	44	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	39	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	35	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/23/01/S-DKC075	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/S-23/01/075	Field Data Sheet No.	URA/FDS/S-23/01/075
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	23/01/2023	Date of Testing	24/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	Coal		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	28
5.	Flue Gas Temperature	°C	149
6.	Exit Gas Velocity	m/s	7.21
7.	Exit Gas Flow	m ³ /h	34433.2

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	41	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	36	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	32	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TC-7753

TEST REPORT
(STACK MONITORING)

ULR - TC775322000013448F			
Test Report No.	URA/22/12/S-080	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/S-22/12/080	Field Data Sheet No.	URA/FDS/S-22/12/080
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	26/12/2022	Date of Testing	27/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	Coal		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	30
5.	Flue Gas Temperature	°C	149
6.	Exit Gas Velocity	m/s	7.46
7.	Exit Gas Flow	m ³ /h	35627.1

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	45	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	39	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	34	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

ULR - TC775322000012433F			
Test Report No.	URA/22/11/S-089	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/S-22/11/089	Field Data Sheet No.	URA/FDS/S-22/11/089
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	Coal		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	145
6.	Exit Gas Velocity	m/s	7.09
7.	Exit Gas Flow	m ³ /h	33860.1

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	43	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	38	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	31	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI073	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/073	Field Data Sheet No.	URA/FDS/S-22/10/073
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	Coal		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	31
5.	Flue Gas Temperature	°C	140
6.	Exit Gas Velocity	m/s	6.87
7.	Exit Gas Flow	m ³ /h	32809.4

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	39	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	33	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	26	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (STACK MONITORING)

ULR - TC775323000002854F			
Test Report No.	URA/23/03/S-101	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/S-23/03/101	Field Data Sheet No.	URA/FDS/S-23/03/101
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	LDO		

➤ Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	33
5.	Flue Gas Temperature	°C	132
6.	Exit Gas Velocity	m/s	7.37
7.	Exit Gas Flow	m ³ /h	35197.3

➤ Test Parameter Results

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	41	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	35	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	26	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (STACK MONITORING)

ULR - TC775323000001562F			
Test Report No.	URA/23/02/S-050	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/S-23/02/050	Field Data Sheet No.	URA/FDS/S-23/02/050
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S - 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	LDO		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	137
6.	Exit Gas Velocity	m/s	7.41
7.	Exit Gas Flow	m ³ /h	35388.3

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	48	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	33	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	28	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/23/01/S-DKC078	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/S-23/01/078	Field Data Sheet No.	URA/FDS/S-23/01/078
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	23/01/2023	Date of Testing	24/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	28
5.	Flue Gas Temperature	°C	141
6.	Exit Gas Velocity	m/s	7.85
7.	Exit Gas Flow	m ³ /h	37489.7

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	42	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	38	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	30	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

ULR - TC775322000013451F			
Test Report No.	URA/22/12/S-083	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/S-22/12/083	Field Data Sheet No.	URA/FDS/S-22/12/083
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	26/12/2022	Date of Testing	27/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	30
5.	Flue Gas Temperature	°C	138
6.	Exit Gas Velocity	m/s	7.37
7.	Exit Gas Flow	m ³ /h	35197.3

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	37	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	34	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	26	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

ULR - TC775322000012436F			
Test Report No.	URA/22/11/S-092	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/S-22/11/092	Field Data Sheet No.	URA/FDS/S-22/11/092
Name & Add. Of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	140
6.	Exit Gas Velocity	m/s	7.71
7.	Exit Gas Flow	m ³ /h	36821.1

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	41	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	36	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	29	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI076	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/076	Field Data Sheet No.	URA/FDS/S-22/10/076
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Boiler (S – 1)		
Air Pollution Control Device	Bag Filter		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	1300
3.	Stack Area	m ²	1.3266
4.	Ambient Temperature	°C	31
5.	Flue Gas Temperature	°C	137
6.	Exit Gas Velocity	m/s	7.36
7.	Exit Gas Flow	m ³ /h	35149.5

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	40	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	34	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	26	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (STACK MONITORING)

ULR - TC775323000002852F			
Test Report No.	URA/23/03/S-099	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/S-23/03/099	Field Data Sheet No.	URA/FDS/S-23/03/099
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 4 Lac Kcal/Hr. (S - 2)		
Air Pollution Control Device	--		
Fuel Used	LDO		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	800
3.	Stack Area	m ²	0.5024
4.	Ambient Temperature	°C	33
5.	Flue Gas Temperature	°C	137
6.	Exit Gas Velocity	m/s	7.52
7.	Exit Gas Flow	m ³ /h	13600.9

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	35	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	32	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	28	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (STACK MONITORING)

ULR - TC775323000001560F			
Test Report No.	URA/23/02/S-048	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/S-23/02/048	Field Data Sheet No.	URA/FDS/S-23/02/048
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 4 Lac Kcal/Hr. (S – 2)		
Air Pollution Control Device	--		
Fuel Used	LDO		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	800
3.	Stack Area	m ²	0.5024
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	141
6.	Exit Gas Velocity	m/s	7.25
7.	Exit Gas Flow	m ³ /h	13112.6

Test Parameter Results

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	38	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	36	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	30	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/23/01/S-DKC076	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/S-23/01/076	Field Data Sheet No.	URA/FDS/S-23/01/076
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/01/2023	Date of Testing	24/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 4 Lac Kcal/Hr. (S - 2)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	800
3.	Stack Area	m ²	0.5024
4.	Ambient Temperature	°C	28
5.	Flue Gas Temperature	°C	135
6.	Exit Gas Velocity	m/s	6.90
7.	Exit Gas Flow	m ³ /h	12479.6

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	35	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	34	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	27	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TC-7753

TEST REPORT
(STACK MONITORING)

ULR - TC775322000013449F			
Test Report No.	URA/22/12/S-081	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/S-22/12/081	Field Data Sheet No.	URA/FDS/S-22/12/081
Name & Add. Of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	26/12/2022	Date of Testing	27/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 4 Lac Kcal/Hr. (S – 2)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	800
3.	Stack Area	m ²	0.5024
4.	Ambient Temperature	°C	30
5.	Flue Gas Temperature	°C	140
6.	Exit Gas Velocity	m/s	7.21
7.	Exit Gas Flow	m ³ /h	13040.2

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	39	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	35	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	28	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

ULR - TC775322000012434F			
Test Report No.	URA/22/11/S-090	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/S-22/11/090	Field Data Sheet No.	URA/FDS/S-22/11/090
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 4 Lac Kcal/Hr. (S – 2)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	800
3.	Stack Area	m ²	0.5024
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	135
6.	Exit Gas Velocity	m/s	6.86
7.	Exit Gas Flow	m ³ /h	12407.2

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	36	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	32	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	25	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI074	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/074	Field Data Sheet No.	URA/FDS/S-22/10/074
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 4 Lac Kcal/Hr. (S – 2)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	38
2.	Stack Dia	mm	800
3.	Stack Area	m ²	0.5024
4.	Ambient Temperature	°C	31
5.	Flue Gas Temperature	°C	132
6.	Exit Gas Velocity	m/s	6.41
7.	Exit Gas Flow	m ³ /h	11593.3

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	33	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	28	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	21	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

**TEST REPORT
(STACK MONITORING)**

ULR - TC775323000002853F			
Test Report No.	URA/23/03/S-100	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/S-23/03/100	Field Data Sheet No.	URA/FDS/S-23/03/100
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 15 Lac Kcal/Hr. (S - 8)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	36
2.	Stack Dia	mm	856
3.	Stack Area	m ²	0.5751
4.	Ambient Temperature	°C	33
5.	Flue Gas Temperature	°C	140
6.	Exit Gas Velocity	m/s	7.06
7.	Exit Gas Flow	m ³ /h	14616.7

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	30	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	27	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	22	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (STACK MONITORING)

ULR - TC775323000001561F			
Test Report No.	URA/23/02/S-049	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/S-23/02/049	Field Data Sheet No.	URA/FDS/S-23/02/049
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 15 Lac Kcal/Hr. (S – 8)		
Air Pollution Control Device	--		
Fuel Used	LDO		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	36
2.	Stack Dia	mm	856
3.	Stack Area	m ²	0.5751
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	134
6.	Exit Gas Velocity	m/s	6.92
7.	Exit Gas Flow	m ³ /h	14326.8

Test Parameter Results

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	34	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	30	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	23	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/23/01/S-DKC077	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/S-23/01/077	Field Data Sheet No.	URA/FDS/S-23/01/077
Name & Add. Of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	23/01/2023	Date of Testing	24/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 15 Lac Kcal/Hr. (S – 8)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	36
2.	Stack Dia	mm	856
3.	Stack Area	m ²	0.5751
4.	Ambient Temperature	°C	28
5.	Flue Gas Temperature	°C	140
6.	Exit Gas Velocity	m/s	7.06
7.	Exit Gas Flow	m ³ /h	14616.7

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	38	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	34	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	26	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

ULR - TC775322000013450F			
Test Report No.	URA/22/12/S-082	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/S-22/12/082	Field Data Sheet No.	URA/FDS/S-22/12/082
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	26/12/2022	Date of Testing	27/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 15 Lac Kcal/Hr. (S – 8)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	36
2.	Stack Dia	mm	856
3.	Stack Area	m ²	0.5751
4.	Ambient Temperature	°C	30
5.	Flue Gas Temperature	°C	133
6.	Exit Gas Velocity	m/s	6.52
7.	Exit Gas Flow	m ³ /h	13498.7

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	35	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	32	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	23	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

ULR - TC775322000012435F			
Test Report No.	URA/22/11/S-091	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/S-22/11/091	Field Data Sheet No.	URA/FDS/S-22/11/091
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 15 Lac Kcal/Hr. (S – 8)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	36
2.	Stack Dia	mm	856
3.	Stack Area	m ²	0.5751
4.	Ambient Temperature	°C	32
5.	Flue Gas Temperature	°C	130
6.	Exit Gas Velocity	m/s	6.38
7.	Exit Gas Flow	m ³ /h	13208.8

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	40	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	35	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	26	50	IS 11255 (Part 7)

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.

MoEF&CC (GOI) Recognized Environmental
Laboratory under the EPA-1986 (12.01.2020 to 17.03.2023)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-II)

ISO 9001:2015
Certified Company

ISO 45001:2018
Certified Company

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI075	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/075	Field Data Sheet No.	URA/FDS/S-22/10/075
Name & Add. Of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Thermic Fluid Heater- 15 Lac Kcal/Hr. (S – 8)		
Air Pollution Control Device	--		
Fuel Used	LDO		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	36
2.	Stack Dia	mm	856
3.	Stack Area	m ²	0.5751
4.	Ambient Temperature	°C	31
5.	Flue Gas Temperature	°C	132
6.	Exit Gas Velocity	m/s	6.28
7.	Exit Gas Flow	m ³ /h	13001.8

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit	Test Method
1.	Particulate Matter as PM	mg/Nm ³	37	150	IS 11255 (Part 1)
2.	Sulphur Dioxide as SO ₂	ppm	30	100	IS 11255 (Part 2)
3.	Oxide of Nitrogen as NO _x	ppm	23	50	IS 11255 (Part 7)

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (PROCESS VENT STACK MONITORING)

ULR - TC775323000002860F			
Test Report No.	URA/23/03/PV-017	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/PV-23/03/017	Field Data Sheet No.	URA/FDS/PV-23/03/017
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of TiCl₄ Storage Tank (S – 4)		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.22
5.	Exit Gas Flow	m ³ /h	710.8
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

Test Parameter Results

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrochloric Acid as HCL	mg/Nm ³	1.3	20

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (PROCESS VENT STACK MONITORING)

ULR - TC775323000001568F			
Test Report No.	URA/23/02/PV-010	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/PV-23/02/010	Field Data Sheet No.	URA/FDS/PV-23/02/010
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of TiCl₄ Storage Tank (S - 4)		

➤ Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.94
5.	Exit Gas Flow	m ³ /h	693.1
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrochloric Acid as HCL	mg/Nm ³	1.8	20

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

Test Report No.	URA/23/01/PV-DKC012	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/PV-23/01/012	Field Data Sheet No.	URA/FDS/PV-23/01/012
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of TiCl ₄ Storage Tank (S – 4)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.44
5.	Exit Gas Flow	m ³ /h	661.4
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrochloric Acid as HCL	mg/Nm ³	1.2	20

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000013457F			
Test Report No.	URA/22/12/PV-018	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/PV-22/12/018	Field Data Sheet No.	URA/FDS/PV-22/12/018
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	27/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of TiCl₄ Storage Tank (S – 4)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.87
5.	Exit Gas Flow	m ³ /h	688.7
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrochloric Acid as HCL	mg/Nm ³	1.6	20

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000012442F			
Test Report No.	URA/22/11/PV-010	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/PV-22/11/010	Field Data Sheet No.	URA/FDS/PV-22/11/010
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of TiCl₄ Storage Tank (S – 4)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.14
5.	Exit Gas Flow	m ³ /h	642.4
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrochloric Acid as HCL	mg/Nm ³	1.2	20

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI082	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/082	Field Data Sheet No.	URA/FDS/S-22/10/082
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of TiCl ₄ Storage Tank (S – 4)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	9.83
5.	Exit Gas Flow	m ³ /h	622.8
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrochloric Acid as HCL	mg/Nm ³	1.0	20

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (PROCESS VENT STACK MONITORING)

ULR - TC775323000002856F			
Test Report No.	URA/23/03/PV-013	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/PV-23/03/013	Field Data Sheet No.	URA/FDS/PV-23/03/013
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of NH ₃ Storage Tank (S - 5)		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	12.04
5.	Exit Gas Flow	m ³ /h	762.8
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	18	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775323000001564F			
Test Report No.	URA/23/02/PV-006	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/PV-23/02/006	Field Data Sheet No.	URA/FDS/PV-23/02/006
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of NH₃ Storage Tank (S - 5)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.68
5.	Exit Gas Flow	m ³ /h	740.0
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	24	175

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

Test Report No.	URA/23/01/PV-DKC008	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/PV-23/01/008	Field Data Sheet No.	URA/FDS/PV-23/01/008
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of NH₃ Storage Tank (S – 5)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.23
5.	Exit Gas Flow	m ³ /h	711.5
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	20	175

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000013453F			
Test Report No.	URA/22/12/PV-014	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/PV-22/12/014	Field Data Sheet No.	URA/FDS/PV-22/12/014
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	27/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of NH ₃ Storage Tank (S – 5)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.96
5.	Exit Gas Flow	m ³ /h	694.4
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	26	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000012438F			
Test Report No.	URA/22/11/PV-006	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/PV-22/11/006	Field Data Sheet No.	URA/FDS/PV-22/11/006
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of NH ₃ Storage Tank (S – 5)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.18
5.	Exit Gas Flow	m ³ /h	645.0
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	22	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI078	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/078	Field Data Sheet No.	URA/FDS/S-22/10/078
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of NH ₃ Storage Tank (S – 5)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	9.32
5.	Exit Gas Flow	m ³ /h	590.5
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	18	175

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775323000002859F			
Test Report No.	URA/23/03/PV-016	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/PV-23/03/016	Field Data Sheet No.	URA/FDS/PV-23/03/016
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-6)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	12.34
5.	Exit Gas Flow	m ³ /h	781.8
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	24	175
2.	Hydrochloric Acid as HCL	mg/Nm ³	BDL (MDL:1.0)	20

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775323000001567F			
Test Report No.	URA/23/02/PV-009	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/PV-23/02/009	Field Data Sheet No.	URA/FDS/PV-23/02/009
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-6)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.67
5.	Exit Gas Flow	m ³ /h	739.4
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	19	175
2.	Hydrochloric Acid as HCL	mg/Nm ³	BDL (MDL:1.0)	20

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

Test Report No.	URA/23/01/PV-DKC011	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/PV-23/01/011	Field Data Sheet No.	URA/FDS/PV-23/01/011
Name & Add. Of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	24/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-6)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.05
5.	Exit Gas Flow	m ³ /h	700.1
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	23	175
2.	Hydrochloric Acid as HCL	mg/Nm ³	BDL (MDL:1.0)	20

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000013456F			
Test Report No.	URA/22/12/PV-017	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/PV-22/12/017	Field Data Sheet No.	URA/FDS/PV-22/12/017
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	27/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-6)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.44
5.	Exit Gas Flow	m ³ /h	661.4
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	20	175
2.	Hydrochloric Acid as HCL	mg/Nm ³	BDL (MDL:1.0)	20

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000012441F			
Test Report No.	URA/22/11/PV-009	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/PV-22/11/009	Field Data Sheet No.	URA/FDS/PV-22/11/009
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-6)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.63
5.	Exit Gas Flow	m ³ /h	673.5
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	18	175
2.	Hydrochloric Acid as HCL	mg/Nm ³	BDL (MDL:1.0)	20

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI081	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/081	Field Data Sheet No.	URA/FDS/S-22/10/081
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Alkali Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-6)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.08
5.	Exit Gas Flow	m ³ /h	638.6
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	14	175
2.	Hydrochloric Acid as HCL	mg/Nm ³	BDL (MDL:1.0)	20

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (PROCESS VENT STACK MONITORING)

ULR - TC775323000002857F			
Test Report No.	URA/23/03/PV-014	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/PV-23/03/014	Field Data Sheet No.	URA/FDS/PV-23/03/014
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-7)		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.54
5.	Exit Gas Flow	m ³ /h	731.1
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	15	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775323000001565F			
Test Report No.	URA/23/02/PV-007	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/PV-23/02/007	Field Data Sheet No.	URA/FDS/PV-23/02/007
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-7)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.11
5.	Exit Gas Flow	m ³ /h	703.9
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	17	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

Test Report No.	URA/23/01/PV-DKC009	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/PV-23/01/009	Field Data Sheet No.	URA/FDS/PV-23/01/009
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	24/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-7)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.89
5.	Exit Gas Flow	m ³ /h	753.3
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	16	175

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000013454F			
Test Report No.	URA/22/12/PV-015	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/PV-22/12/015	Field Data Sheet No.	URA/FDS/PV-22/12/015
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	27/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-7)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.51
5.	Exit Gas Flow	m ³ /h	729.2
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	18	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000012439F			
Test Report No.	URA/22/11/PV-007	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/PV-22/11/007	Field Data Sheet No.	URA/FDS/PV-22/11/007
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-7)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	12.09
5.	Exit Gas Flow	m ³ /h	766.0
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	16	175

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

**TEST REPORT
(STACK MONITORING)**

Test Report No.	URA/22/10/S-DKCI079	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/079	Field Data Sheet No.	URA/FDS/S-22/10/079
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Water Scrubber of Vent attached with Reaction Vessels of TPT & TPT Based Titinates (S-7)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	15
2.	Stack Dia	mm	150
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	12.41
5.	Exit Gas Flow	m ³ /h	786.2
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Ammonia as NH ₃	mg/Nm ³	24	175

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (PROCESS VENT STACK MONITORING)

ULR - TC775323000002858F			
Test Report No.	URA/23/03/PV-015	Report Issue Date	28/03/2023
Service Request form No.	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.	URA/ID/PV-23/03/015	Field Data Sheet No.	URA/FDS/PV-23/03/015
Name & Add. Of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	23/03/2023	Date of Testing	24/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Vent attached with reaction vessels of process chemicals (Antifoulants) (S-9)		

Details of Instrument Used for Monitoring

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

General Stack Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	100
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.13
5.	Exit Gas Flow	m ³ /h	705.1
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrogen Sulfide as H ₂ S	mg/Nm ³	BDL (MDL:5.0)	45

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.



**TEST REPORT
(PROCESS VENT STACK MONITORING)**

ULR - TC775323000001566F			
Test Report No.	URA/23/02/PV-008	Report Issue Date	18/02/2023
Service Request form No.	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.	URA/ID/PV-23/02/008	Field Data Sheet No.	URA/FDS/PV-23/02/008
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat - 370421, INDIA		
Date of Sampling	13/02/2023	Date of Testing	14/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Vent attached with reaction vessels of process chemicals (Antifoulants) (S-9)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE - 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	100
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.54
5.	Exit Gas Flow	m ³ /h	667.8
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrogen Sulfide as H ₂ S	mg/Nm ³	BDL (MDL:5.0)	45

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(PROCESS VENT STACK MONITORING)

Test Report No.	URA/23/01/PV-DKC010	Report Issue Date	28/01/2023
Service Request form No.	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.	URA/ID/PV-23/01/010	Field Data Sheet No.	URA/FDS/PV-23/01/010
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Vent attached with reaction vessels of process chemicals (Antifoulants) (S-9)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	100
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.67
5.	Exit Gas Flow	m ³ /h	676.0
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrogen Sulfide as H ₂ S	mg/Nm ³	BDL (MDL:5.0)	45

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TC-7753

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000013455F			
Test Report No.	URA/22/12/PV-016	Report Issue Date	31/12/2022
Service Request form No.	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.	URA/ID/PV-22/12/016	Field Data Sheet No.	URA/FDS/PV-22/12/016
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	27/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Vent attached with reaction vessels of process chemicals (Antifoulants) (S-9)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	100
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.03
5.	Exit Gas Flow	m ³ /h	698.8
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrogen Sulfide as H ₂ S	mg/Nm ³	BDL (MDL:5.0)	45

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

357

TEST REPORT
(PROCESS VENT STACK MONITORING)

ULR - TC775322000012440F			
Test Report No.	URA/22/11/PV-008	Report Issue Date	29/11/2022
Service Request form No.	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.	URA/ID/PV-22/11/008	Field Data Sheet No.	URA/FDS/PV-22/11/008
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	24/11/2022	Date of Testing	25/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Vent attached with reaction vessels of process chemicals (Antifoulants) (S-9)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	100
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	11.38
5.	Exit Gas Flow	m ³ /h	721.0
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrogen Sulfide as H ₂ S	mg/Nm ³	BDL (MDL:5.0)	45

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-81/01

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(STACK MONITORING)

Test Report No.	URA/22/10/S-DKCI080	Report Issue Date	27/10/2022
Service Request form No.	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.	URA/ID/S-22/10/080	Field Data Sheet No.	URA/FDS/S-22/10/080
Name & Add. Of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist.: Kutch, Gujarat – 370421, INDIA		
Date of Sampling	19/10/2022	Date of Testing	20/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Stack Sampling Attached to	Vent attached with reaction vessels of process chemicals (Antifoulants) (S-9)		

➤ **Details of Instrument Used for Monitoring**

Instrument Id No.	UERL/AIR/SMK/51		
Instrument Name	Stack Monitoring Kit, VSS1	Serial Number	319, DTE – 14
Calibration Date	25/06/2022	Next Calibration Due On	24/06/2023

➤ **General Stack Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Stack Height	m	8
2.	Stack Dia	mm	100
3.	Stack Area	m ²	0.0176
4.	Exit Gas Velocity	m/s	10.55
5.	Exit Gas Flow	m ³ /h	668.4
6.	Flow Rate for Gas	L/min	1
7.	Volume of Air Sample for Gas	L	30

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION	
Sr. No.	Test Parameter	Unit of measurement	Result	Permissible Limit
1.	Hydrogen Sulfide as H ₂ S	mg/Nm ³	BDL (MDL:5.0)	45

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-04/05

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (AMBIENT AIR MONITORING)

ULR - TC77532300002848F			
Test Report No.:	URA/23/03/A-063	Report Issue Date:	28/03/2023
Service Request form No.:	URA/SRF/03/056	Service Request Date	23/03/2023
Sample ID No.:	URA/ID/A-23/03/063	Field Data Sheet No.:	URA/FDS/A-23/03/063
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	23/03/2023	Date of Testing	25/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring:	A - 1 (Nr. ETP)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/24	Respirable Dust Sampler	2345-DTB-2012,1039-DTC-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/30	Fine Particulate Sampler	132-DTL-2012	02/08/2022	01/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.21
3.	Volume of Air Sampled for PM ₁₀	m ³	1742
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**


DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	87	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	33	60	IS - 5182, Part - 24
3.	Sulphur Dioxide as SO ₂	µg/m ³	16.9	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	24.1	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.17	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	IS - 5182, Part - 25
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 26
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (AMBIENT AIR MONITORING)

ULR - TC775323000002850F			
Test Report No.:	URA/23/03/A-065	Report Issue Date:	28/03/2023
Service Request form No.:	URA/SRF/03/045	Service Request Date	23/03/2023
Sample ID No.:	URA/ID/A-23/03/065	Field Data Sheet No.:	URA/FDS/A-23/03/065
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	23/03/2023	Date of Testing	25/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 2 (Nr. Ware House)		

Details of Master Instrument Used for Monitoring

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/26	Respirable Dust Sampler	1745-DTA-2013,1139-DTA-2013	02/08/2022	01/08/2023
UERL/AIR/FPS/42	Fine Particulate Sampler	125-DTD-2013	03/08/2022	02/08/2023

General Sampling / Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.24
3.	Volume of Air Sampled for PM ₁₀	m ³	1786
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

Environmental Conditions during testing: Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	74	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	27	60	IS - 5182, Part - 24
3.	Sulphur Dioxide as SO ₂	µg/m ³	15.4	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	22.9	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.10	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	IS - 5182, Part - 25
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 26
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.



QCI NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT (AMBIENT AIR MONITORING)

ULR - TC775323000002849F			
Test Report No.:	URA/23/03/A-064	Report Issue Date:	28/03/2023
Service Request form No.:	URA/SRF/03/056	Service Request Date	23/03/2023
Sample ID No.:	URA/ID/A-23/03/064	Field Data Sheet No.:	URA/FDS/A-23/03/064
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	23/03/2023	Date of Testing	25/03/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 3 (Nr. Main Gate / RMU)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/25	Respirable Dust Sampler	1744-DTA-2013,1127-DTJ-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/41	Fine Particulate Sampler	137-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.25
3.	Volume of Air Sampled for PM ₁₀	m ³	1800
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	81	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	30	60	IS - 5182, Part - 24
3.	Sulphur Dioxide as SO ₂	µg/m ³	18.5	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	25.6	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.21	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	IS - 5182, Part - 25
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 26
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (AMBIENT AIR MONITORING)

ULR - TC775323000001556F			
Test Report No.:	URA/23/02/A-033	Report Issue Date:	18/02/2023
Service Request form No.:	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.:	URA/ID/A-23/02/033	Field Data Sheet No.:	URA/FDS/A-23/02/033
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	13/02/2023	Date of Testing	15/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring:	A - 1 (Nr. ETP)		

➤ Details of Master Instrument Used for Monitoring

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/24	Respirable Dust Sampler	2345-DTB-2012,1039-DTC-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/30	Fine Particulate Sampler	132-DTL-2012	02/08/2022	01/08/2023

➤ General Sampling / Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.26
3.	Volume of Air Sampled for PM ₁₀	m ³	1814
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	82	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	30	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	15.3	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	22.5	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.12	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

Regd. Office : 215, Royal Arcade, Near G.I.D.C., Office, Char Rasta, Vapi-396 195 Gujarat.

Extended Work Office : G.I.D.C., Dahej-II, Bharuch, Gujarat.

CIN: U73100GJ2007PTC051463



TEST REPORT (AMBIENT AIR MONITORING)

ULR - TC775323000001557F			
Test Report No.:	URA/23/02/A-034	Report Issue Date:	18/02/2023
Service Request form No.:	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.:	URA/ID/A-23/02/034	Field Data Sheet No.:	URA/FDS/A-23/02/034
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	13/02/2023	Date of Testing	15/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 3 (Nr. Main Gate / RMU)		

Details of Master Instrument Used for Monitoring

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/25	Respirable Dust Sampler	1744-DTA-2013,1127-DTJ-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/41	Fine Particulate Sampler	137-DTD-2013	03/08/2022	02/08/2023

General Sampling / Monitoring Observation

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.28
3.	Volume of Air Sampled for PM ₁₀	m ³	1843
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

Environmental Conditions during testing: Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

Test Parameter Results

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	77	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	28	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	17.2	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	23.1	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.15	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

Regd. Office : 215, Royal Arcade, Near G.I.D.C., Office, Char Rasta, Vapi-396 195, Gujarat.

Extended Work Office : G.I.D.C., Dahej-II, Bharuch, Gujarat.

CIN: U73100GJ2007PTC051482



TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC77532300001558F			
Test Report No.:	URA/23/02/A-035	Report Issue Date:	18/02/2023
Service Request form No.:	URA/SRF/02/022	Service Request Date	13/02/2023
Sample ID No.:	URA/ID/A-23/02/035	Field Data Sheet No.:	URA/FDS/A-23/02/035
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	13/02/2023	Date of Testing	15/02/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 2 (Nr. Ware House)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/26	Respirable Dust Sampler	1745-DTA-2013,1139-DTA-2013	02/08/2022	01/08/2023
UERL/AIR/FPS/42	Fine Particulate Sampler	125-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.21
3.	Volume of Air Sampled for PM ₁₀	m ³	1742
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	70	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	25	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	14.1	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	20.5	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.07	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

Regd. Office 215, Royal Arcade, Near G.I.D.C., Office, Char Rasta, Vapi-396 195, Gujarat.

Extended Work Office : G.I.D.C., Dahej-II, Bharuch, Gujarat.

CIN: U73100GJ2007PTC051463

TEST REPORT
(AMBIENT AIR MONITORING)

Test Report No.:	URA/23/01/A-DKC048	Report Issue Date:	28/01/2023
Service Request form No.:	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.:	URA/ID/A-23/01/048	Field Data Sheet No.:	URA/FDS/A-23/01/048
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	23/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 2 (Nr. Ware House)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/26	Respirable Dust Sampler	1745-DTA-2013,1139-DTA-2013	02/08/2022	01/08/2023
UERL/AIR/FPS/42	Fine Particulate Sampler	125-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.25
3.	Volume of Air Sampled for PM ₁₀	m ³	1800
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	64	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	22	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	13.4	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	18.4	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.04	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT AIR MONITORING)

Test Report No.:	URA/23/01/A-DKC047	Report Issue Date:	28/01/2023
Service Request form No.:	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.:	URA/ID/A-23/01/047	Field Data Sheet No.:	URA/FDS/A-23/01/047
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	23/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 3 (Nr. Main Gate / RMU)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/25	Respirable Dust Sampler	1744-DTA-2013, 1127-DTJ-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/41	Fine Particulate Sampler	137-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.24
3.	Volume of Air Sampled for PM ₁₀	m ³	1786
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	72	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	26	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	15.3	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	21.7	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.10	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

Regd. Office : 215, Royal Arcade, Near G.I.D.C., Office, Char Rasta, Vapi-396 195, Gujarat.

Extended Work Office : G.I.D.C., Dahej-II, Bharuch, Gujarat.

CIN: U73100GJ2007PTC051463

TEST REPORT
(AMBIENT AIR MONITORING)

Test Report No.:	URA/23/01/A-DKC046	Report Issue Date:	28/01/2023
Service Request form No.:	URA/SRF/01/042	Service Request Date	23/01/2023
Sample ID No.:	URA/ID/A-23/01/046	Field Data Sheet No.:	URA/FDS/A-23/01/046
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	23/01/2023	Date of Testing	25/01/2023
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring:	A - 1 (Nr. ETP)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/24	Respirable Dust Sampler	2345-DTB-2012,1039-DTC-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/30	Fine Particulate Sampler	132-DTL-2012	02/08/2022	01/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.29
3.	Volume of Air Sampled for PM ₁₀	m ³	1857
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	76	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	27	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	15.2	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	22.6	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.07	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TC-7753

TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC775322000013445F			
Test Report No.:	URA/22/12/A-063	Report Issue Date:	31/12/2022
Service Request form No.:	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.:	URA/ID/A-22/12/063	Field Data Sheet No.:	URA/FDS/A-22/12/063
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	26/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring:	A - 1 (Nr. ETP)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/24	Respirable Dust Sampler	2345-DTB-2012,1039-DTC-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/30	Fine Particulate Sampler	132-DTL-2012	02/08/2022	01/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.23
3.	Volume of Air Sampled for PM ₁₀	m ³	1771
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	82	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	29	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	16.3	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	23.8	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.12	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

369

TC-7753

TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC775322000013447F			
Test Report No.:	URA/22/12/A-065	Report Issue Date:	31/12/2022
Service Request form No.:	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.:	URA/ID/A-22/12/065	Field Data Sheet No.:	URA/FDS/A-22/12/065
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	26/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 2 (Nr. Ware House)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/26	Respirable Dust Sampler	1745-DTA-2013,1139-DTA-2013	02/08/2022	01/08/2023
UERL/AIR/FPS/42	Fine Particulate Sampler	125-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.25
3.	Volume of Air Sampled for PM ₁₀	m ³	1800
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	69	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	24	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	12.6	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	19.5	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.03	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

370

TC-7753

TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC775322000013446F			
Test Report No.:	URA/22/12/A-064	Report Issue Date:	31/12/2022
Service Request form No.:	URA/SRF/12/040	Service Request Date	26/12/2022
Sample ID No.:	URA/ID/A-22/12/064	Field Data Sheet No.:	URA/FDS/A-22/12/064
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	26/12/2022	Date of Testing	28/12/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 3 (Nr. Main Gate / RMU)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/25	Respirable Dust Sampler	1744-DTA-2013,1127-DTJ-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/41	Fine Particulate Sampler	137-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.28
3.	Volume of Air Sampled for PM ₁₀	m ³	1843
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	75	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	27	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	14.9	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	22.5	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.17	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

371

TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC775322000012430F			
Test Report No.:	URA/22/11/A-064	Report Issue Date:	29/11/2022
Service Request form No.:	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.:	URA/ID/A-22/11/064	Field Data Sheet No.:	URA/FDS/A-22/11/064
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Dates of Sampling	24/11/2022	Date of Testing	26/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring:	A – 1 (Nr. ETP)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/24	Respirable Dust Sampler	2345-DTB-2012,1039-DTC-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/30	Fine Particulate Sampler	132-DTL-2012	02/08/2022	01/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.27
3.	Volume of Air Sampled for PM ₁₀	m ³	1828
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	77	100	IS – 5182, Part – 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	28	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	15.4	80	IS – 5182, Part – 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	21.8	80	IS – 5182, Part – 6
5.	Carbon Monoxide as CO	mg/m ³	0.07	2.0	IS – 5182, Part – 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS – 5182, Part – 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS – 5182, Part – 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS – 5182, Part – 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS – 5182, Part – 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC775322000012432F			
Test Report No.:	URA/22/11/A-066	Report Issue Date:	29/11/2022
Service Request form No.:	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.:	URA/ID/A-22/11/066	Field Data Sheet No.:	URA/FDS/A-22/11/066
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Dates of Sampling	24/11/2022	Date of Testing	26/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A - 2 (Nr. Ware House)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/26	Respirable Dust Sampler	1745-DTA-2013,1139-DTA-2013	02/08/2022	01/08/2023
UERL/AIR/FPS/42	Fine Particulate Sampler	125-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.24
3.	Volume of Air Sampled for PM ₁₀	m ³	1786
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE - CHEMICAL TESTING			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	63	100	IS - 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	22	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	13.7	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	18.5	80	IS - 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	BDL (MDL:0.0)	2.0	IS - 5182, Part - 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS - 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS - 5182, Part - 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS - 5182, Part - 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS - 5182, Part - 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS - 5182, Part - 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS - 5182, Part - 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT AIR MONITORING)

ULR - TC775322000012431F			
Test Report No.:	URA/22/11/A-065	Report Issue Date:	29/11/2022
Service Request form No.:	URA/SRF/11/041	Service Request Date	24/11/2022
Sample ID No.:	URA/ID/A-22/11/065	Field Data Sheet No.:	URA/FDS/A-22/11/065
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Dates of Sampling	24/11/2022	Date of Testing	26/11/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A – 3 (Nr. Main Gate / RMU)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/25	Respirable Dust Sampler	1744-DTA-2013,1127-DTJ-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/41	Fine Particulate Sampler	137-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.21
3.	Volume of Air Sampled for PM ₁₀	m ³	1742
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	69	100	IS – 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	26	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	16.2	80	IS – 5182, Part – 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	23.4	80	IS – 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	0.11	2.0	IS – 5182, Part – 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS – 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS – 5182, Part – 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS – 5182, Part – 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS – 5182, Part – 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT AIR MONITORING)

Test Report No.:	URA/22/10/A-DKIC048	Report Issue Date:	27/10/2022
Service Request form No.:	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.:	URA/ID/A-22/10/048	Field Data Sheet No.:	URA/FDS/A-22/10/048
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Dates of Sampling	19/10/2022	Date of Testing	21/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring:	A – 1 (Nr. ETP)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/24	Respirable Dust Sampler	2345-DTB-2012,1039-DTC-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/30	Fine Particulate Sampler	132-DTL-2012	02/08/2022	01/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.23
3.	Volume of Air Sampled for PM ₁₀	m ³	1771
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	69	100	IS – 5182, Part – 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	23	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	13.8	80	IS – 5182, Part – 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	17.5	80	IS – 5182, Part – 6
5.	Carbon Monoxide as CO	mg/m ³	BDL (MDL:0.0)	2.0	IS – 5182, Part – 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS – 5182, Part – 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS – 5182, Part – 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS – 5182, Part – 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS – 5182, Part – 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT AIR MONITORING)

Test Report No.:	URA/22/10/A-DKCI050	Report Issue Date:	27/10/2022
Service Request form No.:	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.:	URA/ID/A-22/10/050	Field Data Sheet No.:	URA/FDS/A-22/10/050
Name & Add. of Customer	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Dates of Sampling	19/10/2022	Date of Testing	21/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A – 2 (Nr. Ware House)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/26	Respirable Dust Sampler	1745-DTA-2013,1139-DTA-2013	02/08/2022	01/08/2023
UERL/AIR/FPS/42	Fine Particulate Sampler	125-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.20
3.	Volume of Air Sampled for PM ₁₀	m ³	1728
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	57	100	IS – 5182, Part - 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	19	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	12.4	80	IS – 5182, Part – 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	15.3	80	IS – 5182, Part - 6
5.	Carbon Monoxide as CO	mg/m ³	BDL (MDL:0.0)	2.0	IS – 5182, Part – 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS – 5182, Part - 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS – 5182, Part – 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS – 5182, Part – 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS – 5182, Part – 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT AIR MONITORING)

Test Report No.:	URA/22/10/A-DKCI049	Report Issue Date:	27/10/2022
Service Request form No.:	URA/SRF/10/029	Service Request Date	19/10/2022
Sample ID No.:	URA/ID/A-22/10/049	Field Data Sheet No.:	URA/FDS/A-22/10/049
Name & Add. of Customer	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Dates of Sampling	19/10/2022	Date of Testing	21/10/2022
Sampling Procedure	UERL/AIR/SOP/07		
Location of Sampling / Monitoring	A – 3 (Nr. Main Gate / RMU)		

➤ **Details of Master Instrument Used for Monitoring**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/RDS/25	Respirable Dust Sampler	1744-DTA-2013,1127-DTJ-2012	02/08/2022	01/08/2023
UERL/AIR/FPS/41	Fine Particulate Sampler	137-DTD-2013	03/08/2022	02/08/2023

➤ **General Sampling / Monitoring Observation**

Sr. No.	Description	Unit of measurement	Observation
1.	Monitoring Duration	h	24
2.	Flow Rate of PM ₁₀	m ³ /min	1.25
3.	Volume of Air Sampled for PM ₁₀	m ³	1800
4.	Volume of Air Sampled for PM _{2.5}	m ³	24.04
5.	Flow Rate for Gas	L/min	0.2
6.	Volume of Air Sample for Gas	L	288

➤ **Environmental Conditions during testing:** Temp.: 25 ± 5 °C, Relative Humidity: 40 to 50%

➤ **Test Parameter Results**

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Test Parameter	Unit	Result	Permissible Limit (As per NAAQS)	Test Method
1.	Particulate Matter as PM ₁₀	µg/m ³	63	100	IS – 5182, Part – 23
2.	Particulate Matter as PM _{2.5}	µg/m ³	22	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide as SO ₂	µg/m ³	14.5	80	IS – 5182, Part – 2
4.	Nitrogen Dioxide as NO ₂	µg/m ³	19.6	80	IS – 5182, Part – 6
5.	Carbon Monoxide as CO	mg/m ³	0.06	2.0	IS – 5182, Part – 10
6.	Ozone as O ₃	µg/m ³	BDL (MDL:5.0)	100	IS – 5182, Part – 9
7.	Ammonia as NH ₃	µg/m ³	BDL (MDL:0.5)	400	UERL/AIR/SOP/05
8.	Lead as Pb	µg/m ³	BDL (MDL:5.0)	1.0	IS – 5182, Part – 22
9.	Nickel as Ni	ng/m ³	BDL (MDL:1.0)	20	IS – 5182, Part – 22
10.	Arsenic as As	ng/m ³	BDL (MDL:1.0)	6.0	IS – 5182, Part – 22
11.	Benzene as C ₆ H ₆	µg/m ³	BDL (MDL:1.0)	5.0	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/m ³	BDL (MDL:0.1)	1.0	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/06

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775323000002861F			
Test Report No.:	URA/23/03/AN-034	Date Of Report:	28/03/2023
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 23-03-2023 at 10:45 Hrs. (Day Time: 6:00 am to 10:00 pm)

Result

DISCIPLINE – CHEMICAL		NAME OF GROUP – ATMOSPHERIC POLLUTION			
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	58.2	63.7	60.95	<75 dB(A)
	Near Ware House	51.9	58.4	55.15	<75 dB(A)
	Near Raw Water Tank	63.5	70.3	66.9	<75 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT (AMBIENT NOISE LEVEL MONITORING)

ULR - TC775323000002862F			
Test Report No.:	URA/23/03/AN-035	Date Of Report:	28/03/2023
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ Details of Instrument Used for Monitoring.

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UURL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 23-03-2023 at 22:15 Hrs. (Night Time: 10:00 pm to 6:00 am)

Result

DISCIPLINE - CHEMICAL TESTING			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	35.0	58.4	46.7	<70 dB(A)
	Near Ware House	35.0	54.9	44.95	<70 dB(A)
	Near Raw Water Tank	35.0	63.7	49.35	<70 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UURL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775323000001569F			
Test Report No.:	URA/23/02/AN-017	Date Of Report:	18/02/2023
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 13-02-2023 at 10:15 Hrs. (Day Time: 6:00 am to 10:00 pm)

Result

DISCIPLINE – CHEMICAL		NAME OF GROUP – ATMOSPHERIC POLLUTION			
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	56.5	62.8	59.65	<75 dB(A)
	Near Ware House	53.7	59.2	56.45	<75 dB(A)
	Near Raw Water Tank	62.3	68.8	65.55	<75 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.



TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775323000001570F			
Test Report No.:	URA/23/02/AN-018	Date Of Report:	18/02/2023
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 13-02-2023 at 22:20 Hrs. (Night Time: 10:00 pm to 6:00 am)

Result

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	35.0	56.5	45.75	<70 dB(A)
	Near Ware House	35.0	52.9	43.95	<70 dB(A)
	Near Raw Water Tank	35.0	59.3	47.15	<70 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Test Report No.:	URA/23/01/AN-DKC040	Date Of Report:	28/01/2023
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 23-01-2023 (Night Time: 10:00 pm to 6:00 am)

Result

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	35.0	57.4	46.2	<70 dB(A)
	Near Ware House	35.0	55.1	45.05	<70 dB(A)
	Near Raw Water Tank	35.0	60.9	47.95	<70 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Test Report No.:	URA/23/01/AN-DKC039	Date Of Report:	28/01/2023
Name & Add. Of Industries	M/s. Dorf Ketal Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 23-01-2023 (Day Time: 6:00 am to 10:00 pm)

Result

DISCIPLINE – CHEMICAL		NAME OF GROUP – ATMOSPHERIC POLLUTION			
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	57.1	62.3	59.7	<75 dB(A)
	Near Ware House	51.8	59.4	55.6	<75 dB(A)
	Near Raw Water Tank	60.5	66.8	63.65	<75 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775322000013458F			
Test Report No.:	URA/22/12/AN-040	Date Of Report:	31/12/2022
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 26-12-2022 (Day Time: 6:00 am to 10:00 pm)

Result

DISCIPLINE – CHEMICAL		NAME OF GROUP – ATMOSPHERIC POLLUTION			
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	58.5	65.8	62.2	<75 dB(A)
	Near Ware House	57.1	64.5	60.8	<75 dB(A)
	Near Raw Water Tank	62.7	68.3	65.5	<75 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT

(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775322000013459F			
Test Report No.:	URA/22/12/AN-041	Date Of Report:	31/12/2022
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 26-12-2022 (Night Time: 10:00 pm to 6:00 am)

Result

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	35.0	59.3	47.2	<70 dB(A)
	Near Ware House	35.0	57.8	46.4	<70 dB(A)
	Near Raw Water Tank	35.0	62.1	48.6	<70 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:
Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775322000012444F			
Test Report No.:	URA/22/11/AN-046	Date Of Report:	29/11/2022
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 24-11-2022 (Night Time: 10:00 pm to 6:00 am)

Result

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	35.0	60.7	47.85	<70 dB(A)
	Near Ware House	35.0	62.9	48.95	<70 dB(A)
	Near Raw Water Tank	35.0	64.6	49.8	<70 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:




Nikunj D. Patel

(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel

(Manager - Operations)

UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

ULR - TC775322000012443F			
Test Report No.:	URA/22/11/AN-045	Date Of Report:	29/11/2022
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block - F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat - 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 24-11-2022 (Day Time: 6:00 am to 10:00 pm)

Result

DISCIPLINE - CHEMICAL TESTING			NAME OF GROUP - ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	60.4	67.5	63.95	<75 dB(A)
	Near Ware House	58.7	68.2	63.45	<75 dB(A)
	Near Raw Water Tank	64.2	69.5	66.85	<75 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:
Opinion & Interpretation (if required):


***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)
Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Test Report No.:	URA/22/10/AN-DKCI028	Date Of Report:	27/10/2022
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 19-10-2022 (Day Time: 6:00 am to 10:00 pm)

Result

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	58.2	67.7	62.95	<75 dB(A)
	Near Ware House	55.9	65.6	60.75	<75 dB(A)
	Near Raw Water Tank	63.7	70.5	67.1	<75 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Test Report No.:	URA/22/10/AN-DKCI029	Date Of Report:	27/10/2022
Name & Add. Of Industries	M/s. Dorf Ketel Chemicals India Pvt. Ltd. Plot No. 2, Block – F, Sector 12N, Adani Port and Sez, Dist: Kutch, Gujarat – 370421, INDIA		
Sampling Method	IS : 9989 : 1981		

➤ **Details of Instrument Used for Monitoring.**

Instrument Id No.	Instrument Name	Serial Number	Cali. Date	Next Cali. Date
UERL/AIR/SLM/09C	Sound Level Meter	SDL 600	23/06/2022	22/06/2023

Date and Time of Monitoring : 19-10-2022 (Night Time: 10:00 pm to 6:00 am)

Result

DISCIPLINE – CHEMICAL TESTING			NAME OF GROUP – ATMOSPHERIC POLLUTION		
Sr. No.	Location	Noise Level dB(A)			Permissible Limit CPCB
		Min.	Max.	Avg.	
1.	Near Main Gate	35.0	58.2	46.6	<70 dB(A)
	Near Ware House	35.0	60.7	47.85	<70 dB(A)
	Near Raw Water Tank	35.0	62.8	48.9	<70 dB(A)

Note: Ambient Air Quality Standards in respected of Noise as per CPCB.

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****


Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-18/03

Note: This report is subject to Terms and Conditions mentioned overleaf.

Annexure – 5

Cost of Environmental Protection Measures

Sr. No.	Activity	Cost incurred (INR in Lacs)			Budgeted Cost (INR in Lacs)
		2020 – 21	2021 – 22	2022 – 23	2022 – 23
1.	Environmental Study / Audit and Consultancy	6.2	6.82	7.32	11.05
2.	Legal & Statutory Expenses	10.58	10.52	12.32	12
3.	Environmental Monitoring Services	19.17	14.31	15.32	33
4.	Hazardous / Non-Hazardous Waste Management & Disposal	83.55	107.09	104.035	127.72
5.	Environment Days Celebration and Advertisement / Business development	5.3	4.04	2.53	8.00
6.	Treatment and Disposal of Bio-Medical Waste	2.09	2.14	2.29	2.04
7.	Mangrove Plantation, Monitoring & Conservation	32.59	53.6	35.0	35.0
8.	Other Horticulture Expenses	689	921	956	979
9.	O&M of Sewage Treatment Plant and Effluent Treatment Plant (including STP, ETP of Port & SEZ & Common Effluent Treatment Plant)	148.49	252.27	141.33	164.46
10.	Expenditure of Environment Dept. (Apart from above head)	89.11	149.8	90.136	75.79
Total		1086.08	1371.79	1366.28	1448.06

Annexure – 7

Final Report

Shoreline Change Assessment Studies Using Satellite Imageries at Adani Ports and SEZ Limited, Mundra

Submitted to: -

Adani Ports and Special Economic Zone Ltd (APSEZL),
Mundra, Kachchh District, Gujarat

Submitted by:



Gujarat Institute of Desert Ecology
P.O.Box # 83, Opp.Changleshwar Temple,
Mundra Road, Bhuj,
Kachchh-370001, Gujarat

August 2022

Project Personnel

Project Coordinator

Dr. V. Vijay Kumar, Director

Principal Investigator

Mr. Dayesh Parmar, Project Officer

Team Member

Mr. Chetanbhai Pandya & Team (DGPS Survey)

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1. Gujarat.....	1
1.1.1. Gulf of Kachchh	2
1.2. About Adani Ports and Special Economic Zone Ltd. (APSEZL).....	3
1.3. Origin of the Study	3
1.4. Objectives of the Study.....	4
2. STUDY AREA	5
2.1. Location.....	5
2.2. Climate	5
2.2.1. Tidal Regime.....	6
2.2.2. Currents.....	6
2.2.3. Salinity	7
3. METHODOLOGY AND DATA USED	8
3.1. Short Term Shoreline Change Analysis	9
3.2. Long Term Shoreline Change Analysis	9
3.3. Data Used.....	10
3.3.1. Pre-processing.....	10
3.4. Field Work.....	12
4. RESULTS AND ANALYSIS.....	14
4.1. Results For Shoreline Change Analysis From Satellite Images.....	14
4.1.1. Results for Overall Shoreline Change From 2015 to 2022.....	15
4.1.2. Zones of High Erosion and High Accretion	16
4.1.3. Beach Profile	20
5. CONCLUSION	26
5.1. Shoreline Changes.....	26
5.2. Recommendations	27

LIST OF FIGURES

Figure 2.1: Location Map of The Study Area.....	6
Figure 3.1: Flowchart of the Methodology Adopted	8
Figure 3.2: Calculation of Short-Term Shoreline change analysis	9
Figure 3.3: Calculation of Long Term (LRR) Shoreline Change Analysis	10
Figure 3.4: Shoreline Digitization for Different Years Using Multi Date Satellite Imageries.....	12
Figure 3.5: Establishing DGPS Base Station (A) And Collecting Survey and Ground Truthing Data(B), (C), (D) Using Rover.....	13
Figure 4.1: Study area in two blocks.....	15
Figure 4.2: Shoreline Changes During March 2015 to April 2022.....	16
Figure 4.3: Zones of High Erosion and High Accretion	17
Figure 4.4: Shoreline Data of the Study Sites Using DGPS	18
Figure 4.5: Approved CZMP in line with CRZ Notification, 2011 prepared by National Centre for Coastal Management (NCSCM)	19
Figure 4.6: Beach Profile of the study area.....	21
Figure 4.7: Beach Profile at Different Locations	22
Figure 4.8: Satellite image of the Study area during May 2015.....	23
Figure 4.9: Satellite image of the Study area during May 2022.....	24
Figure 4.10: :(a) Modhava Coast, (b) and (c) and (d) Western Coast (e) & (f) Eastern Coast of Adani Port.	25

LIST OF TABLES

Table 3.1: High-resolution Satellite Data for Shoreline Procured From NRSC	10
Table 4.1: Details of Average and Maximum Short term Shoreline Changes	16

1. INTRODUCTION

The shoreline is the zone where large bodies like an ocean or lake meet the land. The coastal shoreline is a dynamic interface between the land and the sea water which gets altered due to various coastal processes that govern it such as wave characteristics, near-shore circulation, sediment characteristics, beach forms, etc. Shoreline changes are the result of a process called littoral transport, which is responsible for moving eroded materials along the coasts utilizing waves and currents in the nearshore zone (Misra and Ramakrishnan, 2015). The developmental and maintenance activities such as the construction of the port, mining of beach sand, industrialization, garbage dump, urbanization, recreational activities, discharge of domestic sewage and industrial effluent, and reduction in sediment supply from rivers have amplified the processes of modifications, including changes in the shoreline (Kannan and Malarvannan, 2016).

An important aspect of the shoreline is the sustainable development and protection of the coastal environment. Therefore, monitoring coastline areas is a crucial subject since shorelines are the most important and dynamic natural phenomenon (Tamassoki *et al.*, 2014), where changes in one part subsequently affect the other parts, which will be a chain of reactions.

1.1. Gujarat

Gujarat is situated on the western coast of India, in the Arabian Sea. Among the maritime states of India, Gujarat has the longest coastline of around 1650 km, which supports a wide diversity of marine flora and fauna. The state has two gulfs, the Gulf of Khambat and the Gulf of Kachchh, and the coast is differentiated between high rainfall area (2500 mm in south Gujarat) and low rainfall area (250 mm in the northwest part of Kachchh). The coast experiences a different range of tides, waves, cyclones, and currents in the sea, affecting the physical as well as the biological conditions of the whole marine ecosystem.



1.1.1. Gulf of Kachchh

The Gulf of Kachchh is situated along the west coast of Gujarat in India. It is about 170 Km in length. The coastal stretch of Kachchh district constitutes the entire northern coast of the Gulf of Kachchh (GoK) which is one of the three major Gulf systems of India endowed with very high biological richness and physical and chemical peculiarities. Despite its high aridity (4 on a scale of 1- 4) and poor mean rainfall (340 mm), the Kachchh coast has diverse ecological habitats and ecosystems like mangroves, sandy coasts, mudflats, creeks, and other tidal incursions which enhance manifold its coastal landscape diversity and natural resources.

In the late 1990s, industrial development was promoted aggressively because of its very rich mineral deposits, the short sea routes to Gulf countries, and easy availability of land which were considered best than the other coastal regions of the state. The announcement of tax holidays during the post-earthquake in 2001 by the state government provided further impetus for coastal industrial development. Many of these developments are beginning to have implications for ecological, social, and economic spheres. Kachchh coast faces threats from climate change, pollution, and habitat changes which are crucial for understanding the impacts on the shoreline.

Morphological change is responsible for the change in coastal structure or shape. Morphological change occurs due to tidal patterns. It can be estimated by different methods like Aerial photography, Field survey using GPS, Satellite remote sensing, LIDAR, etc.

The shoreline changes occurring due to processes like accumulation and erosion of substratum can be analysed in a Geographic Information System (GIS) by examining differences between the shoreline of different years. Shoreline proxies include the high-water line, vegetation line and dunes among many others. (Jodhani *et al.*, 2020)



1.2. About Adani Ports and Special Economic Zone Ltd. (APSEZL)

The former Gujarat Adani Port Ltd., now named as Adani Ports and Special Economic Zone Ltd. (APSEZL) started its operations in Mundra in 1998 with an all-weather, open-sea jetty and port backup at Navinal Island. The Port has since then undergone four expansions, namely a railway line and container terminal in 2000, Single Point Mooring and Pipeline for crude oil terminal in 2004, a Multipurpose wharf Terminal-II in 2007, and a Waterfront development project in 2009 which includes the development of North Port, South Port, East Port & West Port. In addition to these, port-based special economic zone and two thermal power plants exist which form a major industrial cluster of this coast.

1.3. Origin of the Study

APSEZ has obtained Environmental and CRZ Clearance for a waterfront development project at Mundra District, Kachchh, Gujarat, and as a part of EC/CRZ Clearance condition, APSEZ shall undertake “The shoreline changes in the area shall be monitored periodically and the reports to be submitted every 6 months to RO, Bhopal”.

Also, APSEZ had undertaken a Cumulative Impact Assessment (CIA) through NABET accredited consultant namely M/s. Chola MS Risk Services Limited, Chennai in the year 2015-16 in line with the MoEF&CC Order dated 18th September, 2015 for the projects already granted Environmental Clearance and CRZ Clearance in the region so that future developments can be assessed for providing necessary approvals at a later stage. As a part of the Environmental Management Plan (EMP) compliance with the CIA study, APSEZ shall undertake a study “To map the coastal morphology (Shoreline) at least once in three years”. Therefore, Adani Ports and Special Economic Zone Ltd. (APSEZL) has approached M/s. Gujarat Institute of Desert Ecology (GUIDE) to study the intensive monitoring of shoreline changes through high-resolution satellite imageries (LISS-IV). The present report compiles the results of shoreline change analysis by using satellite imageries and beach profile analysis of a 55 km coastline stretch of Adani Ports and Special Economic



Zone Ltd. (APSEZL). Due to the dynamic nature of shoreline boundary, it is essential to understand the long and short-term rate of shoreline changes from a coastal vulnerabilities point of view.

1.4. Objectives of the Study

1. To map and monitor shoreline behavior (changes) of 13 km (16 km on west side and 27 km on east side of Adani main port) coastline stretch of Adani Ports and Special Economic Zone Ltd. (APSEZL) using LISS-IV high-resolution satellite imageries during the years 2015 and 2022 after construction of port activities.
2. To identify the zones of high erosion and accretion using LISS-IV, high-resolution satellite imageries.
3. Collection of shoreline information and cross-sectional profiles using DGPS, at 20.00-meter interval along the route & offset between high tide line to low tide line, along the 10km stretch around the project site.
4. Shoreline change analysis by superimposing DGPS Survey data with satellite data.
5. Superimposing current shoreline changes data on approved CZMP in line with CRZ Notification, 2011 prepared by National Centre for Coastal Management (NCSCM).



2. STUDY AREA

2.1. Location

Kachchh coast constitutes the entire northern shore of the Gulf of Kachchh marked by narrow beaches and wide mudflats. The coastal stretch of the Mundra is dissected by extensive mudflats and creek systems. Major creek systems in the area are Navinal, Bocha, Baradi mata, and Kotadi creek. These creeks are again divided into minor creek complexes. The present study is about the shoreline changes on the coastal stretch of Mundra between the western side of Modhva to the eastern side of Luni which forms the study area (Fig.1.1) earmarked on the map.

The study site is 43 km long coastline stretch (16 km on the western side and 27 km on the eastern of Adani main port) of Adani Ports and Special Economic Zone Ltd. (APSEZL), located on the western coordinates of site $22^{\circ}47'37.289''\text{N}$, $69^{\circ}25'18.078''\text{E}$ to eastern coordinates of site $22^{\circ}50'56.604''\text{N}$, $69^{\circ}54'8.115''\text{E}$, which is given in Figure 2.1.

2.2. Climate

As per the Indian Meteorological Department, Govt. of India, the highest monthly mean of daily maximum temperature of the study area is 36°C . The dry bulb temperature goes up to 47.8°C , considering max Humidity of 95%. The wind is predominantly from the south-west as well as from the west to some extent. The wind velocity is 65 km/hr.

Due to its arid nature, annual rainfall in Kachchh is poor, ranging from 250-350 mm which is often irregular. However, the mean annual rainfall during 1932 to 2021 was higher at Mundra (478 mm) comparing to other coastal talukas of Kachchh district. Rain during monsoon is confined to only 12-16 days and occurs as an instant downpour. Freshwater input into the near coastal waters is quite meagre and appears to influence the coastal erosion. Annual temperature fluctuation in the district is extreme, ranging from $7-47^{\circ}\text{C}$ with a yearly average humidity of 60% which increases to 80% during the southwest monsoon and decreases to 50%



during November-December. The phenomenon of drought is common, with 2 drought years in a cycle of 5 years(Thivakaran *et al.*, 2015).




Figure 2.1: Location Map of The Study Area

2.2.1. Tidal Regime

Tides at Mundra are the mixed type, predominantly semidiurnal type with a Mean High-Water Spring (MHWS) of 6.66 m and Mean High water Neap (MHWN) of 5.17 m. The phase difference is not uniform for successive tides in the Gulf and it varies as per tidal conditions ((ICMAM 2004).

2.2.2. Currents

The currents in the Gulf and associated creeks are largely tide induced and oscillations are mostly bimodal reversing in direction with the change in the tidal phase. The influence of wind on variations in current is minor. The current reversals are quite sharp occurring within 30 - 60 min. The maximum current

speed varied from 0.5 to 1.2 m/s. The predominant direction of the current is 45° during flood and 220° during ebb.

The circulation is generally elliptical with the major axis in the east-west direction. These trajectories suggest that the excursion lengths are in the range of 10 to 15 km depending on the tidal phase (neap or spring)(NIO, 2009).

2.2.3. Salinity

Salinity is an indicator of freshwater intrusion in nearshore coastal waters as well as the excursion of salinity in inland water bodies such as estuaries, creeks, and bays. Normally seawater salinity is 35.5 ppt but may vary depending on evaporation, precipitation, and freshwater addition. Salinity largely influences several processes such as dissolution, dispersion, dilution, etc in seawater due to high dissolved salt content and high density. In the absence of freshwater inflow, the salinity varies from 35.9 to 38.0 ppt.



3. METHODOLOGY AND DATA USED

The shoreline change analysis has been carried out using multi-date satellite images to estimate the rate of change in terms of distance of the shore eroded or accreted using a cross-shore profile in terms of area and volume. From the satellite images, the shoreline has been extracted after rectification and co-registration. The rate of shoreline changes from 2015 to 2022 has been analysed and compared with the DGPS survey and ground truthing data for which Digital shoreline change analysis system (DSAS) software that works within the Geographic Information System (ArcGIS) software was applied. DSAS computes rate-of-change statistics for a time series of shoreline vector data. It is also useful for computing rates of change for other boundary change conditions that incorporate a clearly-identified feature position at discrete times (Himmelstoss *et al.*, 2018). The methodology flowchart of the present study on the shoreline change is shown in (Figure 3.1)




Figure 3.1: Flowchart of the Methodology Adopted



3.1. Short Term Shoreline Change Analysis

The end point rate (EPR) is calculated by dividing the distance of shoreline movement by the time elapsed between the oldest and the most recent shoreline (Figure 3.2). The major advantages of the EPR are the ease of computation and the minimal requirement of only two shoreline dates. The major disadvantage is that in cases where more data are available, the additional information is ignored.




Figure 3.2: Calculation of Short-Term Shoreline change analysis

(Sample image source: (Sweet *et al.* 2017))

3.2. Long Term Shoreline Change Analysis

A linear regression rate-of-change (LRR) statistic is determined by fitting a least-squares regression line to all shoreline points for a particular transect (Figure 3.3). The regression line is placed so that the sum of the squared residuals (determined by squaring the offset distance of each data point from the regression line and adding the squared residuals together) is minimized. The linear regression rate is the slope of the line. However, the linear regression method is susceptible to outlier effects and also tends to underestimate the rate of change relative to other statistics (Sutikno *et al.*, 2017).




Figure 3.3: Calculation of Long Term (LRR) Shoreline Change Analysis

(Sample image source:(Sweet *et al.* 2017))

3.3. Data Used

The Multi-date satellite imageries, LISS-III and LISS-IV were procured from NRSC, Hyderabad was used for the analysis of the present study. The details of the satellite imagery used for the present study are given below (Figure 4.8, Figure 4.9 and Table 3.1).

Table 3.1: High-resolution Satellite Data for Shoreline Procured From NRSC

Satellite	Date	Sensor	Resolution (m)
IRS-R2	03 th March 2015	LISS-III	23.5
IRS-R2	12 th April 2022 and 24 th April 2022	LISS -IV	5.8

3.3.1. Pre-processing

Pre-processing of satellite data includes correction of geometric, atmospheric, and radiometric aspects and clipping of the area to obtain the exact imagery of the project sites. The rectification operation aims to correct distorted images to create



a more faithful representation of the original scene. It typically involves the initial processing of raw image data to correct geometric distortions.

Radiometric Correction: Radiometric correction addresses variations in the pixel intensities (DNs) that have not been caused by the object or scene scanned. These variations include differing sensitivities or malfunctioning of the detectors, topographic effects and atmospheric effects.

Geometric Correction: Geometric correction addresses errors in the relative positions of pixels. These errors are induced by sensor viewing geometry or terrain variations. A geometric correction was done based on Ground Control Points (GCPs) and the image was re-sampled using the nearest neighbourhood interpolation method.

Shoreline Extraction: Continuous shoreline positions were extracted automatically and digitized manually for two different periods i.e., 2015 and 2022. Digital Shoreline Analysis System (DSAS) version 5.1, an extension of ESRI ArcGIS software was used to calculate shoreline rate of change statistics from a time series of multiple shoreline positions. The shoreline positions were compiled in ArcGIS with 5 attribute fields that included Object ID (a unique number assigned to each transect), shape, shape length, ID, date (original survey year), and uncertainty values. All different shoreline features were then merged within a single line on the attribute table, which enabled the multiple coastline files to be appended together into a single shape file. The Shoreline change rate was calculated by Endpoint rate (EPR) for the short term and Linear Regression Rate (LRR) for the long-term period. DSAS is purely a statistical approach. A baseline was digitized onshore by closely digitizing the direction and shape of the outer shoreline, which was used as the starting point for all transects.






Figure 3.4: Shoreline Digitization for Different Years Using Multi Date Satellite Imageries.

3.4. Field Work

Field investigation is a vital part of the project. Fieldwork helps to check and collect most of the ground information required for shoreline mapping. The fieldwork was conducted during the period between 26th to 30th April 2022 and 21st to 23rd June 2022 for the DGPS survey and collecting ground truthing data.





Figure 3.5: Establishing DGPS Base Station (A) And Collecting Survey and Ground Truthing Data(B), (C), (D) Using Rover.

4. RESULTS AND ANALYSIS

In the present study, the rate of shoreline changes statistics on a time series of multiple shoreline positions of a totally 43 km coastline stretches (16 km on the west side and 27 km on the east side of Adani main port) on either side of Adani Ports and Special Economic Zone Ltd (APSEZL) has been taken in to account for the calculation by using satellite images. A total of 4254 transects were generated with 10m spacing along the shoreline. The length of each transect (Cross shore) was between 500 to 3000m. The variations in the rate of shoreline change were re-coded as N – S coast configuration. The shoreline change analysis was carried out for 2015-2022, the short-term shoreline change analysis method EPR was carried out using medium resolution (LISS III) and high-resolution images such as LISS-IV.

As a part of the NGT direction, the shoreline change analysis has been carried out out for the years 2015-2022 to study the immediate changes after the commissioning of the port and initiation of the activities (September 2015) for short-term variation for the year 2015-2022 using EPR method has been carried out.

Based on the rate of change over the period, shoreline change has been categorized into seven classes National shoreline Assessment system (N-SAS, 2022). They are; high accretion ($>5\text{m/year}$), moderate accretion (3.0 to 5.0 m/year), low accretion (0.5 to 3.0 m/year), stable coast (0.5 to -0.5m/year), low accretion (-3.0 to -0.5 m/year), moderate erosion (-3.0 to -5 m/year) and high erosion ($>-5\text{m/year}$).

4.1. Results For Shoreline Change Analysis From Satellite Images

The erosion and accretion are highlighted with red and green colour respectively for better understanding. The study area is divided into two major blocks (1) West port and (2) Eastern side block for accurate analysis as shown in Figure 4.1.







Figure 4.1: Study area in two blocks.

4.1.1. Results for Overall Shoreline Change From 2015 to 2022

The results of the imagery data analysed before the port activity using medium to high resolution of (LISS-III (23.5m) and LISS-IV (5.8m)) satellite images, processed for the period 2015 to 2022 have shown a high rate of accretion (5 to 191 m/year) to stable coast along the eastern side block except for a few pockets where there was low to moderate erosion on the shore has seen. In contrast on the western side of the port, most of the area are highly eroded (Figure 4.2) at has been observed. The details of the instantaneous rate of shoreline changes (Short interval time) recorded from 2015 to 2022 are summarised in Table 4.1. The data indicated that shoreline changes were very much dynamic and no regular pattern was evident at all in the study sites. However, the rate of change was comparatively high on the eastern side of the port during the last 7 years.

Table 4.1: Details of Average and Maximum Short term Shoreline Changes

Period	Name of the block	Average Shoreline Change(M/Year)	Shoreline Change(M)	
			Maximum Accretion	Maximum Erosion
2015-2022	West Port	-11.43	39.86	-78.68
	Eastern	-26.60	191.32	-165.19

**Figure 4.2: Shoreline Changes During March 2015 to April 2022**

4.1.2. Zones of High Erosion and High Accretion

For the present study on shoreline changes evaluation, one sets of data were considered. They are the moderate to high resolution (23.5m and 5.8m) images for 2015-2022 and overall shoreline changes delineate in high erosion and high accretion zone, and the results are presented in Figure 4.3.

Based on the analysis of the imageries it is possible to delineate the study areas into zones for the ease of classification into high erosion and high accretion within the study limits. The images have indicated that a total distance of 23.6 km showed



high accretion zone, around 1.9 km high erosion zone near Bocha island on the eastern side of Mundra port, however on the western side of west port 11 km identified as a zone of high erosion whereas approximately 5 km patches between west port to Modhva comes under the high accretion zones (Figure 4.3).

Shoreline change analysis for the present study has been carried out over 7 years ranging from 2015 to 2022. Change detection analysis of the study area indicated that the shoreline has undergone both accretion and erosion processes in the last 7 years. Transects demarcated for accretion and erosion rates indicate that almost 51.4% of the area has undergone accretion for the entire study period (2015 to 2022). Even though it was observed that 48.6% of the area had experienced erosion, the rate of removal of the substratum was relatively lower than the rate of accretion.




Figure 4.3: Zones of High Erosion and High Accretion

Validation of the shoreline data of the 43 km (16 km on west side and 27 km on east side of Adani main port) stretch of Adani Ports and Special Economic Zone Ltd



(APSEZL), using Differential GPS (DGPS) has been carried out for the period 26th to 30th April 2022 and 21st to 23rd June 2022 (Figure 4.4). The results obtained with the higher resolution satellite images of the field match the shoreline details derived from the satellite images.

The shoreline data derived from high-resolution satellite imagery obtained during 2018 has been compared with NCSCM (National Centre for Coastal Management) approved CRZ map (Figure 4.5) is quite similar to the shoreline configuration derived from the NCSCM (National Centre for Coastal Management) approved CRZ map of 2017-18.




Figure 4.4: Shoreline Data of the Study Sites Using DGPS



Figure 4.5: Approved CZMP in line with CRZ Notification, 2011 prepared by National Centre for Coastal Management (NCCM)

4.1.3. Beach Profile

Shoreline Change analysis using Cross Section Profile (CSP) has been carried out using DGPS Survey. CSP data has been collected from 20 different locations along the Mundra Coast. The total profile line stretches of 50 km covering the area of approximately 30 km west and 25 km east of the existing port site was conducted during the period 26th to 30th April 2022 and 21st to 23rd June 2022 (Figure 4.6).

This analysis was done to create a baseline data for comparison in the future with beach profile data from the same location for different seasons. Beach profiles were plotted location-wise. The trends of beach profiles were assessed qualitatively (Figure 4.6). The difference, if any, shall be investigated further to understand the impact due to port activities on the shoreline evolution.

A beach profile is defined as a set of beach levels taken at a uniform distance in a straight line (Figure 4.7). Beach profiles can only be meaningful if surveys are undertaken over a stipulated period at the same place and the same directions.

Further, the beach profile also suggests that there are regions of high-rate accretion and erosion on an average of 3.05 m (Figure 4.7), and also there are vertical changes as seen along the eastern of Mundra coast which could be the reason for the high rate of sediment deposition along the Luni and Bhadreswar coast in the recent times. The rate of shoreline changes may be also depended on the inflow of fresh water into the estuarine.






Figure 4.6: Beach Profile of the study area






Figure 4.7: Beach Profile at Different Locations






Figure 4.8: Satellite image of the Study area during May 2015






Figure 4.9: Satellite image of the Study area during May 2022




Figure 4.10: (a) Modhava Coast, (b) and (c) and (d) Western Coast (e) & (f) Eastern Coast of Adani Port.

5. CONCLUSION

5.1. Shoreline Changes

The present study confirms the expediency of the image processing techniques and GIS tools applied on multi-temporal and multi-spectral images of different satellite sensors for assessment of the changes along the shoreline. As deduced from the results of both short-term and long-term shoreline assessment that the results are in conformity with that of the data obtained through in-situ measurements, DGPS survey and ground truthing for the shore profile along the Mundra coast. The Mundra coast has been subjected to several significant changes during the last one and half decades (2015–2022) within this 43-km coastal strip particularly from Modhva (west) to Luni (east), ranging from high accretion of 191.32 m/year to severe erosion of up to -165.19 m/year, at few parts of the coast, however, remained stable. Above value for both erosion and accretion may vary ± 5 m depending upon the time of the satellite imageries taken during high tide and low tide time.

The present study concludes that the shoreline at Mundra coastal region is under the impact of shoreline change with processes of accretion and erosion varying from time to time (Hitesh Patel, 2018). Process of erosion increased which includes some patches at Modhva coastal stretches, near the west port and some patches near mouth of Bocha Island on eastern side of Mundra port area whereas rest of the area observed accretion.

The predominant causes of shoreline changes are both natural as well as anthropogenic. Natural processes include wind and wave forces whereas man-made effects or artificial processes include the construction of marine structures and water control structures. It is revealed from the study that the setting of shorelines and the supply of sediments determines how the shoreline changes at a particular location (Jodhani *et. al.*, 2020). The conservation and management plan is indicated below:



5.2. Recommendations

- The process of erosion is highest along the edges (close to the waterfront) it could be controlled only by physical means by constructing appropriate civil engineering structures. Erosion control structures or constructing embankments of stones or any suitable material along the erosion site is strongly recommended if the problem is too heavy. The proposed embankment should be an eco-engineering design with a gentle slope of appropriate angle to the tidal action that will allow natural flushing while controlling erosion.
- Erosion, either man-made or natural is a major threat to intertidal habitats in the Gulf environment due to altered hydrological regimes and other natural causes. Observations carried out during the field surveys revealed those estuarine environments as well as many coastal stretches are facing erosion mainly due to high tidal amplitude. Hence, extensive surveys should be carried out to recommend suitable mitigation measures and to update the status of the biodiversity as well in order to estimate the level of physiographical impacts on the shoreline.
- Artificial coastal structures help in controlling coastal erosion and thereby enhance intertidal and sub-tidal biodiversity as they accelerate the reef-building process. Artificial reefs tend to last for decades supporting faunal components. Since such structures are built using natural materials (for example dead gastropods and bivalves) they are environment-friendly and in due course become natural. They attract diverse marine fauna within a short period with a high potential to enhance biodiversity. The same could be implemented in Adani Ports and Special Economic Zone Ltd (APSEZL) jurisdiction in consultation with the experts.
- Plantation of suitable saline tolerant plant species (shrubs and trees) also helps in controlling the soil erosion along the coastal area.
- The establishment of facilities and the expansion of infrastructure over the coming years will bring about notable changes in the landscape and seascape in and around the Adani Ports and Special Economic Zone Ltd (APSEZL). Long-



term human-centred/induced activity of this magnitude in any coastal belt will have repercussions on its natural resources and ecosystems. As mangroves, mudflats and tidal creeks are the major ecological entities within the Adani Ports and Special Economic Zone Ltd (APSEZL), their conservation and management warrants priority and calls for a holistic approach. Thus, measures should be taken to conserve and preserve the mudflats and mangroves within the Adani Ports and Special Economic Zone Ltd (APSEZL) to retain their tangible and intangible ecological benefits. The conservation and management plan presented in the proceeding section has the following broad aspects and different activities under each aspect are dealt with.

- The creation of baseline information to track subsequent changes in natural shoreline formation within the Adani Ports and Special Economic Zone Ltd (APSEZL) observations through GIS and RS tools have to be adopted. The GIS maps may be utilized for the purpose and could serve as a base map. Changes in creek systems, shoreline configuration and other land use categories could be monitored through this exercise once in two or three years.
- Periodical monitoring, preferably once in 3 years, and comparison of results with baseline data to underline changes will pave way for the formulation of mitigation and conservation efforts. Periodical monitoring of shoreline configuration and mudflats will help to assess their health and detect shoreline changes. Assessment and earlier generated data could be used to check shoreline configuration in terms of short and long-term changes and its succession patterns.
- Mudflats and mangrove conservation and restoration measures could subsequently be undertaken based on the results of the monitoring programs.
- Research needs to be undertaken to assess the economic and ecological benefits of sustainable development of shoreline configuration.
- Awareness should be generated among local people about the shoreline configuration changes in the surrounding areas and the consequences, particularly to the fishermen community.



References:

- G.A.Thivakaran, Pranav J. Pandya, G.Thirumaran, and Devi Velusamy. 2015. "CONSERVATION AND MONITORING FOR NATURAL MANGROVE STANDS AT MUNDRA."
- Himmelstoss, Emily A., Rachel E. Henderson, Meredith G. Kratzmann, and Amy S. Farris. 2018. "Digital Shoreline Analysis System (DSAS) Version 5.0 User Guide." Report 2018-1179. Open-File Report. Reston, VA. USGS Publications Warehouse. <https://doi.org/10.3133/ofr20181179>.
- Hitesh B Patel, Subhash Bhandari. 2018. "Shoreline Change Analysis along Eastern Part of Kachchh Coast, Western India." *International Journal of Creative Research Thoughts(IJCRT)* 6 (1). <https://doi.org/January 2018>.
- ICMAM. 2004. "Model Integrated Coastal and Marine Area Management Plan for Gulf of Kachchh." Department of Ocean Development, Ministry of Earth Sciences, ICMAM Project Directorate, Chennai, Government of India.
- Jodhani, Keval, Pulkit Bansal, and Priyadarshna Jain. 2020. "Shoreline Change Observations in Gulf of Khambhat Using Satellite Images." *Available at SSRN 3552461*.
- Kannan, Jayakumar, and S. Malarvannan. 2016. "Assessment of Shoreline Changes over the Northern Tamil Nadu Coast, South India Using WebGIS Techniques." *Journal of Coastal Conservation* 20 (December). <https://doi.org/10.1007/s11852-016-0461-9>.
- Misra, Ankita, and Balaji Ramakrishnan. 2015. "A Study on the Shoreline Changes and LAND-Use/ Land-Cover along the South Gujarat Coastline." *Procedia Engineering* 116 (December): 381-89. <https://doi.org/10.1016/j.proeng.2015.08.311>.
- NIO. 2009. "Marine Environmental Impact Assessment for Discharge Channel of 4000 MW Ultra Mega Power Project Near Mundra, Gulf of Kachchh." National Institute of Oceanography.
- Sutikno, Sigit, Ari Sandhyavitri, Muhammad Haidar, and Koichi Yamamoto. 2017. "Shoreline Change Analysis of Peat Soil Beach in Bengkalis Island Based on GIS and RS." *International Journal of Engineering and Technology* 9 (January): 233-38. <https://doi.org/10.7763/IJET.2017.V9.976>.
- Sweet, William (William VanderVeer), Robert Kopp E., Christopher P. Weaver, J. T. B. Obeysekera, Radley M. Horton, E. Robert (Edward Robert) Thieler 1965-, and Chris Eugene Zervas 1957-. 2017. "Global and Regional Sea Level Rise Scenarios for the United States." Edited by Center for Operational Oceanographic Products and Services (U.S.), NOAA technical report NOS CO-OPS ; 83, . <https://doi.org/10.7289/v5/tr-nos-coops-083>.
- Tamassoki, E, H Amiri, and Z Soleymani. 2014. "Monitoring of Shoreline Changes Using Remote Sensing (Case Study: Coastal City of Bandar Abbas)." *IOP Conference Series: Earth and Environmental Science* 20 (June): 012023. <https://doi.org/10.1088/1755-1315/20/1/012023>.



Annexure – 8

Expense Details for Fisherfolk Amenities work in different core areas										
Sr. No.	Details	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	TOTAL	AMT IN LACS
Expenditure Details (Amount in Rs.)										
1	Vidya Deep Yojana	2,069,300	193,000	2,087,000	1,771,000	110,225	580,103	969,660	7,780,288	77.80
2	Vidya Sahay Yojana	552,580	495,000	691,000	708,000	504,336	659,709	847,013	4,457,638	44.58
3	Adani Vidya Mandir – Shaping Lives	4,200,000	4,030,000	3,472,000	6,434,020	1,593,805	3,737,700	5,950,854	29,418,379	294.18
4	Senio Citizen Health Card	--	8,430,000	1,750,000	2,975,000	1,750,000	-	-	14,905,000	149.05
5	Financial Support to Poor Patients	4,439,507	1,275,000	813,000	1,296,063	763,800	1,255,000	1,691,410	11,533,780	115.34
6	Machhimar Kaushalya Vardhan Yojana	188,708	200,000	397,000	73,000	--	226,000	134,070	1,218,778	12.19
7	Machhimar Sadhan Sahay Yojana	--	--	315,000	522,000	--	-	-	837,000	8.37
8	Machhimar Awas Yojana	4,592,106	1,165,000	--	2,311,000	2,424,016	2,480,000	712,000	13,684,122	136.84
9	Machhimar Shudhh Jal Yojana	2,236,050	2,700,000	2,038,000	1,773,000	2,348,300	1,936,575	2,096,050	15,127,975	151.28
10	Sughad Yojana	1,367,300	170,000	--	192,000	30,000	-	-	1,759,300	17.59
11	Machhimar Akshay kiran Yojana	860,850	100,000	68,000	--	--	-	-	1,028,850	10.29
12	Machhimar Ajivika Uparjan Yojana-Mangroves plantation	1,558,800	500,000	1,382,000	1,400,000	1,900,272	2,069,432	1,914,432	10,724,936	107.25
13	Bandar Svachhata Yojana	106,400	50,000	--	--	367,000	145,000	25,000	693,400	6.93
14	Cricket league and Cycle Marathon	432,000	657,119	638,000	610,800	--	-	-	2,337,919	23.38
15	Sports Material For Children & Youth at Vasahats	197,797	--	--	--	--	-	-	197,797	1.98
16	New Pilot Initiative for Polyculture	398,240	160,000	--	--	--	-	-	558,240	5.58
17	New Pilot Initiative for Cage farming Asian Seabass & Lobster	864,000	660,000	--	--	--	-	-	1,524,000	15.24
18	Sea Weed Culture Project	--	--	--	200,000	--	-	-	200,000	2.00
19	Mangrove Biodiversity Project	--	--	1,890,000	684,000	499,210	997,642	1,135,000	5,205,852	52.06
20	Approach Road restoration at 9 vasahat	--	--	--	--	599,000	942,780	1,011,000	2,552,780	25.53
21	Community trening Centor & Maintenance work	--	--	--	--	--	6,022,000	2,051,000	8,073,000	80.73
TOTAL		24,063,638	20,785,119	15,541,000	20,949,883	12,889,964	21,051,941	18,537,489	133,819,034	1,338.19