



Ports and
Logistics

AKBTPL/Envcell/2022-23/01

26th May'2022

To

The Inspector General of Forest / Scientist C,
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Aranya Bhawan, A Wing, Room No. 409,
Near CH 3 Circle, Sector – 10A,
Gandhinagar – 382007.
E-mail: eccomplinace-guj@gov.in

Sub : Half yearly Compliance report of Environment and CRZ clearance for the project namely
"Construction of berthing & allied facilities off Tekra near Tuna, Gujarat"


Ref : 1) Environment and CRZ clearance issued to M/s Kandla Port Trust (KPT) vide letter no. 10-10/2008-IA-III dated 1st November, 2011 and transferred to M/s Adani Kandla bulk Terminal Private Limited (AKBTPL) vide letter no. 10-10/2008-IA-III dated 10th November, 2014
2) CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010.

Dear Sir,

Please find enclosed herewith point wise compliance reports of conditions stipulated in the above referred letters for the compliance period from **October, 2021 to March, 2022.**

Thank you,
Yours Faithfully,

For **M/s Adani Kandla Bulk Terminal Pvt. Ltd.**


Ajit Pisharody
(O&M Head – AKBTPL)
Authorized Signatory

Copy to:

1. The Director (Monitoring –IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003
2. The Director, Forests & Environment Department, Block - 14, 8th floor, Sachivalaya, Gandhi Nagar, Gujarat - 382 010
3. The Zonal Officer, Central Pollution Control Board, Zonal Office Vadodra, Parivesh Bhawan, Opposite VMC Ward office No. 10, Subhanpura, Vadodra-390023
4. The Chairman, Gujarat Pollution Control Board, Parvayaran Bhawan, Sector 10A, Gandhinagar-382010(Guj.)
5. The Regional Officer, Regional Office, GPCB - Kutch East, Room No.215-216, KPT administrative Building, Gandhidham, 370201
6. The Chief Engineer, Administrative Building, Kandla Port Trust, Gandhidham 370201

Adani Kandla Bulk Terminal Pvt Ltd
Adani House
Nr Mithakhali Circle, Navrangpura
Ahmedabad 380 009
Gujarat, India
CIN: U63090GJ2012PTC069305

Tel +91 79 2656 5801
Fax +91 79 2555 6490
info@adani.com
www.adaniports.com

Environmental and CRZ Clearance Compliance Report

Of



Construction of berthing & allied
facilities off Tekra near Tuna, Gujarat

Of

Adani Kandla Bulk Terminal Pvt. Ltd.

For Period:

October – 2021 to March– 2022

	Adani Kandla Bulk Terminal Pvt. Ltd.-Tuna	From : Oct'21 To : Mar'22
Status of the conditions stipulated in Environment and CRZ Clearance		

Environmental and CRZ Clearance Letter issued by MoEF&CC

	Adani Kandla Bulk Terminal Pvt. Ltd.-Tuna	From : Oct'21 To : Mar'22
Status of the conditions stipulated in Environment and CRZ Clearance		

Compliance to Environmental and CRZ Clearance Letter issued by MoEF&CC

Environmental and CRZ clearance was obtained by Deendayal Port Trust (DPT) [Earlier named as Kandla Port Trust (KPT)] vide MoEF&CC letter dated 01.11.2011. AKBTPL and DPT entered in to concession agreement for development of the dry bulk terminal at Tuna on BOOT basis. Said clearance was then transferred to AKBTPL vide MoEF&CC letter dated 10.11.2014

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of Environment and CRZ Clearance issued by MoEF dated 1st November, 2011 bearing F. No. 10-10/2008-IA-III for Construction of berthing & allied facilities off Tekra near Tuna, Gujarat

Sr. No	Condition	Compliance status as on 31.03.2022															
5.	Specific Condition																
(i)	"Consent for Establishment" shall be obtained from State Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at site.	<p>Complied.</p> <ul style="list-style-type: none">Consent to Establishment (CtE) and Consent to Operate (CtO) is Obtained and renewed/amended from time to time as per the progress of the project activity. Construction activities are completed and the project is now in operation phase. The present in-force CTO & amended CTE are mentioned below <table><tr><th>Sr. No</th><th>Permission</th><th>Project</th><th>Ref.No./Order No.</th><th>Validity</th></tr><tr><td>1</td><td>Amendment in CTE</td><td>AKBTPL</td><td>CTE-101194</td><td>30.04.2024</td></tr><tr><td>2</td><td>CTO renewal</td><td>AKBTPL</td><td>AWH-105213</td><td>02.12.2024</td></tr></table> <ul style="list-style-type: none">Copies of the stated permissions are already submitted as a part of half yearly compliance reports for the period of Oct'19 to Mar'20.	Sr. No	Permission	Project	Ref.No./Order No.	Validity	1	Amendment in CTE	AKBTPL	CTE-101194	30.04.2024	2	CTO renewal	AKBTPL	AWH-105213	02.12.2024
Sr. No	Permission	Project	Ref.No./Order No.	Validity													
1	Amendment in CTE	AKBTPL	CTE-101194	30.04.2024													
2	CTO renewal	AKBTPL	AWH-105213	02.12.2024													
(ii)	Scientific studies shall be carried out by some expert and reputed organization like BNHS focusing among other things the marine environment in general and preservation of mangroves in particular against any possible adverse impact due to creation of the proposed facilities.	<p>Complied.</p> <ul style="list-style-type: none">M/s. Gujarat Institute of Desert Ecology, Bhuj has conducted scientific studies for preservation and management of mangroves in May 2012. Details related to the same are already submitted as part of half yearly compliance report (Oct-14 to March-15) to MoEF & CC vide letter dated 11.05.2015 and there is no further change.Further, a study to ascertain tidal flushing in mangroves around the project area of the dry bulk terminal at Tuna was carried through M/s. GUIDE, Bhuj in April, 2014 when construction activities were ongoing. Details related to the same were already submitted as part of half yearly compliance report (Oct-2016 to March-2017).Further, in order to understand the impacts of the existing project activity on marine ecology, a study was carried out through M/s.															

Status of the conditions stipulated in Environment and CRZ Clearance

		<p>GUIDE. Details related to the same were already submitted as part of half yearly compliance report (Oct-2016 to March-2017).</p> <ul style="list-style-type: none"> It may be noted that GUIDE is one of the authorized agencies of Forest & Environment dept. Govt. of Gujrat.
(iii)	Proponent shall explore the possibilities of plantation of mangrove in the entire mud flat areas and submit the action plan to the Ministry prior to the commencement of the activity.	<p>Complied.</p> <ul style="list-style-type: none"> Based on the scientific studies for preservation and management of mangroves in May 2012 carried out by M/s. GUIDE it was suggested to DPT to carry out mangrove plantation in 500 ha. Area. As agreed, AKBTPPL has already completed Mangrove plantation in 250 ha area at Sat Saida bet. Balance 250 ha. Mangrove plantation shall be carried out by DPT. Monitoring report prepared by M/s. GUIDE for mangrove plantation in 250 ha carried out at Sat Saida bet is submitted as part of half yearly compliance report (Oct-14 to March-15) to MoEF & CC vide letter dated 11.05.2015.
(iv)	The dredged material shall be reused for low level rising whenever possible and excess shall be dumped into sea at the designated dumping areas identified based on mathematical model studies.	<p>Complied.</p> <ul style="list-style-type: none"> As per the study carried by IIT-Chennai the dredge material is not suitable for reclamation/low level rising. Capital dredging was completed by DPT during the construction phase and the dredge material was disposed by DPT at a location identified by M/s. CWPRS, Pune in their study report. No digging activities are carried out during Period Oct'21 to Mar'22
(v)	Though the project proponent has carried out EIA for individual components and it were examined by the committee before the issue of clearance, it is suggested that proponent shall update and submit a comprehensive EMP for the whole project and submit to the Ministry and Regional Office of the Ministry at Bhopal prior to commencement of the activity.	<p>Complied.</p> <ul style="list-style-type: none"> EMP was updated by AKBTPPL and submitted to DPT. DPT has submitted the same vide letter dated 03.12.2013 to MoEF&CC as part of compliance report. Further, said EMP was also submitted by AKBTPPL as part of half yearly compliance report (Oct-14 to March-15) to MoEF & CC vide letter dated 11.05.2015 and there is no further change.

Status of the conditions stipulated in Environment and CRZ Clearance

(vi)	The project proponent shall set up environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	<p>Complied.</p> <ul style="list-style-type: none"> AKBTPL has environment management cell with qualified manpower for implementation of environmental safeguards and management. <p>The site environment team directly reports to the Site Head. Further, the site environment cell continuously remains in loop with Corporate Environment Cell. Please refer Annexure – 2 for further details.</p>
(vii)	The funds earmarked for environmental management plan shall be included in the budget and this shall not be diverted for any other purpose.	<p>Complied.</p> <ul style="list-style-type: none"> Environmental Management Plan is in place and the funds earmarked (budgeted separately for the each financial year) are being utilized for effective implementation of environmental safeguards and environment monitoring. All the expenses related to environment management plan are recorded in advanced accounting system of the organization. Expenditure on environmental safeguards (including horticulture) is approx. INR 122.11 Lakh for the period of Oct'21 to Mar'22. Please refer. <p>Annexure – 1 for further details.</p>
6	General Condition	
(i)	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	<p>Complied.</p> <ul style="list-style-type: none"> Construction activities of the project are completed in March, 2015. The project is now in operation phase and no digging activities are carried out during Oct'21 to Mar'22.
(ii)	Full support shall be extended to the officers of this Ministry/Regional Office at Bhopal by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and	<p>Complied.</p> <ul style="list-style-type: none"> AKBTPL is always extending full support to the regulatory authorities during their visit to the project site. Details related to the last visit of Scientist 'D', MoEF&CC, from Regional Office, Bhopal, were submitted as part of half yearly compliance report (Oct-2016 to March-2017).

Status of the conditions stipulated in Environment and CRZ Clearance

	other environmental protection activities.																						
(iii)	A six monthly monitoring report shall need to be submitted by the project proponent to the Regional Office of this Ministry at Bhopal regarding the implementation of the stipulated conditions.	<p>Complied.</p> <p>Compliance report of EC conditions is uploaded regularly. Last compliance report including results of monitoring data for the period of Apr'21 to Sept'21 was submitted to Regional Office of MoEF&CC @ Bhopal, Zonal Office of CPCB @ Baroda, GPCB @ Gandhinagar & Gandhidham and Dept. of Forests & Env., Gandhinagar vide our letter dated 27.11.2021. Copy of the same is also available on our web site https://www.adaniports.com/Downloads A soft copy of the same was also submitted through e-mail on 27.11.2021 to all the concern authorities. Please refer below for the details regarding past six compliance submissions.</p> <table border="1"> <thead> <tr> <th>SNo.</th><th>Compliance period</th><th>Date of submission</th></tr> </thead> <tbody> <tr> <td>1</td><td>Oct'18 to Mar'19</td><td>16.05.2019</td></tr> <tr> <td>2</td><td>Apr'19 to Sep'19</td><td>21.11.2019</td></tr> <tr> <td>3</td><td>Oct'19 to Mar'20</td><td>11.05.2020</td></tr> <tr> <td>4</td><td>Apr'20 to Sep'20</td><td>27.11.2020</td></tr> <tr> <td>5</td><td>Oct'20 to Mar'21</td><td>31.05.2021</td></tr> <tr> <td>6</td><td>Apr'21 to Sep'21</td><td>27.11.2021</td></tr> </tbody> </table>	SNo.	Compliance period	Date of submission	1	Oct'18 to Mar'19	16.05.2019	2	Apr'19 to Sep'19	21.11.2019	3	Oct'19 to Mar'20	11.05.2020	4	Apr'20 to Sep'20	27.11.2020	5	Oct'20 to Mar'21	31.05.2021	6	Apr'21 to Sep'21	27.11.2021
SNo.	Compliance period	Date of submission																					
1	Oct'18 to Mar'19	16.05.2019																					
2	Apr'19 to Sep'19	21.11.2019																					
3	Oct'19 to Mar'20	11.05.2020																					
4	Apr'20 to Sep'20	27.11.2020																					
5	Oct'20 to Mar'21	31.05.2021																					
6	Apr'21 to Sep'21	27.11.2021																					
(iv)	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	<p>Point Noted.</p> <ul style="list-style-type: none"> All applicable conditions in the interest of environment will be complied. 																					
(v)	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	<p>Point Noted.</p> <ul style="list-style-type: none"> During the last compliance verification visit as mentioned in the sr. no ii of General Conditions above, there was no non-compliance observed. 																					
(vi)	In the event of a change in the project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.	<p>Complied.</p> <ul style="list-style-type: none"> Details related to transfer of EC/CRZ clearance in the name of AKBTPL are submitted as part of half yearly compliance report (Oct-14 to March-15) to MoEF & CC vide 																					

Status of the conditions stipulated in Environment and CRZ Clearance

		letter dated 11.05.2015. Please refer point no. I of specific conditions for further details.
(vii)	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and date of start of land development work.	Complied. <ul style="list-style-type: none"> DPT has informed about the Financial closure vide their letter no. EG/WK /4604(EC)/562 dated 26th December, 2012. There is no further change.
(viii)	A copy of the clearance letter shall be marked to concern Panchayat /local NGO, if any, from whom any suggestion /representation have been made, received while processing the proposal.	<ul style="list-style-type: none"> Condition is not applicable to AKBTPPL.
(ix)	State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Centre and Collector's Office/ Tehsildar's office for 30 days.	<ul style="list-style-type: none"> Condition is not applicable to AKBTPPL.
7	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 1994 including the amendments and rules made thereafter.	Complied. <ul style="list-style-type: none"> Permissions under the applicable rules and acts mentioned are already obtained. Please refer point no. I of specific conditions for further details.
8	All other statutory clearances such as the approvals for the storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980, Wildlife (Protection) Act, 1972 etc shall be obtained as applicable by the project proponents from the respective competent authorities.	Not Applicable. <ul style="list-style-type: none"> The permissions from the authorities mentioned in the condition are not applicable to this project.
9	The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been	Complied. <ul style="list-style-type: none"> DPT has published advertisement regarding accordance of the Environmental and CRZ clearance within 10 days from the date of receipt of the Clearance letter in two local

Status of the conditions stipulated in Environment and CRZ Clearance

	<p>accorded Env. Clearance and copies of clearances letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in.</p> <p>The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to RO of this Ministry at Bhopal.</p>	<p>newspapers (Aaj Kal and Divya Bhaskar) and copy of the same was submitted to the Regional office, MoEF&CC Bhopal by DPT vide letter no. EG/WK/4604(EC)/1036 dated 25th November, 2011.</p>
10	<p>Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project.</p>	<ul style="list-style-type: none"> Noted and same will be complied based on further directions given by concerned authorities in this regard.
11	<p>Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.</p>	<p>Complied.</p> <ul style="list-style-type: none"> Please refer Point No. iii (Main Point 6 – General Condition) for compliance submission
12	<p>A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.</p>	<p>Complied.</p> <ul style="list-style-type: none"> Clearance letter is uploaded on our website: https://www.adaniports.com/Downloads
13	<p>The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.</p>	<p>Complied.</p> <p>Please refer Above point no. 11 of General conditions</p>
14	<p>The environmental statement for each financial year ending 31st March in</p>	<p>Complied.</p>

Status of the conditions stipulated in Environment and CRZ Clearance

Form -V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environmental (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

- Environment Statement for FY 2021- 22 has already been submitted to GPCB vide letter no. AKBTPL /ENVSTATEMENT /2021-22 dated 02.05.2022.

Copy of the same is attached as **Annexure - 3**. The said Environment Statement is also uploaded on our website: <https://www.adaniports.com/Downloads>

	Adani Kandla Bulk Terminal Pvt. Ltd.-Tuna	From : Oct'21 To : Mar'22
Status of the conditions stipulated in Environment and CRZ Clearance		

Compliance to CRZ Recommendation Letter

Issued by Forest and Environment Department, Govt. of Gujarat

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
1	The provisions of the CRZ notification of 1991 and subsequent amendments issued from time to time shall be strictly adhered to by the KPT. No activity in contradiction to the provisions of the CRZ Notification shall be carried out by the KPT.	Complied. <ul style="list-style-type: none"> All activities are in line with the CRZ Notification 1991 and its subsequent amendment.
2	No dredging reclamation or any other project related activities shall be carried out in the CRZ area categorized as CRZ I (i) and it shall have to be ensured that the mangroves habitats and other ecologically important and significant areas, if any, in the region are not affected due to any of the project activities.	Complied. <ul style="list-style-type: none"> Construction of the project is completed in March, 2015. All construction activities were carried out as per the environmental and CRZ clearance granted vide MoEF&CC letter dated 01.11.2011. All necessary precautions such as allowing free flow of water in the mangrove areas, waste management as per the applicable laws, treatment of sewage, dust suppression measures etc. are taken to ensure that the mangroves habitats and other ecologically important and significant areas in the region are not affected due to any of the project activities.
3	The KPT shall participate financially for installing and operating the Vessel Traffic Management System in the Gulf of Kutch and shall also take lead in preparing and operational sing the Regional Oil Spill Contingency plan in the Gulf of Kutch.	<ul style="list-style-type: none"> Complied. M/s Kandla Port Trust contributed an amount of INR 41.25 Cr for installing and operating VTMS in Gulf of Kutch. Information was submitted to MoEF&CC New Delhi (as part of half yearly compliance report (Apr – Sept, 2014) vide letter dated 13th November, 2014. Please refer condition No.15 regarding Oil spill contingency plan. Regional Level Pollution Response exercise "SWACHCHH SAMUDRA-NW 2019" was carried out by Indian Coast Guard on 18th Dec, 2019. All participants from various Oil Handling Agencies and

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
		Stakeholders (ICG, GMB Port, DPT Vadinar, IOCL, RIL, NAYARA Energy, BORL, ESBTL Salaya, APSEZL, HMEL, GSFC, PCB, Forest Dept., Customs, Fisheries & DPT Kandla) were participated in this exercise.
4	The KPT shall strictly ensure that no creeks or rivers are blocked due to any activity at Kandla.	<ul style="list-style-type: none"> • Complied. • No rivers are present at the project site. 3 Bridges and 8 culverts have been provided with total cost of 2.01 crores to allow free flow of water through creeks. • Further, a study to ascertain tidal flushing in mangroves around the project area of the dry bulk terminal at Tuna was carried through M/s. GUIDE, Bhuj in April, 2014 when construction activities were ongoing. As outcome of that study is all water parameters are well within prescribe limit and no gross contamination could be discerned showing that the costal water in and around the jetty is clean and unpolluted. Also observed spatial variations in zooplankton density, composition were normal and no events negatively influencing the zooplankton community was noticed during the study. Details related to the same are already submitted as part of half yearly compliance report (Oct-2016 to March-2017). The conditions as mentioned in the report are maintained.
5	Mangrove plantation in an area of 1000 ha. Shall be carried out by the KPT within 5 years in a time bound manner on Gujarat coastline either within or outside the Kandla Port Trust area and six monthly compliance reports along with the satellite	<p>Complied.</p> <ul style="list-style-type: none"> • AKBTPPL being BOOT operator, DPT requested AKBTPPL to carry out mangrove plantation in 250 ha area. As agreed, AKBTPPL has completed Mangrove plantation in 250 ha area at

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
	images shall be submitted to Ministry of Environment and Forests as well as to this department without fail.	Sat Saida bet. For further information regarding mangrove plantation activity, please refer reply to specific condition no ii and iii of the Environmental and CRZ clearance letter above.
6	No activities other than those permitted by the competent authority under the CRZ Notification shall be carried out.	Complied. <ul style="list-style-type: none"> All activities are being carried out as per the Environmental and CRZ clearance granted vide MoEF&CC letter dated 01.11.2011, amended till date.
7	No ground water shall be tapped for any purpose during the proposed expansion/modernization activities.	Complied. <ul style="list-style-type: none"> AKBTPL does not draw any ground water for the water requirement. Present source of water for various operation activities is Gujarat Water Infrastructure Limited (GWIL) and hired tankers. water consumption for the period Oct'21 to Mar'22 was 1217 KLD.
8	All necessary permission from different Government Departments/ agencies shall be obtained by the KPT before commencing the expansion activities.	Not applicable at present <ul style="list-style-type: none"> All construction activities are completed in March, 2015. No expansion activities are carried out. All necessary permissions will be obtained in future before commencing the expansion activities. However, an application for carrying out additional capital dredging in the existing approach channel, berth pockets and turning circles (in order to handle capsized vessels, not to expand the approved project activity) to obtain Environment and CRZ clearance is in process with the MoEF&CC. the said activity will be carried out only after obtaining the requisite permissions.
9	No effluent or sewage shall be discharged into the sea/creek or in the CRZ area and it shall be treated to conform to the norms	Complied. <ul style="list-style-type: none"> No effluent is generated at the project site.

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance																									
	prescribed by the Gujarat Pollution Control Board and would be reused/recycled within the plant premises.	<ul style="list-style-type: none">Avg. 7.02 KLD of sewage generated during the period of Oct'21 to mar'22.is treated in 25 KLD capacities STP based on FAB technology and treated water is used for horticulture purpose within plant premises after achieving permissible limits prescribed by GPCB.Third party analysis of the treated water is being carried out Twice in a month by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Summary of the same for duration from Oct-21 to Mar-22 is mentioned below. <table><tr><th>Parameter</th><th>Unit</th><th>Max</th><th>Min</th><th>Perm. Limit^s</th></tr><tr><td>pH</td><td>-</td><td>7.73</td><td>7.21</td><td>6.5-9</td></tr><tr><td>TSS</td><td>mg/L</td><td>19</td><td>11</td><td>30</td></tr><tr><td>BOD (3 Days @ 27 °C)</td><td>mg/L</td><td>16</td><td>11</td><td>20</td></tr><tr><td>Fecal Coliform</td><td>MPN/ 100ml</td><td>280</td><td>79</td><td><1000</td></tr></table> <p style="text-align: right;">'as per CC&A granted by GPCB'</p> <ul style="list-style-type: none">Please refer Annexure – 4 for detailed analysis reports. Total expenditures of the Environment monitoring for the period (Oct'21 to mar'22) are INR 4.27 lakh.	Parameter	Unit	Max	Min	Perm. Limit ^s	pH	-	7.73	7.21	6.5-9	TSS	mg/L	19	11	30	BOD (3 Days @ 27 °C)	mg/L	16	11	20	Fecal Coliform	MPN/ 100ml	280	79	<1000
Parameter	Unit	Max	Min	Perm. Limit ^s																							
pH	-	7.73	7.21	6.5-9																							
TSS	mg/L	19	11	30																							
BOD (3 Days @ 27 °C)	mg/L	16	11	20																							
Fecal Coliform	MPN/ 100ml	280	79	<1000																							
10	All the recommendations and suggestions given by the NIOT in their Comprehensive Environment Impact Assessment report for conservation /protection and betterment of environment shall be implemented strictly by the KPT.	Complied. <ul style="list-style-type: none">The EMP prepared by NIOT in the EIA report was updated by AKBTPL (based on the condition mentioned in the EC and CRZ clearance) and submitted to DPT. DPT has submitted the same vide letter dated 03.12.2013 to MoEF&CC as part of compliance report. All the measures mentioned in the updated EMP prepared by AKBTPL are																									

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
		implemented for environment protection.
11	The construction and operation activities shall be carried out in such a way that there is no negative impact on mangroves and other coastal/marine habitats. The construction activities and dredging shall be carried out only under the constant supervision and guidelines of the NIOT.	Complied. <ul style="list-style-type: none"> All construction and operation activities are carried out meticulously to ensure that there is no negative impact on mangroves and other coastal / marine habitats. Please refer to Sr. no. ii and iii of the specific conditions of the EC and CRZ clearance above for further details. Construction activities have been completed in March, 2015 based on the NIOT recommendations. During construction phase capital dredging was carried out by DPT and the dredge material was disposed at a location identified by M/s. CWPRS, Pune in their study report. No digging activities are carried out during Oct'21 to Mar'22
12	The KPT shall contribute financially for any common study or project that may be proposed by this Department for environmental management/ conservation / improvement for the Gulf of Kutch.	<ul style="list-style-type: none"> Noted and same will be complied on receipt of such recommendations from concerned authorities
13	The construction debris and/or any other type of waste shall not be disposed-off into the sea, creek or in the CRZ areas. The debris shall be removed from the construction site immediately after construction is over.	Complied. <ul style="list-style-type: none"> Construction of the project is completed in March, 2015.
14	The construction camps shall be located outside the CRZ area and the construction labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental	Complied. <ul style="list-style-type: none"> Construction of the project is completed in March, 2015 and during construction of the project we have provided necessary amenities like sanitation, water supply and fuel to the construction labours. Also we have

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
	conditions are not deteriorated by the construction labours.	ensured that environmental conditions are not deteriorated by the construction labours during the construction activities.
15	The KPT shall regularly update its Local Oil Spill Contingency and Disaster Management Plan in consonance with the National Oil Spill and Disaster Contingency Plan and shall submit the same to the MoEF, GOI and this Department after having it vetted through the Indian Coast Guard.	Complied. <ul style="list-style-type: none"> DPT is already having updated Disaster Management Plan as well as Oil Spill Contingency Plan. DPT has also executed MoU with oil companies i.e. IOCL, HPCL, BPCL etc. for setting up of their Tier I facility for combating Oil Spill at Kandla. Necessary action will be taken by AKBTPPL in consultation with DPT to combat with emergency situations.
16	The KPT shall bear the cost of the external agency that may be appointed by this Department for supervision/ monitoring of proposed activities and the environmental impacts of proposed activities.	<ul style="list-style-type: none"> Noted and same will be complied on receipt of such recommendations from concerned authorities
17	The KPT shall take up massive greenbelt development activities in and around Kandla and also within the KPT limits.	Complied. <ul style="list-style-type: none"> Plantation activity is an on-going process. As part of the same, greenbelt within and along the periphery of the back-up area is being developed on regular basis. Approx. 15.89 hectare area is developed till Mar'22 as greenbelt so far with various types of trees Approx. 41952 plants and lawn. Please refer Annexure – 5 for further details regarding greenbelt development. Total expenditures of the horticulture dept. for the period of Oct'21 to Mar'22 are INR 14.06 lakh.
18	The KPT shall have to contribute financially for taking up the socio-economic upliftment activities in this region in consultation with the Forest and	Complied. <ul style="list-style-type: none"> Adani Foundation is the CSR wing of Adani group. All CSR activities are planned out at Tuna by Adani

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
	Environment Department and the District Collector/District Development Officer.	<p>Foundation. AF works in the following four main areas:</p> <ol style="list-style-type: none"> 1 Education 2 Community Health 3 Sustainable livelihood 4 Rural Infrastructure Development <ul style="list-style-type: none"> • Various activities related to above mentioned areas are being carried out on regular basis for socio-economic upliftment of surrounding villages by Adani Foundation. Details of the activities carried out are shared with FOKIA (Federation of Kutch Industries Association) chaired by District Collector quarterly. Total expenditures of the CSR activities are INR 38.26 lakh for the period Oct'21 to Mar'22. Please refer Annexure – 6 for details.
19	A separate budget shall be earmarked for environmental management and socio-economic activities and details thereof shall be furnished to this Department as well as the MoEF, Gol. The details with respect to the expenditure from this budget head shall also be furnished.	<p>Complied.</p> <ul style="list-style-type: none"> • Main constituents of the environmental management plan are environmental monitoring; greenbelt development; mangrove plantation; maintaining bridges/ culverts for protection of creeks; treatment and disposal of wastes; mechanization of operations etc. • Approximately INR 122.11 Lakh is spent during period (Oct'21 to Mar'22) for various activities mentioned here. Please refer to Annexure – 1 for details related to environmental expenditures and Annexure – 6 for expenditures related to CSR activities.
20	A separate environmental management cell with qualified personnel shall be created for environmental monitoring and	<p>Complied.</p> <ul style="list-style-type: none"> • AKBTPL has environment management cell with qualified manpower for

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance																																																																				
	management during construction and operational phases of the project.	implementation of environmental safeguards and management. The Environment Cell continuously remains in loop with Corporate Environment Cell. Please refer Annexure – 2 for further details.																																																																				
21	An Environmental report indicating the changes, if any, with respect to the baseline environment quality in the coastal and marine environment shall be submitted every year by the KPT to this Department as well as to the MoEF, Gol.	<p>Complied.</p> <ul style="list-style-type: none">Ambient Air Quality (twice in a week), and Noise (once in a month) level monitoring at 4 Nos locations and marine water and sediment monitoring (once in a month) at 2 Nos locations are being carried out by NABL and MoEF&CC accredited agency namely M/s. Pollucon Laboratories Pvt. Ltd. Summary of the same for duration from Oct-21 to Mar-22 is mentioned below. <p>AAQM and noise sampling locations: 4 Locations</p> <table><tr><th>Parameter</th><th>Unit</th><th>Max</th><th>Min</th><th>Perm. Limit^{\$}</th></tr><tr><td>PM₁₀</td><td>µg/m³</td><td>94.58</td><td>44.36</td><td>100</td></tr><tr><td>PM_{2.5}</td><td>µg/m³</td><td>53.63</td><td>18.61</td><td>60</td></tr><tr><td>SO₂</td><td>µg/m³</td><td>25.71</td><td>6.38</td><td>80</td></tr><tr><td>NO₂</td><td>µg/m³</td><td>41.21</td><td>12.84</td><td>80</td></tr><tr><th>Noise</th><th>Unit</th><th>Leq Max</th><th>Leq Min</th><th>Leq Perm. Limit*</th></tr><tr><td>Day Time</td><td>dB(A)</td><td>72.9</td><td>53.2</td><td>75</td></tr><tr><td>Night Time</td><td>dB(A)</td><td>66.1</td><td>49.4</td><td>70</td></tr></table> <p>* as per NAAQ standards, 2009 (IS 9876/IS 9989) * as per CC&A granted by GPCB</p> <p>Marine water sampling locations: 2 Nos.</p> <table><tr><th rowspan="2">Parameter</th><th rowspan="2">Unit</th><th colspan="2">Surface</th><th colspan="2">Bottom</th></tr><tr><th>Max</th><th>Min</th><th>Max</th><th>Min</th></tr><tr><td>pH</td><td>--</td><td>8.23</td><td>7.98</td><td>8.17</td><td>7.91</td></tr><tr><td>TDS</td><td>mg/L</td><td>37094</td><td>34998</td><td>37489</td><td>35528</td></tr><tr><td>TSS</td><td>mg/L</td><td>85</td><td>52</td><td>75</td><td>45</td></tr></table>	Parameter	Unit	Max	Min	Perm. Limit ^{\$}	PM ₁₀	µg/m ³	94.58	44.36	100	PM _{2.5}	µg/m ³	53.63	18.61	60	SO ₂	µg/m ³	25.71	6.38	80	NO ₂	µg/m ³	41.21	12.84	80	Noise	Unit	Leq Max	Leq Min	Leq Perm. Limit*	Day Time	dB(A)	72.9	53.2	75	Night Time	dB(A)	66.1	49.4	70	Parameter	Unit	Surface		Bottom		Max	Min	Max	Min	pH	--	8.23	7.98	8.17	7.91	TDS	mg/L	37094	34998	37489	35528	TSS	mg/L	85	52	75	45
Parameter	Unit	Max	Min	Perm. Limit ^{\$}																																																																		
PM ₁₀	µg/m ³	94.58	44.36	100																																																																		
PM _{2.5}	µg/m ³	53.63	18.61	60																																																																		
SO ₂	µg/m ³	25.71	6.38	80																																																																		
NO ₂	µg/m ³	41.21	12.84	80																																																																		
Noise	Unit	Leq Max	Leq Min	Leq Perm. Limit*																																																																		
Day Time	dB(A)	72.9	53.2	75																																																																		
Night Time	dB(A)	66.1	49.4	70																																																																		
Parameter	Unit	Surface		Bottom																																																																		
		Max	Min	Max	Min																																																																	
pH	--	8.23	7.98	8.17	7.91																																																																	
TDS	mg/L	37094	34998	37489	35528																																																																	
TSS	mg/L	85	52	75	45																																																																	

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance																																																																						
		<table><tr><td>BOD (3 Days @ 27 °C)</td><td>mg/L</td><td>3.18</td><td>2.27</td><td>2.14</td><td>2.10</td></tr><tr><td>DO</td><td>mg/L</td><td>6.00</td><td>5.80</td><td>5.95</td><td>5.65</td></tr><tr><td>Salinity</td><td>ppt</td><td>36.10</td><td>34.16</td><td>36.52</td><td>34.52</td></tr><tr><td>COD</td><td>mg/L</td><td>13.94</td><td>9.70</td><td>10.00</td><td>8.27</td></tr></table> <p>ND* - NOT DETECTED</p> <p>Sediment sampling locations: 2 Nos.</p> <table><tr><th rowspan="2">Parameter</th><th rowspan="2">Unit</th><th colspan="2">Sediment</th></tr><tr><th>Max</th><th>Min</th></tr><tr><td>Organic Matter</td><td>%</td><td>0.430</td><td>0.320</td></tr><tr><td>Phosphorus as P</td><td>mg/kg</td><td>639</td><td>512</td></tr><tr><td>Aluminium as Al</td><td>%</td><td>5.18</td><td>4.39</td></tr><tr><td>Total Chromium as Cr+3</td><td>mg/kg</td><td>143</td><td>112</td></tr><tr><td>Manganese as Mn</td><td>mg/kg</td><td>803</td><td>610</td></tr><tr><td>Iron as Fe</td><td>%</td><td>5.24</td><td>4.53</td></tr><tr><td>Nickel as Ni</td><td>%</td><td>45.73</td><td>32.90</td></tr><tr><td>Copper as Cu</td><td>mg/kg</td><td>46.72</td><td>30.68</td></tr><tr><td>Zinc as Zn</td><td>mg/kg</td><td>128</td><td>91.27</td></tr><tr><td>Lead as Pb</td><td>mg/kg</td><td>4.94</td><td>1.64</td></tr></table> <ul style="list-style-type: none">Please refer Annexure – 4 for detailed analysis reports. Approx. INR 4.27 Lakh is spent for all environmental monitoring activities during the period of Oct'21 to Mar'22.	BOD (3 Days @ 27 °C)	mg/L	3.18	2.27	2.14	2.10	DO	mg/L	6.00	5.80	5.95	5.65	Salinity	ppt	36.10	34.16	36.52	34.52	COD	mg/L	13.94	9.70	10.00	8.27	Parameter	Unit	Sediment		Max	Min	Organic Matter	%	0.430	0.320	Phosphorus as P	mg/kg	639	512	Aluminium as Al	%	5.18	4.39	Total Chromium as Cr+3	mg/kg	143	112	Manganese as Mn	mg/kg	803	610	Iron as Fe	%	5.24	4.53	Nickel as Ni	%	45.73	32.90	Copper as Cu	mg/kg	46.72	30.68	Zinc as Zn	mg/kg	128	91.27	Lead as Pb	mg/kg	4.94	1.64
BOD (3 Days @ 27 °C)	mg/L	3.18	2.27	2.14	2.10																																																																			
DO	mg/L	6.00	5.80	5.95	5.65																																																																			
Salinity	ppt	36.10	34.16	36.52	34.52																																																																			
COD	mg/L	13.94	9.70	10.00	8.27																																																																			
Parameter	Unit	Sediment																																																																						
		Max	Min																																																																					
Organic Matter	%	0.430	0.320																																																																					
Phosphorus as P	mg/kg	639	512																																																																					
Aluminium as Al	%	5.18	4.39																																																																					
Total Chromium as Cr+3	mg/kg	143	112																																																																					
Manganese as Mn	mg/kg	803	610																																																																					
Iron as Fe	%	5.24	4.53																																																																					
Nickel as Ni	%	45.73	32.90																																																																					
Copper as Cu	mg/kg	46.72	30.68																																																																					
Zinc as Zn	mg/kg	128	91.27																																																																					
Lead as Pb	mg/kg	4.94	1.64																																																																					
22	The KPT shall have to contribute financially to support the National Green Corps Scheme being implemented in the Gujarat by GEER Foundation, Gandhi agar, in consultation with Forest and Environment Department.	<p>Complied.</p> <ul style="list-style-type: none">National Green Corps Scheme is being implemented by GEER foundation. AKBTPPL requested GEER foundation to provide details of the program and financial assistance required so that necessary support may be provided. Further to the communication from GEER foundation, various activities were carried out on 21 March, international Day of Forests in 2014, at a school in Rampar, under National Green Corps. Details regarding the same were submitted as part of the compliance period Oct' 13 to Mar'14. Support will be extended to GEER foundation for any such activities in future																																																																						

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
23	A six monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by the KPT on a regular basis to this Department/MoEF, GOI.	Complied. For further details, please refer point no. iii (Main Point No. 6 – General Condition).
24	The KPT before commencing any activity, at the location under the consideration, shall have the latest CRZ map prepared through one of the authorized agencies and the map shall have land use features within the area of 5 km radius from the location along with the HTL and LTL and CRZ boundary and inland if any or mangroves area shall be used for the proposed development.	Complied. <ul style="list-style-type: none"> CRZ map including land features prepared by institute of Remote sensing, Anna University, Chennai is already submitted by DPT to MoEF&CC vide letter no. EG/WK/4604 (EC)/146 dated 14.02.2012.
25	The entire jetty and approach shall be constructed on piles to ensure the free flow of water and that no creeks are blocked in any way.	Complied. <ul style="list-style-type: none"> As per the Environmental/ CRZ clearance obtained from MoEF&CC approach road of 2 km is constructed on rubble mound and 1.7 km approach road below low water line is constructed on piles. Entire jetty is constructed on piles. Bridges are constructed at three creeks and box/piped culverts are placed with total cost of 2.01 crores at various locations to allow free flow of water. Photographs of the same are already submitted as part of half yearly compliance report (Oct-14 to March-15) to MoEF & CC vide letter dated 11.05.2015 and there is no further change.

Status of the conditions stipulated in Environment and CRZ Clearance

Half yearly Compliance report of CRZ Recommendation for creation of Berthing and Allied Facilities off Tekra near Tuna issued by Forest and Environment, Govt. of Gujarat vide letter bearing no. ENV-10-2009-1543-E dated 23rd June, 2010

Sr. No	Condition	Compliance
26	The KPT shall create a full-fledged and environmental cell for implementation of the Environment Management Programme and monitoring of the environmental parameters/post project monitoring.	Complied. <ul style="list-style-type: none"> Please refer above point no. (vi) of Specific conditions.
27	The KPT shall have to take up in-situ biodiversity conservation project for mangroves at least in 5 ha. of area in addition to plantation of mangrove in 1000 ha.	Complied. <ul style="list-style-type: none"> 5 ha in-situ biodiversity conservation project for mangroves is carried out at sat saida bet (location identified by DPT). M/s GUIDE has prepared a final report of the same. Details related to the same are already submitted (as part of half yearly compliance report Apr-2017 to Sep-2017).
General conditions		
28	A separate budget shall be earmarked for environmental management and socio-economic activities and details thereof shall be furnished to this Department as well as the MoEF, Gol. The details with respect to the expenditure from this budget head shall also be furnished.	Complied. <ul style="list-style-type: none"> Please refer point no. 19 above for the reply to this condition.
29	Any other condition that may be stipulated by this Department from time to time for environment protection /management purpose shall also have to be complied with by the KPT.	<ul style="list-style-type: none"> Agreed.

Annexure- 1

Expenditure Details on Environmental Safeguards

Status of the conditions stipulated in Environment and CRZ Clearance


Expenditure Details on Environmental Safeguards

Sr. No.	Activity	Cost incurred (INR in Lacs)			Budgeted Cost (INR in Lacs)
		2019 - 20	2020 - 21	2021 - 22	2021 - 22
1.	Environmental Monitoring	8.12	7.04	8.58	9.18
2.	Environment Days Celebration,Awarness Program, Award Application	1.03	0.82	0.76	2
3.	Greenbelt development	43.64	38.17	39.06	40
4.	Treatment and Disposal of Bio-medical Waste	0.79	0.84	1	1
5.	Hazardous/Non Hazardous waste management & Disposal	7.36	11.95	11.62	13.5
6.	O&M of sewage treatment plant and OWC plant	7.53	7.35	7.72	9
7.	Dust Suppression Activities	221.73	223.21	236.62	306.32
8.	Maintenance of conveyor belt.	87.40	167.39	104.77	198.04
Total		377.06	456.77	410.13	579.04

Annexure – 2

Environmental Management Cell

Environmental Management Cell(AKBTPL TUNA)



Annexure – 3

(FORM-V)

Environmental Statement for 2021-22

Status of the conditions stipulated in Environment and CRZ Clearance

adani

Ports and
Logistics

PCB ID: 46110

Ref No. AKBTPL/ENVSTATEMENT/2021-22

Date: 02nd May 2022

To,
Member Secretary
Gujarat Pollution Control Board
Paryavaran Bhavan,
Sector-10-A, Gandhinagar-382010

Sub: Environmental Statement for the financial year ending 31st March, 2022 for M/s
Adani Kandla Bulk Terminal Pvt Ltd (AKBTPL)


Ref: PCB ID: - 46110, Consent Order No. AWH - 105213

Dear Sir,

With reference to the above mentioned subject and reference, please find enclosed
Environmental Statement in Form-V prescribed under Rule 14 of the Environment
(Protection) Rules 1986, for M/s Adani Kandla Bulk Terminal Pvt Ltd, Ta. Anjar for the
financial year ending 31st March 2022.

Thank you.

Yours faithfully,
For Adani Kandla Bulk Terminal Pvt Ltd


Ajit Pisharody
(O&M Head - AKBTPL)

Encl: As above.

Copy to:

1. The Regional Officer, Gujarat Pollution Control Board, Gandhidham.

Adani Kandla Bulk Terminal Pvt Ltd
Adani House,
Nr Michakhali Circle, Navrangpura
Ahmedabad 380 009
Gujarat, India
CIN: U63090GJ2012PTC069305

Tel: +91 79 2555 5801
Fax: +91 79 2555 6490
info@adani.com
www.adani.com

Registered Office: Adani House, Nr Michakhali Circle, Navrangpura, Ahmedabad 380 009, Gujarat, India

Annexure – 4

(Six Monthly Environment Monitoring Report)

(Oct'21 to Mar'22)



POLLUCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

“ENVIRONMENTAL MONITORING REPORT”

For

**ADANI KANDLA BULK TERMINAL PRIVATE LIMITED.
KANDLA, KUTCH.**

OCTOBER 2021 TO MARCH 2022

H. T. Shah
Lab Manager



Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

METHODS AND EQUIPMENTS USED FOR SAMPLING AND ANALYSIS

SR. NO.	Monitoring Details	Equipments Used	Sampling and Analysis Method
1	Ambient Air Quality Monitoring	RDS,FDS, Gaseous Attachment with Impinger	CPCB Guideline/IS:5182
2	Noise Monitoring	NoiseMeter	IS 9876/IS 9989
3	Sea Water Monitoring	Depth Sampler	IS:3025/APHA/USEPA/ASTM
4	Sea Sediment Monitoring	Grab Sampler	CPCB Guideline/ IS/APHA/USEPA/ASTM
5	Drinking Water Analysis	Sealed & Sterile Bottle	IS:10500:2012
6	Sewage water Analysis	Sealed & Sterile Bottle	APHA/IS:3025
7	Stack Monitoring	Stack Monitoring Sampler/Kit	IS:11255/NDIR Gas Analyzer
8	Dump Pond Discharge	Sealed & Sterile Bottle	APHA/IS:3025
9	Wind Rose Diagram	Online Weather Station	Wind Rose Plotting Software


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

**NATIONAL AMBIENT AIR QUALITY STANDARDS
DATED 16TH NOV.2009, CPCB NEW DELHI.**

SR. NO.	TEST PARAMETER	UNIT	Concentration in ambient air	Method Of Measurement
1	Particulate Matter (PM ₁₀)	µg/m ³	100	IS:5182(Part 23)
2	Particulate Matter (PM _{2.5})	µg/m ³	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide (SO ₂)	µg/m ³	80	IS:5182(Part 2)
4	Oxides of Nitrogen (NO ₂)	µg/m ³	80	IS:5182(Part6)

NS#: Not Specified, ** National Ambient Air Quality Standards Dated: 18/11/2009 as per Central Pollution Control Board, New Delhi.

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)


**POLLUCON** LABORATORIES PVT. LTD.Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 1 RESULTS OF AAQM FOR LC GATE NO.2 [OCTOBER 2021 TO MARCH 2022]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (µg/m ³)	Particulate Matter (PM _{2.5}) (µg/m ³)	Sulphur Dioxide (SO ₂) (µg/m ³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	04/10/2021	71.28	33.43	11.57	24.35
2	07/10/2021	50.31	38.44	9.59	16.57
3	11/10/2021	58.14	28.92	14.54	19.50
4	14/10/2021	60.35	21.62	16.77	25.39
5	18/10/2021	44.36	18.61	8.69	18.62
6	21/10/2021	67.54	27.55	17.29	28.37
7	25/10/2021	59.36	23.33	10.36	23.53
8	28/10/2021	72.42	41.82	15.31	32.43
9	01/11/2021	58.18	22.66	16.35	26.67
10	04/11/2021	64.81	39.73	13.85	22.37
11	08/11/2021	70.37	35.39	6.38	17.17
12	11/11/2021	55.62	27.67	8.50	24.37
13	15/11/2021	65.21	30.38	14.72	14.74
14	18/11/2021	53.32	25.71	12.38	23.45
15	22/11/2021	62.36	28.21	7.49	15.62
16	25/11/2021	51.52	29.47	9.35	21.24
17	29/11/2021	60.36	23.46	11.51	18.61
18	02/12/2021	51.62	20.41	8.63	19.48
19	06/12/2021	68.58	35.60	16.35	27.59
20	09/12/2021	75.64	42.66	12.68	22.24
21	13/12/2021	65.98	31.60	9.50	18.87
22	16/12/2021	55.30	37.52	7.47	13.77
23	20/12/2021	66.53	33.72	14.49	26.42
24	23/12/2021	69.36	36.44	11.54	17.67
25	27/12/2021	52.42	26.63	13.51	24.53
26	30/12/2021	74.62	30.43	10.69	16.58
27	03/01/2022	66.42	34.31	11.72	21.69
28	06/01/2022	71.52	28.47	9.43	26.56
29	10/01/2022	64.34	37.48	7.66	15.46
30	13/01/2022	51.53	22.45	15.17	19.57
31	17/01/2022	60.31	25.42	10.20	23.43
32	20/01/2022	65.42	31.55	6.54	17.88
33	24/01/2022	74.55	38.44	8.41	20.56
34	27/01/2022	62.48	24.33	12.29	12.84
35	31/01/2022	77.57	40.28	14.22	32.53
36	03/02/2022	64.61	28.47	13.46	22.11
37	07/02/2022	50.22	22.41	7.50	17.65
38	10/02/2022	69.51	35.48	10.59	26.37
39	14/02/2022	63.48	32.26	12.85	23.45
40	17/02/2022	71.68	36.27	6.81	16.53
41	21/02/2022	62.65	26.42	11.24	25.32
42	24/02/2022	72.53	40.28	9.64	29.23
43	28/02/2022	66.75	34.56	14.50	20.52
44	03/03/2022	79.42	44.53	17.65	26.45
45	07/03/2022	61.57	30.55	14.83	19.47
46	10/03/2022	67.54	26.75	11.64	22.88
47	14/03/2022	58.33	33.43	9.40	16.34
48	17/03/2022	65.51	38.90	12.67	21.56
49	21/03/2022	56.78	25.38	7.91	24.24
50	24/03/2022	66.37	34.60	10.75	18.38
51	28/03/2022	72.44	31.33	13.54	30.40


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 2 RESULTS OF AAQM FOR STARTING OF PILE APPROACH [OCTOBER 2021 TO MARCH 2022]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (µg/m ³)	Particulate Matter (PM _{2.5}) (µg/m ³)	Sulphur Dioxide (SO ₂)(µg/m ³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	04/10/2021	84.36	40.36	20.69	35.40
2	07/10/2021	79.62	45.64	12.94	24.55
3	11/10/2021	74.58	37.57	22.83	32.69
4	14/10/2021	67.36	28.42	18.51	34.27
5	18/10/2021	58.63	26.50	14.80	27.05
6	21/10/2021	83.42	43.56	19.54	31.56
7	25/10/2021	71.56	35.41	16.55	36.44
8	28/10/2021	85.60	44.56	17.62	37.52
9	01/11/2021	67.33	32.62	23.44	37.76
10	04/11/2021	78.62	46.39	18.42	30.63
11	08/11/2021	85.21	49.56	21.34	35.15
12	11/11/2021	70.65	40.57	15.61	28.13
13	15/11/2021	75.94	42.52	12.46	25.65
14	18/11/2021	86.35	48.60	17.51	27.64
15	22/11/2021	68.42	30.42	13.59	32.51
16	25/11/2021	76.52	43.65	20.46	29.42
17	29/11/2021	71.52	33.45	16.81	34.05
18	02/12/2021	64.72	31.54	15.61	25.33
19	06/12/2021	82.12	43.61	21.67	31.50
20	09/12/2021	89.71	48.68	18.36	34.65
21	13/12/2021	78.64	41.53	16.85	21.65
22	16/12/2021	67.30	27.67	13.62	30.63
23	20/12/2021	85.45	44.31	23.42	35.34
24	23/12/2021	74.85	40.36	14.86	24.36
25	27/12/2021	62.61	32.45	22.34	27.41
26	30/12/2021	81.58	37.53	17.67	32.74
27	03/01/2022	84.32	48.39	14.35	31.53
28	06/01/2022	76.52	39.44	20.28	35.53
29	10/01/2022	86.57	45.48	11.37	24.23
30	13/01/2022	73.55	35.45	18.43	32.46
31	17/01/2022	89.41	49.31	9.62	26.43
32	20/01/2022	71.66	34.53	13.58	29.74
33	24/01/2022	85.62	47.56	21.22	33.43
34	27/01/2022	78.68	33.54	16.32	30.41
35	31/01/2022	87.63	43.44	19.85	25.42
36	03/02/2022	78.98	39.44	21.55	30.86
37	07/02/2022	69.45	32.66	18.71	22.42
38	10/02/2022	82.62	44.56	16.47	29.46
39	14/02/2022	68.45	42.36	14.62	26.22
40	17/02/2022	83.58	46.23	12.44	33.63
41	21/02/2022	76.31	38.53	15.33	21.57
42	24/02/2022	87.53	48.27	19.77	34.24
43	28/02/2022	79.65	41.57	17.25	25.25
44	03/03/2022	83.48	38.65	22.68	32.47
45	07/03/2022	68.14	34.53	12.36	26.93
46	10/03/2022	78.41	37.56	19.20	31.69
47	14/03/2022	82.61	44.56	17.32	23.84
48	17/03/2022	70.96	41.27	20.24	27.65
49	21/03/2022	66.53	30.23	16.47	30.97
50	24/03/2022	72.55	33.65	13.86	24.33
51	28/03/2022	80.53	46.35	15.14	28.57


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 3 RESULTS OF AAQM FOR SOUTH WEST CORNER AT PUMP HOUSE [OCTOBER 2021 TO MARCH 2022]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (µg/m ³)	Particulate Matter (PM _{2.5}) (µg/m ³)	Sulphur Dioxide (SO ₂) (µg/m ³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	04/10/2021	76.34	36.54	17.16	29.59
2	07/10/2021	56.94	30.34	8.52	19.33
3	11/10/2021	65.67	33.48	12.15	22.72
4	14/10/2021	55.62	24.74	9.31	18.52
5	18/10/2021	49.30	21.60	13.48	24.65
6	21/10/2021	72.68	31.56	16.37	20.85
7	25/10/2021	54.62	29.30	14.34	27.54
8	28/10/2021	67.24	37.54	10.66	23.41
9	01/11/2021	52.63	26.37	18.62	22.41
10	04/11/2021	72.37	43.78	16.41	15.11
11	08/11/2021	80.66	31.56	13.58	25.39
12	11/11/2021	65.68	37.50	11.54	23.68
13	15/11/2021	70.51	34.57	10.57	20.34
14	18/11/2021	68.62	29.42	15.35	16.43
15	22/11/2021	56.36	24.36	12.50	28.41
16	25/11/2021	69.62	40.64	14.83	24.37
17	29/11/2021	64.24	27.54	9.51	26.41
18	02/12/2021	57.84	25.41	12.10	23.48
19	06/12/2021	74.27	39.47	19.49	18.66
20	09/12/2021	66.34	26.83	16.33	28.45
21	13/12/2021	75.34	38.67	13.45	25.42
22	16/12/2021	60.33	33.53	11.62	22.47
23	20/12/2021	73.51	28.42	18.51	30.29
24	23/12/2021	63.42	32.44	9.50	19.64
25	27/12/2021	58.67	23.65	17.40	21.55
26	30/12/2021	77.62	35.83	14.21	27.49
27	03/01/2022	73.63	40.35	8.62	24.97
28	06/01/2022	68.37	35.45	17.25	31.27
29	10/01/2022	59.36	32.86	9.58	20.63
30	13/01/2022	66.28	25.82	12.68	29.57
31	17/01/2022	78.48	36.25	14.56	19.36
32	20/01/2022	58.43	26.24	10.65	21.56
33	24/01/2022	64.53	34.20	16.49	27.56
34	27/01/2022	71.55	38.46	13.83	26.67
35	31/01/2022	67.32	37.54	7.51	30.25
36	03/02/2022	72.38	36.58	16.47	25.63
37	07/02/2022	57.64	25.66	9.46	15.35
38	10/02/2022	62.46	31.56	12.48	22.30
39	14/02/2022	56.54	27.54	10.23	17.51
40	17/02/2022	65.64	32.44	8.47	20.22
41	21/02/2022	71.52	35.66	13.57	19.63
42	24/02/2022	81.56	43.53	15.63	24.66
43	28/02/2022	73.51	46.21	19.24	29.52
44	03/03/2022	62.87	32.34	13.34	19.50
45	07/03/2022	56.31	26.40	8.13	22.53
46	10/03/2022	72.11	30.43	17.49	26.52
47	14/03/2022	64.81	36.49	14.69	18.47
48	17/03/2022	58.66	33.46	18.59	14.38
49	21/03/2022	48.66	21.67	12.52	27.59
50	24/03/2022	52.18	25.41	11.31	20.23
51	28/03/2022	65.47	39.73	9.75	23.60


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 4 RESULTS OF AAQM FOR NORTH EAST CORNER OF BACK UP AREA / NORTH EAST CORNER AT RAILWAY BUILDING* [OCTOBER 2021 TO MARCH 2022]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (µg/m ³)	Particulate Matter (PM _{2.5}) (µg/m ³)	Sulphur Dioxide (SO ₂) (µg/m ³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	04/10/2021	90.34	53.63	23.44	39.47
2	07/10/2021	85.41	49.55	15.97	32.58
3	11/10/2021	80.36	44.39	19.27	34.66
4	14/10/2021	73.65	33.41	20.37	31.25
5	18/10/2021	66.60	29.41	17.55	30.83
6	21/10/2021	89.42	47.43	22.66	35.66
7	25/10/2021	82.32	38.57	18.41	38.46
8	28/10/2021	93.42	48.88	24.28	41.21
9	01/11/2021	74.34	42.27	25.38	40.35
10	04/11/2021	88.38	48.64	20.39	33.25
11	08/11/2021	92.32	53.54	17.61	28.94
12	11/11/2021	77.64	50.34	19.50	32.42
13	15/11/2021	83.55	46.43	21.50	27.82
14	18/11/2021	91.34	43.43	24.52	31.52
15	22/11/2021	72.62	34.61	15.43	26.76
16	25/11/2021	79.62	49.51	22.11	34.75
17	29/11/2021	76.84	36.69	14.32	36.15
18	02/12/2021	70.35	41.52	18.62	30.60
19	06/12/2021	89.68	46.93	23.54	37.22
20	09/12/2021	94.31	52.63	20.32	31.27
21	13/12/2021	87.25	47.51	24.54	27.33
22	16/12/2021	79.61	40.23	15.40	35.44
23	20/12/2021	93.25	48.39	21.54	39.53
24	23/12/2021	80.36	45.81	16.88	22.64
25	27/12/2021	68.32	35.41	25.32	36.22
26	30/12/2021	88.62	49.59	19.64	40.29
27	03/01/2022	89.66	52.84	19.63	28.32
28	06/01/2022	83.46	44.81	22.40	39.23
29	10/01/2022	91.68	50.26	14.20	32.65
30	13/01/2022	78.56	40.23	20.29	35.36
31	17/01/2022	94.36	53.42	17.50	31.62
32	20/01/2022	80.65	42.48	15.34	33.57
33	24/01/2022	90.35	51.26	23.58	40.23
34	27/01/2022	85.48	45.22	18.52	37.62
35	31/01/2022	93.54	48.64	21.57	34.57
36	03/02/2022	82.82	44.56	24.53	36.87
37	07/02/2022	77.68	35.82	21.68	27.57
38	10/02/2022	88.34	49.59	19.56	33.56
39	14/02/2022	76.54	46.51	16.83	30.23
40	17/02/2022	90.24	52.42	14.24	37.52
41	21/02/2022	81.84	43.56	18.37	32.43
42	24/02/2022	94.58	53.46	22.71	38.43
43	28/02/2022	89.52	50.30	20.83	31.57
44	03/03/2022	90.26	51.56	25.71	29.51
45	07/03/2022	78.67	38.45	15.75	24.54
46	10/03/2022	83.52	42.88	21.59	34.64
47	14/03/2022	88.36	48.54	18.49	26.36
48	17/03/2022	79.84	49.54	22.42	33.41
49	21/03/2022	73.51	35.48	14.27	36.51
50	24/03/2022	80.28	37.59	19.56	28.48
51	28/03/2022	86.35	53.46	17.50	32.26

*Note: AAQM location has changed from Nov-21 old location name was north east corner of back up area which is monitored from 04/10/2021 to 28/10/2021 and new location name is north east corner at railway building which is monitored from 01/11/2021 to 28/03/2022.


H. T. Shah
 Lab Manager




Dr. Arun Bajpai
 Lab Manager (Q)

**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

AMBIENT AIR QUALITY ANALYSIS REPORT OBSERVATIONS

Ambient Air Quality Monitoring Sample Analysis									
Sr.No.	Month	Particulate Matter (PM ₁₀) (µg/m³)		Particulate Matter (PM _{2.5}) (µg/m³)		Sulphur Dioxide (SO ₂)(µg/m³)		Oxides of Nitrogen (NO ₂) (µg/m³)	
		Max	Min	Max	Min	Max	Min	Max	Min
L.C. Gate No.2									
1	October-21	72.42	44.36	41.82	18.61	17.29	8.69	32.43	16.57
2	November-21	70.37	51.52	39.73	22.66	16.35	6.38	26.67	14.74
3	December-21	75.64	51.62	42.66	20.41	16.35	7.47	27.59	13.77
4	January-22	77.57	51.53	40.28	22.45	15.17	6.54	32.53	12.84
5	February-22	72.53	50.22	40.28	22.41	14.50	6.81	29.23	16.53
6	March-22	79.42	56.78	44.53	25.38	17.65	7.91	30.40	16.34
Starting Of Pile Approach (Near SS2 Building)									
1	October-21	85.60	58.63	45.64	26.50	22.83	12.94	37.52	24.55
2	November-21	86.35	67.33	49.56	30.42	23.44	12.46	37.76	25.65
3	December-21	89.71	62.61	48.68	27.67	23.42	13.62	35.34	21.65
4	January-22	89.41	71.66	49.31	33.54	21.22	9.62	35.53	24.23
5	February-22	87.53	68.45	48.27	32.66	21.55	12.44	34.24	21.57
6	March-22	83.48	63.54	46.35	30.23	22.68	12.36	32.47	23.84
South West Corner at Pump House									
1	October-21	76.34	49.30	37.54	21.60	17.16	8.52	29.59	18.52
2	November-21	80.66	52.63	43.78	24.36	18.62	9.51	28.41	15.11
3	December-21	77.62	57.84	39.47	23.65	19.49	9.50	30.29	18.66
4	January-22	78.48	58.43	40.35	25.82	17.25	7.51	31.27	19.36
5	February-22	81.56	56.54	46.21	25.66	19.24	8.47	29.52	15.35
6	March-22	72.11	48.66	39.73	21.67	18.59	6.48	27.59	14.38
North East Corner of Back Up Area / North East Corner at Railway Building*									
1	October-21	93.42	66.60	53.63	29.41	24.28	15.97	41.21	30.83
2	November-21	92.32	72.62	53.54	34.61	25.38	14.32	40.35	26.76
3	December-21	94.31	68.32	52.63	35.41	25.32	15.40	40.29	22.64
4	January-22	94.36	78.56	53.42	40.23	23.58	14.20	40.23	28.32
5	February-22	94.58	76.54	53.46	35.82	24.53	14.24	38.43	27.57
6	March-22	90.26	73.51	53.46	35.48	25.71	14.27	37.53	24.54

*Note: AAQM location has changed from Nov-21 old location name was north east corner of back up area which is monitored from 04/10/2021 to 28/10/2021 and new location name is north east corner at railway building which is monitored from 01/11/2021 to 28/03/2022.


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF NOISE LEVEL MONITORING

Sampling Date	: As Per Table
Test Method	: IS 9876/IS 9989
Sampling Location	: As Per Table
Sampling By	: Pollucon Laboratories Pvt. Ltd.
Protocol (purpose)	: Environmental Monitoring

TABLE NO. 5 RESULTS OF DAY TIME NOISE LEVEL MONITORING [OCTOBER 2021 TO MARCH 2022]

Noise Level Day Time dB(A)Leq*									
Sr. No.	Name of Location	LC Gate No.2		Starting Of Pile Approach		South West Corner at Pump House		North East Corner of Back Up Area Or North East Corner at Railway Building	
	Month	Max	Min	Max	Min	Max	Min	Max	Min
1.	October-21	68.1	59.8	65.8	55.6	69.7	59.8	67.1	58.7
2.	November-21	69.4	58.9	70.8	55.2	71.5	59.4	68.9	56.4
3.	December-21	72.0	55.7	70.2	57.0	70.9	59.1	69.8	61.2
4.	January-22	71.5	58.4	69.1	53.2	71.5	57.4	67.8	58.5
5.	February-22	72.4	55.8	70.7	55.9	72.9	60.9	69.1	60.7
6.	March-22	71.6	54.8	70.6	56.8	71.6	54.2	72.5	54.7

Note: Noise level monitoring location has changed from Nov-21 old location name was north east corner of back up area which is monitored in Oct-21 and new location name is north east corner at railway building which is monitored from Nov-21 to Mar-22.

TABLE NO. 6 RESULTS OF NIGHT TIME NOISE LEVEL MONITORING [OCTOBER 2021 TO MARCH 2022]

Noise Level Night Time dB(A)Leq*									
Sr. No.	Name of Location	LC Gate No.2		Starting Of Pile Approach		South West Corner at Pump House		North East Corner of Back Up Area / North East Corner at Railway Building*	
	Month	Max	Min	Max	Min	Max	Min	Max	Min
1.	October-21	61.6	49.6	63.4	54.6	60.5	50.8	65.0	49.8
2.	November-21	60.3	51.6	62.5	55.3	61.5	51.8	66.1	51.7
3.	December-21	59.3	52.1	64.9	57.6	61.8	52.7	58.5	51.4
4.	January-22	60.6	52.1	62.9	52.5	62.6	52.3	63.4	51.8
5.	February-22	60.5	54.8	64.5	53.8	62.7	53.4	64.7	53.1
6.	March-22	61.4	50.8	62.5	52.3	64.3	51.4	61.2	49.4

*Note: Noise level monitoring location has changed from Nov-21 old location name was north east corner of back up area which is monitored in Oct-21 and new location name is north east corner at railway building which is monitored from Nov-21 to Mar-22.

AMBIENT AIR QUALITY STANDARDS FOR NOISE SPECIFIED BY CPCB

Area Code	Category of Area/Zone	Limits in dB(A) Leq [#]	
		Day time	Night time
A	Industrial area	75	70
Notes:			
1. Day time shall mean from 6.00 a.m. to 10.00 p.m.			
2. Night time shall mean from 10.00 p.m. to 06.00 a.m.			
[#] dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing			


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

AMBIENT AIR QUALITY MONITORING & NOISE QUALITY MONITORING LOCATIONS

Sr. No	Name of Location	GPS Coordinate
1.	LC Gate No.2	N 22°58' 14.29" E 70°05' 51.07"
2.	Starting Of Pile Approach	N 22°54' 27.47" E 70°06' 15.63"
3.	South West Corner at Pump House	N 22°55' 22.98" E 70°06' 7.37"
4.	North East Corner Of Back Up Area / North East Corner at Railway Building	N 22°55' 53.09" E 70°06' 27.17" / N 23° 0' 48.34" E 70° 12' 30.47"

FIGURE NO. 1 GOOGLE EARTH IMAGE OF AMBIENT AIR QUALITY MONITORING & NOISE QUALITY MONITORING LOCATION
H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEA WATER MONITORING**TABLE NO. 7 RESULTS OF SEA WATER [OCTOBER 2021 TO MARCH 2022]**

Description of Sample	: Sea Water (Surface & Bottom)	Quantity/No. of Samples	: 10 Lit/12
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Sampling Procedure	: Grab
Packing/Seal	: Sealed	Protocol (purpose)	: Env. Monitoring
Test Method	: IS 3025 & APHA (22 nd Edi.) 2008	Test Parameters	: As per table

SR. NO	TEST PARAMETERS	UNIT	Near Mouth of Creek (M1)		Near Mouth of Creek (M1)		Near Mouth of Creek (M1)	
			October-2021		November-2021		December-2021	
			18/10/2021		15/11/2021		29/12/2021	
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM
1	pH	--	7.98	7.91	8.04	7.98	8.09	8.05
2	Temperature	°C	29.9	29.7	29.8	29.6	28.7	28.6
3	Total Suspended Solids	mg/L	85	75	72	69	68	61
4	BOD (3 Days@27°C)	mg/L	2.30	Not Detected	2.50	2.10	2.40	Not Detected
5	Dissolved Oxygen	mg/L	5.95	5.70	5.80	5.65	5.85	5.80
6	Salinity	ppt	34.16	34.52	34.78	35.26	35.26	35.54
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
8	Nitrate as NO ₃	µmol/L	3.92	3.56	4.19	3.98	3.79	3.63
9	Nitrite as NO ₂	µmol/L	0.74	0.53	0.93	0.87	0.54	0.42
10	Ammonical Nitrogen as NH ₃	µmol/L	2.86	2.7	2.51	2.43	2.39	2.28
11	Phosphates as PO ₄	µmol/L	2.51	2.39	2.28	2.19	1.81	1.75
12	Total Nitrogen	µmol/L	7.52	6.79	7.63	7.28	6.72	6.33
13	Petroleum Hydrocarbon	µg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
14	Total Dissolved Solids	mg/L	35364	35712	35384	36342	36342	36594
15	COD	mg/L	9.70	Not Detected	13.00	10.00	9.84	Not Detected
A	Flora and Fauna							
16.1	Primary Productivity	mgC/L/day	45.90		44.10		46.80	
B	Phytoplankton							
17.1	Chlorophyll	mg/m ³	2.42	2.18	2.50	2.29	2.72	2.34
17.2	Phaeophytin	mg/m ³	0.72	0.3	1.15	1.37	0.94	1.31
17.3	Cell Count	No. x 10 ³ /L	168	124	184	146	158	118
17.4	Name of Group Number and name of group species of each group	--	Thalassionema sp. Cyclotella sp. Coscinodiscus sp. Rhizosolenia sp. Melosira sp.	Skeletonema sp. Synedra sp. Gyro sigma sp. Navicula sp.	Rhizosolenia sp. Coscinodiscus sp. Melosira sp. Synedra sp. Thalassionema sp.	Navicula sp. Nitzschia sp. Pleurosigma sp. Biddulphia sp. Isopods	Nitzschia sp. Coscinodiscus sp. Skeletonema sp. Rhizosolenia sp.	Pleurosigma sp. Biddulphia sp. Navicula sp. Synedra sp.
C	Zooplanktons							
18.1	Abundance (Population)	noX10 ³ /100 m ³	22		26		30	
18.2	Name of Group Number and name of group species of each group	--	Gastropods Mysids Decapods Chaetognaths		Gastropods Bivalves Amphipods		Gastropods Foraminiferans Polychaetes	
18.3	Total Biomass	mL/100 m ³	2.10		2.55		2.80	
D	Microbiological Parameters							
19.1	Total Bacterial Count	CFU/mL	2560		2490		2610	
19.2	Total Coliform	/mL	Present		Present		Present	
19.3	E.coli	/mL	Absent		Absent		Absent	
19.4	Enterococcus species	/mL	Present		Present		Present	
19.5	Salmonella species	/mL	Absent		Absent		Absent	
19.6	Shigella species	/mL	Absent		Absent		Absent	
19.7	Vibrio species	/mL	Absent		Absent		Absent	

Note: Minimum Detection Limit, BOD: 1.0 mg/L, Oil & Grease: 2.0 mg/L, Petroleum Hydrocarbon: 1.0 µg/L


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986


TABLE NO. 8 RESULTS OF SEA WATER [OCTOBER 2021 TO MARCH 2022]

SR. NO.	TEST PARAMETERS	UNIT	Near Jetty (M2)		Near Mouth of Creek (M1)		Near Jetty (M2)	
			January-2022		February-2022		March-2022	
			18/01/2022		18/02/2022		21/03/2022	
			SURFACE	BOTTOM	SURFACE	BOTTOM	SURFACE	BOTTOM
1	pH	--	8.06	7.99	8.12	8.07	8.23	8.17
2	Temperature	°C	28.9	28.6	29.8	29.6	30.4	30.1
3	Total Suspended Solids	mg/L	57	51	52	47	59	45
4	BOD (3 Days @27°C)	mg/L	2.30	Not Detected	2.27	Not Detected	3.18	2.14
5	Dissolved Oxygen	mg/L	5.90	5.85	6.00	5.95	5.95	5.85
6	Salinity	ppt	34.38	34.92	35.48	35.92	36.1	36.52
7	Oil & Grease	mg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
8	Nitrate as NO ₃	µmol/L	3.61	3.54	3.81	3.7	3.61	3.47
9	Nitrite as NO ₂	µmol/L	0.83	0.67	0.64	0.53	0.84	0.79
10	Ammonical Nitrogen as NH ₃	µmol/L	2.59	2.43	2.39	2.31	2.57	2.46
11	Phosphates as PO ₄	µmol/L	2.13	2.06	2.58	2.47	1.93	1.87
12	Total Nitrogen	µmol/L	7.03	6.64	6.84	6.54	7.02	6.72
13	Petroleum Hydrocarbon	µg/L	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
14	Total Dissolved Solids	mg/L	34998	35528	35984	36390	37094	37489
15	COD	mg/L	12.30	8.27	11.47	9.23	13.94	9.68
A	Flora and Fauna							
16.1	Primary Productivity	mgC/L/ day	47.07		48.15		50.40	
B	Phytoplankton							
17.1	Chlorophyll	mg/m ³	2.67	2.40	2.50	2.32	2.48	2.26
17.2	Phaeophytin	mg/m ³	0.81	0.25	1.08	0.39	0.15	0.82
17.3	Cell Count	No. x 10 ³ /L	152	126	162	142	152	118
17.4	Name of Group Number and name of group species of each group	--	Skeletonema sp. Rhizosolenia sp. Odentella sp. Spirulina sp. Tricodesmium sp.	Cyclotella sp. Thallassionema sp. Pleurosigma sp. Nitzschia sp. Synedra sp.	Thallassiosira sp. Skeletonema sp. Biddulphia sp. Cheatocerosus sp. Pleurosigma sp. Melosira sp.	Navicula sp. Nitzschia sp. Pediastrum sp. Synedra sp. Coscinodiscus sp.	Navicula sp. Biddulphia sp. Leptocullndnz sp.	Coscinodiscus sp. Thallassiosira sp. Nitzschia sp.
C	Zooplanktons							
18.1	Abundance (Population)	noX10 ³ /100m ³	27		32		23	
18.2	Name of Group Number and name of group species of each group	--	Copepods Foraminiferans Cyclopoido Gastropods		Polychaetes Gastropods Hydrozoa Ostracods		Gastropods Decapods Polychaetes Foraminiferans	
18.3	Total Biomass	mL/10 0 m ³	2.65		3.10		2.40	
D	Microbiological Parameters							
19.1	Total Bacterial Count	CFU/mL	2420		2580		2390	
19.2	Total Coliform	/mL	Present		Present		Present	
19.3	E.coli	/mL	Absent		Absent		Absent	
19.4	Enterococcus species	/mL	Present		Present		Present	
19.5	Salmonella species	/mL	Absent		Absent		Absent	
19.6	Shigella species	/mL	Absent		Absent		Absent	
19.7	Vibrio species	/mL	Absent		Absent		Absent	

Note: Minimum Detection Limit, BOD: 1.0 mg/L, Oil & Grease: 2.0 mg/L, Petroleum Hydrocarbon: 1.0 μg/L


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)


**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

SEA WATER REPORT OBSERVATION

SeaWater Sample Analysis		Month : October-21 to March-22			
Test Parameter	Unit	Surface		Bottom	
		Max	Min	Max	Min
pH	--	8.23	7.98	8.17	7.91
Total Dissolved Solids	mg/L	37094	34998	37489	35528
Total Suspended Solids	mg/L	85	52	75	45
BOD (3 Days @ 27 °C)	mg/L	3.18	2.27	2.14	2.10
Dissolved Oxygen	mg/L	6.00	5.80	5.95	5.65
Salinity	ppt	36.10	34.16	36.52	34.52
COD	mg/L	13.94	9.70	10.00	8.27


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF SEA SEDIMENT MONITORING**TABLE NO. 9 RESULTS OF SEA SEDIMENT [OCTOBER 2021 TO MARCH 2022]**

Description of Sample	: Sea Sediment	Quantity/No. of Samples	: 10 Kg/06
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Sampling Procedure	: Grab
Packing/Seal	: Sealed	Protocol (purpose)	: Env. Monitoring
Test Method	: IS/ASTM/CPCB Guidelines	Test Parameters	: As per table

SR. NO.	TEST PARAMETERS	UNIT	Near Mouth of Creek (M1)	Near Mouth of Creek (M1)	Near Mouth of Creek (M1)	Near Jetty (M2)	Near Mouth of Creek (M1)	Near Jetty (M2)
			October-21	November-21	December-21	January-22	February-22	March-22
			18/10/2021	15/11/2021	29/12/2021	18/01/2022	18/02/2022	21/03/2022
1	Organic Matter	%	0.370	0.320	0.410	0.360	0.430	0.395
2	Phosphorus as P	µg/g	512	558	607	578	639	528
3	Texture	--	Sandy	Sandy	Sandy	Sandy	Sandy	Sandy
4	Petroleum Hydrocarbon	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
5	Heavy Metals							
5.1	Aluminum as Al	%	4.39	4.48	4.64	4.52	5.18	4.79
5.2	Total Chromium as Cr+3	µg/g	112	132	120	143	112	123
5.3	Manganese as Mn	µg/g	650	610	673	716	803	756
5.4	Iron as Fe	%	4.65	4.82	4.79	4.53	5.24	4.98
5.5	Nickel as Ni	µg/g	32.90	40.71	37.68	32.98	41.76	45.73
5.6	Copper as Cu	µg/g	46.72	37.84	42.45	31.64	39.58	30.68
5.7	Zinc as Zn	µg/g	128	119	124	117	91.27	99.12
5.8	Lead as Pb	µg/g	4.94	3.18	2.91	1.64	2.30	1.95
5.9	Mercury as Hg	µg/g	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
6	Benthic Organisms							
6.1	Macrobenthos (No and name of groups present, No and name of species of each group present)	--	Polychaetes Crustaceans Molluscs	Polychaetes Crustaceans Gastropods	Crustaceans Polychaetes Isopods Decapods	Amphipods Decapods Gastropods Polychaetes	Gastropods Crustaceans Echinoderms Bivalves	Gastropods Echinoderms Polychaetes
6.2	MeioBenthos (No and name of groups present, No and name of species of each group present)	--	----	----	----	Foraminiferans Nematodes	Foraminiferans	Nematodes
6.3	Population	no/m ²	409	351	439	294	382	471

Note: Minimum Detection Limit, Mercury as Hg: 0.00025 mg/L, Petroleum Hydrocarbon: 5 µg/g


H. T. Shah
 Lab Manager


Dr. Arun Bajpai
 Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

SEA SEDIMENT REPORT OBSERVATION

Sea Sediment Sample Analysis		Month : October-21 to March-22	
Test Parameter	Unit	Sediment	
		Max	Min
Organic Matter	%	0.430	0.320
Phosphorus as P	µg/g	639	512
Aluminum as Al	%	5.18	4.39
Total Chromium as Cr ⁺³	µg/g	143	112
Manganese as Mn	µg/g	803	610
Iron as Fe	%	5.24	4.53
Nickel as Ni	µg/g	45.73	32.90
Copper as Cu	µg/g	46.72	30.68
Zinc as Zn	µg/g	128	91.27
Lead as Pb	µg/g	4.94	1.64
Mercury as Hg	µg/g	Not Detected	Not Detected


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)



POLLUCON LABORATORIES PVT. LTD.

Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

SEA WATER & SEA SEDIMENT LOCATIONS

Sr. No	Name of Location	GPS Coordinate
1.	NEAR MOUTH OF CREEK (M1)	N 22°54'10.58" E 70° 8'34.86"
2.	NEAR JETTY (M2)	N 22°53.60" E 70° 6.47"

FIGURE NO. 2 GOOGLE EARTH IMAGE OF SEA WATER AND SEDIMENT LOCATION




H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)


**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF DRINKING WATER ANALYSIS**STANDARD METHODS & PERMISSIBLE LIMIT FOR DRINKING WATER**

SR. NO.	PARAMETERS	UNIT	DESIRABLE LIMIT AS PER IS:10500:2012	TEST METHOD
Chemical Parameters				
1	Odour	--	Agreeable	IS3025(P-5)83Re.02
2	Colour	Hazen	Max 5	IS3025(P-4)83Re.02
3	Taste	--	Agreeable	IS3025(P-8)84Re.02
4	pH Value	--	6.5 to 8.5	IS3025(P-11)83Re.02
5	Turbidity	NTU	Max 1	APHA 2130-B
6	Total Dissolved Solids	mg/L	Max 500	IS3025(P16)84Re.02
7	Total Hardness as CaCO ₃	mg/L	Max 200	IS3025(P-21) 84EDTAre.02
8	Alkalinity	mg/L	Max 200	IS3025(P23)86Re.03
9	Residual Free Chlorine	mg/L	Min 0.2	APHA(22 nd Edi)4500 Cl
10	Chloride as Cl	mg/L	Max 250	IS3025(P-32) 88Re.99Argentometric method
11	Calcium as Ca	mg/L	Max 75	IS3025(P40)91Re.03EDTA
12	Magnesium as Mg	mg/L	Max 30	IS3025(P46)94Re.99EDTA
13	Mineral Oil	mg/L	Max 0.5	APHA(22 nd Edi)5520D
14	Phenolic compounds as C ₆ H ₅ OH	mg/L	Max 0.001	IS3025(P43)92Re.03
15	Hexavalent Chromium as Cr ⁺⁶	mg/L	Max 0.05	APHA(22 nd Edi)3500CrB
16	Cadmium as Cd	mg/L	Max 0.003	APHA(22 nd Edi)3500Cd
17	Copper as Cu	mg/L	Max 0.05	IS3025(P42)92Re.03
18	Zinc as Zn	mg/L	Max 5	APHA(22 nd Edi)3500 Zn
19	Iron as Fe	mg/L	Max 0.3	APHA(22 nd Edi)3500Fe B
20	Lead as Pb	mg/L	Max 0.01	APHA(22 nd Edi)3500PbD
21	Mercury as Hg	mg/L	Max 0.001	IS3025(P48)94
22	Selenium as Se	mg/L	Max 0.01	APHA(22 nd Edi)3500 Se
23	Aluminum as Al	mg/L	Max 0.03	APHA(22 nd Edi)3500 Al
24	Manganese as Mn	mg/L	Max 0.1	APHA(22 nd Edi)3500 Mn B
25	Arsenic as As	mg/L	Max 0.01	IS3025(P-37)88
26	Sulphate as SO ₄	mg/L	Max 200	APHA(22 nd Edi)4500 SO ₄ E
27	Cyanide as CN	mg/L	Max 0.05	APHA(22 nd Edi)4500CN E
28	Boron as B	mg/L	Max 0.5	APHA(22 nd Edi)4500 B
29	Fluoride as F	mg/L	Max 1.0	APHA(22 nd Edi) 4500 F D SPANDS
30	Nitrate Nitrogen as NO ₃	mg/L	Max 45	IS3025(P34)88
31	Anionic Detergents as MBAS	mg/L	Max 0.2	14542/Methylene Blue extraction method
32	Pesticides	mg/L	Absent	GC MS
33	Coliform	/100 ml	Absent	APHA (22 nd Edi. Method) 9221-D
34	E-Coli	/100 ml	Absent	IS: 1622:1981 Edi. 2.4 (2003-05)


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.10 RESULTS OF DRINKING WATER [OCTOBER 2021 TO MARCH 2022]**TABLE NO.10.1 RESULTS OF DRINKING WATER [ESSENTIAL PARAMETER IN OCTOBER 2021 TO MARCH 2022]**

SR. NO.	TEST PARAMETERS	UNIT	October-21	October-21
			POB Building	Narmada Pump House
			18/10/2021	18/10/2021
1	Odour	--	Agreeable	Agreeable
2	Colour	Hazen	2	3
3	Taste	--	Agreeable	Agreeable
4	pH	--	7.46	7.54
5	Turbidity	NTU	0.15	0.13
6	Total Dissolved Solids	mg/L	329	362
7	Total Hardness as CaCO ₃	mg/L	128	146
8	Residual Free Chlorine	mg/L	Not Detected	Not Detected
9	Chloride as Cl	mg/L	82	108
10	Fluoride as F	mg/L	0.27	0.31
11	Iron as Fe	mg/L	0.18	0.27
12	Coliform	/100 ml	Absent	Absent
13	E-Coli	/100 ml	Absent	Absent



H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.10.2 RESULTS OF DRINKING WATER [ESSENTIAL PARAMETER IN OCTOBER 2021 TO MARCH 2022]

SR. NO.	TEST PARAMETERS	UNIT	November-21	November-21
			POB Building	Narmada Pump House
			15/11/2021	15/11/2021
1	Odour	--	Agreeable	Agreeable
2	Colour	Hazen	3	3
3	Taste	--	Agreeable	Agreeable
4	pH	--	7.59	7.85
5	Turbidity	NTU	0.18	0.11
6	Total Dissolved Solids	mg/L	298	318
7	Total Hardness as CaCO ₃	mg/L	102	110
8	Residual Free Chlorine	mg/L	Not Detected	Not Detected
9	Chloride as Cl	mg/L	75	125
10	Fluoride as F	mg/L	0.28	0.35
11	Iron as Fe	mg/L	0.12	0.21
12	Coliform	/100 ml	Absent	Absent
13	E-Coli	/100 ml	Absent	Absent


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)


**POLLUCON**LABORATORIES PVT. LTD.
Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.10.3 RESULTS OF DRINKING WATER [ESSENTIAL PARAMETER IN OCTOBER 2021 TO MARCH 2022]

SR. NO.	TEST PARAMETERS	UNIT	January-22
			Narmada Pump House
			18/01/2022
1	Odour	--	Agreeable
2	Colour	Hazen	2
3	Taste	--	Agreeable
4	pH	--	7.81
5	Turbidity	NTU	0.12
6	Total Dissolved Solids	mg/L	318
7	Total Hardness as CaCO ₃	mg/L	126
8	Residual Free Chlorine	mg/L	Not Detected
9	Chloride as Cl	mg/L	93
10	Fluoride as F	mg/L	0.31
11	Iron as Fe	mg/L	0.24
12	Coliform	/100 ml	Absent
13	E-Coli	/100 ml	Absent


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)


**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.10.4 RESULTS OF DRINKING WATER [ESSENTIAL PARAMETER IN OCTOBER 2021 TO MARCH 2022]

SR. NO.	TEST PARAMETERS	UNIT	February-22	February-22
			POB Building	Narmada Pump House
			18/02/2022	18/02/2022
1	Odour	--	Agreeable	Agreeable
2	Colour	Hazen	2	3
3	Taste	--	Agreeable	Agreeable
4	pH	--	7.86	7.79
5	Turbidity	NTU	0.09	0.08
6	Total Dissolved Solids	mg/L	287	312
7	Total Hardness as CaCO ₃	mg/L	114	134
8	Residual Free Chlorine	mg/L	Not Detected	Not Detected
9	Chloride as Cl	mg/L	63	97.96
10	Fluoride as F	mg/L	0.19	0.26
11	Iron as Fe	mg/L	0.14	0.31
12	Coliform	/100 ml	Absent	Absent
13	E-Coli	/100 ml	Absent	Absent

BDL*: Below Detection Limit


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.10.5 RESULTS OF DRINKING WATER [ESSENTIAL PARAMETER IN OCTOBER 2021 TO MARCH 2022]

SR. NO.	TEST PARAMETERS	UNIT	March-22	March-22
			POB Building	Narmada Pump House
			22/03/2022	22/03/2022
1	Odour	--	Agreeable	Agreeable
2	Colour	Hazen	3	4
3	Taste	--	Agreeable	Agreeable
4	pH	--	7.73	7.65
5	Turbidity	NTU	0.08	0.07
6	Total Dissolved Solids	mg/L	273	304
7	Total Hardness as CaCO ₃	mg/L	108	129
8	Residual Free Chlorine	mg/L	Not Detected	Not Detected
9	Chloride as Cl	mg/L	72	93
10	Fluoride as F	mg/L	0.27	0.31
11	Iron as Fe	mg/L	0.13	0.26
12	Coliform	/100 ml	Absent	Absent
13	E-Coli	/100 ml	Absent	Absent


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.10.6 RESULTS OF DRINKING WATER [FULL PARAMETER IN OCTOBER 2021 TO MARCH 2022]

SR. NO.	PARAMETERS	UNIT	December-21	December-21
			POB Building	Narmada Water Pump House
			31/12/2021	31/12/2021
Chemical Parameters				
1	Odour	--	Agreeable	Agreeable
2	Colour	Hazen	3	3
3	Taste	--	Agreeable	Agreeable
4	pH Value	--	7.79	7.57
5	Turbidity	NTU	0.07	0.08
6	Total Dissolved Solids	mg/L	458	473
7	Total Hardness as CaCO ₃	mg/L	173	182
8	Alkalinity	mg/L	118	120
9	Residual Free Chlorine	mg/L	Not Detected	Not Detected
10	Chloride as Cl	mg/L	79	80
11	Calcium as Ca	mg/L	46	52
12	Magnesium as Mg	mg/L	13.92	12.48
13	Mineral Oil	mg/L	Not Detected	Not Detected
14	Phenolic compounds as C ₆ H ₅ OH	mg/L	Not Detected	Not Detected
15	Chromium as Cr ⁺⁶	mg/L	Not Detected	Not Detected
16	Cadmium as Cd	mg/L	Not Detected	Not Detected
17	Copper as Cu	mg/L	Not Detected	Not Detected
18	Zinc as Zn	mg/L	Not Detected	Not Detected
19	Iron as Fe	mg/L	<0.15	<0.15
20	Lead as Pb	mg/L	Not Detected	Not Detected
21	Mercury as Hg	mg/L	Not Detected	Not Detected
22	Selenium as Se	mg/L	Not Detected	Not Detected
23	Aluminum as Al	mg/L	Not Detected	Not Detected
24	Manganese as Mn	mg/L	Not Detected	Not Detected
25	Arsenic as As	mg/L	Not Detected	Not Detected
26	Sulphate as SO ₄	mg/L	25.80	28.64
27	Cyanide as CN	mg/L	Not Detected	Not Detected
28	Boron as B	mg/L	Not Detected	Not Detected
29	Fluoride as F	mg/L	Not Detected	0.27
30	Nitrate Nitrogen as NO ₃	mg/L	0.22	Not Detected
31	Anionic Detergents as MBAS	mg/L	Not Detected	Not Detected
32	Pesticides	mg/L	Not Detected	Not Detected
Microbiological Parameters				
33	Coliform	/100 ml	Absent	Absent
34	E-Coli	/100 ml	Absent	Absent

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.11 RESULTS OF SEWAGE WATER [OCTOBER 2021 TO MARCH 2021]

SR. NO.	PARAMETERS	UNIT	STP OUTLET PERMISSIBLE LIMIT[#]	TEST METHOD
1	pH	--	Not Specified	IS: 3025 (Part – 11) (Electrometric Method)
2	Total Suspended Solids	mg/L	30	IS3025(P17)
3	BOD (3 Days @ 27 °C)	mg/L	20	IS 3025 (Part – 44)
4	Fecal Coliform	MPN/100 ml	Not Specified	APHA(22 nd Edi)9221 C & E

RESULTS OF SEWAGE WATER ANALYSIS

DATE OF SAMPLING			18/10/2021	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.68	7.73
2	Total Suspended Solids	mg/L	152	16
3	BOD (3 Days @ 27 °C)	mg/L	129	11
4	Fecal Coliform	MPN/100 ml	>1600	280

DATE OF SAMPLING			15/11/2021	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.37	7.21
2	Total Suspended Solids	mg/L	120	17
3	BOD (3 Days @ 27 °C)	mg/L	114	12
4	Fecal Coliform	MPN/100 ml	>1600	210

DATE OF SAMPLING			31/12/2021	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.41	7.28
2	Total Suspended Solids	mg/L	148	13
3	BOD (3 Days @ 27 °C)	mg/L	119	15
4	Fecal Coliform	MPN/100 ml	>1600	280

DATE OF SAMPLING			18/01/2022	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.51	7.34
2	Total Suspended Solids	mg/L	139	19
3	BOD (3 Days @ 27 °C)	mg/L	128	13
4	Fecal Coliform	MPN/100 ml	>1600	140


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

DATE OF SAMPLING			31/01/2022	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.39	7.24
2	Total Suspended Solids	mg/L	126	11
3	BOD (3 Days @ 27 °C)	mg/L	113	14
4	Fecal Coliform	MPN/100 ml	>1600	94

DATE OF SAMPLING			18/02/2022	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.59	7.35
2	Total Suspended Solids	mg/L	141	15
3	BOD (3 Days @ 27 °C)	mg/L	124	13
4	Fecal Coliform	MPN/100 ml	>1600	120

DATE OF SAMPLING			28/02/2022	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.41	7.32
2	Total Suspended Solids	mg/L	134	12
3	BOD (3 Days @ 27 °C)	mg/L	118	16
4	Fecal Coliform	MPN/100 ml	>1600	84

DATE OF SAMPLING			22/03/2022	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.58	7.41
2	Total Suspended Solids	mg/L	123	15
3	BOD (3 Days @ 27 °C)	mg/L	105	12
4	Fecal Coliform	MPN/100 ml	>1600	79

DATE OF SAMPLING			31/03/2022	
SR. NO.	PARAMETERS	UNIT	STP Inlet	STP Outlet
1	pH	--	7.63	7.58
2	Total Suspended Solids	mg/L	142	17
3	BOD (3 Days @ 27 °C)	mg/L	118	15
4	Fecal Coliform	MPN/100 ml	>1600	110


H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

SR. NO.	PARAMETERS	UNIT	STP Outlet		Permissible Limit**
			Max.	Min.	
1	pH	--	7.73	7.21	6.5-9.0
2	Total Suspended Solids	mg/L	19	11	30
3	BOD (3 Days @ 27 °C)	mg/L	16	11	20
4	Fecal Coliform	MPN/100 ml	280	79	<1000

**: Details provided by customer.

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.12 RESULTS OF STACK MONITORING**PERMISSIBLE LIMIT FOR STACK MONITORING**

SR. NO.	TEST PARAMETER	UNIT	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Particulate Matter	mg/Nm ³	150	IS:11255 (Part-1)
2	Sulfur Dioxide as SO ₂	ppm	100	IS:11255 (Part-2)
3	Oxides of Nitrogen as NO _x	ppm	50	IS: 11255 (Part-7)

**Details provided by customer.

RESULTS OF STACK MONITORING

Date of Monitoring			December-21		
Sampling Location			SS-1 DG Set -1 (125 KVA)	SS-2 DG Set -2 (125 KVA)	SS-3 DG Set -3 (125 KVA)
SR. NO.	TEST PARAMETER	UNIT	29/12/2021		
1	Particulate Matter	mg/Nm ³	20.85	17.51	18.61
2	Sulfur Dioxide as SO ₂	ppm	8.79	6.58	5.08
3	Oxides of Nitrogen as NO _x	ppm	33.44	28.4	26.34
4	Noise Level Monitoring				
4.1	Near DG Set	dB(A)	71.2	73.4	70.7

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 13 RESULTS OF DUMP POND DISCHARGE

SR. NO.	PARAMETERS	UNIT	TEST METHOD
1	pH	--	IS3025(P11)83Re.02
2	Total Dissolved Solids	mg/L	IS3025(P16)84Re.02
3	Total Suspended Solids	mg/L	IS3025(P17)84Re.02
4	Turbidity	NTU	APHA 2130-B
5	BOD (3 Days @ 27 °C)	mg/L	IS 3025 (P44)1993 Re.03Edition2.1
6	Dissolved Oxygen	mg/L	IS3025(P38)89Re.99
7	COD	mg/L	APHA(22 nd Edition) 5520-D Open Reflux
8	Salinity	ppt	APHA 2550 B
9	Oil & Grease	mg/L	APHA(22 nd Edition)5520D
10	Total Hardness as CaCO ₃	mg/L	IS3025(P-21) 84EDTARE.02
11	Fluoride as F	mg/L	APHA(22 nd Edition) 4500 F D SPANDS
12	Chloride as Cl	mg/L	IS3025(P-32) 88Re.99Argentometric method
13	Zinc as Zn	mg/L	AAS- APHA (22 nd Edition) 3111 B
14	Cadmium as Cd	mg/L	AAS- APHA (22 nd Edition) 3111 B
15	Lead as Pb	mg/L	AAS- APHA (22 nd Edition) 3111 B
16	Mercury as Hg	mg/L	AAS-APHA (22 nd Edition) 3112 B

H. T. Shah
Lab Manager**Dr. Arun Bajpai**
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF DUMP POND DISCHARGE

Location Name			Dump Pond Near TT4	Dump Pond Near TT4
Date			October-21	January-22
SR. NO.	TEST PARAMETER	UNIT	18/10/2021	18/01/2022
1	pH	--	8.37	8.16
2	Total Dissolved Solids	mg/L	1296	1073
3	Total Suspended Solids	mg/L	63	72
4	Turbidity	NTU	12.8	10.9
5	BOD (3 Days @ 27 oC)	mg/L	23	35
6	Dissolved Oxygen	mg/L	5.5	5.4
7	COD	mg/L	172	158
8	Salinity	ppt	0.282	0.267
9	Oil & Grease	mg/L	Not Detected	Not Detected
10	Total Hardness as CaCO ₃	mg/L	153	169
11	Fluoride as F	mg/L	0.62	0.47
12	Chloride as Cl	mg/L	156	148
13	Zinc as Zn	mg/L	0.079	0.082
14	Cadmium as Cd	mg/L	Not Detected	Not Detected
15	Lead as Pb	mg/L	0.032	0.026
16	Mercury as Hg	mg/L	Not Detected	Not Detected

Note: Minimum Detection Limit, Cadmium as Cd: 0.001 mg/L, Mercury as Hg: 0.00025mg/L, Oil & Grease: 2.0 mg/L.



H. T. Shah
Lab Manager
Dr. Arun Bajpai
Lab Manager (Q)

**POLLUCON****LABORATORIES PVT. LTD.**

Environmental Auditors, Consultants & Analysts.
Cleaner Production / Waste Minimization Facilitator

Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

FIGURE NO.3 WIND ROSE DIAGRAM [OCTOBER 2021 TO MARCH 2022]




H. T. Shah
Lab Manager




Dr. Arun Bajpai
Lab Manager (Q)

	Adani Kandla Bulk Terminal Pvt. Ltd.-Tuna	From : Oct'21 To : Mar'22
Status of the conditions stipulated in Environment and CRZ Clearance		

Annexure – 5

(GREEN ZONE DETAILS OF TUNA PORT (AKBTPL) UP TO Mar'2022.)

Status of the conditions stipulated in Environment and CRZ Clearance

CURRENT GREEN ZONE DETAILS OF TUNA PORT (AKBTPL) UP TO Mar'2022.

Sr. No.	Location	Area (Ha)	Tree (No.)	Shrubs (SQM)	Green Carpet (SQM)	Palm (No.)
1	Staff Canteen, POB & SS1 Building	2.25	4491	1975	8569	307
2	Green Belt area & Pump House	6.34	15779	250	0	75
3	Approach Road Zero Point to Main Gate	0.40	0	0	0	1150
4	SS2 Building & Jetty Road Area.	3.45	8002	1230	0	0
5	Internal Road & Railway Building	3.34	13180	150	60	250
6	Near Weight Bridge -04	0.11	500	0	0	0
Total		15.89	41952	3605	8629	1782



Surrounding Of Adani canteen



Around POB office



Near SS-01 Building



Approach Road- Zero Point to Main Gate



Near SS-02 Building



Near Weight Bridge

 Ports and Logistics	Adani Kandla Bulk Terminal Pvt. Ltd.-Tuna	From : Oct'21 To : Mar'22
Status of the conditions stipulated in Environment and CRZ Clearance		

Annexure – 6

(Details of CSR activities carried out by Adani Foundation.)

	Adani Kandla Bulk Terminal Pvt. Ltd.-Tuna	From : Oct'21 To : Mar'22
Status of the conditions stipulated in Environment and CRZ Clearance		

CSR work carried out by Adani foundation at AKBTPL from Oct'21 To Mar'22

CSR Work 2021-22,(Oct'21 to Mar'22)			
Village,Fisherman Vasaht.	CSR activities (Apr'21 to Sep'21)	Nos. of Beneficiaries	Expenses in Lakh
Village	Health Projects		
Vandi& Rampar	Rural Clinic	117	0.02
Tuna,Vandi& Rampar	Medical Support	3	0.13
Tuna,Vandi& Rampar	Super Specialty Camp at Gram Panchayat Tuna	184	0.03
Vira Bandar	Mobile Van	181	0.02
	SLD(Sustainable Livelihood) Projects		
Vira Bandar	Water Supply	400	2.16
Dhavarvaro Bandar	Water Supply	250	1.62
Vandi	Water Supply	1800	4.29
Rampar	Pipe Line work	130	0.12
	Rural Infra Structure Development		
Vandi	The slab of 4 social rooms was filled and Construction work continued.	1600	29.87
	Total	4665	38.26

Status of the conditions stipulated in Environment and CRZ Clearance

AKBTPL TUNA CSR ACTIVITY (Oct'21 to Mar'22)



Digging activities for pipeline laying at village - Rampar



Ground levelling at Kajipir Dargah



Social activity for community hall at Vandi village



Community Hall Activity completed

Status of the conditions stipulated in Environment and CRZ Clearance



**Drinking water supply at Vira& Dhavrvaro
Fishermen Vasahat**



Meeting with village leaders