

Ports and Logistics

Ref No. AKBTPL/ENVSTATEMENT/2019-20

Date: 26th June, 2020

Sector No. 10 A

Member Secretary
Gujarat Pollution Control Board
Paryavaran Bhavan,
Sector-10-A, Gandhinagar-382010

Sub: Environmental Statement for the financial year ending 31st March, 2020 for M/s Adani

Kandla Bulk Terminal Pvt Ltd (AKBTPL)

Ref: PCB ID: - 46110, Consent Order No. AWH - 105213

Dear Sir,

With reference to the above mentioned subject and reference, please find enclosed Environmental Statement in Form-V prescribed under Rule 14 of the Environment (Protection) Rules 1986, for M/s Adani Kandla Bulk Terminal Pvt Ltd, Ta. Anjar for the financial year ending 31st March 2020.

Thank you,

Yours faithfully,

For Adani Kandla Bulk Terminal Pvt Ltd

Hiren Shah (BU Head – AKBTPL)

Encl: As above.

Copy to:

The Regional Officer, Gujarat Pollution Control Board, Gandhidham.

Adani Kandla Bulk Terminal Pvt Ltd Adani House Nr Mithakhali Circle, Navrangpura Ahmedabad 380 009 Gujarat, India CIN: U63090GJ2012PTC069305 Tel +91 79 2656 5801 Fax +91 79 2555 6490 info@adani.com www.adaniports.com

FORM V (See Rule 14)

Environmental Statement for the Financial Year ending 31st March 2020

PART - A

(i) Name and address of the Owner/ Occupier of the Industry Operation or Process : Hiren Shah Head – AKBTPL

Adani Kandla Bulk Terminal Pvt Ltd.

Tuna Tekra, Taluka - Anjar Dist. Kutch (Gujarat)

(ii) Industry Category
Primary (STC Code)
Secondary (STC Code)

: Red - Large

NA NA

(iii) Production Capacity

: Dry Bulk Cargo Handling – 14 MMTPA

(iv) Year of Establishment

: 2011 – 12 (As per certification of incorporation date of company)

(v) Date of last Environment Statement submitted : 07.05.2019

PART - B

Water and Raw Material Consumption

(i) Water Consumption

Water Consumption Cu.Mtr./Day	
Process	Nil
Cooling (Used in sprinkling / gardening / dust suppression)	703.56 m³/day*
Domestic	9.2 m³/day*

Name of Products	Process Water Consumption per unit of Product Output		
	During the previous financial year (2018-19)	During the current financial year (2019 - 20)	
Handling and Storage of dry bulk cargo*	5.68 MMT	6.48 MMT	

(ii) Raw Material Consumption

Name of Raw Material	Name of Products	Consumption of Raw Ma	sterial per Unit of output
		During the previous financial year (2018 - 19)	During the current financial year (2019 - 20)
NIL*	Not Applicable	Nil	Nil

Note: AKBTPL is involved logistic business, hence there no raw material being used.

PART - C

<u>Pollutants discharged to Environment/Unit of Output</u> (Parameters as specified in consent issued)

Pollutants	Quantity of pollutants discharged (Mass/day)	pollutants of pollutants in discharged discharges standards with real			
(a) Water	AKBTPL is involved in logistic business; hence there is no process effluent discharge.				
(b) Air	 DG sets are provided as standby power source and use only during power failure. 				
Particulate Matter (mg/Nm3)	The ambier regularly.	the emercial quality membering to being cone			
Sulphur Dioxide (PPM)	All the amb	All the ambient air parameters are within standards.			
Nitrogen Oxide (PPM)	Children Allander	Analysis reports of DG stack monitoring and ambient air quality monitoring are enclosed as Annexure – 1 .			

PART - D

<u>Hazardous Wastes</u> (As specified under Hazardous Wastes Management and Handling Rules 2016)

Hazardous Wastes	Total Quantity (Kg)		
	During the previous financial year (2018-19)	During the current financial year (2019-20)	
(a) From Process i. Oily Cotton Waste ii. Used Oil	Oily Cotton waste:- Generation:-Approx. 1.30 MT Disposed:-0.590 MT Used Oil:- Generation:-5.76 MT Reused:-2.26 MT (Used in Railway siding and MBU machine as a lubricant) Disposed:-Nil In Stock End of the year:- 3.50 MT(Used Oil) & 1.30 MT(Oily Cotton Waste)	Oily Cotton waste:- Generation:-Approx. 1.36 MT Disposed:- 1.880 MT Used Oil:- Generation:- 5.93 MT Reused:-2.93 MT (Used in Railway siding and MBU machine as a lubricant) In Stock End of the year:- 3.00 MT (Used Oil).	
(b)From Pollution Control facilities	Nil	Nil	

^{*}AKBTPL is involved in logistic business; hence there is no process waste Generated.

PART - E

Solid Waste

Solid Waste	Total Quantity Generated (MT/Annum)			
	During the previous financial year (2018-19)	During the current financial year (2019-20)		
(a) From Process (Ash)	Nil	Nil		
(b) From Pollution Control facilities	Nil	Nil		
(C-1)Quantity recycled or reutilized within the unit		5.86 MT (Food waste converted in to manure and utilized for horticulture purpose)		
(C-2) Sold				
(C-3) Disposed		Approx. 44.85 MT (Garbage Waste)		

PART - F

Please specify the characterization (in terms of Composition and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes:

- Used oil is being sent to authorized recycler and sometimes same is being reused for the lubrication purpose in stitching machine and railway siding.
- Oily cotton waste is being sent to common hazardous waste incineration facility (SEPPL) for the incineration process and M/S Sanghi cement for Co-Processing.
- Solid waste is being collected by the municipality authorized vendor and same is disposed at municipal corporation waste handling site.

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

• Unit has installed Sewage Treatment Plant and for treatment of the Sewage water being generated at site.

- AKBTPL has planted mangroves in 250 ha area near Satsaida Bet (Kandla), Kutch sea cost.
 Unit has formed dedicated Horticulture department & developing green belt within port
 premises. So, far we have developed 15.78 Ha green belts within port premises and same is
 being well maintained.
- AKBTPL has taken significant step towards energy reduction program and implemented LED lighting system by various initiatives.
- The total cost incurred on environmental protection measures is enclosed as Annexure-2 and the green belt developed so far enclosed as Annexure-3.

PART - H

Additional measures /investment/ proposal for environmental protection including abatement of pollution, prevention of pollution.

- Unit is doing Regular Environmental Monitoring of Port & surrounding area through reputed NABL certified Laboratory. All the required environmental parameters are well within specified limit & the details are being submitted regularly to GPCB, CPCB, MOEF & concerned authorities.
- Unit has installed STP for treatment of the Sewage water being generated at site. Unit has also provided dump pond & conveyance channel for collection of runoff generated from Coal Yard.
- Unit has installed OWC (organic waste converter) machine for treatment of daily food waste generated at site. Composting manure is being used by the horticulture department as an organic fertilizer.
- Unit has provided DSS at coal yard & conveyer system and carrying out regular water sprinkling to control the dust exposure.
- Unit has deployed road sweeping machine to control the fugitive dust emissions.
- Unit is developing green belt within port and outside continually with help of Horticulture dept.
- Continually taking new initiatives for protection of environment with respect to air-water-soil.

PART - I

Any other particulars for improving the quality of environment:

- Environmental awareness programs have been conducted for workmen at site.
- Integrated housekeeping and waste management being maintained regularly.
- AKBTPL has separate Environment Cell for environmental management.

Date: 26.06.2020

(Signature of a person carrying out an industry,

operation or process) Name : Hiren Shah

Designation: BU Head - AKBTPL

Address : Adani Kandla Bulk Terminal Pvt Ltd, Tuna Tekra, Taluka Anjar. District Kutch (Gujarat)

· · · · · · · · · · · · · · · · · · ·		
Environment Statement for 2019-20 for M/s Adani Kandla Bulk T	Annexure – 1 (Ambient Air Monitoring Reports)	
Annexure - 1		
	už.	
(Ambient Air Monitoring Reports)		



Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

"ENVIRONMENTAL MONITORING REPORT"

For

ADANI KANDLA BULK TERMINAL PRIVATE LIMITED. KANDLA, KUTCH.

OCTOBER 2019 TO MARCH 2020

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

METHODS AND EQUIPMENTS USED FOR SAMPLING AND ANALYSIS

SR. NO.	Monitoring Details	Equipments Used	Sampling and Analysis Method
1	Ambient Air Quality Monitoring	RDS,FDS, Gaseous Attachment with Impinger	CPCB Guideline/IS:5182
2	Noise Monitoring	NoiseMeter	IS 9876/IS 9989
3	Sea Water Monitoring	Depth Sampler	IS:3025/APHA/USEPA/ASTM
4	Sea Sediment Monitoring	Grab Sampler	CPCB Guideline/ IS/APHA/USEPA/ASTM
5	Drinking Water Analysis	Sealed & Sterile Bottle	IS:10500:2012
6	Sewage water Analysis	Sealed & Sterile Bottle	APHA/IS:3025
7	Stack Monitoring	Stack Monitoring Sampler/Kit	IS:11255/NDIR Gas Analyzer
8	Dump Pond Discharge	Sealed & Sterile Bottle	APHA/IS:3025
9	Wind Rose Diagram	Online Weather Station	Wind Rose Plotting Software

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

NATIONAL AMBIENT AIR QUALITY STANDARDS DATED 16TH NOV.2009, CPCB NEW DELHI.

SR. NO.	TEST PARAMETER	UNIT	Concentration in ambient air	Method Of Measurement
1	Particulate Matter (PM ₁₀)	μg/m³	100	IS:5182(Part 23) SOP AAQM SPM -01
2	Particulate Matter (PM _{2.5})	μg/m³	60	SOP AAQM PM2.5 - 06
3	Sulphur Dioxide (SO₂)	μg/m³	80	IS:5182(Part 2): Improved West and Gaeke
4	Oxides of Nitrogen (NO ₂)	μg/m³	80	IS:5182(Part6)Modified Jacob &Hochheiser (Na-Arsenite)

NS#: Not Specified, ** National Ambient Air Quality Standards Dated: 18/11/2009 as per Central Pollution Control Board, New Delhi.

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 1 RESULTS OF AAQM FOR LC GATE NO.2 [OCTOBER 2019 - MARCH 2020]

Sr No.	Date of Sampling	Particulate Matter (PM10) (µg/m3)	Particulate Matter (PM2.5) (µg/m3)	Sulphur Dioxide (SO2)(µg/m3)	Oxides of Nitrogen (NO2) (µg/m3)
1	03/10/2019	53.63	16.46	10.21	17.60
2	07/10/2019	68.63	31.51	12.37	20.29
3	10/10/2019	71.56	35.66	6.55	26.14
4	14/10/2019	65.31	28.61	8.35	16.25
5	17/10/2019	49.60	24.71	9.60	21.34
6	21/10/2019	63.98	34.21	11.35	24.69
7	24/10/2019	58.48	27.61	14.58	28.63
8	28/10/2019	69.36	25.58	7.56	19.33
9	31/10/2019	73.57	42.91	13.69	25.49
10	04/11/2019	52.37	17.54	12.62	22.55
11	07/11/2019	61.50	26.45	7.55	16.36
12	11/11/2019	50.30	19.61	11.36	19.69
13	14/11/2019	62.37	27.49	16.66	28.60
14	18/11/2019	70.32	29.40	13.50	23.37
15	21/11/2019	53.60	32.47	9.89	17.34
16	25/11/2019	63.65	24.88	6.46	20.15
17	28/11/2019	72.30	30.35	8.66	21.69
18	02/12/2019	60.22	27.86	13.44	28.44
19	05/12/2019	54.36	21.52	6.52	19.53
20	09/12/2019	72.62	43.37	10.36	21.68
21	12/12/2019	59.40	31.60	15.50	26.89
22	16/12/2019	73.67	34.62	11.46	24.37
23	19/12/2019	65.39	28.53	7.49	15.87
24	23/12/2019	70.68	32.59	12.48	17.37
25	26/12/2019	62.41	29.44	9.32	25.42
26	30/12/2019	52.61	24.21	14.27	20.37
27	02/01/2020	54.62	34.56	11.56	20.59
28	06/01/2020	60.21	25.68	10.53	28.68
29	09/01/2020	74.36	37.59	9.88	17.55
30	13/01/2020	63.41	24.56	14.25	23.68
31	16/01/2020	50.22	28.67	12.27	30.53
32	20/01/2020	70.26	42.40	8.67	19.53
33	23/01/2020	51.66	18.63	15.66	16.36
34	27/01/2020	65.38	33.44	13.68	27.66
35	30/01/2020	72.86	38.50	16.56	22.50
36	03/02/2020	69.44	37.52	10.54	24.31
37	06/02/2020	58.43	26.74	14.32	21.23
38	10/02/2020	64.22	23.46	12.37	14.52
39	13/02/2020	70.58	27.58	8.63	18.56
40	17/02/2020	60.28	22.67	16.57	27.56
41	20/02/2020	74.26	34.56	6.56	20.49
42	24/02/2020	65.33	30.53	11.31	23.58
43	27/02/2020	55.28	44.50	15.78	30.40
44	02/03/2020	61.54	25.20	6.32	13.68
45	05/03/2020	57.26	31.07	16.60	25.37
46	09/03/2020	79.32	42.63	13.71	19.45
47	12/03/2020	65.40	35.44	11.22	16.55
48	16/03/2020	58.37	21.59	15.81	20.34
49	19/03/2020	72.56	39.35	9.37	18.24

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 2 RESULTS OF AAQM FOR STARTING OF PILE APPROACH [OCTOBER 2019 - MARCH 2020]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (μg/m³)	Particulate Matter (PM _{2.5}) (μg/m ³)	Sulphur Dioxide (SO ₂)(µg/m³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	03/10/2019	67.23	29.87	14.11	28.53
2	07/10/2019	75.13	34.56	17.35	25.27
3	10/10/2019	81.29	46.56	12.46	34.55
4	14/10/2019	77.56	40.21	20.73	38.41
5	17/10/2019	65.81	32.40	19.57	29.37
6	21/10/2019	74.59	42.66	22.61	37.50
7	24/10/2019	85.60	48.31	15.30	32.43
8	28/10/2019	78.65	36.26	18.67	27.41
9	31/10/2019	88.60	47.52	23.49	35.61
10	04/11/2019	62.84	30.41	20.24	32.43
11	07/11/2019	77.62	35.64	15.70	38.63
12	11/11/2019	90.28	49.35	19.57	28.40
13	14/11/2019	79.65	41.25	22.34	33.51
14	18/11/2019	83.66	46.27	17.34	35.64
15	21/11/2019	64.36	43.37	13.24	24.58
16	25/11/2019	73.56	50.26	18.50	27.67
17	28/11/2019	84.53	40.37	16.33	30.65
18	02/12/2019	85.42	31.57	18.54	34.27
19	05/12/2019	72.72	36.43	21.19	37.61
20	09/12/2019	83.22	50.26	13.67	26.28
21	12/12/2019	75.69	42.37	19.29	30.42
22	16/12/2019	88.63	45.69	24.25	39.55
23	19/12/2019	78.41	39.54	15.72	35.28
24	23/12/2019	86.34	49.22	20.29	28.92
25	26/12/2019	74.54	26.25	11.52	33.21
26	30/12/2019	81.55	44.32	17.51	36.50
27	02/01/2020	72.69	42.63	16.21	24.51
28	06/01/2020	69.52	39.60	6.35	34.54
29	09/01/2020	84.36	44.54	17.48	31.52
30	13/01/2020	73.62	35.69	21.52	26.59
31	16/01/2020	67.89	40.22	15.42	33.22
32	20/01/2020	81.38	48.58	18.57	28.39
33	23/01/2020	76.50	25.33	11.35	35.58
34	27/01/2020	82.68	46.54	20.21	25.48
35	30/01/2020	92.69	54.28	22.54	38.65
36	03/02/2020	82.64	46.20	21.59	27.58
37	06/02/2020	76.54	40.27	15.70	32.47
38	10/02/2020	69.65	35.50	19.16	24.24
39	13/02/2020	88.28	48.35	16.32	29.20
40	17/02/2020	71.54	31.46	20.26	36.51
41	20/02/2020	86.38	45.67	14.69	37.56
42	24/02/2020	79.35	37.52	17.30	26.56
43	27/02/2020	83.49	50.12	22.52	39.56
44	02/03/2020	74.51	34.63	11.49	25.24
45	05/03/2020	65.28	37.93	22.31	36.24
46	09/03/2020	88.62			
47	12/03/2020		52.51	15.66	28.58
48	16/03/2020	78.50	42.37	13.55	22.34
49	19/03/2020	86.59 91.56	46.58 44.64	21.66 16.18	35.21 39.24

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 3 RESULTS OF AAQM FOR SOUTH WEST CORNER AT PUMP HOUSE [OCTOBER 2019 - MARCH 2020]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (µg/m ³)	Particulate Matter (PM _{2.5}) (μg/m ³)	Sulphur Dioxide (SO ₂)(µg/m ³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	03/10/2019	48.53	20.35	8.64	21.57
2	07/10/2019	61.51	25.52	6.27	14.28
3	10/10/2019	58.69	22.60	10.64	29.62
4	14/10/2019	69.20	31.57	14.32	21.23
5	17/10/2019	56.32	19.98	12.30	24.55
6	21/10/2019	68.30	29.53	15.22	30.47
7	24/10/2019	51.72	34.57	7.91	25.38
8	28/10/2019	62.60	24.52	11.63	17.58
9	31/10/2019	78.37	30.53	9.55	28.32
10	04/11/2019	57.62	22.31	16.24	26.53
11	07/11/2019	66.36	29.57	10.23	21.20
12	11/11/2019	74.22	42.66	13.39	24.23
13	14/11/2019	56.35	33.61	19.32	18.62
14	18/11/2019	76.58	36.74	15.30	27.49
15	21/11/2019	59.69	39.24	11.66	20.59
16	25/11/2019	68.57	28.78	9.47	23.40
17	28/11/2019	78.51	36.41	12.36	25.34
18	02/12/2019	66.53	24.52	11.27	15.62
19	05/12/2019	59.27	27.48	15.35	22.52
20	09/12/2019	78.69	39.24	7.86	17.51
21	12/12/2019	67.53	34.28	10.57	28.62
22	16/12/2019	50.28	21.64	13.45	30.50
23	19/12/2019	71.60	36.20	9.85	21.53
24	23/12/2019	80.65	40.20	14.58	24.57
25	26/12/2019	68.58	32.45	6.46	23.67
26	30/12/2019	74.30	35.66	12.19	31.53
27	02/01/2020	67.59	38.56	13.23	18.25
28	06/01/2020	52.61	30.24	8.56	23.40
29	09/01/2020	79.59	40.53	12.48	20.56
30	13/01/2020	54.21	25.43	18.58	17.62
31	16/01/2020	62.66	29.40	14.62	28.58
32	20/01/2020	76.34	34.59	10.27	15.36
33	23/01/2020	66.53	21.71	12.45	22.65
34	27/01/2020	71.51	37.48	9.48	21.54
35	30/01/2020	80.35	44.29	19.43	30.32
36	03/02/2020	60.31	33.42	8.22	16.53
37	06/02/2020	70.64	36.68	12.67	18.35
38	10/02/2020	54.36	20.37	10.33	9.59
39	13/02/2020	75.63	23.38	6.37	13.41
40	17/02/2020	65.59	26.48	9.49	22.91
41	20/02/2020	80.28	37.52	11.57	19.25
42	24/02/2020	71.25	34.55	13.52	17.58
43	27/02/2020	62,22	30.66	18.54	24.52
44	02/03/2020	98.64	46.55	9.51	22.72
45	05/03/2020	51.34	23.67	13.87	29.33
46	09/03/2020	65.69	31.29	11.67	14.64
47	12/03/2020	71.28	38.52	8.53	25.72
48	16/03/2020	68.53	25.30	12.54	30.47
49	19/03/2020	53.55	30.20	14.42	23.21

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO. 4 RESULTS OF AAQM FOR NORTH EAST CORNER OF BACK UP AREA [OCTOBER 2019 - MARCH 2020]

Sr No.	Date of Sampling	Particulate Matter (PM ₁₀) (μg/m ³)	Particulate Matter (PM _{2.5}) (µg/m³)	Sulphur Dioxide (SO ₂)(µg/m³)	Oxides of Nitrogen (NO ₂) (µg/m ³)
1	03/10/2019	72.63	34.66	11.23	23.62
2	07/10/2019	80.38	37.52	14.25	29.26
3	10/10/2019	92.69	50.28	16.33	35.55
4	14/10/2019	85.30	48.58	18.33	22.67
5	17/10/2019	70.25	38.56	23.70	33.65
6	21/10/2019	87.22	46.59	19.39	42.65
7	24/10/2019	79.68	42.61	12.65	36.43
8	28/10/2019	84.25	49.53	15.43	30.28
9	31/10/2019	93.54	52.51	21.21	38.61
10	04/11/2019	67.35	33.55	22.70	37.20
11	07/11/2019	71.35	38.68	13.62	28.31
12	11/11/2019	81.25	46.30	17.24	31.54
13	14/11/2019	74.54	37.56	25.38	36.27
14	18/11/2019	91.55	53.59	19.44	41.26
15	21/11/2019	84.23	48.66	16.45	33.43
16	25/11/2019	78.76	36.44	20.61	30.50
17	28/11/2019	90.35	45.31	14.58	27.34
18	02/12/2019	75.22	35.74	16.33	25.65
19	05/12/2019	82.69	43.61	18.57	33.41
20	09/12/2019	94.26	54.38	15.63	29.42
21	12/12/2019	84.20	45.51	22.40	37.51
22	16/12/2019	78.50	37.85	17.56	34.54
23	19/12/2019	86.29	50.19	21.59	30.27
24	23/12/2019	93.20	44.27	24.54	38.51
25	26/12/2019	79.60	40.21	13.55	28.36
26	30/12/2019	88.46	48.33	19.55	40.31
27	02/01/2020	84.56	45.66	19.35	27.58
28	06/01/2020	74.56	42.67	12.62	37.57
29	09/01/2020	90.29	48.35	14.58	25.35
30	13/01/2020	86.52	44.87	23.85	29.59
31	16/01/2020	75.34	36.57	20.51	35.20
32	20/01/2020	93.59	53.66	15.54	32.44
33	23/01/2020	88.39	28.65	18.27	39.21
34	27/01/2020	77.54	41.26	16.85	42.50
35	30/01/2020	55.35	47.52	25.27	33.49
36	03/02/2020	90.36	50.51	14.33	31.21
37	06/02/2020	85.33	44.20	17.50	35.38
38	10/02/2020	77.52	39.44	21.33	28.31
39	13/02/2020	80.55	41.51	12.26	25.32
40	17/02/2020	79.25	35.33	18.22	33.30
41	20/02/2020	94.29	51.54	16.42	40.37
42	24/02/2020	84.23	46.28	19.53	30.40
43	27/02/2020	91.39	53.29	24.26	27.23
44	02/03/2020	83.42	40.22	15.36	30.23
45	05/03/2020	72.64	43.46	19.24	33.41
46	09/03/2020	93.58	49.55	22.50	23.49
47	12/03/2020	85.40	46.57	17.49	31.55
48	16/03/2020	77.38	41.51	24.52	39.53
49	19/03/2020	86.38	50.59	18.50	34.55

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

AMBIENT AIR QUALITY ANALYSIS REPORT OBSERVATIONS

Sr.No.	Month	Particula (PM ₁₀) (te Matter µg/m³)	Particula (PM _{2.5})		Sulphur Dioxide (SO ₂)(µg/m ³)		Oxides of Nitrogen (NO ₂) (µg/m ³)	
51.110.	Pionen	Max	Min	Max	Min	Max	Min	Max	Min
L.C. Ga	te No.2								
1	October-19	73.57	49.60	42.91	16.46	14.58	6.55	28.63	16.25
2	November-19	72.30	50.30	32.47	17.54	16.66	6.46	28.60	16.36
3	December-19	73.67	52.61	43.37	21.52	15.50	6.52	28.44	15.87
4	January-20	74.36	50.22	42.40	18.63	16.56	8.67	30.53	16.36
5	February-20	74.26	55.28	44.50	22.67	16.57	6.56	30.40	14.52
6	March-20	79.32	57.26	42.63	21.59	16.60	6.32	25.37	13.68
Startin	g Of Pile Appro	ach (Near	SS2 Buildi	ng)					
1	October-19	88.60	65.81	48.31	29.87	23.49	12.46	38.41	25.27
2	November-19	90.28	62.84	50.26	30.41	22.34	13.24	38.63	24.58
3	December-19	88.63	72.72	50.26	26.25	24.25	11.52	39.55	26.28
4	January-20	92.69	67.89	54.28	25.33	22.54	6.35	38.65	24.51
5	February-20	88.28	69.65	50.12	31.46	22.52	14.69	39.56	24.24
6	March-20	91.56	65.28	52.51	34.63	22.31	11.49	39.24	22.34
South \	West Corner O	f Back Up /	Area	•				ļ	
1	October-19	78.37	48.53	34.57	19.98	15.22	6.27	30.47	14.28
2	November-19	78.51	56.35	42.66	22.31	19.32	9.47	27.49	18.62
3	December-19	80.65	50.28	40.20	21.64	15.35	6.46	31.53	15.62
4	January-20	80.35	52.61	44.29	21.71	19.43	8.56	30.32	15.36
5	February-20	80.28	54.36	37.52	20.37	18.54	6.37	24.52	9.59
6	March-20	98.64	51.34	46.55	23.67	14.42	8.53	30.47	14.64
North I	East Corner Of	Back Up A	rea						
1	October-19	93.54	70.25	52.51	34.66	23.70	11.23	42.65	22.67
2	November-19	91.55	67.35	53.59	33.55	25.38	13.62	41.26	27.34
3	December-19	94.26	75.22	54.38	35.74	24.54	13.55	40.31	25.65
4	January-20	93.59	55.35	53.66	28.65	25.27	12.62	42.50	25.35
5	February-20	94.29	77.52	53.29	35.33	24.26	12.26	40.37	25.32
6	March-20	93.58	72.64	50.59	40.22	24.52	15.36	39.53	23.49

H. T. Shah Lab Manager





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

RESULTS OF NOISE LEVEL MONITORING

Sampling Date

: As Per Table

Test Method

: IS 9876/IS 9989

Sampling Location

: As Per Table

Sampling By

: Pollucon Laboratories Pvt. Ltd.

Protocol (purpose)

: Environmental Monitoring

TABLE NO. 5 RESULTS OF DAY TIME NOISE LEVEL MONITORING [OCTOBER 2019 TO MARCH 2020]

	Noise Level Day Time dB(A)Leq*									
Sr. No.	Name of Location	LC Gate No.2		Starting Of Pile Approach		South West Corner at Pump House		North East Corner of Back up Area		
	Month	Max	Min	Max	Min	Max	Min	Max	Min	
1.	October-19	58.5	43.1	72.8	64.3	60.5	54.1	61.1	51.9	
2.	November-19	66.8	49.8	68.9	57.5	64.8	55.6	62.9	51.4	
3.	December-19	63.9	59.0	64.8	55.3	61.2	52.9	65.9	55.1	
4.	January-20	63.8	58.1	62.1	53.9	64.2	55.2	64.8	54.8	
5.	February-20	62.3	58.1	73.9	64.9	64.8	56.7	62.6	54.3	
6.	March-20	62.2	57.7	68.4	58.3	62.4	55.4	62.4	52.2	

TABLE NO. 6 RESULTS OF NIGHT TIME NOISE LEVEL MONITORING [OCTOBER 2019 TO MARCH 2020]

	Noise Level Night Time dB(A)Leq*										
Sr. No.	Name of Location	LC Gate No.2		Starting Of Pile Approach		South West Corner at Pump House		North East Corner of Back up Area			
	Month	Max	Min	Max	Min	Max	Min	Max	Min		
1.	October-19	53.3	39.5	67.2	62.4	60.2	52.2	60.8	48.9		
2.	November-19	62.0	46.5	64.9	54.8	62.3	52.7	61.8	50.2		
3.	December-19	65.3	53.3	63.3	52.3	64.8	55.3	59.6	52.8		
4.	January-20	62.3	56.5	59.3	52.3	63.9	53.9	61.7	53.2		
5.	February-20	61.9	57.8	64.2	59.7	62.3	54.8	62.1	53.8		
6.	March-20	61.2	57.7	65.4	53.4	61.5	52.6	60.1	53.7		

AMBIENT AIR QUALITY STANDARDS FOR NOISE SPECIFIED BY CPCB

Area Code	C-1	Limits in dB(A) Leq#			
Area Code	Category of Area/Zone	Day time	Night time		
A	Industrial area	75	70		
Notes:					
 Day time sh 	all mean from 6.00 a.m. to 10.00 p.m.				
Night time s	shall mean from 10.00 p.m. to 06.00 a.m.				
#dB(A) Leq denote	s the time weighted average of the level of s	ound in decibels on scale A which i	s relatable to human hearing		

H. T. Shah Lab Manager





Recognised by MoEF New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

AMBIENT AIR QUALITY MONITORING & NOISE QUALITY MONITORING LOCATIONS

Sr. No	Name of Location	GPS Coordinate
1.	LC Gate No.2	N 22°58' 14.29'E 70°05 51.07'
2.	Starting Of Pile Approach	N 22°54' 27.47' E 70°06 15.63'
3.	South West Corner at Pump House	N 22°55' 22.98' E 70°06 7.37'
4.	North East Corner Of Back Up Area	N 22°55' 53.09 E 70°06 27.17'

FIGURE NO. 1 GOOGLE EARTH IMAGE OF AMBIENT AIR QUALITY MONITORING & NOISE QUALITY MONITORING LOCATION





Recognised by MoEF. New Delhi Under Sec. 12 of Environmental (Protection) Act-1986

TABLE NO.12 RESULTS OF STACK MONITORING

PERMISSIBLE LIMIT FOR STACK MONITORING

SR. NO.	TEST PARAMETER	UNIT	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Particulate Matter	mg/Nm ³	150	IS:11255 (Part-1)
2	Sulfur Dioxide as SO ₂	ppm	100	IS:11255 (Part-2)
3	Oxides of Nitrogen as NO _X	ppm	. 50	IS: 11255 (Part-7)

^{**}Details provided by customer.

RESULTS OF STACK MONITORING

	Date of Monitoring		13/12/2019				
Sampling Location			SS-1 DG Set -1 (125 KVA)	SS-2 DG Set -2 (125 KVA)	SS-3 DG Set -3 (125 KVA)		
SR. NO.	TEST PARAMETER	UNIT	December-19				
1	Particulate Matter	mg/Nm³	23.48	19.34	17.56		
2	Sulfur Dioxide as SO ₂	ppm	6.42	5.34	4.56		
3	Oxides of Nitrogen as NO _X	ppm	34.49	31.45	29.44		
4	Noise Level Monitoring	•		<i>a</i>			
4.1	Near DG Set	dB(A)	73.3	71.4	74.3		

H. T. Shah Lab Manager



Annexure 2: Expenditure Details on Environmental Safeguards during FY 2019-20

Sr. no.	Activity	Cost incurred (INR in Lakh)
1	Environmental Monitoring	8.12
2	Greenbelt development [Area: 15.78 Hectare]	43.64
3	Disposal of wastes	15.68
4	Firefighting Equipment	221.73
	Dust Suppression	221.73
5	Maintenance of conveyor belt.	87.40
	Total	376.57

Annexure - 3 Green zone developments details

CURRENT GREEN ZONE DETAILS OF TUNA PORT (AKBTPL) UP TO Mar'2020.

Sr. No.	Location	Area (Ha)	Tree (No.)	Shrubs (SQM)	Green Carpet (SQM)	Palm (No.)
1	Staff Canteen, POB & SS1 Building	2.25	4491	1975	8569	307
2	Green Belt area & Pump House	6.34	15779	250	0	75
3	Approach Road Zero Point to Main Gate	0.40	0	0	0	1150
4	SS2 Building & Jetty Road Area.	3.45	8002	1230	0	0
5	Internal Road & Railway Building	3.34	13180	150	60	250
	Total	15.78	41452	3605	8629	1782