

adani

Ports and  
Logistics

o/c

Lr. No. AKPL/ENVIRONMENT/APPCCB/29/2026-27

Date: 25.06.2026

To

✓ The Member Secretary,  
Andhra Pradesh Pollution Control Board (APPCCB),  
Paryavaran Bhavan, APIIC Colony Road,  
Gurunanak Colony, Autonagar, Vijayawada,  
Andhra Pradesh, 520007.

Dear Sir,

**Sub:** Adani Krishnapatnam Port Limited – Submission of Environment  
Statement Form – V for the FY 2025-26 – Reg.


**Ref:** CTO & HWA Order No. APPCCB/VJA/NLR/11344/CF0/HO/2019 dated  
11.11.2022 valid up to 31.08.2027.

@@@

In compliance with the CTO & HWA condition No.6 stipulated in schedule – A of  
CTO & HWA Order vide reference cited, and as per Rule No. 14 of E(P) Rules, 1986  
& amendments thereof, submitting herewith the Environment Statement in  
FORM V of Adani Krishnapatnam Port Limited (AKPL) for the year of 2025-26.

Kindly acknowledge receipt of the same.

Yours sincerely,  
Adani Krishnapatnam Port Limited.

  
(Authorized Signatory)

Encl: a/a

Cc: Environment Engineer,  
APPCCB, RO, Nellore.

Adani Krishnapatnam Port Ltd  
PO Bag No 1, Muthukur Mandal,  
SPSR Nellore District 524344  
Andhra Pradesh, India  
CIN: U45203AP1996PLC023529

Tel +91 861 237 7999  
Fax +91 861 237 7046  
info@adani.com  
www.adaniports.com



Lr. No. AKPL/ENVIRONMENT/APPCB/29/2026-27

Date: 25.06.2026

To

The Member Secretary,  
Andhra Pradesh Pollution Control Board (APPCB),  
Paryavaran Bhavan, APIIC Colony Road,  
Gurunanak Colony, Autonagar, Vijayawada,  
Andhra Pradesh, 520007.

Dear Sir,

**Sub:** Adani Krishnapatnam Port Limited – Submission of Environment  
Statement Form – V for the FY 2025-26 – Reg.

**Ref:** CTO & HWA Order No. APPCB/VJA/NLR/11344/CF0/HO/2019 dated  
11.11.2022 valid up to 31.08.2027.

@@@

In compliance with the CTO & HWA condition No.6 stipulated in schedule – A of  
CTO & HWA Order vide reference cited, and as per Rule No. 14 of E(P) Rules, 1986  
& amendments thereof, submitting herewith the Environment Statement in  
FORM V of Adani Krishnapatnam Port Limited (AKPL) for the year of 2025-26.

Kindly acknowledge receipt of the same.

Yours sincerely,  
Adani Krishnapatnam Port Limited.

  
(Authorized Signatory)



Encl: a/a

Cc: Environment Engineer,  
APPCB, RO, Nellore.

---

ENVIRONMENTAL STATEMENT FORM - V

---

**ADANI KRISHNAPATNAM PORT LIMITED**

**adani**

---

Ports and  
Logistics

JUNE 19, 2026  
FOR THE FINANCIAL YEAR 2025-26

## ENVIRONMENTAL STATEMENT FORM – V

(See Rule – 14)

The Ministry of Environment & Forest vide its notification dated 13<sup>th</sup> March, 1992 directed all industries which need to have consent under Water (Prevention & Control of Pollution) 1974 and Air (Prevention & Control of Pollution) 1981 to file the Environmental statement every year. This is to be filed for the period ending March by September 30<sup>th</sup> every year. The format for the same is as follows:

### ENVIRONMENTAL STATEMENT FOR THE YEAR ENDING 31<sup>ST</sup> MARCH 2025

#### PART – A

- I. Name and address of the owner / occupier of the industry, operation or process. : Adani Krishnapatnam Port Limited
- Corporate Office : Adani Corporate House, Shanti gram,  
Near Vaishno Devi Circle,  
S.G Highway, Khodiyar, Ahemdabad-  
382421, Gujarat.
- II. Site Office : Adani Krishnapatnam Port Limited,  
Post Box No. 1, Krishnapatnam Village  
Muthukur Mandal  
Sri Potti Sri Ramulu Nellore District  
Andhra Pradesh  
Pin: 524 344
- III. Operation or Process : Port – Services
- IV.
- V. Industry category Primary - : -----  
(STC Code) Secondary- (STC Code)
- VI. Production category. Units : Red Category Large - Services
- VII. Year of establishment : 2006
- VIII. Date of the last Environmental Statement submitted : **16.07.2025 for the period of 2024-2025**

**PART - B**

i.	<b>Water and Raw Material Consumption</b>	
	Water consumption in m <sup>3</sup> /d	2736.96 m <sup>3</sup> /d
	Process	: NA
	Cooling	: NA
	Domestic	: 625.85 m <sup>3</sup> /d
	DSS & Gardening	: 2111.11 m <sup>3</sup> /d

Name of Products	Process water consumption per unit of products	
	During the previous financial year	During the current financial year
Handling and Storage of cargo	Being a port activity, no process water consumption is involved, but 810669 m <sup>3</sup> /annum of Water is being utilized for Dust suppression, firefighting & Greenbelt development. <b>0.0147 m<sup>3</sup></b> water consumption per unit of MT of Cargo handled.	Being a port activity, no process water consumption is involved. 770264 m <sup>3</sup> /annum of Water utilized for Dust suppression and firefighting & Greenbelt development. <b>0.013 m<sup>3</sup></b> water consumption per MT of Cargo handled.

**Note:** Monthly water consumption details are attached as **Annexure - A**.

i. Raw Material Consumption : Not Applicable

Name of raw materials*	Name of Products	Process water consumption per unit of products	
		During the previous financial year	During the current financial year
Nil	Nil		
Being a Port activity, no raw material handling involved.			

\*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries must name the raw materials used. Cargo handled details for the period of FY 2025-26 attached as **Annexure-B**.

**PART - C**

I. Pollution Discharge into Environment /unit of output (Parameter as specified in the consent issued)

Pollutants	Parameter	Qty. of pollutants Discharged (Mass/day)	Concentration of pollutants in discharges(mass/volume)	Percentage of variation from prescribed standards with reasons
A. Water (Domestic Sewage)	BOD	2.3 Kg/day	12 Mg/l	All values are observed well within the prescribed CTO standards
	TSS	4.2 Kg/day	32 Mg/l	
	Oil & Grease	BDL	BDL	
B. Air	<p>There are no point source emissions within port premises. AKPL has installed 5 No's of Continuous Ambient Air Quality Monitoring stations (CAAQMS) at CVR Amenities Complex, towards Thamminapatnam Village and towards Krishnapatnam Village, North side &amp; South side of the port for the parameters <b>PM2.5, PM10, SO2, NO<sub>2</sub>, CO and NH3</b>. The CAAQM Stations are calibrated by CPCB authorized agency (Thermofischer Scientific India Limited). Last 1 year Monitoring reports are attached as <b>Annexure -C</b>. Additionally, monthly Environmental Monitoring has been conducted by NABL accredited laboratory (SV Enviro Labs) at 7 locations covering upwind and downwind and Crosswind directions. The monthly AAQ Test reports for the period from Apr'25 to Mar'26 are attached in this report <b>Annexure-D</b></p>			

**PART-D**

**HAZARDOUS WASTES**

(as specified under Hazardous Wastes Management & Handling Rules, 1989).

Hazardous Wastes	Total Quantity (Kg)	
	During the Previous Financial year	During the current financial year
1. From Process	Nil	Nil
2. From Pollution Control facilities		

**Hazardous Waste generated and disposal details for FY 2025-26.**

S. No	Category of Waste	Quantity Generated (Tons)	Category	Name of the Authorized recycler
1	Oil containing cargo residue washing water and sludge from ships	1199.14	3.1	M/s. Sri Balaji Petrochem
				M/s. Supreme Petro Products (Waste Oil)
2	Waste oil/Used oil from D.G Sets, Vehicles, dredgers and other machinery	135.32	5.1	M/s. Indo Petro Products
				M/s. Jyothi Lubricants
3	Sludge and filters contaminated with oil	7.6	3.3	M/s. Coastal Waste Management Project (Unit-2) - Incinerator
<b>Total</b>		<b>1342.06</b>		

**PART - E  
SOLID WASTES**

Solid Wastes	Total Quantity	
	During the previous FY 24-25	During the current FY25-26
a. From process	Nil	Nil
b. From Pollution Control Facility	Plastic waste, iron, aluminium & cardboard etc. are disposed to authorized recyclers/ re-processors permitted by Andhra Pradesh Pollution Control Board.  1376.35 Tons of scrap was sold to authorized vendors for the FY 2024-2025.	Plastic waste, iron, aluminium & cardboard etc. are disposed to authorized recyclers/ re-processors permitted by Andhra Pradesh Pollution Control Board.  2041.54 Tons of scrap was sold to authorized vendors for the FY 2025-2026.
c. Quantity recycled or utilized within the unit.	24.38 tons of Sludge generated from sewage treatment plant is being used as manure for development of green belt within the port premises.	33.46 tons of Sludge generated from sewage treatment plant is being used as manure for development of green belt within the port premises.

## PART – F

Please specify the characterisation (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- Adani Krishnapatnam Port Limited has been achieved the **Zero Waste to Landfill (ZWL) Platinum – Class I Rating** by demonstrating outstanding leadership in waste management from Confederation of Indian Industry (CII).

- Waste Diversion Rate: Attaining a diversion rate of 99.9 % from landfill through the adoption and implementation of the 5R principles — Reduce, Reuse, Repurpose, Recycle, and Recover.

- Hazardous waste of waste oil from ships and DG sets & Oil containing cargo residues are being disposed of through APPCB-authorized recyclers via the APEMCL portal, and returns are submitted in Form-IV as per statutory requirements.

- Plastic waste, E-Waste and Battery waste are being collected and disposed to SPCB authorized plastic waste recycling units.

- Provided collection bins at about 120 locations for collection of dry & wet solid & domestic waste. Developed bin collection system with dedicated collection vehicles and manpower. Segregating recyclable materials at the source and being recycled through vendors. Biodegradable food waste is sent to Food waste Converter within the port premises.

- Occupational Health Centre (OHC) to provided First Aid facility to the victims and generating very less quantity of Bio-Medical Waste. M/s. SS Bio Care an authorized Bio-medical waste Treatment Facility, Safe Collection, Transportation & disposal of properly segregated and packed BMW as per the norms.

- AKPL has banned the Single use Plastic within the port premises. Conducting campaigns to spreading awareness on waste segregation and management areas.

- Regular supervision conducted by Environment team members at waste generations in port premises.

- Sludge generated from sewage treatment plant is being used as manure for development of green belt within the port premises.

I. E-Waste in **Form-III** : AKPL has submitted on 29.04.2026 for the financial year 2025-2026.  
(Copy of Acknowledgement attached as **Annexure-E**)

II. Hazardous Waste in **Form-IV** : AKPL has submitted on 29.04.2026 for the financial year 2025-2026.  
(Copy of Acknowledgement attached **Annexure-F**)

III. Battery returns in **Form-VIII** : AKPL has submitted used on 29.04.2026 for the financial year 2025-2026.  
(Copy of Acknowledgement attached **Annexure-G**)

### **PART - G**

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

#### **Water Conservation Measures:**

Rainwater harvesting pits are provide across the port premises for recharging the ground water.

Settling ponds provided at yards for collection of yards runoff and the supernatant water is being used for dust suppression. Rainwater harvesting pits around the buildings are being maintained.

Rainwater drains are being maintained periodically & pre-monsoon season to avoid stagnation & free flow of water, and the water is using for dust suppression to the possible extent. 100% Recycling & usage of water after treating in Sewage Treatment Plant.

AKPL is having approved Oil Spill Contingency Plan. Marine Team was trained to meet Tier-I Oil spills.

#### **Mangrove Conservation:**

- Protecting and conserving the existing mangrove areas with chain fence barricading, erection of display boards and ensuring the tidal flow. As a part of EC compliance, an area of 7.128 ha of mangroves are being conserved in the port areas since its inception.
- 50 Ha. of Mangroves developed as per Phase – II EC compliance.
- Raise awareness in the local community about the importance of mangroves.
- Measures have been taken for desilting the creeks for easy tidal water flow which will enhance the natural flushing leading to healthy growth of mangroves.





- AKPL installed retrofitting emission cutters for all DG sets to mitigate the emissions and acoustic enclosure for noise reduction.
- The treated wastewater from STP is being used for green belt development.

**Energy Conservation:**

- AKPL entered a Memorandum of Understanding (MOU) with M/s Atria Wind Power private limited on 01.04.2024 for the supply of renewable power. This move aligns with AKPL’s sustainability and compliance initiatives, as reflected in their environmental highlights and compliance reports. From August 2024, 50% of total electricity requirement of AKPL is being met from renewable energy, primarily wind power.
- The adoption to renewable energy sources is part of AKPL’s broader environmental compliance and sustainability strategy, which includes regular reporting, statutory submissions, and implementation of recommendations from environmental studies.

**PART - H**

Additional measures/investment proposal for environmental protection including abatement of pollution.

**COST OF ENVIRONMENTAL MEASURES FOR THE FY 2025-2026**

S.No.	Facility Details	Description	Fund utilized for the year 2025-26 (Rs.)
1	Dust Suppression system	DSS system Maintenance with including Vacuum sweeping machines & Broom sweeping machines	71,617,631

2	STP maintenance	STP maintenance with includes Manpower and equipment repairing works.	675,104
3	500 KLD & 40 KLD power consumption cost	STP power consumption cost	1,918,330
4	Water Cost - Nakkala Kaluva	Water consumption for Dust suppression system	17,46,360
5	Green belt Development & Mangrove development	FYM, Sapling purchasing, JCB, Transport, Diesel, Fertilizers, Vehicle bills cost	16,404,950
6	Truck Wheel wash facility	Truck Wheel wash facility	97,200
7	CAAQMS	Maintenance of existing 3 CAAQMS +2	10,733,061
8	Water Sampling & Analysis	Marine, Drinking, Sewage water sampling & analysis cost	4,358,053
9	Wind screen Erection repair and maintenance	Erection repair and maintenance	2943892
<b>Total</b>			<b>11,049,4581</b>

**Additional measures undertaken during FY 2025-26 are as follows:**

- Completed Electrification of Cranes & Compressor from diesel Cranes
- Usage of EV cars for Employee transportation
- Started plantation program 'Each One Own One Plant' and 'Ek Ped Maa Ke Naam' with "Geotagging".
- Converted 9 no's Liebherr cranes operation from diesel motors to Electrical motors.
- Converted 1 diesel operated oil compressor to electrically operated at liquid jetty.
- All Marine tugs provided with shore power 100% while at jetty.
- Established hooded conveyor belts to mitigate dust emission into the atmosphere.
- Most of the Port operations are being carried out through mechanized cargo handling equipment to avoid cargo spillage and dust emissions.
- Conveyors and Hopper systems are in place with water sprinkling system for handling coal from berths to storage yards to mitigate fugitive dust emissions while handling & transportation.
- Using Grab ship unloaders and Hooper systems for avoiding dust emissions. Ship Un-loaders & loaders are associated with Mechanical Dust Suppression System.
- Coal Evacuated in the FY 2024-25 is 39.83 MMT, in which 25% was dispatched through

rail, 44% was handled through conveyors and 31% was dispatched through road with 100% tarpaulin coverage.

- AKPL has established GI fabricated Wind shield structure along with the dense plantation towards the habitation area.



**Coal cargo handling through Mechanized Infrastructure**



**Silo with Swing Chute system**



**Mechanical handling systems**



**Closed conveyor system for coal Handling**

**Green Belt Details:**

- AKPL has developed the green belt with native saplings suitable for the designated land with good survival rate.



**Green Belt – South Shore**



**Green Belt – North Shore**



**Green Belt – West Port**



**Avenue Plantations towards berths**



**Greenbelt Protection to Buckingham Canal inside the port premises**



### **Green Belt – Coal sidings**

- AKPL established 27 No. of truck tarpaulin covering stations at various locations within the Port to facilitate and ensure all the outgoing cargos by Trucks are covered with tarpaulin.
- Ensuring all the outbound cargo carrying truck/Wagons are covered with tarpaulin and tightly tied with rope so that the tarpaulin should not be uncovered while traveling until the truck reaches the destination without any transit spillages.



### **Truck Tarpaulin covering system**



### Wind shield Erection

- Mechanical Dust Suppression System, water cannons at stack yards for dust suppression. The water cannons at 50 -100 meters intervals which cover a horizontal radius of approx. 50 meters and reaches a height up to 15 meters and rotates in 180 degrees.
- The water is sprayed from various points by water cannons at pressure of about 6 Kg/cm<sup>2</sup> to form a mist over the cargo stacks and other places and the mist attracts the dust to settle it down without spreading along the wind.
- AKPL being operated 4 heavy duty atomizers as innovative technology in dust suppression system.
- MDSS is equipped with sprinklers to spray water jet that forms a blanket of wetness on cargo heaps and helps to control the dust emissions.





### PART - I

Any other particulars in respect of environmental protection and abatement of pollution.	
1.	<ul style="list-style-type: none"> <li>➤ Celebrated <b>World Environment Day 5<sup>th</sup> June 2025</b>, Adani Krishnapatnam Port - EHS team of AKPL organised a rally in the port where all employees participated by propagating to <b>End Plastic pollution and</b> save our earth.</li> <li>➤ This year's World Environment Day campaign focuses on "<b>Ending Plastic Pollution</b>".</li> <li>➤ Honourable CEO-Shri Jagdish Patel has addressed the gathering and deliver the message how important to stop Plastic Usage and control measures.</li> <li>➤ 'Ek Ped Maa Ke Naam' Plantation drive.</li> <li>➤ Honourable CEO- Shri Jagdish Patel has initiated the Plantation Drive.</li> <li>➤ All the employees has taken the pledge by saying "<b>#Join the Beat Plastic Pollution movement— because together we can create a healthier future.</b>"</li> <li>➤ A week-long plantation drive was conducted on the occasion of World Environment Day, during which 5,830 saplings were planted in surrounding villages, including the Gopalapuram Gate area, Chalivendram village boundary, and the southern side of the port.</li> <li>➤ Awareness programme on importance to Beat plastic pollution and Housekeeping initiatives.</li> </ul>



Adani Krishnapatnam Port Limited  
**WORLD ENVIRONMENT  
 DAY 2025**



Theme: End Plastic Pollution



2. Adani Krishnapatnam Port celebrated International Day for the Preservation of the Ozone Layer 2025 with the theme of **"From science to global action"** 16<sup>th</sup> September 2025, AKPL took a commitment pledge for ozone protection.

- EHS team of AKPL organized a awareness campaign in the port where all employees participated
- AKPL employees and workers were oath to protect the mother Earth, save ourselves and protect and conserve natural resources for the future generations.
- Through this Awareness campaign employees and workers understanding about ODS substances, how it was damaging the Ozone layer.

Awareness Campaign Photographs



Awareness Campaign Photographs





3. AKPL Celebrated "World Water Day" (22nd March 2026), AKPL has conducted an awareness campaign in port premises to all our employees and workers
- We were conducting this program with theme of "Water and Gender"
  - The theme aims to highlight the critical link between equitable water access and gender equality".

World Water DAY 2026 - Awareness Photographs



World Water DAY 2026 - Awareness Photographs



Adani Krishnapatnam Port Limited



UN WATER  
22 MARCH 2026  
WORLD WATER DAY



THEME: "WATER AND GENDER"

SLOGAN:  
"WHERE WATER FLOWS,  
EQUALITY GROWS"

4. The Honorable Chief Minister of AP has announced that it is important to dedicate one day – the third Saturday of every month for "Swachhata" to promote cleanliness day for the state can usher in numerous benefits #Swarna Andhra - Swachh Andhra.

Photographs of Rally at AKPL



Photographs of Pledge taken by AKPL employees



## Environmental Monitoring Program in AKPL

As per the statutory guidelines AKPL appointed an authorized 3<sup>rd</sup> party agency, for monitoring of the environmental parameters of the port as well as nearby villages such as Krishnapatnam village, Gopala Puram Village, Chalivendram village and Thamminapatnam Village areas.

### 1. Ambient Air Quality Monitoring:

AKPL has been operating 5 No. of CAAQM stations of Beta Ray Attenuation technology to measure the parameters PM 10, PM 2.5, NOx, NH3, SO2, CO, , at the following locations and data connected to APPCB website.

Station code	Location	Direction w.r.t. Project site	Coordinates Latitude & Longitudes	Distance from Port
CAAQMS - 1	At CVR Building	WNW	14°16'33.45"N 80° 5'54.46"E	1.4 KM
CAAQMS - 2	At Thamminapatnam Village	S	14°13'39.25"N 80° 6'5.84"E	2.5 KM
CAAQMS -3	At Krishnapatnam Village	NNW	14°16'47.69"N 80° 6'23.17"E	3.0 KM
CAAQMS -4	Towards North side	NW	14°16'0.36"N & 80° 4'36.95"E	2.93 KM
CAAQMS -5	Towrads South side	S	14°14'2.49"N & 80° 6'34.63"E	1.45 KM

		
<b>Station - 1</b> <b>CVR Amenities Complex</b>	<b>Station - 2</b> <b>Thamminapatnam Village</b>	<b>Station - 3</b> <b>Krishnapatnam Village</b>

**Additional CAAQMS stations in AKPL site**



**Station 4 North West direction of the port**

Latitude : 14°16'0.36"N  
Longitude : 80° 4'36.95"E.



**Station 5 South direction of the port**

Latitude : 14°14'2.49"N  
Longitude : 80° 6'34.63"E

The Port appointed an NABL accredited lab to monitor the CAAQM Stations and submitting the reports to APPCB on monthly basis along with the Compliance reports & to MoEF & CC on Half-Yearly basis.



- i. CAAQMS station 1 – at Amenities Complex
- ii. CAAQMS station 2 – at Thamminapatnam Village (South Port)
- iii. CAAQMS station 3 - at Krishnapatnam Village
- iv. Gopalapuram Village
- v. Chalivendram Village
- vi. Port Main Gate (“O Point)
- vii. New Light House

**A. Noise Monitoring**

Noise monitoring is being carried out as per the statutory regulations for the seven locations and the reports are well within the statutory limits and the same are being submitted to the APPCB monthly.

- I. Krishnapatnam Village - Residential
- II. Gopalapuram Village - Residential
- III. Chalivendram Village - Residential
- IV. Port Main Gate (“O” Point)- Industrial
- V. Amenities Complex - Industrial
- VI. New Light House - Residential
- VII. Thamminapatnam Village (South Port) - Industrial

**B. Ground Water quality monitoring**

Ground water quality monitoring is being carried out on half yearly monthly basis as per the statutory regulations for the Krishnapatnam Port premises and reports are within the statutory limits and the same are being submitted to the APPCB along with 6 months report.

- 1. Port side

2. Krishnapatnam Village
3. South side of the Port
4. Gopalapuram Village



**C. Marine Water / Sediment monitoring**

The marine water and sediment quality monitoring is being carried out weekly basis of tidal sampling for the Four locations as

1. Port entrance (Approach Channel)
2. Turning Circle
3. Coal berth
4. Reclamation area (Mutable)

Physical, chemical and biological parameters were analysed for water as well as for sediment to assess the quality and the same is being submitted to the APPCB. The reports indicate that the waters are not having any noticeable contamination.



### **Details of Green belt in Adani Krishnapatnam Port**

Development of greenbelt is a continuous process in AKPL. Up to Financial year 2025-2026, the total plantation in the Port is about 231.23 Ha as of April 2026.

- Green cover needs to reduce the pollution levels
- Improve the standard of Ambient Air Quality
- Meet the statutory requirements & compliance.
- Reduce the carbon emissions

The environment department is fixing its own targets besides statutory requirements and achieving the targets from time to time.

The land available in AKPL is mostly sand dunes and salt pans which are not supportive for plantation.

AKPL developed a good plantation with saplings suitable for the available land and achieved good results.

### **High Density Plantation (Miyawaki)**

Miyawaki afforestation / plantation involves several different types of native plants closely just to form a Green Wall and a completely chemical free forest in an organic way that sustains itself, supports local biodiversity, and attracts birds and insects. In 'Miyawaki' forests, the trees grow more quickly and absorb more CO<sub>2</sub> than plantations grown for timber.

Its benefits include lowering temperature, making soil nutritious, supporting local wildlife and sequestration of carbon.

With the spirit of Miyawaki type plantation, AKPL continued further plantation in Miyawaki method in the other locations, viz., LC3 location and Chalivendram boundary.

**Nursery:**

AKPL Established an exclusive nursery in an extent of 4.5 Acres within the Port premises and maintaining about 1.9 L to 2.0 L saplings of Avenue, Ornamental & Fruit bearing species viz., Badam, Tabebuia argentea, Polyalthia longifolia. Spathodea campanulata , Samanea saman, Mangifera indica, Psidium guava, Bougainvillea, Pheonix palm, Ixora chinensis rosea, Pandanus Veitchi, Cocos Nucifera, Allamanda nerifolia , Bougainvillea Pedilanthus, Cassia fistula, Peltophorum, Cassia siamea, Delonix regia, Hibiscus rosa-sinensis, Clitoria ternatea, Casuarina Equisetifolia, etc.

The captive nursery played a significant role in restoration / reforestation after series of cyclones.

**Photographs of Nursery & Greenbelt:**





**AKPL: Green belt photographs**



## ANNEXURE – A

Average daily Water Consumption in a month for the period from Apr'25 to Mar'26				
Month	Industrial Consumption (KLD)		Domestic Consumption (KLD)	Total (KLD)
	DSS	Gardening		
APR'25	1915	324	632	2871
MAY'25	1930.6	332.6	628.4	2892
JUN'25	1931.3	338	628.7	2898
JUL'25	1936.3	372.1	628.7	2937
AUG'25	1927.4	358.4	622.6	2908
SEP'25	1857.7	338.1	609	2805
OCT'25	1151.3	169.7	621.9	1943
NOV'25	1743	308	627	2678
DEC'25	1732	309	627	2668
JAN'26	1818	321	625.2	2764
FEB'26	1783	320	630	2733
MAR'26	1872.6	244.2	629.7	2747
<b>Total</b>	<b>21598.2</b>	<b>3735.1</b>	<b>7510.2</b>	<b>32843.5</b>
<b>Consent Qty.</b>	<b>1950</b>	<b>350</b>	<b>650</b>	<b>2950</b>
<b>Average</b>	<b>1799.85</b>	<b>311.26</b>	<b>625.85</b>	<b>2736.96</b>

Month	During the Financial Year 2024-2025	During the Financial Year 2025-2026
<b>STP Treated water (KL/Month)</b>		
Apr-24	6172	4143
May-24	5961	4230
Jun-24	5795	4739
Jul-24	4697	4371
Aug-24	4690	4420
Sep-24	4502	3961
Oct-24	5533	4076
Nov-24	4971	3822
Dec-24	4632	3930
Jan-25	4271	3521
Feb-25	4077	3561
Mar-25	4764	4198
<b>Average KL/Month</b>	<b>5005</b>	<b>4081.00</b>

## ANNEXURE - B

## Cargo Handled at Adani Krishnapatnam Port – (April 2025 – March 2026)

Details of Cargo	Total Quantity (MT)	
	Consented MMTPA	Quantity Commodities Handled in MMTPA
a) Coal	46	42.64
b) Iron Ore	8	5.61
c) General Cargo (Fertilizers, granites, Edible Oil and Lube oils, Others)	14	9.82
d) Liquid Cargo(POL, LNG, LPG, Chemical Products)	10	1.14
e) Container Cargo (MTEUsA)	2.0	0.00
Total	<b>78 MMTPA + 2 MTEUsA</b>	<b>59.22 MMTPA</b>

## Adani Krishnapatnam Port Limited - CAAQM Monthly Averages for the period April 2025 to March 2026

Date	Location -CVR Complex				
	PM10 - (ug/m3)	PM2.5 - (ug/m3)	SO2 - (ug/m3)	NO2 - (ug/m3)	CO - (mg/m3)
<b>Parameter</b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	<b>SO<sub>2</sub></b>	<b>NO<sub>2</sub></b>	<b>CO</b>
<b>Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>4</b>
APR'25	40.83	27.73	12.22	11.99	1
MAY'25	37.73	18.38	12.92	12.21	0.84
JUN'25	39.05	14.19	13.13	3.18	1.13
JUL'25	39.09	14.61	14.7	2.66	1.26
AUG'25	50.65	22.64	16.48	3.77	1.62
SEP'25	52.3	22.94	16.93	4.21	2.05
OCT'25	43.74	23.21	19.51	2.83	1.01
NOV'25	51.22	30.23	15.44	4.67	0.65
DEC'25	52.69	35.05	18.66	5.56	1.33
JAN'26	62.68	32.79	25.63	4.54	1.39
FEB'26	57.2	32.21	26.16	5.55	1.56
MAR'26	54.23	28.44	26.99	4.77	0.89
<b>Average</b>	<b>48.45</b>	<b>25.20</b>	<b>18.23</b>	<b>5.50</b>	<b>1.23</b>

Date	Location -Thamminapatnam Village				
	PM10 - (ug/m3)	PM2.5 - (ug/m3)	SO2 - (ug/m3)	NO2 - (ug/m3)	CO - (mg/m3)
<b>Parameter</b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	<b>SO<sub>2</sub></b>	<b>NO<sub>2</sub></b>	<b>CO</b>
<b>Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>4</b>
APR'25	37.82	25.51	8.78	3.96	0.35
MAY'25	49.51	24.25	9.17	11.15	0.28
JUN'25	51.4	19.33	9.28	10.53	0.46
JUL'25	2.22	46.87	15.8	9.67	10.26
AUG'25	37.37	14.96	10.41	10.96	0.81
SEP'25	45.98	19.9	10.75	11.69	0.94
OCT'25	38.77	18.29	15.2	11.61	0.96
NOV'25	53.9	31.08	19.6	22.28	1.19
DEC'25	53.01	32.15	14.61	23.74	1.32
JAN'26	67.45	33.34	1.04	20.61	1.22
FEB'26	59.72	25.15	1.36	21.45	1.39
MAR'26	44.6	14.24	2.55	19.12	1.55
<b>Average</b>	<b>45.15</b>	<b>25.42</b>	<b>9.88</b>	<b>14.73</b>	<b>1.73</b>

Date	Location – Krishnapatnam Village				
	PM10 - (ug/m3)	PM2.5 - (ug/m3)	SO2 - (ug/m3)	NO2 - (ug/m3)	CO - (mg/m3)
Parameter	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	CO
Standard	100	60	80	80	4
APR'25	54.65	31.89	12.53	18.51	0.81
MAY'25	54.26	33.2	15.43	18.78	0.99
JUN'25	58.16	32.71	14.46	14.64	1.44
JUL'25	53.03	28.96	14.89	5.83	1.78
AUG'25	50.17	30.67	15.19	11.91	0.87
SEP'25	49.73	31.78	15.64	13.15	0.7
OCT'25	47.5	29.24	16.38	11.08	0.85
NOV'25	49.58	36.65	16.3	10.37	0.65
DEC'25	66.63	33.46	19.55	4.46	0.64
JAN'26	54.26	35.3	28.58	10.45	0.5
FEB'26	53.34	36.13	28.79	8.19	0.53
MAR'26	42.18	32.14	28.85	8.09	0.45
<b>Average</b>	52.79	32.68	18.88	11.29	0.85

Date	Location – North West				
	PM10 - (ug/m3)	PM2.5 - (ug/m3)	SO2 - (ug/m3)	NO2 - (ug/m3)	CO - (mg/m3)
Parameter	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	CO
Standard	100	60	80	80	4
APR'25	74.99	42.5	NA	NA	NA
MAY'25	74.97	42.47	NA	NA	NA
JUN'25	61.72	15.73	23.9	10.76	0.69
JUL'25	58.51	14.89	15.34	10.61	1.24
AUG'25	34.96	17.95	13.09	10.09	2.15
SEP'25	40.95	20.58	9.98	9.17	2.6
OCT'25	41.82	18.4	6.73	8	2.53
NOV'25	42.55	24.43	6.29	3.68	2
DEC'25	57.3	35.47	12.63	14.04	1.5
JAN'26	55.16	31.63	25.96	9.57	2.01
FEB'26	56.2	28.9	27.63	14.52	1.56
MAR'26	47.36	25.76	27.28	13.41	0.75
<b>Average</b>	53.87	26.56	16.88	10.39	1.70

Date	Location – South Side				
	PM10 - (ug/m3)	PM2.5 - (ug/m3)	SO2 - (ug/m3)	NO2 - (ug/m3)	CO - (mg/m3)
Parameter	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>2</sub>	CO
Standard	100	60	80	80	4
APR'25	66.32	35.03	NA	NA	NA
MAY'25	60.12	31.33	NA	NA	NA
JUN'25	49.1	21.43	21.53	4.93	0.57
JUL'25	44.78	16.21	20.35	2.6	1.18
AUG'25	39.89	17.45	13.28	2.61	1.79
SEP'25	43.03	20.09	9.41	2.28	2.47
OCT'25	39.32	21.11	10.69	2.33	0.9
NOV'25	48.81	29.84	7.65	4.6	0.91
DEC'25	48.18	30.41	6.62	7.01	1.24
JAN'26	63.78	25.57	2.31	2.76	1.39
FEB'26	62.67	20.69	5.58	1.08	1.24
MAR'26	48.2	14.7	6.81	0.43	1.03
<b>Average</b>	51.18	23.66	10.42	3.06	1.27



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

☎ +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@svenviro.com 🌐 www.svenviro.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/AKPL/25-04/01

Date: 05-05-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 14-04-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	66.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	27.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.22	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
SV ENVIRO LABS & CONSULTANTS



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

© +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/AKPL/25-04/02

Date: 05-05-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 14-04-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	59.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.0	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.5	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.4	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.20	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
SV ENVIRO LABS & CONSULTANTS



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

☎ +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@svenviro.com www.svenviro.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVE LC/AKPL/25-04/03

Date: 05-05-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 14-04-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	56.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.4	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.0	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.18	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



SV ENVIRO LABS & CONSULTANTS 



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

© +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@senvirolabs.com 🌐 www.senvirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/AKPL/25-04/04

Date: 05-05-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT GOPALPURAM VILLAGE**

DATE OF START : **15-04-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.5	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.6	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.16	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



SV ENVIRO LABS & CONSULTANTS 



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

© +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/AKPL/25-04/05

Date: 05-05-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **15-04-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	53.1	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.10	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



SV ENVIRO LABS & CONSULTANTS 



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

© +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@senvirolabs.com 🌐 www.svenirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/AKPL/25-04/06

Date: 05-05-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT KRISHNAPATNAM**

DATE OF START : **16-04-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	62.8	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



SV ENVIRO LABS & CONSULTANTS 



# SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA Autonagar, Visakhapatnam-530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad-500072

© +91-9440338628, +91-7207664444 ✉ svenviro\_labs@yahoo.co.in, info@senvirolabs.com 🌐 www.svenirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/AKPL/25-04/07

Date: 05-05-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 16-04-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	58.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.12	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



SV ENVIRO LABS & CONSULTANTS 



# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVELC/AKPL/25-05/01

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT ZERO POINT**

DATE OF START : **12-05-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	70.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	29.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	14.1	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	15.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	11.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.28	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
SV ENVIRO LABS & CONSULTANTS





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVELC/AKPL/25-05/02

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT THAMMINAPATNAM VILLAGE**

DATE OF START : **12-05-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	63.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	27.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.1	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.25	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



SV ENVIRO LABS & CONSULTANTS





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVE LC/AKPL/25-05/03

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CVR BUILDING**

DATE OF START : **12-05-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	61.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	26.0	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.5	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.23	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*amp*  
CHECKED BY



*AS*  
SV ENVIRO LABS & CONSULTANTS

Corporate Office And Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91-9440338628

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVELC/AKPL/25-05/04

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT GOPALPURAM VILLAGE**

DATE OF START : **13-05-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	58.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.20	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



SV ENVIRO LABS & CONSULTANTS

Corporate Office And Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com

E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91-9440338628

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVELC/AKPL/25-05/05

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **13-05-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	57.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.7	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.1	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



SV ENVIRO LABS & CONSULTANTS





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVELC/AKPL/25-05/06

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT KRISHNAPATNAM**

DATE OF START : **14-05-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	65.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	27.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	13.0	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.9	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.18	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



SV ENVIRO LABS & CONSULTANTS

Corporate Office And Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com

E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91-9440338628

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly know as SV ENVIRO LABS & CONSULTANTS

(Researching for better Environmental solutions)

Ref: SVELC/AKPL/25-05/07

Date: 07-06-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY**

DATE OF START : 14-05-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	62.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	24.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
SV ENVIRO LABS & CONSULTANTS

Corporate Office And Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012

Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91-9440338628

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-06/01

Date: 03-07-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 16-06-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	67.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	28.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	13.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.24	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com  
E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-06/02

Date: 03-07-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 16-06-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	60.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	24.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.21	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/25-06/03

Date: 03-07-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CVR BUILDING**

DATE OF START : **16-06-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	58.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	24.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.7	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.19	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-06/04

Date: 03-07-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 17-06-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	55.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.0	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-06/05

Date: 03-07-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **17-06-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.8	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-06/06

Date: 03-07-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT KRISHNAPATNAM

DATE OF START : 18-06-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	61.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.1	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.0	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.14	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com  
E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-06/07

Date: 03-07-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 18-06-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	59.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.5	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



AUTHORIZED SIGNATORY 

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-07/01

Date: 04-08-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 14-07-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	64.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.1	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.21	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-07/02

Date: 04-08-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 14-07-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	57.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.7	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.18	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/25-07/03

Date: 04-08-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 14-07-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	55.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.16	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-07/04

Date: 04-08-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 15-07-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	52.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.14	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-07/05

Date: 04-08-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **15-07-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	51.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.10	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

**Corporate Office and Laboratory:** Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
**Hyderabad Office:** #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

**Website:** www.svenvirolabs.com

**E-Mails :** info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

**Contacts**

0891-2755528, +91 7207664444

**PAN:** ABQCS0643F

**CIN:** U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-07/06

Date: 04-08-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT KRISHNAPATNAM**

DATE OF START : **16-07-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	58.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.11	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

**Corporate Office and Laboratory:** Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
**Hyderabad Office:** #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

**Website:** www.svenvirolabs.com

**E-Mails :** info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

**Contacts**

0891-2755528, +91 7207664444

**PAN:** ABQCS0643F

**CIN:** U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-07/07

Date: 04-08-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 16-07-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	56.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.1	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.4	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.09	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-08/01

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 11-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	61.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.0	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.9	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.18	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-08/02

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 11-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	53.8	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/25-08/03

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 11-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	51.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-08/04

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 12-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	48.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.10	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com

E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-08/05

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CHALIVENDARAM

DATE OF START : 12-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	47.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	18.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	6.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.08	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-08/06

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT KRISHNAPATNAM

DATE OF START : 13-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	55.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.5	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.08	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com

E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-08/07

Date: 05-09-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 13-08-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	52.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	17.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.5	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	8.2	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.9	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.07	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-09/01

Date: 06-10-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 15-09-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	65.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	26.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.2	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.1	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.23	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



AUTHORIZED SIGNATORY 

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-09/02

Date: 06-10-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 15-09-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	56.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.0	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.6	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.0	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.19	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/25-09/03

Date: 06-10-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 15-09-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.6	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.9	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-09/04

Date: 06-10-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 16-09-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	51.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Recognized by GOI - MoEFCC, Accredited by NABL & NABET

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-09/05

Date: 06-10-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **16-09-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	50.8	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.12	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-09/06

Date: 06-10-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT KRISHNAPATNAM

DATE OF START : 17-09-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	57.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com  
E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-09/07

Date: 06-10-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 17-09-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	55.1	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.11	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-10/01

Date: 08-11-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 13-10-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	63.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	24.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.19	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-10/02

Date: 08-11-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT THAMMINAPATNAM VILLAGE**

DATE OF START : **13-10-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.1	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.16	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCG0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/25-10/03

Date: 08-11-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 13-10-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	51.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.1	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-10/04

Date: 08-11-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT GOPALPURAM VILLAGE**

DATE OF START : **14-10-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	48.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.12	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-10/05

Date: 08-11-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **14-10-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	47.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.10	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Recognized by GOI - MoEFCC, Accredited by NABL & NABET

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-10/06

Date: 08-11-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT KRISHNAPATNAM**

DATE OF START : **15-10-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.6	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.0	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.11	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Recognized by GOI - MoEFCC, Accredited by NABL & NABET

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-10/07

Date: 08-11-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY**

DATE OF START : 15-10-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	52.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	18.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	8.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.09	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ARQCS0643F

CIN: U74909AP2025PTC119098





Ref: SV/AKPL/25-11/01

Date: 05-12-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 10-11-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	60.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.16	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





Ref: SV/AKPL/25-11/02

Date: 05-12-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT THAMMINAPATNAM VILLAGE**

DATE OF START : **10-11-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	50.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.5	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.12	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





Ref: SVE LC/AKPL/25-11/03

Date: 05-12-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 10-11-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	48.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.11	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*AD*

CHECKED BY



*Buyy*

AUTHORIZED SIGNATORY





Ref: SV/AKPL/25-11/04

Date: 05-12-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 11-11-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	44.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.09	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





Ref: SV/AKPL/25-11/05

Date: 05-12-2025

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CHALIVENDARAM

DATE OF START : 11-11-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	43.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	18.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	6.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.07	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY





Ref: SV/AKPL/25-11/06

Date: 05-12-2025

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT KRISHNAPATNAM**

DATE OF START : **12-11-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	51.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.08	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Ref: SV/AKPL/25-11/07

Date: 05-12-2025





NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **KRISHNAPATNAM VILLAGE**  
**NEAR LIGHT HOUSE COLONY**

DATE OF START : 12-11-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	47.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	16.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	7.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.05	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-12/01

Date: 03-01-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT ZERO POINT**

DATE OF START : **14-12-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	65.1	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.1	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.20	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-12/02

Date: 03-01-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 14-12-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	53.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



AUTHORIZED SIGNATORY 

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/25-12/03

Date: 03-01-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CVR BUILDING**

DATE OF START : **14-12-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	52.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.5	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.14	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-12/04

Date: 03-01-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 15-12-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	49.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.1	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com

E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-12/05

Date: 03-01-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **15-12-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	46.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.12	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



AUTHORIZED SIGNATORY 





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-12/06

Date: 03-01-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT KRISHNAPATNAM

DATE OF START : 16-12-2025

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	55.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.5	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.1	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025P1C119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/25-12/07

Date: 03-01-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY**

DATE OF START : **16-12-2025**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	53.7	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.2	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.10	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





Ref: SV/AKPL/26-01/01

Date: 04-02-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT ZERO POINT**

DATE OF START : **19-01-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

### TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	62.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.7	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-01/02

Date: 04-02-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT THAMMINAPATNAM VILLAGE

DATE OF START : 19-01-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	49.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.0	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.13	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY

  
AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SVE LC/AKPL/26-01/03

Date: 04-02-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 19-01-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	46.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.0	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	9.2	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.10	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-01/04

Date: 04-02-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 20-01-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	44.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	17.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.09	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-01/05

Date: 04-02-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **20-01-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	42.1	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	16.3	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.0	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.4	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.0	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.07	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com  
E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-01/06

Date: 04-02-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT KRISHNAPATNAM

DATE OF START : 21-01-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	50.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.3	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.4	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.09	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-01/07

Date: 04-02-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **KRISHNAPATNAM VILLAGE**  
**NEAR LIGHT HOUSE COLONY**

DATE OF START : 21-01-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	49.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	16.2	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.1	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	8.0	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	7.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.06	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

  
CHECKED BY



  
AUTHORIZED SIGNATORY

**Corporate Office and Laboratory:** Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
**Hyderabad Office:** #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

**Website:** www.svenviolabs.com

**E-Mails :** info@svenviolabs.com, svenviro\_labs@yahoo.co.in

**Contacts**

0891-2755528, +91 7207664444

**PAN:** ABQCS0643F

**CIN:** U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-02/01

Date: 06-03-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT ZERO POINT

DATE OF START : 16-02-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	67.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	26.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.2	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.21	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*Duty*  
CHECKED BY



*[Signature]*  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com

E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-02/02

Date: 06-03-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT THAMMINAPATNAM VILLAGE**

DATE OF START : 16-02-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	24.6	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.9	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.0	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.18	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





Ref: SVE LC/AKPL/26-02/03

Date: 06-03-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT CVR BUILDING

DATE OF START : 16-02-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	50.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	11.4	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-02/04

Date: 06-03-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT GOPALPURAM VILLAGE**

DATE OF START : **17-02-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	48.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	20.1	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	8.7	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.4	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.14	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*Quality*  
CHECKED BY



*AP*  
AUTHORIZED SIGNATORY

**Corporate Office and Laboratory:** Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
**Hyderabad Office:** #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

**Website:** www.svenviolabs.com

**E-Mails :** info@svenviolabs.com, svenviro\_labs@yahoo.co.in

**Contacts**

0891-2755528, +91 7207664444

**PAN:** ABQCS0643F

**CIN:** U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-02/05

Date: 06-03-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **17-02-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	47.9	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	19.5	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.6	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.11	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*[Signature]*  
CHECKED BY



*[Signature]*  
AUTHORIZED SIGNATORY

Recognized by GOI - MoEFCC, Accredited by NABL & NABET

**Corporate Office and Laboratory:** Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
**Hyderabad Office:** #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

**Website:** www.svenvirolabs.com

**E-Mails :** info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

**Contacts**

0891-2755528, +91 7207664444

**PAN:** ABQCS0643F

**CIN:** U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-02/06

Date: 06-03-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT KRISHNAPATNAM

DATE OF START : 18-02-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	54.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	22.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.6	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	10.7	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.14	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenviolabs.com  
E-Mails : info@svenviolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 720766444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-02/07

Date: 06-03-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 18-02-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	55.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	18.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	9.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	10.3	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	8.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.12	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*Prateek*  
CHECKED BY



*JP*  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com  
E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts  
0891-2755528, +91 7207664444

PAN: ABQCS0643F  
CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/01

Date: 02-04-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT ZERO POINT**

DATE OF START : **16-03-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	70.3	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	28.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	13.4	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	11.6	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.25	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY



AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/02

Date: 02-04-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT THAMMINAPATNAM VILLAGE**

DATE OF START : **16-03-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	58.2	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	27.5	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.8	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.1	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	11.3	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.22	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/03

Date: 02-04-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CVR BUILDING**

DATE OF START : **16-03-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	53.8	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	25.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	11.2	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.19	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



AUTHORIZED SIGNATORY 

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/04

Date: 02-04-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : AT GOPALPURAM VILLAGE

DATE OF START : 17-03-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	52.1	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	23.4	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.2	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	11.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: [www.svenvirolabs.com](http://www.svenvirolabs.com)

E-Mails : [info@svenvirolabs.com](mailto:info@svenvirolabs.com), [svenviro\\_labs@yahoo.co.in](mailto:svenviro_labs@yahoo.co.in)

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/05

Date: 02-04-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT CHALIVENDARAM**

DATE OF START : **17-03-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	50.6	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.8	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	10.9	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	13.7	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.8	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.15	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



  
AUTHORIZED SIGNATORY

Corporate Office and Laboratory: Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
Hyderabad Office: #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

Website: www.svenvirolabs.com

E-Mails : info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

Contacts

0891-2755528, +91 7207664444

PAN: ABQCS0643F

CIN: U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/06

Date: 02-04-2026

NAME AND ADDRESS : **M/s. ADANI KRISHNAPATNAM PORT LIMITED,**  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : **AMBIENT AIR QUALITY**

SOURCE OF COLLECTION : **AT KRISHNAPATNAM**

DATE OF START : **18-03-2026**

DURATION OF SAMPLING : **24 hours**

ATMOSPHERE CONDITION : **Clear Sky**

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	57.5	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	24.7	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	12.6	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	14.8	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	11.9	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.17	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

CHECKED BY 



AUTHORIZED SIGNATORY 

**Corporate Office and Laboratory:** Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam - 530012  
**Hyderabad Office:** #402, SaiKrishna Villa, Behind CMR Shopping Mall, AS Raju Nagar, Kukatpally, Hyderabad - 500072

**Website:** www.svenvirolabs.com

**E-Mails :** info@svenvirolabs.com, svenviro\_labs@yahoo.co.in

**Contacts**

0891-2755528, +91 7207664444

**PAN:** ABQCS0643F

**CIN:** U74909AP2025PTC119098





# SV ENVIRO LABS & RESEARCH PRIVATE LIMITED

formerly known as SV ENVIRO LABS & CONSULTANTS  
Researching for better Environmental Solutions



Ref: SV/AKPL/26-03/07

Date: 02-04-2026

NAME AND ADDRESS : M/s. ADANI KRISHNAPATNAM PORT LIMITED,  
Krishnapatnam Post, Muthukur Mandal,  
SPSR Nellore District,  
Andhra Pradesh – 524 344.

SAMPLE PARTICULARS : AMBIENT AIR QUALITY

SOURCE OF COLLECTION : KRISHNAPATNAM VILLAGE  
NEAR LIGHT HOUSE COLONY

DATE OF START : 18-03-2026

DURATION OF SAMPLING : 24 hours

ATMOSPHERE CONDITION : Clear Sky

## TEST REPORT

S.No	PARAMETER	UNIT	RESULT	STANDARDS	METHOD
1.	Particulate Matter - (PM <sub>10</sub> )	µg/m <sup>3</sup>	60.4	100	IS:5182 - P-23
2.	Particulate Matter - (PM <sub>2.5</sub> )	µg/m <sup>3</sup>	21.9	60	IS:5182 - P-24
3.	Sulphur Dioxide - (SO <sub>2</sub> )	µg/m <sup>3</sup>	11.7	80	IS:5182 - P-2
4.	Nitrogen Dioxide - (NO <sub>2</sub> )	µg/m <sup>3</sup>	12.5	80	IS:5182 - P-6
5.	Ammonia - (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400	IS:5182 - P-25
6.	Ozone - (O <sub>3</sub> )	µg/m <sup>3</sup>	9.5	100	IS :5182 - P-9
7.	Lead - (Pb)	µg/m <sup>3</sup>	< 0.01	01	IS:5182 - P-22
8.	Carbon Monoxide - (CO)	mg/m <sup>3</sup>	0.16	2.0	IS:5182 - P-10
9.	Benzene - (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	< 0.5	05	IS 5182 - P-11
10.	Benzo(a)pyrene - (BaP)	ng/m <sup>3</sup>	< 0.5	01	IS 5182 - P-12
11.	Arsenic - (As)	ng/m <sup>3</sup>	< 5.0	06	CPCB Guidelines
12.	Nickel - (Ni)	ng/m <sup>3</sup>	< 5.0	20	IS 5182 - P-26

*Amey*  
CHECKED BY



*Amey*  
AUTHORIZED SIGNATORY



adani

Ports and  
Logistics

Lr. No. AKPL/ENVIRONMENT/APPCB/03/2026-27

Date: 13.04.2026

To

The Environmental Engineer,  
A.P. Pollution Control Board,  
Regional Office,  
SPSR Nellore.

Sir,

Sub:- Adani Krishnapatnam Port Limited – Submission of Annual Returns Form –  
III of E waste for FY 2025-26 – Reg.

Ref:- 1. CTO & HWA Order No. APPCB/VJA/NLR/11344/CFO/HO/2019 dated  
11.11.2022 valid up to 31.08.2027.

@@@

In compliance with the conditions stipulated in CTO & HWA orders vide reference cited above we are herewith submitting the Annual Returns of Generation, Storage & Disposal of E – Waste for the year 2025-26 in **Form- III** of Adani Krishnapatnam Port Limited, as per the E-Waste (Management) Rules, 2022 and amendments thereof.

Kindly acknowledge receipt of the same.

Yours sincerely,

  
(Authorized Signatory)

Encl: a/a



Adani Krishnapatnam Port Ltd  
PO Bag No 1, Muthukur Mandal,  
SPSR Nellore District 524344  
Andhra Pradesh, India  
CIN: U45203AP1996PLC023529

Tel +91 861 237 7999  
Fax +91 861 237 7046  
info@adani.com  
www.adaniports.com

**FORM-3**

[See rules 4(5), 5(5), 8(6), 9(4), 10(8), 11(9), 13 (1) (xi), 13(2)(v), 13(3)(vii) and 13(4)(v)]

**FORM FOR FILING ANNUAL RETURNS**

[To be submitted by producer or manufacturer or refurbisher or dismantler or recycler by 30<sup>th</sup> day of June following the financial year to which that return relates].

**Quantity in Metric Tons (MT) and numbers**

1	Name and address of the producer or manufacturer or refurbisher or dismantler or recycler	Adani Krishnapatnam Port Limited, Krishnapatnam Village, Muthukur Mandal, 524344 SPSR Nellore		
2	Name of the authorized person and complete address with telephone and fax numbers and e-mail address	Mr. Kaushal Singh Adani Krishnapatnam Port Limited, Krishnapatnam Village, Muthukur Mandal, 524344 SPSR Nellore, +91 9099002568 kaushal.singh@adani.com		
3	Total quantity of e-waste collected or channelized to recyclers or dismantlers for processing during the year for each category of electrical and electronic equipment listed in the Schedule I (Attach list) by PRODUCERS	Nil No E-waste is channelized to recyclers or dismantlers for processing during FY 25-26		
	<b>Details of the above</b>	<b>TYPE</b>	<b>QUANTITY</b>	<b>No.</b>
3(A)*	BULK CONSUMERS: Quantity of e- waste	Nil	Nil	Nil
3(B)*	REFURBISHERS: Quantity of e-waste:	-	-	-
3(C)*	DISMANTLERS: i. Quantity of e-waste processed (Code wise) ii. Details of materials or components recovered and sold; iii. Quantity of e-waste sent to recycler; iv. Residual quantity of e-waste sent to Treatment, Storage and Disposal Facility.	-	-	-
3(D) *	RECYCLERS: i. Quantity of e-waste processed (Code wise); ii. Details of materials recovered and sold in the market; iii. Details of residue sent to Treatment, Storage and Disposal Facility.	-	-	-

4	Name and full address of the destination with respect to 3(A)-3(D) above		
5	Type and quantity of materials segregated or recovered from e-waste of different codes as applicable to 3(A)-3(D)	Type	Quantity

Enclose the list of recyclers to whom e-waste has been sent for recycling.

**Place: 13.04.2026**

**Date: SPSR Nellore**



**Signature of the authorized person**

**Note:**

- 1 \* Strike off whichever is not applicable
- 2 Provide any other information as stipulated in the conditions to the authorizer
- 3 In case filing on behalf of multiple regional offices, Bulk Consumers and Producers need to add extra rows to 1 & 3(A) with respect to each office.

adani

Ports and  
Logistics

Lr. No. AKPL/ENVIRONMENT/APPCB/04/2026-27

Date: 13.04.2026

To

The Environmental Engineer,  
A.P. Pollution Control Board,  
Regional Office,  
SPSR Nellore.

Sir,

Sub:- Adani Krishnapatnam Port Limited – Submission of Annual Returns Form  
– IV of Hazardous Waste for FY 2025-26 – Reg.

Ref:- 1. CTO & HWA Order No. APPCB/VJA/NLR/11344/CFO/HO/2019 dated  
11.11.2022 valid up to 31.08.2027.

@@@

In compliance with the conditions stipulated in CTO & HWA orders vide reference cited above we are herewith submitting the Annual Returns of Generation, Storage & Disposal of Hazardous Waste for the FY 2025 – 2026 in Form- IV of Adani Krishnapatnam Port Limited as per the Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016 (HWM Rules, 2016) and amendments thereof.

Kindly acknowledge receipt of the same.

Yours sincerely,  
Adani Krishnapatnam Port Limited.

①

(Authorized Signatory)

Encl: a/a



Adani Krishnapatnam Port Ltd  
PO Bag No 1, Muthukur Mandal,  
SPSR Nellore District 524344  
Andhra Pradesh, India  
CIN: U45203AP1996PLC023529

Tel +91 861 237 7999  
Fax +91 861 237 7046  
info@adani.com  
www.adaniports.com

**FORM 4**  
*[See rules 6 (5), 13 (8), 16(6) and 20(2)]*  
**FORM FOR FILING ANNUAL RETURNS**

[To be submitted to state pollution control board by 30<sup>th</sup> day of June of every year for the preceding period April to March]


Sl. No	General Details		Information
1.	Name and address of facility	:	Adani Krishnapatnam Port Limited, Krishnapatnam Village, Muthukur Mandal,524344 SPSR Nellore
2.	Authorization No. and Date of Issue	:	CTO & HWA Order No. APPCB/VJA/NLR/11344/CFO/HO/2019 11.11.2022
3.	Name of the authorized person and full Address with telephone, fax number and e-mail	:	Mr. Kaushal Singh Adani Krishnapatnam Port Limited, Krishnapatnam Village, Muthukur Mandal,524344 SPSR Nellore, +91 9099002568 kaushal.singh@adani.com
4.	Production during the year	:	59.22 MMT of Cargo Handled in FY 2025 -26 (April 2025 to March 2026)
<b>Part A. To be filled by hazardous waste generators</b>			
1.	Total quantity of waste generated Category wise	:	<b>1342.06 MT</b> (Category wise mentioned in below table)
	<b>S.No</b>	<b>Category of Waste</b>	<b>Quantity Generated</b>
	1	Oil containing cargo residue washing water and sludge from ships	1199.14
	2	Waste oil/Used oil from D.G Sets, Vehicles, dredgers and other machinery	135.32
	3	Sludge and filters contaminated with oil	7.6
2.	Quantity dispatched	:	<b>1342.06 MT</b>
	<b>Waste Oil /Used Oil (Port equipment generated)</b>	:	135.32 MT
	i. To disposal facility	:	N.A.
	ii. To recycler or co-processors or pre-processor	:	135.32 MT
	<b>Waste / Used Oil sludge generated in ships</b>	:	1199.14 MT
	i. To disposal facility	:	N.A

	II. To recycler or co-processors or pre-processor	:	1199.14 MT
3	Sludge and filters contaminated with oil	:	7.6 MT
	To disposal facility	:	N.A
	To recycler or co-processors or pre-processor	:	7.6 MT
4	Quantity utilized in-house, if any-	:	Nil
5	Quantity in storage at the end of the year	:	Nil
<b>Part B. To be filled by Treatment, Storage and disposal facility operators</b>			
1.	Total quantity received -	:	} Nil
2.	Quantity in stock at the beginning of the year	:	
3.	Quantity treated	:	
4.	Quantity disposed in landfills as such and after treatment.	:	
5.	Quantity incinerated (if applicable)	:	
6.	Quantity processed other than specified above-	:	
7.	Quantity in storage at end of the year	:	

<b>Part C. To be filled by recycler or co-processors or other users</b>			
1.	Quantity of the waste received during the year-	:	Nil
	i) Domestic Sources ii) Imported (if applicable)	:	

2.	Quantity in Stock at the beginning of year -	:	<b>Nil</b>
3.	Quantity recycled or co-processed or used-	:	
4.	Quantity of product dispatched (wherever applicable) -	:	
5.	Quantity of waste generated-	:	
6.	Quantity of waste disposed-	:	
7.	Quantity re-exported (wherever applicable)	:	
8.	Quantity in the storage at the end of the year-	:	

Date: 13.04.2026  
Place: SPSR Nellore

  
**Signature of the Occupier or  
Operator of the Disposal facility**

# adani

Ports and  
Logistics

Lr. No. AKPL/ENVIRONMENT/APPCB/05/2026-27

Date: 13.04.2026

To

The Environmental Engineer,  
A.P. Pollution Control Board,  
Regional Office,  
SPSR Nellore District - 524004.

Sir,

Sub:- Adani Krishnapatnam Port Limited – Submission of Battery returns Form – VIII for the period of October'25 to March'26 – Reg.

Ref:- 1. Battery Waste Management Rules, 2022 and amendments thereof  
2. CTO & HWA Order No. APPCB/VJA/NLR/11344/CFO/HO/2019 dated 11.11.2022 valid up to 31.08.2027.

@@@

With reference to the 1<sup>st</sup> cited above we Adani Krishnapatnam Port Limited herewith filing Battery returns for the period of October'25 to March'26 (2<sup>nd</sup> Half yearly) in FORM VIII as per the Battery Waste Management Rules 2001 and 2022 rules and amendments thereof.

Kindly acknowledge receipt of the same.

Yours sincerely,  
Adani Krishnapatnam Port Limited.

  
(Authorized Signatory)

Encl: a/a



Adani Krishnapatnam Port Ltd  
PO Bag No 1, Muthukur Mandal,  
SPSR Nellore District 524344  
Andhra Pradesh, India  
CIN: U45203AP1996PLC023529

Tel +91 861 237 7999  
Fax +91 861 237 7046  
info@adani.com  
www.adaniports.com

Registered Office: Adani Corporate House, Shanti gram, Nr. Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad – 382421, Gujarat, India

**FORM VIII**

[see rule 10 (2) (ii)]

**FORM FOR FILING RETURNS FOR BULK CONSUMER OF BATTERIES**

[To be submitted by the bulk consumer to the State Board by 30th June (for the period October-March) and 31st December (for the period April-September) every year]

1.	Name and Address of the bulk consumer	Adani Krishnapatnam Port Limited, Krishnapatnam Village, Muthukur Mandal, 524344 SPSR Nellore
2.	Name of the Authorized person and full address with telephone and fax number	Mr. Kaushal Singh Adani Krishnapatnam Port Limited, Krishnapatnam Village, Muthukur Mandal, 524344 SPSR Nellore, +91 9099002568 kaushal.singh@adani.com
3.	Number of new batteries of different categories purchased from the manufacturer/importer/dealer or any other agency during October-March and April September  Category : (i) <b>Automotive</b> (a) four wheelers (b) two wheelers (ii) <b>Industrial</b> ✓ UPS (b) Motive Power (c) Stand-by ✓ (iii) <b>Others</b>	(i) No. of Batteries – 13  (ii) Approximate weight – 0.390 (in Metric Tonnes)  The Above batteries were used for UPS power back up and other purpose.
4.	Number of used batteries of categories mentioned in Sl. No. 3 and Tonnage of scrap sent to manufacturer/ dealer/ importer/ registered recycler/ or any other agency to whom the used batteries scrap was sent*.	F A Industries Plot No. 77. Phase I & II, Auto Nagar, Guntur, 522001.  No. of Batteries – 13 (ii) Approx. weight - 0.98 MT

- Enclose list of manufacture/dealer/importer/registered recyclers/or any other agency to whom the used batteries scrap was sent.

Place: Krishnapatnam Village, Muthukur Mandal, 524344.

Date: 13.04.2026

  
(Authorized Signatory)